

## [CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

# Unique solved — 016-Mansur-M-26

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 77

1.

2119A

[Add or XOR](#) · [Tutorial](#)

Quality: 27,207 global accepts · Rating: 800 · first AC: 2025-07-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, greedy, math

[016-Mansur-M-26's solution](#)
2.

2042A

[Greedy Monocarp](#) · [Tutorial](#)

Quality: 20,856 global accepts · Rating: 800 · first AC: 2024-12-02 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, sortings

[016-Mansur-M-26's solution](#)
3.

1909A

[Distinct Buttons](#) · [Tutorial](#)

Quality: 18,930 global accepts · Rating: 800 · first AC: 2023-12-23 · C++20 (GCC 11-64) (first AC) · Tags: implementation, math

[016-Mansur-M-26's solution](#)
4.

1903A

[Halloumi Boxes](#) · [Tutorial](#)

Quality: 79,706 global accepts · Rating: 800 · first AC: 2023-11-30 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, sortings

[016-Mansur-M-26's solution](#)
5.

1900A

[Cover in Water](#) · [Tutorial](#)

Quality: 64,153 global accepts · Rating: 800 · first AC: 2023-11-26 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation, strings

[016-Mansur-M-26's solution](#)
6.

1896A

[Jagged Swaps](#) · [Tutorial](#)

Quality: 57,389 global accepts · Rating: 800 · first AC: 2023-11-25 · C++20 (GCC 11-64) (first AC) · Tags: sortings

[016-Mansur-M-26's solution](#)
7.

1901A

[Line Trip](#) · [Tutorial](#)

Quality: 75,378 global accepts · Rating: 800 · first AC: 2023-11-24 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[016-Mansur-M-26's solution](#)
8.

1898A

[Milica and String](#) · [Tutorial](#)

Quality: 17,427 global accepts · Rating: 800 · first AC: 2023-11-19 · C++20 (GCC 11-64) (first AC) · Tags: brute force, implementation, strings

[016-Mansur-M-26's solution](#)
9.

1891A

[Sorting with Twos](#) · [Tutorial](#)

Quality: 20,543 global accepts · Rating: 800 · first AC: 2023-10-30 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, sortings

[016-Mansur-M-26's solution](#)

**10.**

1856A

[Tales of a Sort](#) · [Tutorial](#)

Quality: 28,161 global accepts · Rating: 800 · first AC: 2023-08-05 · C++20 (GCC 11-64) (first AC) · Tags: implementation

[016-Mansur-M-26's solution](#)

**11.**

1849A

[Morning Sandwich](#) · [Tutorial](#)

Quality: 32,116 global accepts · Rating: 800 · first AC: 2023-07-27 · C++20 (GCC 11-64) (first AC) · Tags: implementation, math

[016-Mansur-M-26's solution](#)

**12.**

1850C

[Word on the Paper](#) · [Tutorial](#)

Quality: 53,548 global accepts · Rating: 800 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: implementation, strings

[016-Mansur-M-26's solution](#)

**13.**

1850B

[Ten Words of Wisdom](#) · [Tutorial](#)

Quality: 50,383 global accepts · Rating: 800 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: implementation, sortings

[016-Mansur-M-26's solution](#)

**14.**

1850A

[To My Critics](#) · [Tutorial](#)

Quality: 74,218 global accepts · Rating: 800 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: implementation, sortings

[016-Mansur-M-26's solution](#)

**15.**

1843C

[Sum in Binary Tree](#) · [Tutorial](#)

Quality: 39,501 global accepts · Rating: 800 · first AC: 2023-06-20 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, combinatorics, math, trees

[016-Mansur-M-26's solution](#)

**16.**

1843B

[Long Long](#) · [Tutorial](#)

Quality: 32,104 global accepts · Rating: 800 · first AC: 2023-06-20 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, two pointers

[016-Mansur-M-26's solution](#)

**17.**

1843A

[Sasha and Array Coloring](#) · [Tutorial](#)

Quality: 37,313 global accepts · Rating: 800 · first AC: 2023-06-20 · C++20 (GCC 11-64) (first AC) · Tags: greedy, sortings, two pointers

[016-Mansur-M-26's solution](#)

**18.**

1811A

[Insert Digit](#) · [Tutorial](#)

Quality: 34,627 global accepts · Rating: 800 · first AC: 2023-04-04 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, strings

[016-Mansur-M-26's solution](#)

**19.**

1800A

[Is It a Cat?](#) · [Tutorial](#)

Quality: 36,605 global accepts · Rating: 800 · first AC: 2023-03-02 · C++20 (GCC 11-64) (first AC) · Tags: implementation, strings

[016-Mansur-M-26's solution](#)

**20.**

2042B

[Game with Colored Marbles](#) · [Tutorial](#)

Quality: 19,487 global accepts · Rating: 900 · first AC: 2024-12-02 · C++23 (GCC 14-64, msys2) (first AC) · Tags: games, greedy

[016-Mansur-M-26's solution](#)

**21.**

1900B

[Laura and Operations](#) · [Tutorial](#)

Quality: 20,475 global accepts · Rating: 900 · first AC: 2023-11-26 · C++20 (GCC 11-64) (first AC) · Tags: dp, math

[016-Mansur-M-26's solution](#)

**22.**

1896B

[AB Flipping](#) · [Tutorial](#)

Quality: 18,424 global accepts · Rating: 900 · first AC: 2023-11-25 · C++20 (GCC 11-64) (first AC) · Tags: greedy, strings, two pointers

[016-Mansur-M-26's solution](#)

**23.**

1856B

[Good Arrays](#) · [Tutorial](#)

Quality: 27,451 global accepts · Rating: 900 · first AC: 2023-08-05 · C++20 (GCC 11-64) (first AC) · Tags: implementation, math

[016-Mansur-M-26's solution](#)

**24.**

1850D

[Balanced Round](#) · [Tutorial](#)

Quality: 60,839 global accepts · Rating: 900 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, implementation, sortings

[016-Mansur-M-26's solution](#)

**25.**

1849B

[Monsters](#) · [Tutorial](#)

Quality: 44,391 global accepts · Rating: 1000 · first AC: 2023-07-27 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, sortings

[016-Mansur-M-26's solution](#)

**26.**

1811B

[Conveyor Belts](#) · [Tutorial](#)

Quality: 22,332 global accepts · Rating: 1000 · first AC: 2023-04-04 · C++20 (GCC 11-64) (first AC) · Tags: implementation, math

[016-Mansur-M-26's solution](#)

**27.**

1800C1

[Powering the Hero \(easy version\)](#) · [Tutorial](#)

Quality: 26,987 global accepts · Rating: 1000 · first AC: 2023-03-02 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy

[016-Mansur-M-26's solution](#)

**28.**

1800B

[Count the Number of Pairs](#) · [Tutorial](#)

Quality: 28,417 global accepts · Rating: 1000 · first AC: 2023-03-02 · C++20 (GCC 11-64) (first AC) · Tags: greedy, strings

[016-Mansur-M-26's solution](#)

**29.**

1901B

[Chip and Ribbon](#) · [Tutorial](#)

Quality: 16,952 global accepts · Rating: 1100 · first AC: 2023-11-24 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[016-Mansur-M-26's solution](#)

**30.**

1891B

[Deja Vu](#) · [Tutorial](#)

Quality: 29,030 global accepts · Rating: 1100 · first AC: 2023-10-30 · C++20 (GCC 11-64) (first AC) · Tags: brute force, math, sortings

[016-Mansur-M-26's solution](#)

**31.**

1850E

[Cardboard for Pictures](#) · [Tutorial](#)

Quality: 35,012 global accepts · Rating: 1100 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: binary search, geometry, implementation, math

[016-Mansur-M-26's solution](#)

**32.**

1811C

[Restore the Array](#) · [Tutorial](#)

Quality: 22,231 global accepts · Rating: 1100 · first AC: 2023-04-04 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[016-Mansur-M-26's solution](#)

**33.**

1800C2

[Powering the Hero \(hard version\)](#) · [Tutorial](#)

Quality: 27,121 global accepts · Rating: 1100 · first AC: 2023-03-02 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy

[016-Mansur-M-26's solution](#)

**34.**

2119B

[Line Segments](#) · [Tutorial](#)

Quality: 18,310 global accepts · Rating: 1200 · first AC: 2025-07-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: geometry, greedy, math

[016-Mansur-M-26's solution](#)

**35.**

1909B

[Make Almost Equal With Mod](#) · [Tutorial](#)

Quality: 30,975 global accepts · Rating: 1200 · first AC: 2023-12-23 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms, math, number theory

[016-Mansur-M-26's solution](#)

**36.**

1903B

[StORage room](#) · [Tutorial](#)

Quality: 14,837 global accepts · Rating: 1200 · first AC: 2023-11-30 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, constructive algorithms, greedy

[016-Mansur-M-26's solution](#)

**37.**

1843D

[Apple Tree](#) · [Tutorial](#)

Quality: 21,694 global accepts · Rating: 1200 · first AC: 2023-06-20 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dfs and similar, dp, math, trees

[016-Mansur-M-26's solution](#)

**38.**

2119C

[A Good Problem](#) · [Tutorial](#)

Quality: 16,310 global accepts · Rating: 1300 · first AC: 2025-07-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, math

[016-Mansur-M-26's solution](#)

**39.**

1900C

[Anji's Binary Tree](#) · [Tutorial](#)

Quality: 15,044 global accepts · Rating: 1300 · first AC: 2023-11-26 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, trees

[016-Mansur-M-26's solution](#)

**40.**

1889A

[Qingshan Loves Strings 2](#) · [Tutorial](#)

Quality: 15,322 global accepts · Rating: 1300 · first AC: 2023-10-28 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation

[016-Mansur-M-26's solution](#)

**41.**

1850F

[We Were Both Children](#) · [Tutorial](#)

Quality: 24,591 global accepts · Rating: 1300 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: brute force, implementation, math, number theory

[016-Mansur-M-26's solution](#)

**42.**

1909C

[Heavy Intervals](#) · [Tutorial](#)

Quality: 13,165 global accepts · Rating: 1400 · first AC: 2023-12-23 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, data structures, dsu, greedy, math, sortings

[016-Mansur-M-26's solution](#)

**43.**

1903C

[Theofanis' Nightmare](#) · [Tutorial](#)

Quality: 14,481 global accepts · Rating: 1400 · first AC: 2023-11-30 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[016-Mansur-M-26's solution](#)

**44.**

1896C

[Matching Arrays](#) · [Tutorial](#)

Quality: 11,601 global accepts · Rating: 1400 · first AC: 2023-11-25 · C++20 (GCC 11-64) (first AC) · Tags: binary search, constructive algorithms, greedy, sortings

[016-Mansur-M-26's solution](#)

**45.**

1901C

[Add, Divide and Floor](#) · [Tutorial](#)

Quality: 14,240 global accepts · Rating: 1400 · first AC: 2023-11-24 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math

[016-Mansur-M-26's solution](#)

**46.**

1898B

[Milena and Admirer](#) · [Tutorial](#)

Quality: 14,613 global accepts · Rating: 1500 · first AC: 2023-11-19 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[016-Mansur-M-26's solution](#)

**47.**

1891C

[Smilo and Monsters](#) · [Tutorial](#)

Quality: 20,363 global accepts · Rating: 1500 · first AC: 2023-10-30 · C++20 (GCC 11-64) (first AC) · Tags: binary search, constructive algorithms, greedy, sortings, two pointers

[016-Mansur-M-26's solution](#)

**48.**

1850G

[The Morning Star](#) · [Tutorial](#)

Quality: 15,477 global accepts · Rating: 1500 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, data structures, geometry, implementation, math, sortings

[016-Mansur-M-26's solution](#)

**49.**

1811E

[Living Sequence](#) · [Tutorial](#)

Quality: 14,409 global accepts · Rating: 1500 · first AC: 2023-04-04 · C++20 (GCC 11-64) (first AC) · Tags: binary search, dp, math, number theory

[016-Mansur-M-26's solution](#)

**50.**

1856C

[To Become Max](#) · [Tutorial](#)

Quality: 18,338 global accepts · Rating: 1600 · first AC: 2023-08-05 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, dp

[016-Mansur-M-26's solution](#)

**51.**

1849C

[Binary String Copying](#) · [Tutorial](#)

Quality: 12,534 global accepts · Rating: 1600 · first AC: 2023-07-27 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, hashing, strings

[016-Mansur-M-26's solution](#)

**52.**

1843E

[Tracking Segments](#) · [Tutorial](#)

Quality: 17,811 global accepts · Rating: 1600 · first AC: 2023-06-20 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, two pointers

[016-Mansur-M-26's solution](#)

**53.**

1903D1

[Maximum And Queries \(easy version\)](#) · [Tutorial](#)

Quality: 7,155 global accepts · Rating: 1700 · first AC: 2023-11-30 · C++20 (GCC 11-64) (first AC) · Tags: binary search, bitmasks, brute force, greedy

[016-Mansur-M-26's solution](#)

**54.**

1896D

[Ones and Twos](#) · [Tutorial](#)

Quality: 7,007 global accepts · Rating: 1700 · first AC: 2023-11-25 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, divide and conquer, math, two pointers

[016-Mansur-M-26's solution](#)

**55.**

1901D

[Yet Another Monster Fight](#) · [Tutorial](#)

Quality: 8,595 global accepts · Rating: 1700 · first AC: 2023-11-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, dp, greedy, implementation, math

[016-Mansur-M-26's solution](#)

**56.**

1898C

[Colorful Grid](#) · [Tutorial](#)

Quality: 6,513 global accepts · Rating: 1700 · first AC: 2023-11-19 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms

[016-Mansur-M-26's solution](#)

**57.**

1849D

[Array Painting](#) · [Tutorial](#)

Quality: 10,319 global accepts · Rating: 1700 · first AC: 2023-07-27 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, two pointers

[016-Mansur-M-26's solution](#)

**58.**

1850H

[The Third Letter](#) · [Tutorial](#)

Quality: 9,993 global accepts · Rating: 1700 · first AC: 2023-07-21 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dsu, graphs, greedy, implementation

[016-Mansur-M-26's solution](#)

**59.**

2042C

[Competitive Fishing](#) · [Tutorial](#)

Quality: 8,643 global accepts · Rating: 1800 · first AC: 2024-12-02 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy

[016-Mansur-M-26's solution](#)

**60.**

1843F1

[Omsk Metro \(simple version\)](#) · [Tutorial](#)

Quality: 6,348 global accepts · Rating: 1800 · first AC: 2023-06-20 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dfs and similar, dp, graphs, greedy, math, trees

[016-Mansur-M-26's solution](#)

**61.**

2042D

[Recommendations](#) · [Tutorial](#)

Quality: 5,239 global accepts · Rating: 1900 · first AC: 2024-12-02 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, implementation, sortings, two pointers

[016-Mansur-M-26's solution](#)

**62.**

1909D

[Split Plus K](#) · [Tutorial](#)

Quality: 5,125 global accepts · Rating: 1900 · first AC: 2023-12-23 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, number theory

[016-Mansur-M-26's solution](#)

**63.**

1898D

[Absolute Beauty](#) · [Tutorial](#)

Quality: 6,634 global accepts · Rating: 1900 · first AC: 2023-11-19 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[016-Mansur-M-26's solution](#)

**64.**

1891D

[Suspicious logarithms](#) · [Tutorial](#)

Quality: 4,559 global accepts · Rating: 1900 · first AC: 2023-10-30 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, math

[016-Mansur-M-26's solution](#)

**65.**

1903E

[Geo Game](#) · [Tutorial](#)

Quality: 2,514 global accepts · Rating: 2000 · first AC: 2023-11-30 · C++20 (GCC 11-64) (first AC) · Tags: greedy, interactive, math

[016-Mansur-M-26's solution](#)

**66.**

1900D

[Small GCD](#) · [Tutorial](#)

Quality: 5,357 global accepts · Rating: 2000 · first AC: 2023-11-26 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, dp, math, number theory

[016-Mansur-M-26's solution](#)

**67.**

1891F

[A Growing Tree](#) · [Tutorial](#)

Quality: 4,778 global accepts · Rating: 2000 · first AC: 2023-10-30 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dfs and similar, trees

[016-Mansur-M-26's solution](#)

**68.**

1889C1

[Doremy's Drying Plan \(Easy Version\)](#) · [Tutorial](#)

Quality: 3,910 global accepts · Rating: 2000 · first AC: 2023-10-28 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, dp, greedy, sortings

[016-Mansur-M-26's solution](#)

**69.**

2119D

[Token Removing](#) · [Tutorial](#)

Quality: 3,474 global accepts · Rating: 2100 · first AC: 2025-07-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, math

[016-Mansur-M-26's solution](#)

**70.**

1900E

[Transitive Graph](#) · [Tutorial](#)

Quality: 2,636 global accepts · Rating: 2100 · first AC: 2023-11-26 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, dsu, graphs, implementation

[016-Mansur-M-26's solution](#)

**71.**

1856D

[More Wrong](#) · [Tutorial](#)

Quality: 3,791 global accepts · Rating: 2100 · first AC: 2023-08-05 · C++20 (GCC 11-64) (first AC) · Tags: divide and conquer, interactive  
[016-Mansur-M-26's solution](#)

**72.**

1909F1

[Small Permutation Problem \(Easy Version\)](#) · [Tutorial](#)

Quality: 2,257 global accepts · Rating: 2200 · first AC: 2023-12-23 · C++20 (GCC 11-64) (first AC) · Tags: brute force, combinatorics, dp, math  
[016-Mansur-M-26's solution](#)

**73.**

1849E

[Max to the Right of Min](#) · [Tutorial](#)

Quality: 2,183 global accepts · Rating: 2300 · first AC: 2023-07-27 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, divide and conquer, dp, dsu, two pointers  
[016-Mansur-M-26's solution](#)

**74.**

1843F2

[Omsk Metro \(hard version\)](#) · [Tutorial](#)

Quality: 2,117 global accepts · Rating: 2300 · first AC: 2023-06-20 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dfs and similar, divide and conquer, dp, math, trees  
[016-Mansur-M-26's solution](#)

**75.**

1903F

[Babysitting](#) · [Tutorial](#)

Quality: 908 global accepts · Rating: 2500 · first AC: 2023-11-30 · C++20 (GCC 11-64) (first AC) · Tags: 2-sat, binary search, data structures, graphs, trees  
[016-Mansur-M-26's solution](#)

**76.**

2119E

[And Constraint](#) · [Tutorial](#)

Quality: 706 global accepts · Rating: 2600 · first AC: 2025-07-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, dp, greedy  
[016-Mansur-M-26's solution](#)

**77.**

2042F

[Two Subarrays](#) · [Tutorial](#)

Quality: 908 global accepts · Rating: 2600 · first AC: 2024-12-02 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dp, implementation, matrices  
[016-Mansur-M-26's solution](#)