CF Elite Tracker

https://cfelitetracker.vercel.app

Unique solved — AQT

Links: problem (problemset), Tutorial, submission (first AC).
Sort: Problem rating · easier first
Filters: none
Count: 2,362

1.
1942A
Farmer John's Challenge · Tutorial
Quality: 18,506 global accepts · Rating: 800 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

2.
1764A
Doremy's Paint · Tutorial
Quality: 17,454 global accepts · Rating: 800 · first AC: 2024-03-22 · C++20 (GCC 13-64) (first AC) · Tags: greedy
AQT's solution

3.
1810B
Candies · Tutorial
Quality: 18,934 global accepts · Rating: 800 · first AC: 2023-09-17 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math, number theory
AQT's solution

4.
1810A
Beautiful Sequence · Tutorial
Quality: 21,910 global accepts · Rating: 800 · first AC: 2023-09-17 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy
AQT's solution

5.
1844A
Subtraction Game · Tutorial
Quality: 25,953 global accepts · Rating: 800 · first AC: 2023-09-09 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, games
AQT's solution

6.
1863A
Channel · Tutorial
Quality: 18,873 global accepts · Rating: 800 · first AC: 2023-09-01 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation
AQT's solution

7.
1864A
Increasing and Decreasing · Tutorial
Quality: 21,420 global accepts · Rating: 800 · first AC: 2023-08-31 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math
AQT's solution

8.
1862B
Sequence Game · Tutorial
Quality: 54,989 global accepts · Rating: 800 · first AC: 2023-08-24 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms
AQT's solution

9.
1862A
Gift Carpet · Tutorial
Quality: 36,266 global accepts · Rating: 800 · first AC: 2023-08-24 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy, implementation, strings
AQT's solution

10.
1776A
Walking Boy · Tutorial
Quality: 7,964 global accepts · Rating: 800 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: greedy
AQT's solution

11.
1798A
Showstopper · Tutorial
Quality: 21,048 global accepts · Rating: 800 · first AC: 2023-03-27 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation, sortings
AQT's solution

12.
1807C
Find and Replace · Tutorial
Quality: 34,332 global accepts · Rating: 800 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation, strings
AQT's solution

13.
1807B
Grab the Candies · Tutorial
Quality: 49,350 global accepts · Rating: 800 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: greedy
AQT's solution

14.
1807A
Plus or Minus · Tutorial
Quality: 84,716 global accepts · Rating: 800 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: implementation
AQT's solution

15.
1794A
Prefix and Suffix Array · Tutorial
Quality: 18,824 global accepts · Rating: 800 · first AC: 2023-03-04 · C++20 (GCC 11-64) (first AC) · Tags: strings
AQT's solution

16.
1676C
Most Similar Words · Tutorial
Quality: 34,636 global accepts · Rating: 800 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, implementation, math, strings
AQT's solution

17.
1676B
Equal Candies · Tutorial
Quality: 60,644 global accepts · Rating: 800 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, sortings
AQT's solution

18.
1676A
Lucky? · Tutorial
Quality: 87,422 global accepts · Rating: 800 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: implementation
AQT's solution

19.
1772B
Matrix Rotation · Tutorial
Quality: 33,100 global accepts · Rating: 800 · first AC: 2023-02-12 · C++20 (GCC 11-64) (first AC) · Tags: brute force, implementation
AQT's solution

20.
1772A
A+B? · Tutorial
Quality: 60,429 global accepts · Rating: 800 · first AC: 2023-02-12 · C++20 (GCC 11-64) (first AC) · Tags: implementation
AQT's solution

21.
1654B
Prefix Removals · Tutorial
Quality: 16,778 global accepts · Rating: 800 · first AC: 2023-02-05 · C++20 (GCC 11-64) (first AC) · Tags: strings
AQT's solution

22.
1654A
Maximum Cake Tastiness · Tutorial
Quality: 19,391 global accepts · Rating: 800 · first AC: 2023-02-05 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, implementation, sortings
AQT's solution

23.
1615A
Closing The Gap · Tutorial
Quality: 21,579 global accepts · Rating: 800 · first AC: 2023-02-04 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math
AQT's solution

24.
1717A
Madoka and Strange Thoughts · Tutorial
Quality: 20,957 global accepts · Rating: 800 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: math, number theory
AQT's solution

25.
1605A
A.M. Deviation · Tutorial
Quality: 21,646 global accepts · Rating: 800 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
AQT's solution

26.
1567A
Domino Disaster · Tutorial
Quality: 31,718 global accepts · Rating: 800 · first AC: 2021-09-05 · C++17 (GCC 9-64) (first AC) · Tags: implementation, strings
AQT's solution

27.
1556A
A Variety of Operations · Tutorial
Quality: 18,543 global accepts · Rating: 800 · first AC: 2021-08-29 · C++17 (GCC 9-64) (first AC) · Tags: math
AQT's solution

28.
1562A
The Miracle and the Sleeper · Tutorial
Quality: 26,366 global accepts · Rating: 800 · first AC: 2021-08-26 · C++17 (GCC 9-64) (first AC) · Tags: greedy, math
AQT's solution

29.
1552A
Subsequence Permutation · Tutorial
Quality: 25,341 global accepts · Rating: 800 · first AC: 2021-07-25 · GNU C++11 (first AC) · Tags: sortings, strings
AQT's solution

30.
1534A
Colour the Flag · Tutorial
Quality: 13,175 global accepts · Rating: 800 · first AC: 2021-06-13 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

31.
112A
Petya and Strings · Tutorial
Quality: 287,253 global accepts · Rating: 800 · first AC: 2021-06-11 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

32.
1536A
Omkar and Bad Story · Tutorial
Quality: 20,771 global accepts · Rating: 800 · first AC: 2021-06-06 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms
AQT's solution

33.
1525A
Potion-making · Tutorial
Quality: 27,002 global accepts · Rating: 800 · first AC: 2021-05-24 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

34.
1515A
Phoenix and Gold · Tutorial
Quality: 21,124 global accepts · Rating: 800 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

35.
1519B
The Cake Is a Lie · Tutorial
Quality: 33,398 global accepts · Rating: 800 · first AC: 2021-04-29 · GNU C++11 (first AC) · Tags: dp, math
AQT's solution

36.
1519A
Red and Blue Beans · Tutorial
Quality: 30,560 global accepts · Rating: 800 · first AC: 2021-04-29 · GNU C++11 (first AC) · Tags: math
AQT's solution

37.
1516A
Tit for Tat · Tutorial
Quality: 24,655 global accepts · Rating: 800 · first AC: 2021-04-21 · GNU C++11 (first AC) · Tags: greedy
AQT's solution

38.
1514A
Perfectly Imperfect Array · Tutorial
Quality: 25,368 global accepts · Rating: 800 · first AC: 2021-04-19 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

39.
1493A
Anti-knapsack · Tutorial
Quality: 19,773 global accepts · Rating: 800 · first AC: 2021-03-06 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy
AQT's solution

40.
1428A
Box is Pull · Tutorial
Quality: 17,006 global accepts · Rating: 800 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: math
AQT's solution

41.
1422A
Fence · Tutorial
Quality: 21,867 global accepts · Rating: 800 · first AC: 2020-10-04 · GNU C++11 (first AC) · Tags: geometry, math
AQT's solution

42.
1408A
Circle Coloring · Tutorial
Quality: 12,786 global accepts · Rating: 800 · first AC: 2020-09-30 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

43.
1409A
Yet Another Two Integers Problem · Tutorial
Quality: 80,425 global accepts · Rating: 800 · first AC: 2020-09-04 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

44.
1400A
String Similarity · Tutorial
Quality: 27,967 global accepts · Rating: 800 · first AC: 2020-08-25 · GNU C++11 (first AC) · Tags: constructive algorithms, strings
AQT's solution

45.
1392B
Omkar and Infinity Clock · Tutorial
Quality: 18,891 global accepts · Rating: 800 · first AC: 2020-08-16 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

46.
1392A
Omkar and Password · Tutorial
Quality: 21,745 global accepts · Rating: 800 · first AC: 2020-08-16 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

47.
1389A
LCM Problem · Tutorial
Quality: 49,877 global accepts · Rating: 800 · first AC: 2020-07-29 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math, number theory
AQT's solution

48.
1372A
Omkar and Completion · Tutorial
Quality: 33,482 global accepts · Rating: 800 · first AC: 2020-07-11 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

49.
1369A
FashionabLee · Tutorial
Quality: 39,125 global accepts · Rating: 800 · first AC: 2020-06-23 · GNU C++11 (first AC) · Tags: geometry, math
AQT's solution

50.
1368A
C+= · Tutorial
Quality: 46,255 global accepts · Rating: 800 · first AC: 2020-06-18 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation, math
AQT's solution

51.
822A
I'm bored with life · Tutorial
Quality: 36,808 global accepts · Rating: 800 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: implementation, math, number theory
AQT's solution

52.
758A
Holiday Of Equality · Tutorial
Quality: 75,304 global accepts · Rating: 800 · first AC: 2020-05-18 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

53.
1352A
Sum of Round Numbers · Tutorial
Quality: 104,119 global accepts · Rating: 800 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

54.
750A
New Year and Hurry · Tutorial
Quality: 92,558 global accepts · Rating: 800 · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: binary search, brute force, implementation, math
AQT's solution

55.
1348A
Phoenix and Balance · Tutorial
Quality: 42,849 global accepts · Rating: 800 · first AC: 2020-05-01 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

56.
794A
Bank Robbery · Tutorial
Quality: 7,775 global accepts · Rating: 800 · first AC: 2020-03-25 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation
AQT's solution

57.
1307A
Cow and Haybales · Tutorial
Quality: 15,627 global accepts · Rating: 800 · first AC: 2020-02-17 · GNU C++11 (first AC) · Tags: greedy, implementation
AQT's solution

58.
1301A
Three Strings · Tutorial
Quality: 20,113 global accepts · Rating: 800 · first AC: 2020-02-13 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

59.
1284A
New Year and Naming · Tutorial
Quality: 18,594 global accepts · Rating: 800 · first AC: 2020-01-04 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

60.
1270A
Card Game · Tutorial
Quality: 17,816 global accepts · Rating: 800 · first AC: 2019-12-29 · C++14 (GCC 6-32) (first AC) · Tags: games, greedy, math
AQT's solution

61.
1283A
Minutes Before the New Year · Tutorial
Quality: 61,298 global accepts · Rating: 800 · first AC: 2019-12-28 · GNU C++11 (first AC) · Tags: math
AQT's solution

62.
1269A
Equation · Tutorial
Quality: 24,103 global accepts · Rating: 800 · first AC: 2019-12-23 · GNU C++11 (first AC) · Tags: brute force, math
AQT's solution

63.
703A
Mishka and Game · Tutorial
Quality: 66,587 global accepts · Rating: 800 · first AC: 2019-11-17 · C++14 (GCC 6-32) (first AC) · Tags: implementation
AQT's solution

64.
785A
Anton and Polyhedrons · Tutorial
Quality: 110,954 global accepts · Rating: 800 · first AC: 2019-11-11 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

65.
1244A
Pens and Pencils · Tutorial
Quality: 20,068 global accepts · Rating: 800 · first AC: 2019-10-13 · GNU C++11 (first AC) · Tags: math
AQT's solution

66.
1234A
Equalize Prices Again · Tutorial
Quality: 29,554 global accepts · Rating: 800 · first AC: 2019-10-01 · GNU C++11 (first AC) · Tags: math
AQT's solution

67.
1228A
Distinct Digits · Tutorial
Quality: 23,293 global accepts · Rating: 800 · first AC: 2019-09-29 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

68.
1216A
Prefixes · Tutorial
Quality: 19,550 global accepts · Rating: 800 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: strings
AQT's solution

69.
1209A
Paint the Numbers · Tutorial
Quality: 12,841 global accepts · Rating: 800 · first AC: 2019-09-14 · GNU C++11 (first AC) · Tags: greedy, implementation, math
AQT's solution

70.
1207A
There Are Two Types Of Burgers · Tutorial
Quality: 23,388 global accepts · Rating: 800 · first AC: 2019-08-22 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation, math
AQT's solution

71.
1206A
Choose Two Numbers · Tutorial
Quality: 26,050 global accepts · Rating: 800 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: math, sortings
AQT's solution

72.
1200A
Hotelier · Tutorial
Quality: 21,811 global accepts · Rating: 800 · first AC: 2019-08-11 · GNU C++11 (first AC) · Tags: brute force, data structures, implementation
AQT's solution

73.
1178A
Prime Minister · Tutorial
Quality: 11,290 global accepts · Rating: 800 · first AC: 2019-07-20 · GNU C++11 (first AC) · Tags: greedy
AQT's solution

74.
1194A
Remove a Progression · Tutorial
Quality: 17,374 global accepts · Rating: 800 · first AC: 2019-07-14 · GNU C++11 (first AC) · Tags: math
AQT's solution

75.
1183A
Nearest Interesting Number · Tutorial
Quality: 27,024 global accepts · Rating: 800 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: implementation
AQT's solution

76.
1180A
Alex and a Rhombus · Tutorial
Quality: 27,427 global accepts · Rating: 800 · first AC: 2019-06-21 · C++14 (GCC 6-32) (first AC) · Tags: dp, implementation, math
AQT's solution

77.
1185A
Ropewalkers · Tutorial
Quality: 15,382 global accepts · Rating: 800 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: math
AQT's solution

78.
735A
Ostap and Grasshopper · Tutorial
Quality: 13,141 global accepts · Rating: 800 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings
AQT's solution

79.
1148A
Another One Bites The Dust · Tutorial
Quality: 15,547 global accepts · Rating: 800 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: greedy
AQT's solution

80.
469A
I Wanna Be the Guy · Tutorial
Quality: 121,199 global accepts · Rating: 800 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation
AQT's solution

81.
510A
Fox And Snake · Tutorial
Quality: 105,912 global accepts · Rating: 800 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

82.
443A
Anton and Letters · Tutorial
Quality: 112,061 global accepts · Rating: 800 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation
AQT's solution

83.
454A
Little Pony and Crystal Mine · Tutorial
Quality: 16,120 global accepts · Rating: 800 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

84.
381A
Sereja and Dima · Tutorial
Quality: 89,818 global accepts · Rating: 800 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, two pointers
AQT's solution

85.
1136A
Nastya Is Reading a Book · Tutorial
Quality: 17,250 global accepts · Rating: 800 · first AC: 2019-03-11 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

86.
1131A
Sea Battle · Tutorial
Quality: 12,807 global accepts · Rating: 800 · first AC: 2019-02-25 · C++17 (GCC 7-32) (first AC) · Tags: math
AQT's solution

87.
1130A
Be Positive · Tutorial
Quality: 12,232 global accepts · Rating: 800 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

88.
1118A
Water Buying · Tutorial
Quality: 21,589 global accepts · Rating: 800 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: math
AQT's solution

89.
629A
Far Relative's Birthday Cake · Tutorial
Quality: 14,847 global accepts · Rating: 800 · first AC: 2019-02-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics, constructive algorithms, implementation
AQT's solution

90.
1114A
Got Any Grapes? · Tutorial
Quality: 19,755 global accepts · Rating: 800 · first AC: 2019-02-10 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, implementation
AQT's solution

91.
1106A
Lunar New Year and Cross Counting · Tutorial
Quality: 12,864 global accepts · Rating: 800 · first AC: 2019-01-31 · C++14 (GCC 6-32) (first AC) · Tags: implementation
AQT's solution

92.
1097A
Gennady and a Card Game · Tutorial
Quality: 43,808 global accepts · Rating: 800 · first AC: 2019-01-04 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

93.
1091A
New Year and the Christmas Ornament · Tutorial
Quality: 18,565 global accepts · Rating: 800 · first AC: 2018-12-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, math
AQT's solution

94.
1096A
Find Divisible · Tutorial
Quality: 19,633 global accepts · Rating: 800 · first AC: 2018-12-28 · GNU C++11 (first AC) · Tags: greedy, implementation, math
AQT's solution

95.
1056A
Determine Line · Tutorial
Quality: 7,308 global accepts · Rating: 800 · first AC: 2018-11-25 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

96.
1043A
Elections · Tutorial
Quality: 11,279 global accepts · Rating: 800 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

97.
1065A
Vasya and Chocolate · Tutorial
Quality: 15,264 global accepts · Rating: 800 · first AC: 2018-10-13 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

98.
1060A
Phone Numbers · Tutorial
Quality: 15,716 global accepts · Rating: 800 · first AC: 2018-10-04 · Java 8 (first AC) · Tags: brute force
AQT's solution

99.
1041A
Heist · Tutorial
Quality: 26,844 global accepts · Rating: 800 · first AC: 2018-09-16 · Java 8 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

100.
710A
King Moves · Tutorial
Quality: 14,786 global accepts · Rating: 800 · first AC: 2018-09-14 · Java 8 (first AC) · Tags: implementation
AQT's solution

101.
1038A
Equality · Tutorial
Quality: 15,646 global accepts · Rating: 800 · first AC: 2018-09-06 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

102.
384A
Coder · Tutorial
Quality: 17,218 global accepts · Rating: 800 · first AC: 2018-09-06 · Java 8 (first AC) · Tags: implementation
AQT's solution

103.
1028A
Find Square · Tutorial
Quality: 11,522 global accepts · Rating: 800 · first AC: 2018-08-27 · Java 8 (first AC) · Tags: implementation
AQT's solution

104.
701A
Cards · Tutorial
Quality: 21,204 global accepts · Rating: 800 · first AC: 2018-08-20 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
AQT's solution

105.
734B
Anton and Digits · Tutorial
Quality: 31,933 global accepts · Rating: 800 · first AC: 2018-08-13 · Java 8 (first AC) · Tags: brute force, greedy, implementation, math
AQT's solution

106.
734A
Anton and Danik · Tutorial
Quality: 195,533 global accepts · Rating: 800 · first AC: 2018-08-13 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

107.
1017A
The Rank · Tutorial
Quality: 21,585 global accepts · Rating: 800 · first AC: 2018-08-13 · Java 8 (first AC) · Tags: implementation
AQT's solution

108.
1015A
Points in Segments · Tutorial
Quality: 22,434 global accepts · Rating: 800 · first AC: 2018-07-31 · Java 8 (first AC) · Tags: implementation
AQT's solution

109.
1013A
Piles With Stones · Tutorial
Quality: 11,708 global accepts · Rating: 800 · first AC: 2018-07-30 · Java 8 (first AC) · Tags: math
AQT's solution

110.
705A
Hulk · Tutorial
Quality: 132,093 global accepts · Rating: 800 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: implementation
AQT's solution

111.
686A
Free Ice Cream · Tutorial
Quality: 43,416 global accepts · Rating: 800 · first AC: 2018-07-25 · last AC: 2018-07-25 · PyPy 2 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

112.
181A
Series of Crimes · Tutorial
Quality: 8,785 global accepts · Rating: 800 · first AC: 2018-07-19 · Java 8 (first AC) · Tags: brute force, geometry, implementation
AQT's solution

113.
551A
GukiZ and Contest · Tutorial
Quality: 17,859 global accepts · Rating: 800 · first AC: 2018-07-17 · Java 8 (first AC) · Tags: brute force, implementation, sortings
AQT's solution

114.
1006A
Adjacent Replacements · Tutorial
Quality: 22,874 global accepts · Rating: 800 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: implementation
AQT's solution

115.
1005A
Tanya and Stairways · Tutorial
Quality: 27,494 global accepts · Rating: 800 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: implementation
AQT's solution

116.
764A
Taymyr is calling you · Tutorial
Quality: 17,100 global accepts · Rating: 800 · first AC: 2018-07-06 · Java 8 (first AC) · Tags: brute force, implementation, math
AQT's solution

117.
1003A
Polycarp's Pockets · Tutorial
Quality: 29,983 global accepts · Rating: 800 · first AC: 2018-07-03 · Java 8 (first AC) · Tags: implementation
AQT's solution

118.
996A
Hit the Lottery · Tutorial
Quality: 118,368 global accepts · Rating: 800 · first AC: 2018-06-24 · Java 8 (first AC) · Tags: dp, greedy
AQT's solution

119.
978B
File Name · Tutorial
Quality: 40,910 global accepts · Rating: 800 · first AC: 2018-06-22 · Java 8 (first AC) · Tags: greedy, strings
AQT's solution

120.
978A
Remove Duplicates · Tutorial
Quality: 30,731 global accepts · Rating: 800 · first AC: 2018-06-22 · Java 8 (first AC) · Tags: implementation
AQT's solution

121.
999A
Mishka and Contest · Tutorial
Quality: 25,328 global accepts · Rating: 800 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

122.
988A
Diverse Team · Tutorial
Quality: 28,499 global accepts · Rating: 800 · first AC: 2018-06-20 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

123.
992A
Nastya and an Array · Tutorial
Quality: 14,316 global accepts · Rating: 800 · first AC: 2018-06-19 · Java 8 (first AC) · Tags: implementation, sortings
AQT's solution

124.
832A
Sasha and Sticks · Tutorial
Quality: 22,148 global accepts · Rating: 800 · first AC: 2018-06-17 · Java 8 (first AC) · Tags: games, math
AQT's solution

125.
994A
Fingerprints · Tutorial
Quality: 15,213 global accepts · Rating: 800 · first AC: 2018-06-16 · Java 8 (first AC) · Tags: implementation
AQT's solution

126.
821A
Okabe and Future Gadget Laboratory · Tutorial
Quality: 8,987 global accepts · Rating: 800 · first AC: 2018-05-29 · Java 8 (first AC) · Tags: implementation
AQT's solution

127.
984A
Game · Tutorial
Quality: 20,744 global accepts · Rating: 800 · first AC: 2018-05-15 · Java 8 (first AC) · Tags: sortings
AQT's solution

128.
977A
Wrong Subtraction · Tutorial
Quality: 217,490 global accepts · Rating: 800 · first AC: 2018-05-06 · Java 8 (first AC) · Tags: implementation
AQT's solution

129.
976A
Minimum Binary Number · Tutorial
Quality: 10,974 global accepts · Rating: 800 · first AC: 2018-04-30 · Java 8 (first AC) · Tags: implementation
AQT's solution

130.
965A
Paper Airplanes · Tutorial
Quality: 10,356 global accepts · Rating: 800 · first AC: 2018-04-25 · Java 8 (first AC) · Tags: math
AQT's solution

131.
964A
Splits · Tutorial
Quality: 10,310 global accepts · Rating: 800 · first AC: 2018-04-19 · Java 8 (first AC) · Tags: math
AQT's solution

132.
959A
Mahmoud and Ehab and the even-odd game · Tutorial
Quality: 55,668 global accepts · Rating: 800 · first AC: 2018-04-17 · Java 8 (first AC) · Tags: games, math
AQT's solution

133.
935A
Fafa and his Company · Tutorial
Quality: 47,234 global accepts · Rating: 800 · first AC: 2018-02-19 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

134.
919A
Supermarket · Tutorial
Quality: 16,957 global accepts · Rating: 800 · first AC: 2018-01-31 · Java 8 (first AC) · Tags: brute force, greedy, implementation
AQT's solution

135.
214A
System of Equations · Tutorial
Quality: 42,920 global accepts · Rating: 800 · first AC: 2018-01-12 · Java 8 (first AC) · Tags: brute force
AQT's solution

136.
912A
Tricky Alchemy · Tutorial
Quality: 14,384 global accepts · Rating: 800 · first AC: 2018-01-05 · Java 8 (first AC) · Tags: implementation
AQT's solution

137.
908A
New Year and Counting Cards · Tutorial
Quality: 15,841 global accepts · Rating: 800 · first AC: 2017-12-29 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

138.
282A
Bit++ · Tutorial
Quality: 358,284 global accepts · Rating: 800 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: implementation
AQT's solution

139.
231A
Team · Tutorial
Quality: 430,263 global accepts · Rating: 800 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: brute force, greedy
AQT's solution

140.
50A
Domino piling · Tutorial
Quality: 318,720 global accepts · Rating: 800 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: greedy, math
AQT's solution

141.
158A
Next Round · Tutorial
Quality: 320,470 global accepts · Rating: 800 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: *special, implementation
AQT's solution

142.
71A
Way Too Long Words · Tutorial
Quality: 503,255 global accepts · Rating: 800 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: strings
AQT's solution

143.
4A
Watermelon · Tutorial
Quality: 687,852 global accepts · Rating: 800 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: brute force, math
AQT's solution

144.
1951A
Dual Trigger · Tutorial
Quality: 22,572 global accepts · Rating: 900 · first AC: 2024-04-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

145.
1764B
Doremy's Perfect Math Class · Tutorial
Quality: 17,931 global accepts · Rating: 900 · first AC: 2024-03-22 · C++20 (GCC 13-64) (first AC) · Tags: math, number theory
AQT's solution

146.
1807D
Odd Queries · Tutorial
Quality: 56,760 global accepts · Rating: 900 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: data structures, implementation
AQT's solution

147.
1794B
Not Dividing · Tutorial
Quality: 39,870 global accepts · Rating: 900 · first AC: 2023-03-04 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

148.
1559B
Mocha and Red and Blue · Tutorial
Quality: 24,137 global accepts · Rating: 900 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy
AQT's solution

149.
1559A
Mocha and Math · Tutorial
Quality: 45,585 global accepts · Rating: 900 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, math
AQT's solution

150.
1494A
ABC String · Tutorial
Quality: 22,812 global accepts · Rating: 900 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: bitmasks, brute force, implementation
AQT's solution

151.
1467A
Wizard of Orz · Tutorial
Quality: 25,318 global accepts · Rating: 900 · first AC: 2021-01-08 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

152.
1427A
Avoiding Zero · Tutorial
Quality: 18,033 global accepts · Rating: 900 · first AC: 2020-10-10 · GNU C++11 (first AC) · Tags: math, sortings
AQT's solution

153.
1420A
Cubes Sorting · Tutorial
Quality: 25,204 global accepts · Rating: 900 · first AC: 2020-09-24 · GNU C++11 (first AC) · Tags: math, sortings
AQT's solution

154.
1401A
Distance and Axis · Tutorial
Quality: 28,636 global accepts · Rating: 900 · first AC: 2020-08-21 · GNU C++11 (first AC) · Tags: constructive algorithms, math
AQT's solution

155.
1380A
Three Indices · Tutorial
Quality: 40,074 global accepts · Rating: 900 · first AC: 2020-07-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures
AQT's solution

156.
1373B
01 Game · Tutorial
Quality: 52,677 global accepts · Rating: 900 · first AC: 2020-06-25 · GNU C++11 (first AC) · Tags: games
AQT's solution

157.
793A
Oleg and shares · Tutorial
Quality: 8,016 global accepts · Rating: 900 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

158.
199A
Hexadecimal's theorem · Tutorial
Quality: 30,290 global accepts · Rating: 900 · first AC: 2020-05-20 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, implementation, number theory
AQT's solution

159.
768A
Oath of the Night's Watch · Tutorial
Quality: 30,842 global accepts · Rating: 900 · first AC: 2020-03-31 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, sortings
AQT's solution

160.
1326B
Maximums · Tutorial
Quality: 25,272 global accepts · Rating: 900 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

161.
1295A
Display The Number · Tutorial
Quality: 24,148 global accepts · Rating: 900 · first AC: 2020-01-29 · GNU C++11 (first AC) · Tags: greedy
AQT's solution

162.
1283B
Candies Division · Tutorial
Quality: 23,084 global accepts · Rating: 900 · first AC: 2019-12-28 · GNU C++11 (first AC) · Tags: math
AQT's solution

163.
1282A
Temporarily unavailable · Tutorial
Quality: 15,500 global accepts · Rating: 900 · first AC: 2019-12-24 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

164.
621A
Wet Shark and Odd and Even · Tutorial
Quality: 22,676 global accepts · Rating: 900 · first AC: 2019-11-11 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

165.
1225A
Forgetting Things · Tutorial
Quality: 16,624 global accepts · Rating: 900 · first AC: 2019-10-26 · GNU C++11 (first AC) · Tags: math
AQT's solution

166.
1216B
Shooting · Tutorial
Quality: 19,679 global accepts · Rating: 900 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

167.
1213A
Chips Moving · Tutorial
Quality: 25,603 global accepts · Rating: 900 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: math
AQT's solution

168.
1208A
XORinacci · Tutorial
Quality: 18,021 global accepts · Rating: 900 · first AC: 2019-08-25 · GNU C++11 (first AC) · Tags: math
AQT's solution

169.
1204B
Mislove Has Lost an Array · Tutorial
Quality: 18,329 global accepts · Rating: 900 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

170.
1201A
Important Exam · Tutorial
Quality: 17,033 global accepts · Rating: 900 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

171.
1206B
Make Product Equal One · Tutorial
Quality: 29,511 global accepts · Rating: 900 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: dp, implementation
AQT's solution

172.
1183B
Equalize Prices · Tutorial
Quality: 19,697 global accepts · Rating: 900 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: math
AQT's solution

173.
1175A
From Hero to Zero · Tutorial
Quality: 19,766 global accepts · Rating: 900 · first AC: 2019-06-05 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math
AQT's solution

174.
1163A
Eating Soup · Tutorial
Quality: 13,862 global accepts · Rating: 900 · first AC: 2019-05-09 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math
AQT's solution

175.
460A
Vasya and Socks · Tutorial
Quality: 52,023 global accepts · Rating: 900 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, math
AQT's solution

176.
337A
Puzzles · Tutorial
Quality: 94,904 global accepts · Rating: 900 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: greedy
AQT's solution

177.
465A
inc ARG · Tutorial
Quality: 10,445 global accepts · Rating: 900 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

178.
405A
Gravity Flip · Tutorial
Quality: 126,478 global accepts · Rating: 900 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, sortings
AQT's solution

179.
1138A
Sushi for Two · Tutorial
Quality: 22,071 global accepts · Rating: 900 · first AC: 2019-03-08 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, implementation
AQT's solution

180.
1113A
Sasha and His Trip · Tutorial
Quality: 18,318 global accepts · Rating: 900 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, math
AQT's solution

181.
876A
Trip For Meal · Tutorial
Quality: 10,022 global accepts · Rating: 900 · first AC: 2019-02-13 · C++14 (GCC 6-32) (first AC) · Tags: math
AQT's solution

182.
879A
Borya's Diagnosis · Tutorial
Quality: 9,573 global accepts · Rating: 900 · first AC: 2019-02-10 · C++14 (GCC 6-32) (first AC) · Tags: implementation
AQT's solution

183.
1106C
Lunar New Year and Number Division · Tutorial
Quality: 15,909 global accepts · Rating: 900 · first AC: 2019-01-31 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, math, sortings
AQT's solution

184.
267A
Subtractions · Tutorial
Quality: 9,559 global accepts · Rating: 900 · first AC: 2019-01-27 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory
AQT's solution

185.
1055A
Metro · Tutorial
Quality: 13,448 global accepts · Rating: 900 · first AC: 2018-11-10 · Java 8 (first AC) · Tags: graphs
AQT's solution

186.
591A
Wizards' Duel · Tutorial
Quality: 17,280 global accepts · Rating: 900 · first AC: 2018-08-15 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

187.
1016A
Death Note · Tutorial
Quality: 15,974 global accepts · Rating: 900 · first AC: 2018-08-05 · Java 8 (first AC) · Tags: greedy, implementation, math
AQT's solution

188.
1011A
Stages · Tutorial
Quality: 13,265 global accepts · Rating: 900 · first AC: 2018-07-26 · Java 8 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

189.
1008A
Romaji · Tutorial
Quality: 16,360 global accepts · Rating: 900 · first AC: 2018-07-13 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

190.
1005B
Delete from the Left · Tutorial
Quality: 27,386 global accepts · Rating: 900 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: brute force, implementation, strings
AQT's solution

191.
276A
Lunch Rush · Tutorial
Quality: 30,064 global accepts · Rating: 900 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: implementation
AQT's solution

192.
764B
Timofey and cubes · Tutorial
Quality: 12,677 global accepts · Rating: 900 · first AC: 2018-07-06 · PyPy 2 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

193.
1004A
Sonya and Hotels · Tutorial
Quality: 11,858 global accepts · Rating: 900 · first AC: 2018-07-05 · Java 8 (first AC) · Tags: implementation
AQT's solution

194.
975A
Aramic script · Tutorial
Quality: 10,277 global accepts · Rating: 900 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

195.
980A
Links and Pearls · Tutorial
Quality: 10,951 global accepts · Rating: 900 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

196.
991B
Getting an A · Tutorial
Quality: 13,733 global accepts · Rating: 900 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: greedy, sortings
AQT's solution

197.
999B
Reversing Encryption · Tutorial
Quality: 19,432 global accepts · Rating: 900 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: implementation
AQT's solution

198.
863A
Quasi-palindrome · Tutorial
Quality: 10,932 global accepts · Rating: 900 · first AC: 2018-06-11 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

199.
977B
Two-gram · Tutorial
Quality: 49,781 global accepts · Rating: 900 · first AC: 2018-05-06 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

200.
961A
Tetris · Tutorial
Quality: 10,852 global accepts · Rating: 900 · first AC: 2018-04-09 · Java 8 (first AC) · Tags: implementation
AQT's solution

201.
903A
Hungry Student Problem · Tutorial
Quality: 15,517 global accepts · Rating: 900 · first AC: 2018-03-03 · Java 8 (first AC) · Tags: greedy, implementation
AQT's solution

202.
935B
Fafa and the Gates · Tutorial
Quality: 12,418 global accepts · Rating: 900 · first AC: 2018-02-19 · Java 8 (first AC) · Tags: implementation
AQT's solution

203.
913A
Modular Exponentiation · Tutorial
Quality: 24,178 global accepts · Rating: 900 · first AC: 2018-01-08 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

204.
892A
Greed · Tutorial
Quality: 14,942 global accepts · Rating: 900 · first AC: 2017-11-17 · Java 8 (first AC) · Tags: greedy, implementation
AQT's solution

205.
1844B
Permutations & Primes · Tutorial
Quality: 20,247 global accepts · Rating: 1000 · first AC: 2023-09-09 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math
AQT's solution

206.
1798B
Three Sevens · Tutorial
Quality: 18,797 global accepts · Rating: 1000 · first AC: 2023-03-27 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, greedy, implementation
AQT's solution

207.
1676D
X-Sum · Tutorial
Quality: 29,312 global accepts · Rating: 1000 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, implementation
AQT's solution

208.
1772C
Different Differences · Tutorial
Quality: 26,143 global accepts · Rating: 1000 · first AC: 2023-02-12 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

209.
1605B
Reverse Sort · Tutorial
Quality: 19,334 global accepts · Rating: 1000 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings
AQT's solution

210.
1567B
MEXor Mixup · Tutorial
Quality: 32,939 global accepts · Rating: 1000 · first AC: 2021-09-05 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, greedy
AQT's solution

211.
1562B
Scenes From a Memory · Tutorial
Quality: 20,543 global accepts · Rating: 1000 · first AC: 2021-08-26 · C++17 (GCC 9-64) (first AC) · Tags: brute force, constructive algorithms, implementation, math, number theory
AQT's solution

212.
1515B
Phoenix and Puzzle · Tutorial
Quality: 27,067 global accepts · Rating: 1000 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: brute force, geometry, math, number theory
AQT's solution

213.
1373A
Donut Shops · Tutorial
Quality: 29,479 global accepts · Rating: 1000 · first AC: 2020-06-25 · GNU C++11 (first AC) · Tags: greedy, implementation, math
AQT's solution

214.
385A
Bear and Raspberry · Tutorial
Quality: 17,325 global accepts · Rating: 1000 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation
AQT's solution

215.
1359B
New Theatre Square · Tutorial
Quality: 29,383 global accepts · Rating: 1000 · first AC: 2020-05-28 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, implementation, two pointers
AQT's solution

216.
1359A
Berland Poker · Tutorial
Quality: 31,727 global accepts · Rating: 1000 · first AC: 2020-05-28 · GNU C++11 (first AC) · Tags: brute force, greedy, math
AQT's solution

217.
822B
Crossword solving · Tutorial
Quality: 10,200 global accepts · Rating: 1000 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: brute force, implementation, strings
AQT's solution

218.
420A
Start Up · Tutorial

Quality: 7,034 global accepts · Rating: 1000 · first AC: 2020-05-20 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

219.
725A
Jumping Ball · Tutorial
Quality: 7,484 global accepts · Rating: 1000 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

220.
476A
Dreamoon and Stairs · Tutorial
Quality: 51,613 global accepts · Rating: 1000 · first AC: 2020-04-27 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

221.
1333A
Little Artem · Tutorial
Quality: 25,928 global accepts · Rating: 1000 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

222.
1326A
Bad Ugly Numbers · Tutorial
Quality: 32,680 global accepts · Rating: 1000 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: constructive algorithms, number theory
AQT's solution

223.
724A
Checking the Calendar · Tutorial
Quality: 7,555 global accepts · Rating: 1000 · first AC: 2019-11-15 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

224.
334A
Candy Bags · Tutorial
Quality: 20,023 global accepts · Rating: 1000 · first AC: 2019-11-11 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

225.
1225B1
TV Subscriptions (Easy Version) · Tutorial
Quality: 12,519 global accepts · Rating: 1000 · first AC: 2019-10-26 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

226.
1244B
Rooms and Staircases · Tutorial
Quality: 17,543 global accepts · Rating: 1000 · first AC: 2019-10-13 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

227.
1234B1
Social Network (easy version) · Tutorial
Quality: 19,767 global accepts · Rating: 1000 · first AC: 2019-10-01 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

228.
1204A
BowWow and the Timetable · Tutorial
Quality: 22,315 global accepts · Rating: 1000 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: math
AQT's solution

229.
1203A
Circle of Students · Tutorial
Quality: 17,679 global accepts · Rating: 1000 · first AC: 2019-08-13 · GNU C++11 (first AC) · Tags: implementation

AQT's solution

230.
1195B
Sport Mafia · Tutorial
Quality: 21,959 global accepts · Rating: 1000 · first AC: 2019-07-17 · GNU C++11 (first AC) · Tags: binary search, brute force, math
AQT's solution

231.
1195A
Drinks Choosing · Tutorial
Quality: 14,200 global accepts · Rating: 1000 · first AC: 2019-07-17 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

232.
844A
Diversity · Tutorial
Quality: 12,209 global accepts · Rating: 1000 · first AC: 2019-06-20 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, strings
AQT's solution

233.
1174A
Ehab Fails to Be Thanos · Tutorial
Quality: 19,211 global accepts · Rating: 1000 · first AC: 2019-06-03 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, sortings
AQT's solution

234.
1155A
Reverse a Substring · Tutorial
Quality: 25,971 global accepts · Rating: 1000 · first AC: 2019-04-22 · C++17 (GCC 7-32) (first AC) · Tags: implementation, sortings, strings
AQT's solution

235.
479A
Expression · Tutorial
Quality: 112,281 global accepts · Rating: 1000 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math
AQT's solution

236.
58A
Chat room · Tutorial
Quality: 155,993 global accepts · Rating: 1000 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings
AQT's solution

237.
1136B
Nastya Is Playing Computer Games · Tutorial
Quality: 12,273 global accepts · Rating: 1000 · first AC: 2019-03-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

238.
1133A
Middle of the Contest · Tutorial
Quality: 19,701 global accepts · Rating: 1000 · first AC: 2019-03-10 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

239.
368A
Sereja and Coat Rack · Tutorial
Quality: 7,977 global accepts · Rating: 1000 · first AC: 2019-03-01 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

240.
1117B
Emotes · Tutorial
Quality: 15,736 global accepts · Rating: 1000 · first AC: 2019-02-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings

AQT's solution

241.
`864B`
Polycarp and Letters · Tutorial
Quality: 9,983 global accepts · Rating: 1000 · first AC: 2019-02-04 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, strings
AQT's solution

242.
`864A`
Fair Game · Tutorial
Quality: 12,294 global accepts · Rating: 1000 · first AC: 2019-02-04 · C++14 (GCC 6-32) (first AC) · Tags: implementation, sortings
AQT's solution

243.
`1111A`
Superhero Transformation · Tutorial
Quality: 18,097 global accepts · Rating: 1000 · first AC: 2019-02-03 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings
AQT's solution

244.
`106B`
Choosing Laptop · Tutorial
Quality: 6,867 global accepts · Rating: 1000 · first AC: 2019-01-28 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation
AQT's solution

245.
`753A`
Santa Claus and Candies · Tutorial
Quality: 9,924 global accepts · Rating: 1000 · first AC: 2018-06-11 · last AC: 2019-01-26 · Java 8 (first AC) · Tags: dp, greedy, math
AQT's solution

246.
`1100A`
Roman and Browser · Tutorial
Quality: 10,674 global accepts · Rating: 1000 · first AC: 2019-01-13 · C++14 (GCC 6-32) (first AC) · Tags: implementation
AQT's solution

247.
`1073B`
Vasya and Books · Tutorial
Quality: 11,219 global accepts · Rating: 1000 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

248.
`1073A`
Diverse Substring · Tutorial
Quality: 17,054 global accepts · Rating: 1000 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

249.
`1033A`
King Escape · Tutorial
Quality: 16,053 global accepts · Rating: 1000 · first AC: 2018-10-07 · Java 8 (first AC) · Tags: dfs and similar, graphs, implementation
AQT's solution

250.
`1059A`
Cashier · Tutorial
Quality: 13,810 global accepts · Rating: 1000 · first AC: 2018-10-05 · Java 8 (first AC) · Tags: implementation
AQT's solution

251.
`371A`
K-Periodic Array · Tutorial
Quality: 6,656 global accepts · Rating: 1000 · first AC: 2018-09-28 · Java 8 (first AC) · Tags: greedy, implementation, math

AQT's solution

252.
849A
Odds and Ends · Tutorial
Quality: 9,764 global accepts · Rating: 1000 · first AC: 2018-09-20 · Java 8 (first AC) · Tags: implementation
AQT's solution

253.
1041B
Buying a TV Set · Tutorial
Quality: 15,025 global accepts · Rating: 1000 · first AC: 2018-09-16 · Java 8 (first AC) · Tags: math
AQT's solution

254.
1036A
Function Height · Tutorial
Quality: 10,583 global accepts · Rating: 1000 · first AC: 2018-09-08 · Java 8 (first AC) · Tags: math
AQT's solution

255.
515A
Drazil and Date · Tutorial
Quality: 21,977 global accepts · Rating: 1000 · first AC: 2018-08-29 · Java 8 (first AC) · Tags: math
AQT's solution

256.
805C
Find Amir · Tutorial
Rating: 1000 · first AC: 2018-08-20 · Java 8 (first AC) · Tags: constructive algorithms
AQT's solution

257.
1023B
Pair of Toys · Tutorial
Quality: 11,664 global accepts · Rating: 1000 · first AC: 2018-08-17 · Java 8 (first AC) · Tags: math
AQT's solution

258.
1020B
Badge · Tutorial
Quality: 25,125 global accepts · Rating: 1000 · first AC: 2018-08-12 · Java 8 (first AC) · Tags: brute force, dfs and similar, graphs
AQT's solution

259.
1020A
New Building for SIS · Tutorial
Quality: 9,453 global accepts · Rating: 1000 · first AC: 2018-08-12 · Java 8 (first AC) · Tags: math
AQT's solution

260.
359A
Table · Tutorial
Quality: 9,140 global accepts · Rating: 1000 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

261.
1008B
Turn the Rectangles · Tutorial
Quality: 12,563 global accepts · Rating: 1000 · first AC: 2018-07-13 · Java 8 (first AC) · Tags: greedy, sortings
AQT's solution

262.
998A
Balloons · Tutorial
Quality: 10,110 global accepts · Rating: 1000 · first AC: 2018-07-01 · Java 8 (first AC) · Tags: constructive algorithms, implementation

AQT's solution

263.
979A
Pizza, Pizza, Pizza!!! · Tutorial
Quality: 14,575 global accepts · Rating: 1000 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: math
AQT's solution

264.
991A
If at first you don't succeed... · Tutorial
Quality: 11,232 global accepts · Rating: 1000 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: implementation
AQT's solution

265.
978C
Letters · Tutorial
Quality: 29,823 global accepts · Rating: 1000 · first AC: 2018-06-22 · Java 8 (first AC) · Tags: binary search, implementation, two pointers
AQT's solution

266.
680B
Bear and Finding Criminals · Tutorial
Quality: 26,243 global accepts · Rating: 1000 · first AC: 2018-06-18 · Java 8 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

267.
761A
Dasha and Stairs · Tutorial
Quality: 15,138 global accepts · Rating: 1000 · first AC: 2018-06-15 · Java 8 (first AC) · Tags: brute force, constructive algorithms, implementation, math
AQT's solution

268.
990A
Commentary Boxes · Tutorial
Quality: 11,210 global accepts · Rating: 1000 · first AC: 2018-06-10 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

269.
805A
Fake NP · Tutorial
Quality: 19,173 global accepts · Rating: 1000 · first AC: 2018-05-22 · Java 8 (first AC) · Tags: greedy, math
AQT's solution

270.
579A
Raising Bacteria · Tutorial
Quality: 78,928 global accepts · Rating: 1000 · first AC: 2018-01-12 · Java 8 (first AC) · Tags: bitmasks
AQT's solution

271.
909A
Generate Login · Tutorial
Quality: 10,364 global accepts · Rating: 1000 · first AC: 2017-12-27 · Java 8 (first AC) · Tags: brute force, greedy, sortings
AQT's solution

272.
118A
String Task · Tutorial
Quality: 231,429 global accepts · Rating: 1000 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

273.
1A
Theatre Square · Tutorial
Quality: 320,219 global accepts · Rating: 1000 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: math

AQT's solution

274.
1942B
Bessie and MEX · Tutorial
Quality: 15,499 global accepts · Rating: 1100 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

275.
1863C
MEX Repetition · Tutorial
Quality: 15,532 global accepts · Rating: 1100 · first AC: 2023-09-01 · C++20 (GCC 11-64) (first AC) · Tags: implementation, math
AQT's solution

276.
1863B
Split Sort · Tutorial
Quality: 16,812 global accepts · Rating: 1100 · first AC: 2023-09-01 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, sortings
AQT's solution

277.
1864B
Swap and Reverse · Tutorial
Quality: 16,615 global accepts · Rating: 1100 · first AC: 2023-08-31 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, sortings, strings
AQT's solution

278.
1862C
Flower City Fence · Tutorial
Quality: 23,085 global accepts · Rating: 1100 · first AC: 2023-08-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, implementation, sortings
AQT's solution

279.
1827A
Counting Orders · Tutorial
Quality: 28,808 global accepts · Rating: 1100 · first AC: 2023-06-26 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math, sortings, two pointers
AQT's solution

280.
1807G1
Subsequence Addition (Easy Version) · Tutorial
Quality: 22,250 global accepts · Rating: 1100 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, dp, greedy, implementation, sortings
AQT's solution

281.
1807G2
Subsequence Addition (Hard Version) · Tutorial
Quality: 27,845 global accepts · Rating: 1100 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, dp, greedy, implementation, sortings
AQT's solution

282.
1676E
Eating Queries · Tutorial
Quality: 33,073 global accepts · Rating: 1100 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, sortings
AQT's solution

283.
1717B
Madoka and Underground Competitions · Tutorial
Quality: 15,636 global accepts · Rating: 1100 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, implementation

AQT's solution

284.
1534B
Histogram Ugliness · Tutorial
Quality: 12,873 global accepts · Rating: 1100 · first AC: 2021-06-13 · GNU C++11 (first AC) · Tags: greedy, implementation, math
AQT's solution

285.
1428C
ABBB · Tutorial
Quality: 22,644 global accepts · Rating: 1100 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: brute force, data structures, greedy, strings
AQT's solution

286.
1409B
Minimum Product · Tutorial
Quality: 30,924 global accepts · Rating: 1100 · first AC: 2020-09-04 · GNU C++11 (first AC) · Tags: brute force, greedy, math
AQT's solution

287.
1401B
Ternary Sequence · Tutorial
Quality: 21,778 global accepts · Rating: 1100 · first AC: 2020-08-21 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

288.
1375A
Sign Flipping · Tutorial
Quality: 18,842 global accepts · Rating: 1100 · first AC: 2020-07-04 · GNU C++11 (first AC) · Tags: constructive algorithms, math
AQT's solution

289.
1366A
Shovels and Swords · Tutorial
Quality: 32,998 global accepts · Rating: 1100 · first AC: 2020-06-11 · GNU C++11 (first AC) · Tags: binary search, greedy, math
AQT's solution

290.
1365A
Matrix Game · Tutorial
Quality: 25,046 global accepts · Rating: 1100 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: games, greedy, implementation
AQT's solution

291.
758B
Blown Garland · Tutorial
Quality: 10,729 global accepts · Rating: 1100 · first AC: 2020-05-18 · GNU C++11 (first AC) · Tags: brute force, implementation, number theory
AQT's solution

292.
799A
Carrot Cakes · Tutorial
Quality: 21,444 global accepts · Rating: 1100 · first AC: 2020-04-16 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

293.
1334B
Middle Class · Tutorial
Quality: 27,620 global accepts · Rating: 1100 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: greedy, sortings
AQT's solution

294.
1333B
Kind Anton · Tutorial
Quality: 22,229 global accepts · Rating: 1100 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: greedy, implementation

AQT's solution

295.
1327A
Sum of Odd Integers · Tutorial
Quality: 45,733 global accepts · Rating: 1100 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: math
AQT's solution

296.
596B
Wilbur and Array · Tutorial
Quality: 10,891 global accepts · Rating: 1100 · first AC: 2019-11-27 · GNU C++11 (first AC) · Tags: greedy, implementation
AQT's solution

297.
596A
Wilbur and Swimming Pool · Tutorial
Quality: 8,091 global accepts · Rating: 1100 · first AC: 2019-11-27 · GNU C++11 (first AC) · Tags: geometry, implementation
AQT's solution

298.
667B
Coat of Anticubism · Tutorial
Quality: 5,878 global accepts · Rating: 1100 · first AC: 2019-11-11 · GNU C++11 (first AC) · Tags: constructive algorithms, geometry
AQT's solution

299.
754B
Ilya and tic-tac-toe game · Tutorial
Quality: 7,505 global accepts · Rating: 1100 · first AC: 2019-10-27 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

300.
635A
Orchestra · Tutorial
Quality: 3,202 global accepts · Rating: 1100 · first AC: 2019-10-19 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

301.
1030B
Vasya and Cornfield · Tutorial
Quality: 13,230 global accepts · Rating: 1100 · first AC: 2019-10-05 · GNU C++11 (first AC) · Tags: geometry
AQT's solution

302.
1213B
Bad Prices · Tutorial
Quality: 31,555 global accepts · Rating: 1100 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: data structures, implementation
AQT's solution

303.
1202A
You Are Given Two Binary Strings... · Tutorial
Quality: 10,722 global accepts · Rating: 1100 · first AC: 2019-08-07 · GNU C++11 (first AC) · Tags: bitmasks, greedy
AQT's solution

304.
735B
Urbanization · Tutorial
Quality: 8,744 global accepts · Rating: 1100 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: greedy, number theory, sortings
AQT's solution

305.
825A
Binary Protocol · Tutorial
Quality: 8,197 global accepts · Rating: 1100 · first AC: 2019-05-30 · C++14 (GCC 6-32) (first AC) · Tags: implementation

AQT's solution

306.
1119A
Ilya and a Colorful Walk · Tutorial
Quality: 11,503 global accepts · Rating: 1100 · first AC: 2019-04-06 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation
AQT's solution

307.
313B
Ilya and Queries · Tutorial
Quality: 54,502 global accepts · Rating: 1100 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: dp, implementation
AQT's solution

308.
483A
Counterexample · Tutorial
Quality: 24,886 global accepts · Rating: 1100 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, math, number theory
AQT's solution

309.
463B
Caisa and Pylons · Tutorial
Quality: 29,965 global accepts · Rating: 1100 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, math
AQT's solution

310.
368B
Sereja and Suffixes · Tutorial
Quality: 49,900 global accepts · Rating: 1100 · first AC: 2019-03-01 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp
AQT's solution

311.
1117A
Best Subsegment · Tutorial
Quality: 11,458 global accepts · Rating: 1100 · first AC: 2019-02-18 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math
AQT's solution

312.
877A
Alex and broken contest · Tutorial
Quality: 11,552 global accepts · Rating: 1100 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: implementation, strings
AQT's solution

313.
629B
Far Relative's Problem · Tutorial
Quality: 8,338 global accepts · Rating: 1100 · first AC: 2019-02-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force
AQT's solution

314.
767A
Snacktower · Tutorial
Quality: 22,691 global accepts · Rating: 1100 · first AC: 2019-02-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

315.
525A
Vitaliy and Pie · Tutorial
Quality: 16,379 global accepts · Rating: 1100 · first AC: 2019-02-06 · C++14 (GCC 6-32) (first AC) · Tags: greedy, hashing, strings
AQT's solution

316.
1105B
Zuhair and Strings · Tutorial
Quality: 10,558 global accepts · Rating: 1100 · first AC: 2019-01-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, strings

AQT's solution

317.
1105A
Salem and Sticks · Tutorial
Quality: 11,553 global accepts · Rating: 1100 · first AC: 2019-01-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation
AQT's solution

318.
1033B
Square Difference · Tutorial
Quality: 11,957 global accepts · Rating: 1100 · first AC: 2018-10-07 · Java 8 (first AC) · Tags: math, number theory
AQT's solution

319.
1060B
Maximum Sum of Digits · Tutorial
Quality: 9,497 global accepts · Rating: 1100 · first AC: 2018-10-04 · Java 8 (first AC) · Tags: greedy
AQT's solution

320.
1042A
Benches · Tutorial
Quality: 14,079 global accepts · Rating: 1100 · first AC: 2018-09-17 · Java 8 (first AC) · Tags: binary search, implementation
AQT's solution

321.
1038B
Non-Coprime Partition · Tutorial
Quality: 14,718 global accepts · Rating: 1100 · first AC: 2018-09-06 · last AC: 2018-09-06 · Java 8 (first AC) · Tags: constructive algorithms, math
AQT's solution

322.
355B
Vasya and Public Transport · Tutorial
Quality: 4,908 global accepts · Rating: 1100 · first AC: 2018-09-03 · Java 8 (first AC) · Tags: greedy, implementation
AQT's solution

323.
355A
Vasya and Digital Root · Tutorial
Quality: 9,838 global accepts · Rating: 1100 · first AC: 2018-09-03 · Java 8 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

324.
527A
Playing with Paper · Tutorial
Quality: 15,552 global accepts · Rating: 1100 · first AC: 2018-08-03 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

325.
1015C
Songs Compression · Tutorial
Quality: 21,400 global accepts · Rating: 1100 · first AC: 2018-07-31 · Java 8 (first AC) · Tags: sortings
AQT's solution

326.
402A
Nuts · Tutorial
Quality: 4,879 global accepts · Rating: 1100 · first AC: 2018-07-26 · Java 8 (first AC) · Tags: greedy, math
AQT's solution

327.
705B
Spider Man · Tutorial
Quality: 9,567 global accepts · Rating: 1100 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: games, math

AQT's solution

328.
686B
Little Robber Girl's Zoo · Tutorial
Quality: 8,011 global accepts · Rating: 1100 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: constructive algorithms, implementation, sortings
AQT's solution

329.
975B
Mancala · Tutorial
Quality: 7,110 global accepts · Rating: 1100 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

330.
988B
Substrings Sort · Tutorial
Quality: 20,285 global accepts · Rating: 1100 · first AC: 2018-06-20 · Java 8 (first AC) · Tags: sortings, strings
AQT's solution

331.
270A
Fancy Fence · Tutorial
Quality: 50,825 global accepts · Rating: 1100 · first AC: 2018-06-18 · Java 8 (first AC) · Tags: geometry, implementation, math
AQT's solution

332.
797A
k-Factorization · Tutorial
Quality: 19,886 global accepts · Rating: 1100 · first AC: 2018-06-10 · Java 8 (first AC) · Tags: implementation, math, number theory
AQT's solution

333.
478A
Initial Bet · Tutorial
Quality: 27,188 global accepts · Rating: 1100 · first AC: 2018-05-26 · Java 8 (first AC) · Tags: implementation
AQT's solution

334.
985A
Chess Placing · Tutorial
Quality: 8,424 global accepts · Rating: 1100 · first AC: 2018-05-21 · Java 8 (first AC) · Tags: implementation
AQT's solution

335.
919B
Perfect Number · Tutorial
Quality: 31,608 global accepts · Rating: 1100 · first AC: 2018-01-31 · Java 8 (first AC) · Tags: binary search, brute force, dp, implementation, number theory
AQT's solution

336.
911A
Nearest Minimums · Tutorial
Quality: 12,309 global accepts · Rating: 1100 · first AC: 2017-12-28 · Java 8 (first AC) · Tags: implementation
AQT's solution

337.
902A
Visiting a Friend · Tutorial
Quality: 10,276 global accepts · Rating: 1100 · first AC: 2017-12-24 · Java 8 (first AC) · Tags: greedy, implementation
AQT's solution

338.
1951B
Battle Cows · Tutorial
Quality: 16,849 global accepts · Rating: 1200 · first AC: 2024-04-07 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, greedy

AQT's solution

339.
1559C
Mocha and Hiking · Tutorial
Quality: 22,811 global accepts · Rating: 1200 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs
AQT's solution

340.
1536B
Prinzessin der Verurteilung · Tutorial
Quality: 25,027 global accepts · Rating: 1200 · first AC: 2021-06-06 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, strings
AQT's solution

341.
1514B
AND 0, Sum Big · Tutorial
Quality: 34,936 global accepts · Rating: 1200 · first AC: 2021-04-20 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, math
AQT's solution

342.
1495A
Diamond Miner · Tutorial
Quality: 17,877 global accepts · Rating: 1200 · first AC: 2021-03-10 · GNU C++11 (first AC) · Tags: geometry, greedy, math, sortings
AQT's solution

343.
1428B
Belted Rooms · Tutorial
Quality: 15,184 global accepts · Rating: 1200 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: graphs, implementation
AQT's solution

344.
1420B
Rock and Lever · Tutorial
Quality: 35,811 global accepts · Rating: 1200 · first AC: 2020-09-24 · GNU C++11 (first AC) · Tags: bitmasks, math
AQT's solution

345.
1409C
Yet Another Array Restoration · Tutorial
Quality: 24,640 global accepts · Rating: 1200 · first AC: 2020-09-04 · GNU C++11 (first AC) · Tags: brute force, math, number theory
AQT's solution

346.
1392C
Omkar and Waterslide · Tutorial
Quality: 19,595 global accepts · Rating: 1200 · first AC: 2020-08-16 · GNU C++11 (first AC) · Tags: greedy, implementation
AQT's solution

347.
1375B
Neighbor Grid · Tutorial
Quality: 17,850 global accepts · Rating: 1200 · first AC: 2020-07-04 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy
AQT's solution

348.
1369B
AccurateLee · Tutorial
Quality: 25,571 global accepts · Rating: 1200 · first AC: 2020-06-23 · GNU C++11 (first AC) · Tags: greedy, implementation, strings
AQT's solution

349.
1364A
XXXXX · Tutorial
Quality: 31,362 global accepts · Rating: 1200 · first AC: 2020-06-13 · GNU C++11 (first AC) · Tags: brute force, data structures, number theory, two pointers

AQT's solution

350.
1363A
Odd Selection · Tutorial
Quality: 40,395 global accepts · Rating: 1200 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: brute force, implementation, math
AQT's solution

351.
385B
Bear and Strings · Tutorial
Quality: 10,834 global accepts · Rating: 1200 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation, math, strings
AQT's solution

352.
1352B
Same Parity Summands · Tutorial
Quality: 44,820 global accepts · Rating: 1200 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: constructive algorithms, math
AQT's solution

353.
1352C
K-th Not Divisible by n · Tutorial
Quality: 69,770 global accepts · Rating: 1200 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: binary search, math
AQT's solution

354.
725B
Food on the Plane · Tutorial
Quality: 5,321 global accepts · Rating: 1200 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

355.
1334A
Level Statistics · Tutorial
Quality: 24,366 global accepts · Rating: 1200 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

356.
794B
Cutting Carrot · Tutorial
Quality: 7,270 global accepts · Rating: 1200 · first AC: 2020-03-25 · C++14 (GCC 6-32) (first AC) · Tags: geometry, math
AQT's solution

357.
1327B
Princesses and Princes · Tutorial
Quality: 19,493 global accepts · Rating: 1200 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: brute force, graphs, greedy
AQT's solution

358.
1270B
Interesting Subarray · Tutorial
Quality: 17,374 global accepts · Rating: 1200 · first AC: 2019-12-29 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

359.
1102C
Doors Breaking and Repairing · Tutorial
Quality: 14,168 global accepts · Rating: 1200 · first AC: 2019-11-11 · GNU C++11 (first AC) · Tags: games
AQT's solution

360.
722B
Verse Pattern · Tutorial
Quality: 6,766 global accepts · Rating: 1200 · first AC: 2019-11-10 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings

AQT's solution

361.
754A
Lesha and array splitting · Tutorial
Quality: 9,375 global accepts · Rating: 1200 · first AC: 2019-10-27 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

362.
1213C
Book Reading · Tutorial
Quality: 19,623 global accepts · Rating: 1200 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: math
AQT's solution

363.
1207B
Square Filling · Tutorial
Quality: 13,759 global accepts · Rating: 1200 · first AC: 2019-08-22 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

364.
1205A
Almost Equal · Tutorial
Quality: 14,707 global accepts · Rating: 1200 · first AC: 2019-08-18 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

365.
1203B
Equal Rectangles · Tutorial
Quality: 16,944 global accepts · Rating: 1200 · first AC: 2019-08-13 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

366.
1200B
Block Adventure · Tutorial
Quality: 14,661 global accepts · Rating: 1200 · first AC: 2019-08-11 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

367.
1185C1
Exam in BerSU (easy version) · Tutorial
Quality: 11,899 global accepts · Rating: 1200 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings
AQT's solution

368.
1185B
Email from Polycarp · Tutorial
Quality: 14,223 global accepts · Rating: 1200 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings
AQT's solution

369.
1174B
Ehab Is an Odd Person · Tutorial
Quality: 16,856 global accepts · Rating: 1200 · first AC: 2019-06-03 · C++14 (GCC 6-32) (first AC) · Tags: sortings
AQT's solution

370.
1155B
Game with Telephone Numbers · Tutorial
Quality: 12,523 global accepts · Rating: 1200 · first AC: 2019-04-22 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, implementation
AQT's solution

371.
463A
Caisa and Sugar · Tutorial

Quality: 9,561 global accepts · Rating: 1200 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation
AQT's solution

372.
466A
Cheap Travel · Tutorial
Quality: 77,021 global accepts · Rating: 1200 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

373.
459A
Pashmak and Garden · Tutorial
Quality: 36,405 global accepts · Rating: 1200 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

374.
327A
Flipping Game · Tutorial
Quality: 49,905 global accepts · Rating: 1200 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, implementation
AQT's solution

375.
1133C
Balanced Team · Tutorial
Quality: 28,121 global accepts · Rating: 1200 · first AC: 2019-03-10 · C++17 (GCC 7-32) (first AC) · Tags: sortings, two pointers
AQT's solution

376.
1133B
Preparation for International Women's Day · Tutorial
Quality: 14,371 global accepts · Rating: 1200 · first AC: 2019-03-10 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
AQT's solution

377.
1029B
Creating the Contest · Tutorial
Quality: 18,465 global accepts · Rating: 1200 · first AC: 2019-03-03 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, math
AQT's solution

378.
1131C
Birthday · Tutorial
Quality: 15,659 global accepts · Rating: 1200 · first AC: 2019-02-25 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, sortings
AQT's solution

379.
1130B
Two Cakes · Tutorial
Quality: 8,346 global accepts · Rating: 1200 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: greedy
AQT's solution

380.
1118B
Tanya and Candies · Tutorial
Quality: 13,245 global accepts · Rating: 1200 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: implementation
AQT's solution

381.
876C
Classroom Watch · Tutorial
Rating: 1200 · first AC: 2019-02-13 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math
AQT's solution

382.
879B
Table Tennis · Tutorial
Quality: 14,407 global accepts · Rating: 1200 · first AC: 2019-02-10 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation

AQT's solution

383.
234A
Lefthanders and Righthanders · Tutorial
Quality: 4,679 global accepts · Rating: 1200 · first AC: 2019-01-27 · C++14 (GCC 6-32) (first AC) · Tags: implementation
AQT's solution

384.
1100C
NN and the Optical Illusion · Tutorial
Quality: 10,931 global accepts · Rating: 1200 · first AC: 2019-01-13 · C++14 (GCC 6-32) (first AC) · Tags: binary search, geometry, math
AQT's solution

385.
1097B
Petr and a Combination Lock · Tutorial
Quality: 35,956 global accepts · Rating: 1200 · first AC: 2019-01-04 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, dp
AQT's solution

386.
1091B
New Year and the Treasure Geolocation · Tutorial
Quality: 11,012 global accepts · Rating: 1200 · first AC: 2018-12-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation
AQT's solution

387.
1043B
Lost Array · Tutorial
Quality: 6,551 global accepts · Rating: 1200 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: implementation
AQT's solution

388.
803B
Distances to Zero · Tutorial
Quality: 7,578 global accepts · Rating: 1200 · first AC: 2018-09-28 · Java 8 (first AC) · Tags: constructive algorithms
AQT's solution

389.
1042B
Vitamins · Tutorial
Quality: 19,151 global accepts · Rating: 1200 · first AC: 2018-09-17 · Java 8 (first AC) · Tags: bitmasks, brute force, dp, implementation
AQT's solution

390.
1028B
Unnatural Conditions · Tutorial
Quality: 10,242 global accepts · Rating: 1200 · first AC: 2018-08-27 · Java 8 (first AC) · Tags: constructive algorithms, math
AQT's solution

391.
625B
War of the Corporations · Tutorial
Quality: 11,451 global accepts · Rating: 1200 · first AC: 2018-08-26 · Java 8 (first AC) · Tags: constructive algorithms, greedy, strings
AQT's solution

392.
701B
Cells Not Under Attack · Tutorial
Quality: 12,541 global accepts · Rating: 1200 · first AC: 2018-08-20 · PyPy 2 (first AC) · Tags: data structures, math
AQT's solution

393.
1023C
Bracket Subsequence · Tutorial
Quality: 10,753 global accepts · Rating: 1200 · first AC: 2018-08-17 · Java 8 (first AC) · Tags: greedy

AQT's solution

394.
1023A
Single Wildcard Pattern Matching · Tutorial
Quality: 9,264 global accepts · Rating: 1200 · first AC: 2018-08-17 · Java 8 (first AC) · Tags: brute force, implementation, strings
AQT's solution

395.
591B
Rebranding · Tutorial
Quality: 8,644 global accepts · Rating: 1200 · first AC: 2018-08-15 · Java 8 (first AC) · Tags: implementation, strings
AQT's solution

396.
1017B
The Bits · Tutorial
Quality: 9,623 global accepts · Rating: 1200 · first AC: 2018-08-13 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

397.
1015B
Obtaining the String · Tutorial
Quality: 12,411 global accepts · Rating: 1200 · first AC: 2018-07-31 · Java 8 (first AC) · Tags: implementation
AQT's solution

398.
1013B
And · Tutorial
Quality: 8,300 global accepts · Rating: 1200 · first AC: 2018-07-30 · Java 8 (first AC) · Tags: greedy
AQT's solution

399.
1011B
Planning The Expedition · Tutorial
Quality: 11,029 global accepts · Rating: 1200 · first AC: 2018-07-26 · Java 8 (first AC) · Tags: binary search, brute force, implementation
AQT's solution

400.
1006C
Three Parts of the Array · Tutorial
Quality: 25,361 global accepts · Rating: 1200 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: binary search, data structures, two pointers
AQT's solution

401.
1006B
Polycarp's Practice · Tutorial
Quality: 14,655 global accepts · Rating: 1200 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

402.
959B
Mahmoud and Ehab and the message · Tutorial
Quality: 10,556 global accepts · Rating: 1200 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: dsu, greedy, implementation
AQT's solution

403.
998B
Cutting · Tutorial
Quality: 14,410 global accepts · Rating: 1200 · first AC: 2018-07-01 · Java 8 (first AC) · Tags: dp, greedy, sortings
AQT's solution

404.
1000A
Codehorses T-shirts · Tutorial
Quality: 9,368 global accepts · Rating: 1200 · first AC: 2018-06-27 · Java 8 (first AC) · Tags: greedy, implementation

AQT's solution

405.
999C
Alphabetic Removals · Tutorial
Quality: 20,989 global accepts · Rating: 1200 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: implementation
AQT's solution

406.
990B
Micro-World · Tutorial
Quality: 8,616 global accepts · Rating: 1200 · first AC: 2018-06-10 · Java 8 (first AC) · Tags: greedy, sortings
AQT's solution

407.
985B
Switches and Lamps · Tutorial
Quality: 7,879 global accepts · Rating: 1200 · first AC: 2018-05-21 · Java 8 (first AC) · Tags: implementation
AQT's solution

408.
977C
Less or Equal · Tutorial
Quality: 43,331 global accepts · Rating: 1200 · first AC: 2018-05-06 · last AC: 2018-05-06 · Java 8 (first AC) · Tags: sortings
AQT's solution

409.
961B
Lecture Sleep · Tutorial
Quality: 26,345 global accepts · Rating: 1200 · first AC: 2018-04-09 · Java 8 (first AC) · Tags: data structures, dp, implementation, two pointers
AQT's solution

410.
433B
Kuriyama Mirai's Stones · Tutorial
Quality: 53,863 global accepts · Rating: 1200 · first AC: 2018-02-20 · Java 8 (first AC) · Tags: dp, implementation, sortings
AQT's solution

411.
911B
Two Cakes · Tutorial
Quality: 12,807 global accepts · Rating: 1200 · first AC: 2017-12-28 · Java 8 (first AC) · Tags: binary search, brute force, implementation
AQT's solution

412.
902B
Coloring a Tree · Tutorial
Quality: 11,948 global accepts · Rating: 1200 · first AC: 2017-12-24 · Java 8 (first AC) · Tags: dfs and similar, dsu, greedy
AQT's solution

413.
892B
Wrath · Tutorial
Quality: 9,985 global accepts · Rating: 1200 · first AC: 2017-11-17 · Java 8 (first AC) · Tags: greedy, implementation, two pointers
AQT's solution

414.
1942C1
Bessie's Birthday Cake (Easy Version) · Tutorial
Quality: 12,423 global accepts · Rating: 1300 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: geometry, greedy, math
AQT's solution

415.
1810C
Make It Permutation · Tutorial
Quality: 16,551 global accepts · Rating: 1300 · first AC: 2023-09-17 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, sortings

AQT's solution

416.
1844C
Particles · Tutorial
Quality: 17,861 global accepts · Rating: 1300 · first AC: 2023-09-09 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy, implementation, math
AQT's solution

417.
1864C
Divisor Chain · Tutorial
Quality: 15,283 global accepts · Rating: 1300 · first AC: 2023-08-31 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms, math, number theory
AQT's solution

418.
1862D
Ice Cream Balls · Tutorial
Quality: 19,841 global accepts · Rating: 1300 · first AC: 2023-08-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, combinatorics, constructive algorithms, math
AQT's solution

419.
1776H
Beppa and SwerChat · Tutorial
Quality: 7,546 global accepts · Rating: 1300 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: two pointers
AQT's solution

420.
1807E
Interview · Tutorial
Quality: 16,775 global accepts · Rating: 1300 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: binary search, implementation, interactive
AQT's solution

421.
1794C
Scoring Subsequences · Tutorial
Quality: 22,084 global accepts · Rating: 1300 · first AC: 2023-03-04 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, math, two pointers
AQT's solution

422.
1676G
White-Black Balanced Subtrees · Tutorial
Quality: 24,004 global accepts · Rating: 1300 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, graphs, trees
AQT's solution

423.
1676F
Longest Strike · Tutorial
Quality: 20,190 global accepts · Rating: 1300 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, implementation, sortings, two pointers
AQT's solution

424.
1615B
And It's Non-Zero · Tutorial
Quality: 17,916 global accepts · Rating: 1300 · first AC: 2023-02-04 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, greedy, math
AQT's solution

425.
1717C
Madoka and Formal Statement · Tutorial
Quality: 15,899 global accepts · Rating: 1300 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: greedy
AQT's solution

426.
1556B
Take Your Places! · Tutorial
Quality: 13,276 global accepts · Rating: 1300 · first AC: 2021-08-29 · C++17 (GCC 9-64) (first AC) · Tags: implementation
AQT's solution

427.
1558A
Charmed by the Game · Tutorial
Quality: 11,495 global accepts · Rating: 1300 · first AC: 2021-08-24 · C++17 (GCC 9-64) (first AC) · Tags: brute force, math
AQT's solution

428.
1534C
Little Alawn's Puzzle · Tutorial
Quality: 13,811 global accepts · Rating: 1300 · first AC: 2021-06-13 · GNU C++11 (first AC) · Tags: combinatorics, dp, dsu, graphs, math
AQT's solution

429.
1422B
Nice Matrix · Tutorial
Quality: 15,071 global accepts · Rating: 1300 · first AC: 2020-10-04 · GNU C++11 (first AC) · Tags: greedy, implementation, math
AQT's solution

430.
1420C1
Pokémon Army (easy version) · Tutorial
Quality: 18,976 global accepts · Rating: 1300 · first AC: 2020-09-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dp, greedy
AQT's solution

431.
1401C
Mere Array · Tutorial
Quality: 26,835 global accepts · Rating: 1300 · first AC: 2020-08-21 · GNU C++11 (first AC) · Tags: constructive algorithms, math, number theory, sortings
AQT's solution

432.
1381A1
Prefix Flip (Easy Version) · Tutorial
Quality: 21,723 global accepts · Rating: 1300 · first AC: 2020-07-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, strings
AQT's solution

433.
1372B
Omkar and Last Class of Math · Tutorial
Quality: 36,392 global accepts · Rating: 1300 · first AC: 2020-07-11 · GNU C++11 (first AC) · Tags: greedy, math, number theory
AQT's solution

434.
1373C
Pluses and Minuses · Tutorial
Quality: 19,373 global accepts · Rating: 1300 · first AC: 2020-06-25 · GNU C++11 (first AC) · Tags: math
AQT's solution

435.
1364B
Most socially-distanced subsequence · Tutorial
Quality: 26,179 global accepts · Rating: 1300 · first AC: 2020-06-13 · GNU C++11 (first AC) · Tags: greedy, two pointers
AQT's solution

436.
1366B
Shuffle · Tutorial
Quality: 27,956 global accepts · Rating: 1300 · first AC: 2020-06-11 · GNU C++11 (first AC) · Tags: math, two pointers

AQT's solution

437.
1365B
Trouble Sort · Tutorial
Quality: 28,844 global accepts · Rating: 1300 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

438.
1352D
Alice, Bob and Candies · Tutorial
Quality: 29,855 global accepts · Rating: 1300 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

439.
750B
New Year and North Pole · Tutorial
Quality: 9,721 global accepts · Rating: 1300 · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: geometry, implementation
AQT's solution

440.
476B
Dreamoon and WiFi · Tutorial
Quality: 37,027 global accepts · Rating: 1300 · first AC: 2020-04-27 · GNU C++11 (first AC) · Tags: bitmasks, brute force, combinatorics, dp, math, probabilities
AQT's solution

441.
1326C
Permutation Partitions · Tutorial
Quality: 16,401 global accepts · Rating: 1300 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: combinatorics, greedy, math
AQT's solution

442.
1307B
Cow and Friend · Tutorial
Quality: 13,856 global accepts · Rating: 1300 · first AC: 2020-02-17 · GNU C++11 (first AC) · Tags: geometry, greedy, math
AQT's solution

443.
271B
Prime Matrix · Tutorial
Quality: 15,459 global accepts · Rating: 1300 · first AC: 2019-12-01 · GNU C++11 (first AC) · Tags: binary search, brute force, math, number theory
AQT's solution

444.
722A
Broken Clock · Tutorial
Quality: 6,961 global accepts · Rating: 1300 · first AC: 2019-11-10 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation
AQT's solution

445.
1225B2
TV Subscriptions (Hard Version) · Tutorial
Quality: 12,197 global accepts · Rating: 1300 · first AC: 2019-10-26 · GNU C++11 (first AC) · Tags: implementation, two pointers
AQT's solution

446.
1234B2
Social Network (hard version) · Tutorial
Quality: 18,443 global accepts · Rating: 1300 · first AC: 2019-10-01 · GNU C++11 (first AC) · Tags: data structures, implementation
AQT's solution

447.
1216D
Swords · Tutorial

Quality: 12,216 global accepts · Rating: 1300 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: math
AQT's solution

448.
1209B
Koala and Lights · Tutorial
Quality: 8,515 global accepts · Rating: 1300 · first AC: 2019-09-14 · GNU C++11 (first AC) · Tags: implementation, math, number theory
AQT's solution

449.
1176C
Lose it! · Tutorial
Quality: 15,099 global accepts · Rating: 1300 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: dp, greedy, implementation
AQT's solution

450.
1203C
Common Divisors · Tutorial
Quality: 24,255 global accepts · Rating: 1300 · first AC: 2019-08-13 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

451.
1178C
Tiles · Tutorial
Quality: 13,226 global accepts · Rating: 1300 · first AC: 2019-07-20 · GNU C++11 (first AC) · Tags: combinatorics, greedy, math
AQT's solution

452.
1178B
WOW Factor · Tutorial
Quality: 21,678 global accepts · Rating: 1300 · first AC: 2019-07-20 · GNU C++11 (first AC) · Tags: dp, strings
AQT's solution

453.
1194C
From S To T · Tutorial
Quality: 14,599 global accepts · Rating: 1300 · first AC: 2019-07-14 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

454.
1194B
Yet Another Crosses Problem · Tutorial
Quality: 10,713 global accepts · Rating: 1300 · first AC: 2019-07-14 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

455.
844B
Rectangles · Tutorial
Quality: 9,047 global accepts · Rating: 1300 · first AC: 2019-06-20 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math
AQT's solution

456.
1174C
Ehab and a Special Coloring Problem · Tutorial
Quality: 12,784 global accepts · Rating: 1300 · first AC: 2019-06-03 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, number theory
AQT's solution

457.
27B
Tournament · Tutorial
Quality: 5,888 global accepts · Rating: 1300 · first AC: 2019-05-03 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dfs and similar, greedy
AQT's solution

458.
1155C
Alarm Clocks Everywhere · Tutorial
Quality: 9,771 global accepts · Rating: 1300 · first AC: 2019-04-22 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
AQT's solution

459.
1119B
Alyona and a Narrow Fridge · Tutorial
Quality: 16,368 global accepts · Rating: 1300 · first AC: 2019-04-06 · C++17 (GCC 7-32) (first AC) · Tags: binary search, flows, greedy, sortings
AQT's solution

460.
238A
Not Wool Sequences · Tutorial
Quality: 2,184 global accepts · Rating: 1300 · first AC: 2019-04-04 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

461.
189A
Cut Ribbon · Tutorial
Quality: 80,880 global accepts · Rating: 1300 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp
AQT's solution

462.
1029A
Many Equal Substrings · Tutorial
Quality: 13,433 global accepts · Rating: 1300 · first AC: 2019-03-03 · C++17 (GCC 7-32) (first AC) · Tags: implementation, strings
AQT's solution

463.
1113B
Sasha and Magnetic Machines · Tutorial
Quality: 8,151 global accepts · Rating: 1300 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: greedy, number theory
AQT's solution

464.
876B
Divisiblity of Differences · Tutorial
Quality: 10,325 global accepts · Rating: 1300 · first AC: 2019-02-13 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math, number theory
AQT's solution

465.
70A
Cookies · Tutorial
Quality: 3,560 global accepts · Rating: 1300 · first AC: 2019-01-28 · C++14 (GCC 6-32) (first AC) · Tags: math
AQT's solution

466.
1100B
Build a Contest · Tutorial
Quality: 11,775 global accepts · Rating: 1300 · first AC: 2019-01-13 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

467.
1096B
Substring Removal · Tutorial
Quality: 11,683 global accepts · Rating: 1300 · first AC: 2018-12-28 · GNU C++11 (first AC) · Tags: combinatorics, math, strings
AQT's solution

468.
1055B
Alice and Hairdresser · Tutorial
Quality: 5,542 global accepts · Rating: 1300 · first AC: 2018-11-10 · Java 8 (first AC) · Tags: dsu, implementation
AQT's solution

469.
1065B
Vasya and Isolated Vertices · Tutorial
Quality: 11,597 global accepts · Rating: 1300 · first AC: 2018-10-13 · Java 8 (first AC) · Tags: constructive algorithms, graphs
AQT's solution

470.
1059B
Forgery · Tutorial
Quality: 7,586 global accepts · Rating: 1300 · first AC: 2018-10-05 · Java 8 (first AC) · Tags: implementation
AQT's solution

471.
303A
Lucky Permutation Triple · Tutorial
Quality: 8,571 global accepts · Rating: 1300 · first AC: 2018-09-26 · Java 8 (first AC) · Tags: constructive algorithms, implementation, math
AQT's solution

472.
919C
Seat Arrangements · Tutorial
Quality: 9,429 global accepts · Rating: 1300 · first AC: 2018-09-10 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

473.
1038C
Gambling · Tutorial
Quality: 9,813 global accepts · Rating: 1300 · first AC: 2018-09-06 · Java 8 (first AC) · Tags: greedy, sortings
AQT's solution

474.
1037C
Equalize · Tutorial
Quality: 20,112 global accepts · Rating: 1300 · first AC: 2018-09-02 · Java 8 (first AC) · Tags: dp, greedy, strings
AQT's solution

475.
1037B
Reach Median · Tutorial
Quality: 10,878 global accepts · Rating: 1300 · first AC: 2018-09-02 · Java 8 (first AC) · Tags: greedy
AQT's solution

476.
1037A
Packets · Tutorial
Quality: 11,831 global accepts · Rating: 1300 · first AC: 2018-09-02 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

477.
515B
Drazil and His Happy Friends · Tutorial
Quality: 7,763 global accepts · Rating: 1300 · first AC: 2018-08-29 · Java 8 (first AC) · Tags: brute force, dsu, meet-in-the-middle, number theory
AQT's solution

478.
976B
Lara Croft and the New Game · Tutorial
Quality: 6,045 global accepts · Rating: 1300 · first AC: 2018-08-17 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

479.
1016B
Segment Occurrences · Tutorial
Quality: 10,150 global accepts · Rating: 1300 · first AC: 2018-08-05 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

480.
40A
Find Color · Tutorial
Quality: 4,435 global accepts · Rating: 1300 · first AC: 2018-07-20 · Java 8 (first AC) · Tags: constructive algorithms, geometry, implementation, math
AQT's solution

481.
1008C
Reorder the Array · Tutorial
Rating: 1300 · first AC: 2018-07-13 · Java 8 (first AC) · Tags: combinatorics, math
AQT's solution

482.
1005C
Summarize to the Power of Two · Tutorial
Quality: 13,053 global accepts · Rating: 1300 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: brute force, greedy, implementation
AQT's solution

483.
276B
Little Girl and Game · Tutorial
Quality: 32,109 global accepts · Rating: 1300 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: games, greedy
AQT's solution

484.
1004B
Sonya and Exhibition · Tutorial
Quality: 9,935 global accepts · Rating: 1300 · first AC: 2018-07-05 · Java 8 (first AC) · Tags: constructive algorithms, greedy, implementation, math
AQT's solution

485.
1003B
Binary String Constructing · Tutorial
Quality: 12,224 global accepts · Rating: 1300 · first AC: 2018-07-03 · Java 8 (first AC) · Tags: constructive algorithms
AQT's solution

486.
1003C
Intense Heat · Tutorial
Quality: 11,525 global accepts · Rating: 1300 · first AC: 2018-07-03 · Java 8 (first AC) · Tags: brute force, implementation, math
AQT's solution

487.
251A
Points on Line · Tutorial
Quality: 21,343 global accepts · Rating: 1300 · first AC: 2018-07-02 · Java 8 (first AC) · Tags: binary search, combinatorics, two pointers
AQT's solution

488.
996B
World Cup · Tutorial
Quality: 9,899 global accepts · Rating: 1300 · first AC: 2018-06-24 · Java 8 (first AC) · Tags: binary search, math
AQT's solution

489.
932B
Recursive Queries · Tutorial
Quality: 9,261 global accepts · Rating: 1300 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: binary search, data structures, dfs and similar
AQT's solution

490.
870C
Maximum splitting · Tutorial
Quality: 9,767 global accepts · Rating: 1300 · first AC: 2018-06-14 · Java 8 (first AC) · Tags: dp, greedy, math, number theory

AQT's solution

491.
234C
Weather · Tutorial
Quality: 5,947 global accepts · Rating: 1300 · first AC: 2018-06-07 · Java 8 (first AC) · Tags: dp, implementation
AQT's solution

492.
478B
Random Teams · Tutorial
Quality: 41,263 global accepts · Rating: 1300 · first AC: 2018-05-26 · Java 8 (first AC) · Tags: combinatorics, constructive algorithms, greedy, math
AQT's solution

493.
965B
Battleship · Tutorial
Quality: 4,767 global accepts · Rating: 1300 · first AC: 2018-04-25 · Java 8 (first AC) · Tags: implementation
AQT's solution

494.
962B
Students in Railway Carriage · Tutorial
Quality: 8,033 global accepts · Rating: 1300 · first AC: 2018-04-15 · Java 8 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

495.
962A
Equator · Tutorial
Quality: 13,432 global accepts · Rating: 1300 · first AC: 2018-04-15 · Java 8 (first AC) · Tags: implementation
AQT's solution

496.
912B
New Year's Eve · Tutorial
Quality: 13,835 global accepts · Rating: 1300 · first AC: 2018-01-05 · Java 8 (first AC) · Tags: bitmasks, constructive algorithms, number theory
AQT's solution

497.
909B
Segments · Tutorial
Quality: 6,762 global accepts · Rating: 1300 · first AC: 2017-12-27 · Java 8 (first AC) · Tags: constructive algorithms, math
AQT's solution

498.
1951C
Ticket Hoarding · Tutorial
Quality: 13,772 global accepts · Rating: 1400 · first AC: 2024-04-07 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings
AQT's solution

499.
1893A
Anonymous Informant · Tutorial
Quality: 15,081 global accepts · Rating: 1400 · first AC: 2024-03-27 · C++20 (GCC 13-64) (first AC) · Tags: brute force, dfs and similar, graphs, implementation
AQT's solution

500.
1764C
Doremy's City Construction · Tutorial
Quality: 10,445 global accepts · Rating: 1400 · first AC: 2024-03-22 · C++20 (GCC 13-64) (first AC) · Tags: graphs, greedy
AQT's solution

501.
1887A1
Dances (Easy version) · Tutorial

Rating: 1400 · first AC: 2024-01-01 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, sortings
AQT's solution

502.
1844D
Row Major · Tutorial
Quality: 13,838 global accepts · Rating: 1400 · first AC: 2023-09-09 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math, number theory, strings
AQT's solution

503.
1863D
Two-Colored Dominoes · Tutorial
Quality: 10,766 global accepts · Rating: 1400 · first AC: 2023-09-01 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy
AQT's solution

504.
1854A1
Dual (Easy Version) · Tutorial
Quality: 15,890 global accepts · Rating: 1400 · first AC: 2023-07-29 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math
AQT's solution

505.
1824A
LuoTianyi and the Show · Tutorial
Quality: 12,524 global accepts · Rating: 1400 · first AC: 2023-07-07 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation
AQT's solution

506.
1676H1
Maximum Crossings (Easy Version) · Tutorial
Quality: 16,326 global accepts · Rating: 1400 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: brute force
AQT's solution

507.
1772D
Absolute Sorting · Tutorial
Quality: 18,508 global accepts · Rating: 1400 · first AC: 2023-02-12 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math
AQT's solution

508.
1654C
Alice and the Cake · Tutorial
Quality: 14,527 global accepts · Rating: 1400 · first AC: 2023-02-06 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, implementation, sortings
AQT's solution

509.
1605C
Dominant Character · Tutorial
Quality: 18,856 global accepts · Rating: 1400 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation, strings
AQT's solution

510.
1559D1
Mocha and Diana (Easy Version) · Tutorial
Quality: 16,031 global accepts · Rating: 1400 · first AC: 2021-08-15 · C++17 (GCC 9-64) (first AC) · Tags: brute force, constructive algorithms, dsu, graphs, greedy, trees
AQT's solution

511.
1548A
Web of Lies · Tutorial
Quality: 17,732 global accepts · Rating: 1400 · first AC: 2021-08-01 · GNU C++11 (first AC) · Tags: brute force, graphs, greedy
AQT's solution

512.
1515C
Phoenix and Towers · Tutorial
Quality: 18,751 global accepts · Rating: 1400 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy
AQT's solution

513.
1519C
Berland Regional · Tutorial
Quality: 22,465 global accepts · Rating: 1400 · first AC: 2021-04-29 · GNU C++11 (first AC) · Tags: brute force, data structures, greedy, number theory, sortings
AQT's solution

514.
1427B
Chess Cheater · Tutorial
Quality: 11,458 global accepts · Rating: 1400 · first AC: 2020-10-10 · GNU C++11 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

515.
1408B
Arrays Sum · Tutorial
Quality: 10,455 global accepts · Rating: 1400 · first AC: 2020-09-30 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

516.
1380C
Create The Teams · Tutorial
Quality: 22,711 global accepts · Rating: 1400 · first AC: 2020-07-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, implementation, sortings
AQT's solution

517.
1380B
Universal Solution · Tutorial
Quality: 15,282 global accepts · Rating: 1400 · first AC: 2020-07-12 · C++17 (GCC 7-32) (first AC) · Tags: greedy
AQT's solution

518.
277A
Learning Languages · Tutorial
Quality: 21,579 global accepts · Rating: 1400 · first AC: 2020-07-08 · GNU C++11 (first AC) · Tags: dfs and similar, dsu
AQT's solution

519.
1375C
Element Extermination · Tutorial
Quality: 22,950 global accepts · Rating: 1400 · first AC: 2020-07-04 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy
AQT's solution

520.
1167B
Lost Numbers · Tutorial
Quality: 16,466 global accepts · Rating: 1400 · first AC: 2020-07-02 · Java 8 (first AC) · Tags: brute force, divide and conquer, interactive, math
AQT's solution

521.
1369C
RationalLee · Tutorial
Quality: 20,872 global accepts · Rating: 1400 · first AC: 2020-06-23 · GNU C++11 (first AC) · Tags: greedy, math, sortings, two pointers
AQT's solution

522.
1365C
Rotation Matching · Tutorial
Quality: 24,983 global accepts · Rating: 1400 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy, implementation
AQT's solution

523.
1363B
Subsequence Hate · Tutorial
Quality: 26,124 global accepts · Rating: 1400 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

524.
199D
Jumping on Walls · Tutorial
Rating: 1400 · first AC: 2020-05-20 · GNU C++11 (first AC) · Tags: dfs and similar, shortest paths
AQT's solution

525.
698A
Vacations · Tutorial
Quality: 37,947 global accepts · Rating: 1400 · first AC: 2020-05-11 · GNU C++11 (first AC) · Tags: dp
AQT's solution

526.
1348B
Phoenix and Beauty · Tutorial
Quality: 27,489 global accepts · Rating: 1400 · first AC: 2020-05-01 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy, sortings
AQT's solution

527.
799B
T-shirt buying · Tutorial
Quality: 10,175 global accepts · Rating: 1400 · first AC: 2020-04-16 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

528.
1320A
Journey Planning · Tutorial
Quality: 21,660 global accepts · Rating: 1400 · first AC: 2020-03-01 · GNU C++11 (first AC) · Tags: data structures, dp, greedy, math, sortings
AQT's solution

529.
1284B
New Year and Ascent Sequence · Tutorial
Quality: 11,458 global accepts · Rating: 1400 · first AC: 2020-01-04 · GNU C++11 (first AC) · Tags: binary search, combinatorics, data structures, dp, implementation, sortings
AQT's solution

530.
1270C
Make Good · Tutorial
Quality: 15,040 global accepts · Rating: 1400 · first AC: 2019-12-29 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, math
AQT's solution

531.
1282B1
K for the Price of One (Easy Version) · Tutorial
Quality: 12,151 global accepts · Rating: 1400 · first AC: 2019-12-24 · GNU C++11 (first AC) · Tags: dp, greedy, sortings
AQT's solution

532.
1276A
As Simple as One and Two · Tutorial
Quality: 12,950 global accepts · Rating: 1400 · first AC: 2019-12-14 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

533.
703B
Mishka and trip · Tutorial
Quality: 6,057 global accepts · Rating: 1400 · first AC: 2019-11-17 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

534.
1228B
Filling the Grid · Tutorial
Quality: 11,890 global accepts · Rating: 1400 · first AC: 2019-09-29 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

535.
911C
Three Garlands · Tutorial
Quality: 7,334 global accepts · Rating: 1400 · first AC: 2019-09-18 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms
AQT's solution

536.
1201C
Maximum Median · Tutorial
Quality: 33,239 global accepts · Rating: 1400 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: binary search, greedy, math, sortings
AQT's solution

537.
1200C
Round Corridor · Tutorial
Quality: 10,636 global accepts · Rating: 1400 · first AC: 2019-08-11 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

538.
1195C
Basketball Exercise · Tutorial
Quality: 34,840 global accepts · Rating: 1400 · first AC: 2019-07-17 · GNU C++11 (first AC) · Tags: dp
AQT's solution

539.
1190A
Tokitsukaze and Discard Items · Tutorial
Quality: 9,807 global accepts · Rating: 1400 · first AC: 2019-07-12 · GNU C++11 (first AC) · Tags: implementation, two pointers
AQT's solution

540.
1183D
Candy Box (easy version) · Tutorial
Quality: 20,422 global accepts · Rating: 1400 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings
AQT's solution

541.
1183C
Computer Game · Tutorial
Quality: 15,045 global accepts · Rating: 1400 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: binary search, math
AQT's solution

542.
844C
Sorting by Subsequences · Tutorial
Rating: 1400 · first AC: 2019-06-20 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, math
AQT's solution

543.
479B
Towers · Tutorial
Quality: 8,429 global accepts · Rating: 1400 · first AC: 2019-03-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, sortings
AQT's solution

544.
1131B
Draw! · Tutorial
Quality: 10,390 global accepts · Rating: 1400 · first AC: 2019-02-25 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation
AQT's solution

545.
1130C
Connect · Tutorial
Quality: 9,411 global accepts · Rating: 1400 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dfs and similar, dsu
AQT's solution

546.
525B
Pasha and String · Tutorial
Quality: 10,224 global accepts · Rating: 1400 · first AC: 2019-02-06 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, strings
AQT's solution

547.
107A
Dorm Water Supply · Tutorial
Quality: 5,908 global accepts · Rating: 1400 · first AC: 2019-01-27 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs
AQT's solution

548.
159C
String Manipulation 1.0 · Tutorial
Quality: 3,204 global accepts · Rating: 1400 · first AC: 2019-01-27 · C++14 (GCC 6-32) (first AC) · Tags: *special, binary search, brute force, data structures, strings
AQT's solution

549.
1097C
Yuhao and a Parenthesis · Tutorial
Quality: 8,785 global accepts · Rating: 1400 · first AC: 2019-01-04 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
AQT's solution

550.
1091C
New Year and the Sphere Transmission · Tutorial
Quality: 10,558 global accepts · Rating: 1400 · first AC: 2018-12-30 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory
AQT's solution

551.
803A
Maximal Binary Matrix · Tutorial
Quality: 5,358 global accepts · Rating: 1400 · first AC: 2018-09-28 · Java 8 (first AC) · Tags: constructive algorithms
AQT's solution

552.
245E
Mishap in Club · Tutorial
Quality: 3,530 global accepts · Rating: 1400 · first AC: 2018-09-26 · Java 8 (first AC) · Tags: greedy, implementation
AQT's solution

553.
710B
Optimal Point on a Line · Tutorial

Quality: 10,593 global accepts · Rating: 1400 · first AC: 2018-09-14 · Java 8 (first AC) · Tags: brute force, sortings
AQT's solution

554.
762B
USB vs. PS/2 · Tutorial
Quality: 10,578 global accepts · Rating: 1400 · first AC: 2018-09-07 · Java 8 (first AC) · Tags: greedy, implementation, sortings, two pointers
AQT's solution

555.
762A
k-th divisor · Tutorial
Quality: 25,797 global accepts · Rating: 1400 · first AC: 2018-09-07 · Java 8 (first AC) · Tags: math, number theory
AQT's solution

556.
515C
Drazil and Factorial · Tutorial
Quality: 28,708 global accepts · Rating: 1400 · first AC: 2018-08-29 · Java 8 (first AC) · Tags: greedy, math, sortings
AQT's solution

557.
402B
Trees in a Row · Tutorial
Quality: 3,993 global accepts · Rating: 1400 · first AC: 2018-07-27 · last AC: 2018-07-27 · Java 8 (first AC) · Tags: brute force, implementation
AQT's solution

558.
359B
Permutation · Tutorial
Quality: 8,707 global accepts · Rating: 1400 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: constructive algorithms, dp, math
AQT's solution

559.
284A
Cows and Primitive Roots · Tutorial
Quality: 7,346 global accepts · Rating: 1400 · first AC: 2018-07-10 · Java 8 (first AC) · Tags: implementation, math, number theory
AQT's solution

560.
1004C
Sonya and Robots · Tutorial
Quality: 7,881 global accepts · Rating: 1400 · first AC: 2018-07-05 · Java 8 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

561.
797B
Odd sum · Tutorial
Quality: 11,517 global accepts · Rating: 1400 · first AC: 2018-06-27 · Java 8 (first AC) · Tags: dp, greedy, implementation
AQT's solution

562.
975C
Valhalla Siege · Tutorial
Quality: 11,052 global accepts · Rating: 1400 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: binary search
AQT's solution

563.
996D
Suit and Tie · Tutorial
Rating: 1400 · first AC: 2018-06-24 · Java 8 (first AC) · Tags: brute force, greedy, math
AQT's solution

564.
978E
Bus Video System · Tutorial
Quality: 10,593 global accepts · Rating: 1400 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: combinatorics, math

AQT's solution

565.
988C
Equal Sums · Tutorial
Quality: 11,136 global accepts · Rating: 1400 · first AC: 2018-06-20 · Java 8 (first AC) · Tags: implementation, sortings
AQT's solution

566.
994B
Knights of a Polygonal Table · Tutorial
Quality: 6,047 global accepts · Rating: 1400 · first AC: 2018-06-16 · Java 8 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

567.
182D
Common Divisors · Tutorial
Quality: 9,242 global accepts · Rating: 1400 · first AC: 2018-06-11 · Java 8 (first AC) · Tags: brute force, hashing, implementation, math, strings
AQT's solution

568.
233B
Non-square Equation · Tutorial
Quality: 8,284 global accepts · Rating: 1400 · first AC: 2018-06-02 · Java 8 (first AC) · Tags: binary search, brute force, math
AQT's solution

569.
981C
Useful Decomposition · Tutorial
Quality: 6,857 global accepts · Rating: 1400 · first AC: 2018-05-27 · Java 8 (first AC) · Tags: implementation, trees
AQT's solution

570.
977D
Divide by three, multiply by two · Tutorial
Quality: 20,526 global accepts · Rating: 1400 · first AC: 2018-05-06 · Java 8 (first AC) · Tags: dfs and similar, math, sortings
AQT's solution

571.
962C
Make a Square · Tutorial
Quality: 8,357 global accepts · Rating: 1400 · first AC: 2018-04-15 · Java 8 (first AC) · Tags: brute force, implementation, math
AQT's solution

572.
1949B
Charming Meals · Tutorial
Quality: 4,898 global accepts · Rating: 1500 · first AC: 2024-03-29 · last AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, greedy, sortings
AQT's solution

573.
1776L
Controllers · Tutorial
Quality: 11,554 global accepts · Rating: 1500 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: binary search, math
AQT's solution

574.
1676H2
Maximum Crossings (Hard Version) · Tutorial
Quality: 13,263 global accepts · Rating: 1500 · first AC: 2023-02-24 · C++20 (GCC 11-64) (first AC) · Tags: data structures, divide and conquer, sortings
AQT's solution

575.
1562C
Rings · Tutorial

Quality: 14,310 global accepts · Rating: 1500 · first AC: 2021-08-26 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, math
AQT's solution

576.
1552B
Running for Gold · Tutorial
Quality: 16,931 global accepts · Rating: 1500 · first AC: 2021-07-25 · GNU C++11 (first AC) · Tags: combinatorics, graphs, greedy, sortings
AQT's solution

577.
1536C
Diluc and Kaeya · Tutorial
Quality: 16,120 global accepts · Rating: 1500 · first AC: 2021-06-06 · GNU C++11 (first AC) · Tags: data structures, dp, hashing, number theory
AQT's solution

578.
1515D
Phoenix and Socks · Tutorial
Quality: 12,821 global accepts · Rating: 1500 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: greedy, sortings, two pointers
AQT's solution

579.
1516B
AGAGA XOOORRR · Tutorial
Quality: 25,535 global accepts · Rating: 1500 · first AC: 2021-04-21 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, greedy
AQT's solution

580.
1462E1
Close Tuples (easy version) · Tutorial
Quality: 15,216 global accepts · Rating: 1500 · first AC: 2020-12-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, combinatorics, math, sortings, two pointers
AQT's solution

581.
1439A1
Binary Table (Easy Version) · Tutorial
Quality: 9,808 global accepts · Rating: 1500 · first AC: 2020-11-17 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

582.
1444A
Division · Tutorial
Quality: 14,408 global accepts · Rating: 1500 · first AC: 2020-11-02 · GNU C++11 (first AC) · Tags: brute force, math, number theory
AQT's solution

583.
1408C
Discrete Acceleration · Tutorial
Quality: 9,274 global accepts · Rating: 1500 · first AC: 2020-09-30 · GNU C++11 (first AC) · Tags: binary search, dp, implementation, math, two pointers
AQT's solution

584.
1158A
The Party and Sweets · Tutorial
Quality: 8,338 global accepts · Rating: 1500 · first AC: 2020-09-30 · last AC: 2020-09-30 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, greedy, implementation, math, sortings, two pointers
AQT's solution

585.
1416A
k-Amazing Numbers · Tutorial
Quality: 16,720 global accepts · Rating: 1500 · first AC: 2020-09-27 · GNU C++11 (first AC) · Tags: binary search, data structures, implementation, two pointers
AQT's solution

586.
1404A
Balanced Bitstring · Tutorial
Quality: 19,391 global accepts · Rating: 1500 · first AC: 2020-09-06 · GNU C++11 (first AC) · Tags: implementation, strings
AQT's solution

587.
1409D
Decrease the Sum of Digits · Tutorial
Quality: 21,390 global accepts · Rating: 1500 · first AC: 2020-09-04 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

588.
1400C
Binary String Reconstruction · Tutorial
Quality: 18,504 global accepts · Rating: 1500 · first AC: 2020-08-25 · GNU C++11 (first AC) · Tags: 2-sat, brute force, constructive algorithms, greedy
AQT's solution

589.
1389C
Good String · Tutorial
Quality: 20,565 global accepts · Rating: 1500 · first AC: 2020-07-29 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, two pointers
AQT's solution

590.
367A
Sereja and Algorithm · Tutorial
Quality: 4,546 global accepts · Rating: 1500 · first AC: 2020-07-29 · GNU C++11 (first AC) · Tags: data structures, implementation
AQT's solution

591.
1372C
Omkar and Baseball · Tutorial
Quality: 19,091 global accepts · Rating: 1500 · first AC: 2020-07-11 · GNU C++11 (first AC) · Tags: constructive algorithms, math
AQT's solution

592.
1368C
Even Picture · Tutorial
Quality: 14,031 global accepts · Rating: 1500 · first AC: 2020-06-18 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

593.
1368B
Codeforces Subsequences · Tutorial
Quality: 21,430 global accepts · Rating: 1500 · first AC: 2020-06-18 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, math, strings
AQT's solution

594.
1366C
Palindromic Paths · Tutorial
Quality: 14,261 global accepts · Rating: 1500 · first AC: 2020-06-11 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

595.
341B
Bubble Sort Graph · Tutorial
Rating: 1500 · first AC: 2020-05-23 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dp
AQT's solution

596.
528A
Glass Carving · Tutorial
Rating: 1500 · first AC: 2020-05-21 · GNU C++11 (first AC) · Tags: data structures, implementation

AQT's solution

597.
1352F
Binary String Reconstruction · Tutorial
Quality: 19,401 global accepts · Rating: 1500 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, math
AQT's solution

598.
1352E
Special Elements · Tutorial
Quality: 24,016 global accepts · Rating: 1500 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: brute force, implementation, two pointers
AQT's solution

599.
696A
Lorenzo Von Matterhorn · Tutorial
Quality: 6,458 global accepts · Rating: 1500 · first AC: 2020-04-13 · C++17 (GCC 9-64) (first AC) · Tags: brute force, data structures, implementation, trees
AQT's solution

600.
1338A
Powered Addition · Tutorial
Quality: 30,345 global accepts · Rating: 1500 · first AC: 2020-04-12 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

601.
1326D1
Prefix-Suffix Palindrome (Easy version) · Tutorial
Quality: 13,295 global accepts · Rating: 1500 · first AC: 2020-03-19 · last AC: 2020-03-19 · GNU C++11 (first AC) · Tags: hashing, string suffix structures, strings
AQT's solution

602.
265D
Good Sequences · Tutorial
Rating: 1500 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: dp, number theory
AQT's solution

603.
643A
Bear and Colors · Tutorial
Quality: 4,818 global accepts · Rating: 1500 · first AC: 2020-03-15 · GNU C++11 (first AC) · Tags: implementation
AQT's solution

604.
1307C
Cow and Message · Tutorial
Quality: 12,592 global accepts · Rating: 1500 · first AC: 2020-02-17 · GNU C++11 (first AC) · Tags: brute force, dp, math, strings
AQT's solution

605.
1301B
Motarack's Birthday · Tutorial
Quality: 14,970 global accepts · Rating: 1500 · first AC: 2020-02-13 · GNU C++11 (first AC) · Tags: binary search, greedy, ternary search
AQT's solution

606.
1283C
Friends and Gifts · Tutorial
Quality: 14,155 global accepts · Rating: 1500 · first AC: 2019-12-28 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, math
AQT's solution

607.
1269B
Modulo Equality · Tutorial
Quality: 9,616 global accepts · Rating: 1500 · first AC: 2019-12-23 · GNU C++11 (first AC) · Tags: brute force, sortings
AQT's solution

608.
724B
Batch Sort · Tutorial
Quality: 4,243 global accepts · Rating: 1500 · first AC: 2019-11-15 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation, math
AQT's solution

609.
1242A
Tile Painting · Tutorial
Quality: 13,267 global accepts · Rating: 1500 · first AC: 2019-11-06 · GNU C++11 (first AC) · Tags: constructive algorithms, math, number theory
AQT's solution

610.
1234C
Pipes · Tutorial
Quality: 13,485 global accepts · Rating: 1500 · first AC: 2019-10-01 · GNU C++11 (first AC) · Tags: dp, implementation
AQT's solution

611.
1209C
Paint the Digits · Tutorial
Quality: 7,860 global accepts · Rating: 1500 · first AC: 2019-09-14 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

612.
1213D1
Equalizing by Division (easy version) · Tutorial
Quality: 12,080 global accepts · Rating: 1500 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

613.
1208B
Uniqueness · Tutorial
Quality: 11,664 global accepts · Rating: 1500 · first AC: 2019-08-25 · GNU C++11 (first AC) · Tags: binary search, brute force, implementation, two pointers
AQT's solution

614.
1207C
Gas Pipeline · Tutorial
Quality: 10,445 global accepts · Rating: 1500 · first AC: 2019-08-22 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

615.
1186D
Vus the Cossack and Numbers · Tutorial
Quality: 9,323 global accepts · Rating: 1500 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

616.
1201B
Zero Array · Tutorial
Quality: 25,467 global accepts · Rating: 1500 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: greedy, math
AQT's solution

617.
1203E
Boxers · Tutorial

Quality: 14,959 global accepts · Rating: 1500 · first AC: 2019-08-13 · GNU C++11 (first AC) · Tags: greedy, sortings
AQT's solution

618.
1178D
Prime Graph · Tutorial
Quality: 7,925 global accepts · Rating: 1500 · first AC: 2019-07-20 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math, number theory
AQT's solution

619.
1195D1
Submarine in the Rybinsk Sea (easy edition) · Tutorial
Quality: 8,199 global accepts · Rating: 1500 · first AC: 2019-07-17 · GNU C++11 (first AC) · Tags: combinatorics, math, number theory
AQT's solution

620.
1180B
Nick and Array · Tutorial
Quality: 10,107 global accepts · Rating: 1500 · first AC: 2019-06-21 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
AQT's solution

621.
1179A
Valeriy and Deque · Tutorial
Quality: 11,798 global accepts · Rating: 1500 · first AC: 2019-06-21 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

622.
166E
Tetrahedron · Tutorial
Quality: 25,623 global accepts · Rating: 1500 · first AC: 2019-06-09 · C++14 (GCC 6-32) (first AC) · Tags: dp, math, matrices
AQT's solution

623.
825D
Suitable Replacement · Tutorial
Quality: 3,728 global accepts · Rating: 1500 · first AC: 2019-05-30 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, implementation
AQT's solution

624.
839C
Journey · Tutorial
Quality: 20,096 global accepts · Rating: 1500 · first AC: 2019-05-12 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, graphs, probabilities, trees
AQT's solution

625.
1163B1
Cat Party (Easy Edition) · Tutorial
Quality: 7,331 global accepts · Rating: 1500 · first AC: 2019-05-09 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

626.
710C
Magic Odd Square · Tutorial
Quality: 5,552 global accepts · Rating: 1500 · first AC: 2019-05-09 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

627.
1119C
Ramesses and Corner Inversion · Tutorial
Quality: 7,178 global accepts · Rating: 1500 · first AC: 2019-04-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math
AQT's solution

628.
187A
Permutations · Tutorial
Quality: 3,043 global accepts · Rating: 1500 · first AC: 2019-04-04 · C++17 (GCC 7-32) (first AC) · Tags: greedy
AQT's solution

629.
455A
Boredom · Tutorial
Quality: 71,976 global accepts · Rating: 1500 · first AC: 2019-03-29 · C++17 (GCC 7-32) (first AC) · Tags: dp
AQT's solution

630.
356A
Knight Tournament · Tutorial
Quality: 16,789 global accepts · Rating: 1500 · first AC: 2019-03-25 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dsu
AQT's solution

631.
1136C
Nastya Is Transposing Matrices · Tutorial
Quality: 8,028 global accepts · Rating: 1500 · first AC: 2019-03-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, sortings
AQT's solution

632.
368C
Sereja and Algorithm · Tutorial
Rating: 1500 · first AC: 2019-03-01 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation
AQT's solution

633.
877B
Nikita and string · Tutorial
Quality: 11,926 global accepts · Rating: 1500 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp
AQT's solution

634.
876D
Sorting the Coins · Tutorial
Rating: 1500 · first AC: 2019-02-13 · C++14 (GCC 6-32) (first AC) · Tags: dsu, implementation, sortings, trees, two pointers
AQT's solution

635.
1114B
Yet Another Array Partitioning Task · Tutorial
Quality: 9,392 global accepts · Rating: 1500 · first AC: 2019-02-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, sortings
AQT's solution

636.
864C
Bus · Tutorial
Quality: 6,232 global accepts · Rating: 1500 · first AC: 2019-02-04 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, math
AQT's solution

637.
864D
Make a Permutation! · Tutorial
Quality: 6,371 global accepts · Rating: 1500 · first AC: 2019-02-04 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, math
AQT's solution

638.
1106B
Lunar New Year and Food Ordering · Tutorial
Quality: 6,997 global accepts · Rating: 1500 · first AC: 2019-01-31 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

639.
1106D
Lunar New Year and a Wander · Tutorial
Quality: 19,656 global accepts · Rating: 1500 · first AC: 2019-01-31 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dfs and similar, graphs, greedy, shortest paths
AQT's solution

640.
204B
Little Elephant and Cards · Tutorial
Quality: 5,909 global accepts · Rating: 1500 · first AC: 2019-01-28 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures
AQT's solution

641.
884C
Bertown Subway · Tutorial
Quality: 5,170 global accepts · Rating: 1500 · first AC: 2019-01-27 · last AC: 2019-01-27 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, greedy, math
AQT's solution

642.
1105C
Ayoub and Lost Array · Tutorial
Quality: 11,366 global accepts · Rating: 1500 · first AC: 2019-01-20 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math
AQT's solution

643.
1043C
Smallest Word · Tutorial
Quality: 7,224 global accepts · Rating: 1500 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

644.
87A
Trains · Tutorial
Quality: 5,815 global accepts · Rating: 1500 · first AC: 2018-10-05 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

645.
288B
Polo the Penguin and Houses · Tutorial
Quality: 3,211 global accepts · Rating: 1500 · first AC: 2018-09-09 · Java 8 (first AC) · Tags: combinatorics
AQT's solution

646.
355C
Vasya and Robot · Tutorial
Rating: 1500 · first AC: 2018-09-03 · Java 8 (first AC) · Tags: brute force, dp
AQT's solution

647.
701C
They Are Everywhere · Tutorial
Quality: 19,794 global accepts · Rating: 1500 · first AC: 2018-08-20 · Java 8 (first AC) · Tags: binary search, strings, two pointers
AQT's solution

648.
1013C
Photo of The Sky · Tutorial
Rating: 1500 · first AC: 2018-07-30 · Java 8 (first AC) · Tags: implementation, math
AQT's solution

649.
846A
Curriculum Vitae · Tutorial
Quality: 4,685 global accepts · Rating: 1500 · first AC: 2018-07-13 · Java 8 (first AC) · Tags: brute force, implementation

AQT's solution

650.
1005D
Polycarp and Div 3 · Tutorial
Quality: 11,284 global accepts · Rating: 1500 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: dp, greedy, number theory
AQT's solution

651.
959C
Mahmoud and Ehab and the wrong algorithm · Tutorial
Quality: 6,209 global accepts · Rating: 1500 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: constructive algorithms, trees
AQT's solution

652.
892C
Pride · Tutorial
Rating: 1500 · first AC: 2018-07-08 · Java 8 (first AC) · Tags: greedy
AQT's solution

653.
276C
Little Girl and Maximum Sum · Tutorial
Quality: 39,552 global accepts · Rating: 1500 · first AC: 2018-07-08 · Java 8 (first AC) · Tags: data structures, greedy, implementation, sortings
AQT's solution

654.
821C
Okabe and Boxes · Tutorial
Quality: 7,915 global accepts · Rating: 1500 · first AC: 2018-07-07 · Java 8 (first AC) · Tags: data structures, greedy, trees
AQT's solution

655.
998C
Convert to Ones · Tutorial
Rating: 1500 · first AC: 2018-07-01 · Java 8 (first AC) · Tags: math
AQT's solution

656.
580C
Kefa and Park · Tutorial
Quality: 55,463 global accepts · Rating: 1500 · first AC: 2018-06-29 · Java 8 (first AC) · Tags: dfs and similar, graphs, trees
AQT's solution

657.
1000B
Light It Up · Tutorial
Quality: 6,162 global accepts · Rating: 1500 · first AC: 2018-06-27 · Java 8 (first AC) · Tags: greedy
AQT's solution

658.
863B
Kayaking · Tutorial
Quality: 10,934 global accepts · Rating: 1500 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: brute force, greedy, sortings
AQT's solution

659.
991D
Bishwock · Tutorial
Quality: 7,736 global accepts · Rating: 1500 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: dp, greedy
AQT's solution

660.
991C
Candies · Tutorial
Quality: 11,512 global accepts · Rating: 1500 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: binary search, implementation

AQT's solution

661.
978F
Mentors · Tutorial
Quality: 9,219 global accepts · Rating: 1500 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: binary search, data structures, implementation
AQT's solution

662.
978D
Almost Arithmetic Progression · Tutorial
Quality: 9,955 global accepts · Rating: 1500 · first AC: 2018-06-22 · Java 8 (first AC) · Tags: brute force, implementation, math
AQT's solution

663.
976C
Nested Segments · Tutorial
Quality: 10,638 global accepts · Rating: 1500 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

664.
982C
Cut 'em all! · Tutorial
Quality: 15,857 global accepts · Rating: 1500 · first AC: 2018-06-19 · Java 8 (first AC) · Tags: dfs and similar, dp, graphs, greedy, trees
AQT's solution

665.
425A
Sereja and Swaps · Tutorial
Quality: 4,166 global accepts · Rating: 1500 · first AC: 2018-06-13 · Java 8 (first AC) · Tags: brute force, sortings
AQT's solution

666.
268C
Beautiful Sets of Points · Tutorial
Quality: 14,639 global accepts · Rating: 1500 · first AC: 2018-06-13 · Java 8 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

667.
990C
Bracket Sequences Concatenation Problem · Tutorial
Quality: 6,293 global accepts · Rating: 1500 · first AC: 2018-06-10 · Java 8 (first AC) · Tags: implementation
AQT's solution

668.
985C
Liebig's Barrels · Tutorial
Quality: 5,975 global accepts · Rating: 1500 · first AC: 2018-05-21 · Java 8 (first AC) · Tags: greedy
AQT's solution

669.
977E
Cyclic Components · Tutorial
Quality: 25,618 global accepts · Rating: 1500 · first AC: 2018-05-06 · Java 8 (first AC) · Tags: dfs and similar, dsu, graphs
AQT's solution

670.
960B
Minimize the error · Tutorial
Quality: 12,394 global accepts · Rating: 1500 · first AC: 2018-04-19 · Java 8 (first AC) · Tags: data structures, greedy, sortings
AQT's solution

671.
902C
Hashing Trees · Tutorial
Rating: 1500 · first AC: 2017-12-24 · Java 8 (first AC) · Tags: constructive algorithms

AQT's solution

672.
1862E
Kolya and Movie Theatre · Tutorial
Quality: 12,784 global accepts · Rating: 1600 · first AC: 2023-08-24 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, data structures, greedy
AQT's solution

673.
1798D
Shocking Arrangement · Tutorial
Quality: 14,078 global accepts · Rating: 1600 · first AC: 2023-03-27 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

674.
1801A
The Very Beautiful Blanket · Tutorial
Quality: 9,748 global accepts · Rating: 1600 · first AC: 2023-03-12 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms
AQT's solution

675.
1633D
Make Them Equal · Tutorial
Quality: 18,698 global accepts · Rating: 1600 · first AC: 2022-02-05 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy
AQT's solution

676.
1567C
Carrying Conundrum · Tutorial
Quality: 13,155 global accepts · Rating: 1600 · first AC: 2021-09-05 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, combinatorics, dp, math
AQT's solution

677.
1528A
Parsa's Humongous Tree · Tutorial
Quality: 18,990 global accepts · Rating: 1600 · first AC: 2021-05-24 · GNU C++11 (first AC) · Tags: dfs and similar, divide and conquer, dp, greedy, trees
AQT's solution

678.
1519D
Maximum Sum of Products · Tutorial
Quality: 17,631 global accepts · Rating: 1600 · first AC: 2021-04-29 · GNU C++11 (first AC) · Tags: brute force, dp, implementation, math, two pointers
AQT's solution

679.
1514C
Product 1 Modulo N · Tutorial
Quality: 18,290 global accepts · Rating: 1600 · first AC: 2021-04-20 · GNU C++11 (first AC) · Tags: greedy, number theory
AQT's solution

680.
1486C1
Guessing the Greatest (easy version) · Tutorial
Quality: 14,244 global accepts · Rating: 1600 · first AC: 2021-02-18 · GNU C++11 (first AC) · Tags: binary search, interactive
AQT's solution

681.
1458A
Row GCD · Tutorial
Quality: 25,295 global accepts · Rating: 1600 · first AC: 2021-01-07 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

682.
1374E1
Reading Books (easy version) · Tutorial
Quality: 14,977 global accepts · Rating: 1600 · first AC: 2021-01-07 · GNU C++11 (first AC) · Tags: data structures, greedy, sortings
AQT's solution

683.
1396A
Multiples of Length · Tutorial
Quality: 16,684 global accepts · Rating: 1600 · first AC: 2020-08-30 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, number theory
AQT's solution

684.
1389B
Array Walk · Tutorial
Quality: 20,350 global accepts · Rating: 1600 · first AC: 2020-07-29 · GNU C++11 (first AC) · Tags: brute force, dp, greedy
AQT's solution

685.
1373D
Maximum Sum on Even Positions · Tutorial
Quality: 17,667 global accepts · Rating: 1600 · first AC: 2020-06-25 · GNU C++11 (first AC) · Tags: divide and conquer, dp, greedy, implementation
AQT's solution

686.
992C
Nastya and a Wardrobe · Tutorial
Quality: 4,871 global accepts · Rating: 1600 · first AC: 2020-06-17 · GNU C++11 (first AC) · Tags: math
AQT's solution

687.
1364C
Ehab and Prefix MEXs · Tutorial
Quality: 14,359 global accepts · Rating: 1600 · first AC: 2020-06-13 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy
AQT's solution

688.
1363C
Game On Leaves · Tutorial
Quality: 21,079 global accepts · Rating: 1600 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: games, trees
AQT's solution

689.
822C
Hacker, pack your bags! · Tutorial
Quality: 4,937 global accepts · Rating: 1600 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: binary search, greedy, implementation, sortings
AQT's solution

690.
793B
Igor and his way to work · Tutorial
Quality: 4,829 global accepts · Rating: 1600 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, implementation, shortest paths
AQT's solution

691.
341A
Tourist Problem · Tutorial
Rating: 1600 · first AC: 2020-05-23 · GNU C++11 (first AC) · Tags: math
AQT's solution

692.
603A
Alternative Thinking · Tutorial
Quality: 8,252 global accepts · Rating: 1600 · first AC: 2020-05-16 · GNU C++11 (first AC) · Tags: dp, greedy, math
AQT's solution

693.
601A
The Two Routes · Tutorial
Quality: 13,874 global accepts · Rating: 1600 · first AC: 2020-05-14 · GNU C++11 (first AC) · Tags: graphs, shortest paths
AQT's solution

694.
1349A
Orac and LCM · Tutorial
Quality: 21,635 global accepts · Rating: 1600 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: data structures, math, number theory
AQT's solution

695.
1352G
Special Permutation · Tutorial
Quality: 24,800 global accepts · Rating: 1600 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

696.
725C
Hidden Word · Tutorial
Quality: 2,885 global accepts · Rating: 1600 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, implementation, strings
AQT's solution

697.
856A
Set Theory · Tutorial
Quality: 1,622 global accepts · Rating: 1600 · first AC: 2020-05-07 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms
AQT's solution

698.
1344A
Hilbert's Hotel · Tutorial
Quality: 16,503 global accepts · Rating: 1600 · first AC: 2020-05-06 · GNU C++11 (first AC) · Tags: math, number theory, sortings
AQT's solution

699.
750C
New Year and Rating · Tutorial
Quality: 6,991 global accepts · Rating: 1600 · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: binary search, greedy, math
AQT's solution

700.
1348C
Phoenix and Distribution · Tutorial
Quality: 15,483 global accepts · Rating: 1600 · first AC: 2020-05-01 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, sortings, strings
AQT's solution

701.
476C
Dreamoon and Sums · Tutorial
Quality: 6,026 global accepts · Rating: 1600 · first AC: 2020-04-27 · GNU C++11 (first AC) · Tags: math
AQT's solution

702.
317A
Perfect Pair · Tutorial
Quality: 4,938 global accepts · Rating: 1600 · first AC: 2020-04-22 · C++17 (GCC 9-64) (first AC) · Tags: brute force

AQT's solution

703.
1137A
Skyscrapers · Tutorial
Quality: 4,677 global accepts · Rating: 1600 · first AC: 2020-04-21 · GNU C++11 (first AC) · Tags: implementation, sortings
AQT's solution

704.
1336A
Linova and Kingdom · Tutorial
Quality: 24,667 global accepts · Rating: 1600 · first AC: 2020-04-15 · GNU C++11 (first AC) · Tags: dfs and similar, dp, greedy, sortings, trees
AQT's solution

705.
1334C
Circle of Monsters · Tutorial
Quality: 17,924 global accepts · Rating: 1600 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, math
AQT's solution

706.
377A
Maze · Tutorial
Quality: 27,052 global accepts · Rating: 1600 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: dfs and similar
AQT's solution

707.
768B
Code For 1 · Tutorial
Quality: 6,973 global accepts · Rating: 1600 · first AC: 2020-03-31 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, divide and conquer
AQT's solution

708.
1327C
Game with Chips · Tutorial
Quality: 14,086 global accepts · Rating: 1600 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

709.
1290A
Mind Control · Tutorial
Quality: 8,901 global accepts · Rating: 1600 · first AC: 2020-02-02 · GNU C++11 (first AC) · Tags: brute force, data structures, implementation
AQT's solution

710.
1295C
Obtain The String · Tutorial
Quality: 13,842 global accepts · Rating: 1600 · first AC: 2020-01-29 · GNU C++11 (first AC) · Tags: dp, greedy, strings
AQT's solution

711.
1284C
New Year and Permutation · Tutorial
Quality: 8,740 global accepts · Rating: 1600 · first AC: 2020-01-04 · GNU C++11 (first AC) · Tags: combinatorics, math
AQT's solution

712.
1282B2
K for the Price of One (Hard Version) · Tutorial
Quality: 11,010 global accepts · Rating: 1600 · first AC: 2019-12-24 · GNU C++11 (first AC) · Tags: dp, greedy, sortings
AQT's solution

713.
1261B1
Optimal Subsequences (Easy Version) · Tutorial

Rating: 1600 · first AC: 2019-11-24 · GNU C++11 (first AC) · Tags: data structures, dp, greedy
AQT's solution

714.
722C
Destroying Array · Tutorial
Quality: 11,472 global accepts · Rating: 1600 · first AC: 2019-11-10 · last AC: 2019-11-10 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dsu
AQT's solution

715.
1225C
p-binary · Tutorial
Quality: 9,788 global accepts · Rating: 1600 · first AC: 2019-10-26 · GNU C++11 (first AC) · Tags: bitmasks, brute force, math
AQT's solution

716.
1240A
Save the Nature · Tutorial
Rating: 1600 · first AC: 2019-10-06 · GNU C++11 (first AC) · Tags: binary search, greedy, sortings
AQT's solution

717.
1234D
Distinct Characters Queries · Tutorial
Quality: 18,588 global accepts · Rating: 1600 · first AC: 2019-10-01 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

718.
1213D2
Equalizing by Division (hard version) · Tutorial
Quality: 12,198 global accepts · Rating: 1600 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: brute force, math, sortings
AQT's solution

719.
1198B
Welfare State · Tutorial
Quality: 9,988 global accepts · Rating: 1600 · first AC: 2019-08-16 · GNU C++11 (first AC) · Tags: binary search, brute force, data structures, sortings
AQT's solution

720.
1203D1
Remove the Substring (easy version) · Tutorial
Quality: 9,485 global accepts · Rating: 1600 · first AC: 2019-08-13 · GNU C++11 (first AC) · Tags: greedy, implementation
AQT's solution

721.
1165E
Two Arrays and Sum of Functions · Tutorial
Quality: 10,017 global accepts · Rating: 1600 · first AC: 2019-07-06 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, sortings
AQT's solution

722.
1188A1
Add on a Tree · Tutorial
Quality: 8,935 global accepts · Rating: 1600 · first AC: 2019-07-05 · C++14 (GCC 6-32) (first AC) · Tags: trees
AQT's solution

723.
735D
Taxes · Tutorial
Quality: 15,747 global accepts · Rating: 1600 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory
AQT's solution

724.
735C
Tennis Championship · Tutorial
Quality: 7,965 global accepts · Rating: 1600 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, constructive algorithms, greedy, math
AQT's solution

725.
1175C
Electrification · Tutorial
Quality: 7,260 global accepts · Rating: 1600 · first AC: 2019-06-05 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, greedy
AQT's solution

726.
1175B
Catch Overflow! · Tutorial
Quality: 12,432 global accepts · Rating: 1600 · first AC: 2019-06-05 · C++14 (GCC 6-32) (first AC) · Tags: data structures, expression parsing, implementation
AQT's solution

727.
1148B
Born This Way · Tutorial
Quality: 7,940 global accepts · Rating: 1600 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, two pointers
AQT's solution

728.
825C
Multi-judge Solving · Tutorial
Quality: 4,886 global accepts · Rating: 1600 · first AC: 2019-05-30 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
AQT's solution

729.
825B
Five-In-a-Row · Tutorial
Quality: 4,784 global accepts · Rating: 1600 · first AC: 2019-05-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation
AQT's solution

730.
962D
Merge Equals · Tutorial
Quality: 7,363 global accepts · Rating: 1600 · first AC: 2019-05-21 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

731.
1098A
Sum in the tree · Tutorial
Quality: 9,547 global accepts · Rating: 1600 · first AC: 2019-05-19 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees
AQT's solution

732.
1163B2
Cat Party (Hard Edition) · Tutorial
Quality: 7,647 global accepts · Rating: 1600 · first AC: 2019-05-09 · C++17 (GCC 7-32) (first AC) · Tags: data structures, implementation
AQT's solution

733.
453A
Little Pony and Expected Maximum · Tutorial
Quality: 12,442 global accepts · Rating: 1600 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: probabilities
AQT's solution

734.
1138D
Camp Schedule · Tutorial

Rating: 1600 · first AC: 2019-03-10 · C++17 (GCC 7-32) (first AC) · Tags: greedy, hashing, string suffix structures, strings
AQT's solution

735.
1138C
Skyscrapers · Tutorial
Rating: 1600 · first AC: 2019-03-09 · C++17 (GCC 7-32) (first AC) · Tags: implementation, sortings
AQT's solution

736.
1029C
Maximal Intersection · Tutorial
Quality: 8,275 global accepts · Rating: 1600 · first AC: 2019-03-03 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings
AQT's solution

737.
1113C
Sasha and a Bit of Relax · Tutorial
Rating: 1600 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

738.
877C
Slava and tanks · Tutorial
Quality: 6,065 global accepts · Rating: 1600 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms
AQT's solution

739.
879C
Short Program · Tutorial
Rating: 1600 · first AC: 2019-02-10 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, graph matchings
AQT's solution

740.
525C
Ilya and Sticks · Tutorial
Quality: 6,066 global accepts · Rating: 1600 · first AC: 2019-02-06 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, sortings
AQT's solution

741.
1096C
Polygon for the Angle · Tutorial
Quality: 7,239 global accepts · Rating: 1600 · first AC: 2018-12-28 · Java 8 (first AC) · Tags: brute force, geometry
AQT's solution

742.
1056D
Decorate Apple Tree · Tutorial
Quality: 6,722 global accepts · Rating: 1600 · first AC: 2018-11-25 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dp, graphs, greedy, sortings, trees
AQT's solution

743.
1056B
Divide Candies · Tutorial
Quality: 4,546 global accepts · Rating: 1600 · first AC: 2018-11-25 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

744.
1071A
Cram Time · Tutorial
Rating: 1600 · first AC: 2018-10-22 · Java 8 (first AC) · Tags: greedy
AQT's solution

745.
1065C
Make It Equal · Tutorial

Quality: 8,291 global accepts · Rating: 1600 · first AC: 2018-10-13 · Java 8 (first AC) · Tags: greedy
AQT's solution

746.
1033C
Permutation Game · Tutorial
Quality: 6,217 global accepts · Rating: 1600 · first AC: 2018-10-07 · Java 8 (first AC) · Tags: brute force, dp, games
AQT's solution

747.
1059C
Sequence Transformation · Tutorial
Quality: 7,533 global accepts · Rating: 1600 · first AC: 2018-10-05 · Java 8 (first AC) · Tags: constructive algorithms, math
AQT's solution

748.
1060C
Maximum Subrectangle · Tutorial
Quality: 5,209 global accepts · Rating: 1600 · first AC: 2018-10-04 · Java 8 (first AC) · Tags: binary search, implementation, two pointers
AQT's solution

749.
723D
Lakes in Berland · Tutorial
Quality: 7,505 global accepts · Rating: 1600 · first AC: 2018-09-29 · Java 8 (first AC) · Tags: dfs and similar, dsu, graphs, greedy, implementation
AQT's solution

750.
849B
Tell Your World · Tutorial
Quality: 3,996 global accepts · Rating: 1600 · first AC: 2018-09-20 · Java 8 (first AC) · Tags: brute force, geometry
AQT's solution

751.
848A
From Y to Y · Tutorial
Quality: 5,346 global accepts · Rating: 1600 · first AC: 2018-09-20 · Java 8 (first AC) · Tags: constructive algorithms
AQT's solution

752.
1041C
Coffee Break · Tutorial
Quality: 10,239 global accepts · Rating: 1600 · first AC: 2018-09-16 · Java 8 (first AC) · Tags: binary search, data structures, greedy, two pointers
AQT's solution

753.
1036D
Vasya and Arrays · Tutorial
Quality: 10,628 global accepts · Rating: 1600 · first AC: 2018-09-08 · Java 8 (first AC) · Tags: greedy, two pointers
AQT's solution

754.
1036B
Diagonal Walking v.2 · Tutorial
Quality: 5,965 global accepts · Rating: 1600 · first AC: 2018-09-08 · Java 8 (first AC) · Tags: math
AQT's solution

755.
319A
Malek Dance Club · Tutorial
Quality: 3,025 global accepts · Rating: 1600 · first AC: 2018-09-02 · Java 8 (first AC) · Tags: combinatorics, math
AQT's solution

756.
75C
Modified GCD · Tutorial

Quality: 15,649 global accepts · Rating: 1600 · first AC: 2018-08-31 · Java 8 (first AC) · Tags: binary search, number theory
AQT's solution

757.
1028C
Rectangles · Tutorial
Quality: 5,052 global accepts · Rating: 1600 · first AC: 2018-08-27 · Java 8 (first AC) · Tags: geometry, implementation, sortings
AQT's solution

758.
731C
Socks · Tutorial
Quality: 7,859 global accepts · Rating: 1600 · first AC: 2018-08-21 · Java 8 (first AC) · Tags: dfs and similar, dsu, graphs, greedy
AQT's solution

759.
1025B
Weakened Common Divisor · Tutorial
Quality: 8,509 global accepts · Rating: 1600 · first AC: 2018-08-20 · Java 8 (first AC) · Tags: brute force, greedy, number theory
AQT's solution

760.
831E
Cards Sorting · Tutorial
Rating: 1600 · first AC: 2018-08-17 · Java 8 (first AC) · Tags: data structures
AQT's solution

761.
597A
Divisibility · Tutorial
Quality: 4,933 global accepts · Rating: 1600 · first AC: 2018-08-15 · Java 8 (first AC) · Tags: math
AQT's solution

762.
742D
Arpa's weak amphitheater and Mehrdad's valuable Hoses · Tutorial
Rating: 1600 · first AC: 2018-08-14 · Java 8 (first AC) · Tags: dfs and similar, dp, dsu
AQT's solution

763.
734C
Anton and Making Potions · Tutorial
Quality: 5,684 global accepts · Rating: 1600 · first AC: 2018-08-13 · Java 8 (first AC) · Tags: binary search, dp, greedy, two pointers
AQT's solution

764.
1017C
The Phone Number · Tutorial
Quality: 6,471 global accepts · Rating: 1600 · first AC: 2018-08-08 · Java 8 (first AC) · Tags: constructive algorithms, greedy
AQT's solution

765.
682C
Alyona and the Tree · Tutorial
Quality: 8,083 global accepts · Rating: 1600 · first AC: 2018-07-18 · Java 8 (first AC) · Tags: dfs and similar, dp, graphs, trees
AQT's solution

766.
597B
Restaurant · Tutorial
Quality: 5,666 global accepts · Rating: 1600 · first AC: 2018-07-18 · Java 8 (first AC) · Tags: dp, greedy, sortings
AQT's solution

767.
1006E
Military Problem · Tutorial
Quality: 11,626 global accepts · Rating: 1600 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: dfs and similar, graphs, trees

AQT's solution

768.
764C
Timofey and a tree · Tutorial
Rating: 1600 · first AC: 2018-07-06 · PyPy 2 (first AC) · Tags: dfs and similar, graphs, implementation, trees
AQT's solution

769.
1003D
Coins and Queries · Tutorial
Quality: 8,560 global accepts · Rating: 1600 · first AC: 2018-07-03 · Java 8 (first AC) · Tags: greedy
AQT's solution

770.
322B
Ciel and Flowers · Tutorial
Quality: 13,198 global accepts · Rating: 1600 · first AC: 2018-07-02 · Java 8 (first AC) · Tags: combinatorics, math
AQT's solution

771.
980B
Marlin · Tutorial
Quality: 4,923 global accepts · Rating: 1600 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: constructive algorithms
AQT's solution

772.
979C
Kuro and Walking Route · Tutorial
Quality: 7,334 global accepts · Rating: 1600 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: dfs and similar, trees
AQT's solution

773.
618C
Constellation · Tutorial
Quality: 4,664 global accepts · Rating: 1600 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: geometry, implementation
AQT's solution

774.
992B
Nastya Studies Informatics · Tutorial
Quality: 6,770 global accepts · Rating: 1600 · first AC: 2018-06-19 · Java 8 (first AC) · Tags: math, number theory
AQT's solution

775.
780C
Andryusha and Colored Balloons · Tutorial
Quality: 10,017 global accepts · Rating: 1600 · first AC: 2018-06-18 · Java 8 (first AC) · Tags: dfs and similar, graphs, greedy, trees
AQT's solution

776.
916C
Jamie and Interesting Graph · Tutorial
Quality: 5,541 global accepts · Rating: 1600 · first AC: 2018-06-13 · Java 8 (first AC) · Tags: constructive algorithms, graphs, shortest paths
AQT's solution

777.
71C
Round Table Knights · Tutorial
Quality: 7,329 global accepts · Rating: 1600 · first AC: 2018-06-09 · Java 8 (first AC) · Tags: dp, math, number theory
AQT's solution

778.
987D
Fair · Tutorial
Rating: 1600 · first AC: 2018-05-30 · Java 8 (first AC) · Tags: graphs, shortest paths

AQT's solution

779.
231C
To Add or Not to Add · Tutorial
Quality: 9,699 global accepts · Rating: 1600 · first AC: 2018-05-23 · Java 8 (first AC) · Tags: binary search, sortings, two pointers
AQT's solution

780.
1942C2
Bessie's Birthday Cake (Hard Version) · Tutorial
Quality: 6,874 global accepts · Rating: 1700 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: geometry, greedy, math
AQT's solution

781.
1893B
Neutral Tonality · Tutorial
Quality: 11,461 global accepts · Rating: 1700 · first AC: 2024-03-27 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, sortings, two pointers
AQT's solution

782.
1810D
Climbing the Tree · Tutorial
Quality: 8,541 global accepts · Rating: 1700 · first AC: 2023-09-17 · C++20 (GCC 11-64) (first AC) · Tags: binary search, math
AQT's solution

783.
1864D
Matrix Cascade · Tutorial
Quality: 7,640 global accepts · Rating: 1700 · first AC: 2023-08-31 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, data structures, dp, greedy, math
AQT's solution

784.
1776F
Train Splitting · Tutorial
Quality: 4,157 global accepts · Rating: 1700 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, graphs, greedy
AQT's solution

785.
1798C
Candy Store · Tutorial
Quality: 9,420 global accepts · Rating: 1700 · first AC: 2023-03-27 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, number theory
AQT's solution

786.
1807F
Bouncy Ball · Tutorial
Quality: 7,319 global accepts · Rating: 1700 · first AC: 2023-03-19 · C++20 (GCC 11-64) (first AC) · Tags: brute force, dfs and similar, implementation
AQT's solution

787.
1772E
Permutation Game · Tutorial
Quality: 7,669 global accepts · Rating: 1700 · first AC: 2023-02-12 · C++20 (GCC 11-64) (first AC) · Tags: games
AQT's solution

788.
1562D1
Two Hundred Twenty One (easy version) · Tutorial
Quality: 6,650 global accepts · Rating: 1700 · first AC: 2021-08-26 · C++17 (GCC 9-64) (first AC) · Tags: data structures, dp, math
AQT's solution

789.
1479A
Searching Local Minimum · Tutorial
Quality: 13,085 global accepts · Rating: 1700 · first AC: 2021-06-03 · GNU C++11 (first AC) · Tags: binary search, interactive, ternary search
AQT's solution

790.
1528B
Kavi on Pairing Duty · Tutorial
Quality: 10,666 global accepts · Rating: 1700 · first AC: 2021-05-24 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

791.
1469D
Ceil Divisions · Tutorial
Quality: 10,209 global accepts · Rating: 1700 · first AC: 2021-05-07 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, math, number theory
AQT's solution

792.
1516C
Baby Ehab Partitions Again · Tutorial
Quality: 14,111 global accepts · Rating: 1700 · first AC: 2021-04-21 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, dp, math
AQT's solution

793.
1467B
Hills And Valleys · Tutorial
Quality: 11,543 global accepts · Rating: 1700 · first AC: 2021-01-08 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

794.
1464A
Peaceful Rooks · Tutorial
Rating: 1700 · first AC: 2020-12-29 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs
AQT's solution

795.
1462E2
Close Tuples (hard version) · Tutorial
Quality: 11,367 global accepts · Rating: 1700 · first AC: 2020-12-16 · GNU C++11 (first AC) · Tags: binary search, combinatorics, implementation, math, sortings, two pointers
AQT's solution

796.
1422C
Bargain · Tutorial
Quality: 8,842 global accepts · Rating: 1700 · first AC: 2020-10-04 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

797.
288C
Polo the Penguin and XOR operation · Tutorial
Quality: 2,457 global accepts · Rating: 1700 · first AC: 2020-09-22 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

798.
1400B
RPG Protagonist · Tutorial
Quality: 11,697 global accepts · Rating: 1700 · first AC: 2020-08-25 · GNU C++11 (first AC) · Tags: brute force, greedy, math
AQT's solution

799.
1392D
Omkar and Bed Wars · Tutorial
Quality: 9,765 global accepts · Rating: 1700 · first AC: 2020-08-16 · GNU C++11 (first AC) · Tags: dp, greedy

AQT's solution

800.
1383A
String Transformation 1 · Tutorial
Quality: 11,265 global accepts · Rating: 1700 · first AC: 2020-07-24 · GNU C++11 (first AC) · Tags: dsu, graphs, greedy, sortings, strings, trees, two pointers
AQT's solution

801.
1381A2
Prefix Flip (Hard Version) · Tutorial
Quality: 14,326 global accepts · Rating: 1700 · first AC: 2020-07-21 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, implementation, strings, two pointers
AQT's solution

802.
806A
Success Rate · Tutorial
Rating: 1700 · first AC: 2020-07-05 · GNU C++11 (first AC) · Tags: binary search, math
AQT's solution

803.
1368D
AND, OR and square sum · Tutorial
Quality: 13,662 global accepts · Rating: 1700 · first AC: 2020-06-18 · GNU C++11 (first AC) · Tags: bitmasks, greedy, math
AQT's solution

804.
1365D
Solve The Maze · Tutorial
Quality: 20,820 global accepts · Rating: 1700 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs, greedy, implementation, shortest paths
AQT's solution

805.
1361A
Johnny and Contribution · Tutorial
Quality: 8,845 global accepts · Rating: 1700 · first AC: 2020-06-04 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, greedy, sortings
AQT's solution

806.
385C
Bear and Prime Numbers · Tutorial
Quality: 10,586 global accepts · Rating: 1700 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: binary search, brute force, data structures, dp, implementation, math, number theory
AQT's solution

807.
1359C
Mixing Water · Tutorial
Quality: 15,298 global accepts · Rating: 1700 · first AC: 2020-05-28 · GNU C++11 (first AC) · Tags: binary search, math
AQT's solution

808.
199C
About Bacteria · Tutorial
Rating: 1700 · first AC: 2020-05-20 · GNU C++11 (first AC) · Tags: math
AQT's solution

809.
758C
Unfair Poll · Tutorial
Quality: 4,053 global accepts · Rating: 1700 · first AC: 2020-05-18 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, implementation, math

AQT's solution

810.
1280A
Cut and Paste · Tutorial
Quality: 5,844 global accepts · Rating: 1700 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

811.
698B
Fix a Tree · Tutorial
Quality: 6,183 global accepts · Rating: 1700 · first AC: 2020-05-11 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs, trees
AQT's solution

812.
850A
Five Dimensional Points · Tutorial
Quality: 3,381 global accepts · Rating: 1700 · first AC: 2020-04-24 · GNU C++11 (first AC) · Tags: brute force, geometry, math
AQT's solution

813.
1336B
Xenia and Colorful Gems · Tutorial
Quality: 12,128 global accepts · Rating: 1700 · first AC: 2020-04-15 · GNU C++11 (first AC) · Tags: binary search, greedy, math, sortings, two pointers
AQT's solution

814.
696B
Puzzles · Tutorial
Quality: 3,801 global accepts · Rating: 1700 · first AC: 2020-04-13 · GNU C++11 (first AC) · Tags: dfs and similar, math, probabilities, trees
AQT's solution

815.
1333C
Eugene and an array · Tutorial
Quality: 13,364 global accepts · Rating: 1700 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: binary search, data structures, implementation, two pointers
AQT's solution

816.
1329B
Dreamoon Likes Sequences · Tutorial
Quality: 7,056 global accepts · Rating: 1700 · first AC: 2020-04-03 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, math
AQT's solution

817.
1325D
Ehab the Xorcist · Tutorial
Quality: 13,589 global accepts · Rating: 1700 · first AC: 2020-03-20 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, greedy, number theory
AQT's solution

818.
1320B
Navigation System · Tutorial
Quality: 6,439 global accepts · Rating: 1700 · first AC: 2020-03-01 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, shortest paths
AQT's solution

819.
1314A
Recommendations · Tutorial
Rating: 1700 · first AC: 2020-02-23 · GNU C++11 (first AC) · Tags: data structures, greedy, sortings
AQT's solution

820.
1301C
Ayoub's function · Tutorial
Quality: 9,878 global accepts · Rating: 1700 · first AC: 2020-02-13 · GNU C++11 (first AC) · Tags: binary search, combinatorics, greedy, math, strings
AQT's solution

821.
1295B
Infinite Prefixes · Tutorial
Quality: 9,872 global accepts · Rating: 1700 · first AC: 2020-01-29 · GNU C++11 (first AC) · Tags: math, strings
AQT's solution

822.
1292B
Aroma's Search · Tutorial
Quality: 6,770 global accepts · Rating: 1700 · first AC: 2020-01-19 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, geometry, greedy, implementation
AQT's solution

823.
1254A
Feeding Chicken · Tutorial
Quality: 5,515 global accepts · Rating: 1700 · first AC: 2019-12-25 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

824.
1268A
Long Beautiful Integer · Tutorial
Quality: 9,069 global accepts · Rating: 1700 · first AC: 2019-12-23 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation, strings
AQT's solution

825.
1260C
Infinite Fence · Tutorial
Quality: 8,783 global accepts · Rating: 1700 · first AC: 2019-12-04 · GNU C++11 (first AC) · Tags: greedy, math, number theory
AQT's solution

826.
596C
Wilbur and Points · Tutorial
Quality: 2,335 global accepts · Rating: 1700 · first AC: 2019-11-27 · GNU C++11 (first AC) · Tags: combinatorics, greedy, sortings
AQT's solution

827.
1261A
Messy · Tutorial
Rating: 1700 · first AC: 2019-11-24 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, implementation
AQT's solution

828.
1253D
Harmonious Graph · Tutorial
Quality: 10,250 global accepts · Rating: 1700 · first AC: 2019-11-16 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs, greedy, sortings
AQT's solution

829.
443C
Borya and Hanabi · Tutorial
Rating: 1700 · first AC: 2019-11-15 · GNU C++11 (first AC) · Tags: bitmasks, brute force, constructive algorithms, implementation
AQT's solution

830.
1239A
Ivan the Fool and the Probability Theory · Tutorial
Quality: 7,790 global accepts · Rating: 1700 · first AC: 2019-10-20 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

831.
1228C
Primes and Multiplication · Tutorial
Quality: 9,634 global accepts · Rating: 1700 · first AC: 2019-09-29 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

832.
1229A
Marcin and Training Camp · Tutorial
Rating: 1700 · first AC: 2019-09-23 · GNU C++11 (first AC) · Tags: brute force, graphs, greedy
AQT's solution

833.
1216C
White Sheet · Tutorial
Quality: 10,362 global accepts · Rating: 1700 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: geometry, math
AQT's solution

834.
1209D
Cow and Snacks · Tutorial
Quality: 10,728 global accepts · Rating: 1700 · first AC: 2019-09-14 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs
AQT's solution

835.
1204C
Anna, Svyatoslav and Maps · Tutorial
Quality: 7,209 global accepts · Rating: 1700 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: dp, graphs, greedy, shortest paths
AQT's solution

836.
1203D2
Remove the Substring (hard version) · Tutorial
Quality: 8,119 global accepts · Rating: 1700 · first AC: 2019-08-13 · GNU C++11 (first AC) · Tags: binary search, greedy, implementation, two pointers
AQT's solution

837.
1202B
You Are Given a Decimal String... · Tutorial
Quality: 4,844 global accepts · Rating: 1700 · first AC: 2019-08-07 · GNU C++11 (first AC) · Tags: brute force, dp, shortest paths
AQT's solution

838.
1194D
1-2-K Game · Tutorial
Quality: 7,178 global accepts · Rating: 1700 · first AC: 2019-07-14 · GNU C++11 (first AC) · Tags: games, math
AQT's solution

839.
1185C2
Exam in BerSU (hard version) · Tutorial
Quality: 7,818 global accepts · Rating: 1700 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, greedy, math
AQT's solution

840.
1185D
Extra Element · Tutorial
Quality: 7,059 global accepts · Rating: 1700 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math

AQT's solution

841.
1091D
New Year and the Permutation Concatenation · Tutorial
Quality: 7,476 global accepts · Rating: 1700 · first AC: 2019-06-06 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math
AQT's solution

842.
1148C
Crazy Diamond · Tutorial
Quality: 5,627 global accepts · Rating: 1700 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, sortings
AQT's solution

843.
1168A
Increasing by Modulo · Tutorial
Quality: 7,596 global accepts · Rating: 1700 · first AC: 2019-05-26 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy
AQT's solution

844.
678D
Iterated Linear Function · Tutorial
Quality: 5,404 global accepts · Rating: 1700 · first AC: 2019-05-18 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory
AQT's solution

845.
1051D
Bicolorings · Tutorial
Quality: 8,161 global accepts · Rating: 1700 · first AC: 2019-05-14 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dp
AQT's solution

846.
813C
The Tag Game · Tutorial
Quality: 8,142 global accepts · Rating: 1700 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs
AQT's solution

847.
1144F
Graph Without Long Directed Paths · Tutorial
Quality: 14,119 global accepts · Rating: 1700 · first AC: 2019-03-31 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs
AQT's solution

848.
1143D
The Beatles · Tutorial
Rating: 1700 · first AC: 2019-03-31 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math, number theory
AQT's solution

849.
1131F
Asya And Kittens · Tutorial
Quality: 7,750 global accepts · Rating: 1700 · first AC: 2019-02-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dsu
AQT's solution

850.
1130D1
Toy Train (Simplified) · Tutorial
Rating: 1700 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy
AQT's solution

851.
1118D1
Coffee and Coursework (Easy version) · Tutorial
Quality: 6,084 global accepts · Rating: 1700 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy

AQT's solution

852.
1118C
Palindromic Matrix · Tutorial
Quality: 6,101 global accepts · Rating: 1700 · first AC: 2019-02-22 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation
AQT's solution

853.
1118E
Yet Another Ball Problem · Tutorial
Quality: 4,456 global accepts · Rating: 1700 · first AC: 2019-02-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation
AQT's solution

854.
1118D2
Coffee and Coursework (Hard Version) · Tutorial
Quality: 6,800 global accepts · Rating: 1700 · first AC: 2019-02-21 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy
AQT's solution

855.
1114C
Trailing Loves (or L'oeufs?) · Tutorial
Quality: 7,888 global accepts · Rating: 1700 · first AC: 2019-02-10 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, math, number theory
AQT's solution

856.
1111B
Average Superhero Gang Power · Tutorial
Quality: 6,516 global accepts · Rating: 1700 · first AC: 2019-02-03 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, math
AQT's solution

857.
1111C
Creative Snap · Tutorial
Quality: 7,011 global accepts · Rating: 1700 · first AC: 2019-02-03 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, divide and conquer, math
AQT's solution

858.
631C
Report · Tutorial
Quality: 4,443 global accepts · Rating: 1700 · first AC: 2019-01-28 · C++14 (GCC 6-32) (first AC) · Tags: data structures, sortings
AQT's solution

859.
439D
Devu and his Brother · Tutorial
Quality: 6,851 global accepts · Rating: 1700 · first AC: 2019-01-27 · C++14 (GCC 6-32) (first AC) · Tags: binary search, sortings, ternary search, two pointers
AQT's solution

860.
980C
Posterized · Tutorial
Quality: 3,944 global accepts · Rating: 1700 · first AC: 2019-01-27 · C++14 (GCC 6-32) (first AC) · Tags: games, greedy
AQT's solution

861.
797C
Minimal string · Tutorial
Quality: 9,842 global accepts · Rating: 1700 · first AC: 2018-09-28 · last AC: 2019-01-26 · Java 8 (first AC) · Tags: data structures, greedy, strings

AQT's solution

862.
990D
Graph And Its Complement · Tutorial
Quality: 4,115 global accepts · Rating: 1700 · first AC: 2018-06-10 · last AC: 2019-01-26 · Java 8 (first AC) · Tags: constructive algorithms, graphs, implementation
AQT's solution

863.
1056C
Pick Heroes · Tutorial
Quality: 2,579 global accepts · Rating: 1700 · first AC: 2018-11-25 · GNU C++11 (first AC) · Tags: greedy, implementation, interactive, sortings
AQT's solution

864.
1043D
Mysterious Crime · Tutorial
Quality: 4,762 global accepts · Rating: 1700 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: brute force, combinatorics, math, meet-in-the-middle, two pointers
AQT's solution

865.
1073D
Berland Fair · Tutorial
Quality: 6,722 global accepts · Rating: 1700 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: binary search, brute force, data structures, greedy
AQT's solution

866.
960C
Subsequence Counting · Tutorial
Quality: 4,108 global accepts · Rating: 1700 · first AC: 2018-10-05 · Java 8 (first AC) · Tags: bitmasks, constructive algorithms, greedy, implementation
AQT's solution

867.
761D
Dasha and Very Difficult Problem · Tutorial
Quality: 4,212 global accepts · Rating: 1700 · first AC: 2018-10-04 · Java 8 (first AC) · Tags: binary search, brute force, constructive algorithms, greedy, sortings
AQT's solution

868.
35D
Animals · Tutorial
Quality: 3,860 global accepts · Rating: 1700 · first AC: 2018-09-23 · Java 8 (first AC) · Tags: dp, greedy
AQT's solution

869.
1042C
Array Product · Tutorial
Quality: 4,970 global accepts · Rating: 1700 · first AC: 2018-09-17 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

870.
1041D
Glider · Tutorial
Quality: 6,423 global accepts · Rating: 1700 · first AC: 2018-09-16 · Java 8 (first AC) · Tags: binary search, data structures, two pointers
AQT's solution

871.
66D
Petya and His Friends · Tutorial
Quality: 3,612 global accepts · Rating: 1700 · first AC: 2018-09-06 · Java 8 (first AC) · Tags: constructive algorithms, math, number theory
AQT's solution

872.
1037D
Valid BFS? · Tutorial
Quality: 19,101 global accepts · Rating: 1700 · first AC: 2018-09-02 · Java 8 (first AC) · Tags: dfs and similar, graphs, shortest paths, trees
AQT's solution

873.
567D
One-Dimensional Battle Ships · Tutorial
Quality: 5,245 global accepts · Rating: 1700 · first AC: 2018-09-01 · Java 8 (first AC) · Tags: binary search, data structures, greedy, sortings
AQT's solution

874.
471C
MUH and House of Cards · Tutorial
Quality: 3,744 global accepts · Rating: 1700 · first AC: 2018-08-31 · Java 8 (first AC) · Tags: binary search, brute force, greedy, math
AQT's solution

875.
126B
Password · Tutorial
Quality: 24,768 global accepts · Rating: 1700 · first AC: 2018-08-31 · Java 8 (first AC) · Tags: binary search, dp, hashing, string suffix structures, strings
AQT's solution

876.
598D
Igor In the Museum · Tutorial
Quality: 13,092 global accepts · Rating: 1700 · first AC: 2018-08-21 · Java 8 (first AC) · Tags: dfs and similar, graphs, shortest paths
AQT's solution

877.
691D
Swaps in Permutation · Tutorial
Quality: 6,554 global accepts · Rating: 1700 · first AC: 2018-08-20 · Java 8 (first AC) · Tags: dfs and similar, dsu, math
AQT's solution

878.
1023D
Array Restoration · Tutorial
Quality: 4,282 global accepts · Rating: 1700 · first AC: 2018-08-17 · Java 8 (first AC) · Tags: constructive algorithms, data structures
AQT's solution

879.
591C
Median Smoothing · Tutorial
Rating: 1700 · first AC: 2018-08-15 · Java 8 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

880.
1020C
Elections · Tutorial
Rating: 1700 · first AC: 2018-08-12 · Java 8 (first AC) · Tags: greedy
AQT's solution

881.
1015E1
Stars Drawing (Easy Edition) · Tutorial
Quality: 6,809 global accepts · Rating: 1700 · first AC: 2018-08-08 · Java 8 (first AC) · Tags: brute force, dp, greedy
AQT's solution

882.
686C
Robbers' watch · Tutorial
Rating: 1700 · first AC: 2018-07-25 · PyPy 2 (first AC) · Tags: brute force, combinatorics, math
AQT's solution

883.
627B
Factory Repairs · Tutorial
Quality: 3,402 global accepts · Rating: 1700 · first AC: 2018-07-19 · Java 8 (first AC) · Tags: data structures
AQT's solution

884.
1009C
Annoying Present · Tutorial
Quality: 5,557 global accepts · Rating: 1700 · first AC: 2018-07-18 · Java 8 (first AC) · Tags: greedy, math
AQT's solution

885.
1006D
Two Strings Swaps · Tutorial
Quality: 6,477 global accepts · Rating: 1700 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: implementation
AQT's solution

886.
1009D
Relatively Prime Graph · Tutorial
Quality: 6,658 global accepts · Rating: 1700 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: brute force, constructive algorithms, graphs, greedy, math
AQT's solution

887.
279C
Ladder · Tutorial
Quality: 8,924 global accepts · Rating: 1700 · first AC: 2018-07-03 · last AC: 2018-07-03 · Java 8 (first AC) · Tags: dp, implementation, two pointers
AQT's solution

888.
769D
k-Interesting Pairs Of Integers · Tutorial
Quality: 2,555 global accepts · Rating: 1700 · first AC: 2018-06-29 · Java 8 (first AC) · Tags: *special, bitmasks, brute force, meet-in-the-middle
AQT's solution

889.
427C
Checkposts · Tutorial
Quality: 16,901 global accepts · Rating: 1700 · first AC: 2018-06-29 · Java 8 (first AC) · Tags: dfs and similar, graphs, two pointers
AQT's solution

890.
1000C
Covered Points Count · Tutorial
Quality: 8,438 global accepts · Rating: 1700 · first AC: 2018-06-27 · Java 8 (first AC) · Tags: data structures, implementation, sortings
AQT's solution

891.
910C
Minimum Sum · Tutorial
Quality: 2,161 global accepts · Rating: 1700 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

892.
498A
Crazy Town · Tutorial
Quality: 6,876 global accepts · Rating: 1700 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: geometry
AQT's solution

893.
729C
Road to Cinema · Tutorial
Quality: 4,182 global accepts · Rating: 1700 · first AC: 2018-06-22 · Java 8 (first AC) · Tags: binary search, greedy, sortings

AQT's solution

894.
729D
Sea Battle · Tutorial
Quality: 4,084 global accepts · Rating: 1700 · first AC: 2018-06-22 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

895.
978G
Petya's Exams · Tutorial
Quality: 4,881 global accepts · Rating: 1700 · first AC: 2018-06-16 · Java 8 (first AC) · Tags: greedy, implementation, sortings
AQT's solution

896.
627A
XOR Equation · Tutorial
Quality: 4,798 global accepts · Rating: 1700 · first AC: 2018-06-15 · Java 8 (first AC) · Tags: dp, math
AQT's solution

897.
219D
Choosing Capital for Treeland · Tutorial
Quality: 12,488 global accepts · Rating: 1700 · first AC: 2018-06-07 · Java 8 (first AC) · Tags: dfs and similar, dp, graphs, trees
AQT's solution

898.
276D
Little Girl and Maximum XOR · Tutorial
Quality: 16,370 global accepts · Rating: 1700 · first AC: 2018-05-24 · Java 8 (first AC) · Tags: bitmasks, dp, greedy, implementation, math
AQT's solution

899.
106C
Buns · Tutorial
Quality: 7,060 global accepts · Rating: 1700 · first AC: 2018-05-23 · Java 8 (first AC) · Tags: dp
AQT's solution

900.
977F
Consecutive Subsequence · Tutorial
Quality: 25,131 global accepts · Rating: 1700 · first AC: 2018-05-06 · Java 8 (first AC) · Tags: dp
AQT's solution

901.
474D
Flowers · Tutorial
Quality: 30,623 global accepts · Rating: 1700 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: dp
AQT's solution

902.
1949I
Disks · Tutorial
Quality: 2,755 global accepts · Rating: 1800 · first AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, geometry, graph matchings, graphs
AQT's solution

903.
1862F
Magic Will Save the World · Tutorial
Quality: 7,617 global accepts · Rating: 1800 · first AC: 2023-08-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, bitmasks, brute force, dp
AQT's solution

904.
1852B
Imbalanced Arrays · Tutorial

Quality: 5,460 global accepts · Rating: 1800 · first AC: 2023-07-23 · last AC: 2023-07-27 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, graphs, greedy, math, sortings, two pointers
AQT's solution

905.
1852A
Ntarsis' Set · Tutorial
Quality: 9,240 global accepts · Rating: 1800 · first AC: 2023-07-23 · C++20 (GCC 11-64) (first AC) · Tags: binary search, math, number theory
AQT's solution

906.
1824B1
LuoTianyi and the Floating Islands (Easy Version) · Tutorial
Quality: 6,008 global accepts · Rating: 1800 · first AC: 2023-07-07 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math, probabilities, trees
AQT's solution

907.
1801B
Buying gifts · Tutorial
Quality: 7,548 global accepts · Rating: 1800 · first AC: 2023-03-13 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, sortings
AQT's solution

908.
1556D
Take a Guess · Tutorial
Quality: 8,594 global accepts · Rating: 1800 · first AC: 2021-08-29 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, constructive algorithms, interactive, math
AQT's solution

909.
1556C
Compressed Bracket Sequence · Tutorial
Quality: 6,216 global accepts · Rating: 1800 · first AC: 2021-08-29 · C++17 (GCC 9-64) (first AC) · Tags: brute force, implementation
AQT's solution

910.
1548B
Integers Have Friends · Tutorial
Quality: 11,348 global accepts · Rating: 1800 · first AC: 2021-08-01 · GNU C++11 (first AC) · Tags: binary search, data structures, divide and conquer, math, number theory, two pointers
AQT's solution

911.
1552D
Array Differentiation · Tutorial
Quality: 7,888 global accepts · Rating: 1800 · first AC: 2021-07-25 · GNU C++11 (first AC) · Tags: bitmasks, brute force, constructive algorithms, dfs and similar, dp, graphs, math
AQT's solution

912.
1552C
Maximize the Intersections · Tutorial
Quality: 6,286 global accepts · Rating: 1800 · first AC: 2021-07-25 · GNU C++11 (first AC) · Tags: combinatorics, constructive algorithms, geometry, greedy, sortings
AQT's solution

913.
1534D
Lost Tree · Tutorial
Quality: 6,811 global accepts · Rating: 1800 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, interactive, trees
AQT's solution

914.
1491D
Zookeeper and The Infinite Zoo · Tutorial

Quality: 8,285 global accepts · Rating: 1800 · first AC: 2021-05-14 · last AC: 2021-05-14 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy, math
AQT's solution

915.
1500A
Going Home · Tutorial
Quality: 9,509 global accepts · Rating: 1800 · first AC: 2021-04-28 · GNU C++11 (first AC) · Tags: brute force, hashing, implementation, math
AQT's solution

916.
1450D
Rating Compression · Tutorial
Quality: 5,806 global accepts · Rating: 1800 · first AC: 2020-12-06 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, implementation, two pointers
AQT's solution

917.
1420D
Rescue Nibel! · Tutorial
Quality: 8,327 global accepts · Rating: 1800 · first AC: 2020-09-24 · GNU C++11 (first AC) · Tags: combinatorics, data structures, sortings
AQT's solution

918.
1409E
Two Platforms · Tutorial
Quality: 8,457 global accepts · Rating: 1800 · first AC: 2020-09-04 · GNU C++11 (first AC) · Tags: binary search, dp, sortings, two pointers
AQT's solution

919.
1396B
Stoned Game · Tutorial
Quality: 12,936 global accepts · Rating: 1800 · first AC: 2020-08-30 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, games, greedy
AQT's solution

920.
1401D
Maximum Distributed Tree · Tutorial
Quality: 10,527 global accepts · Rating: 1800 · first AC: 2020-08-21 · GNU C++11 (first AC) · Tags: dfs and similar, dp, greedy, implementation, math, number theory, sortings, trees
AQT's solution

921.
933A
A Twisty Movement · Tutorial
Quality: 5,401 global accepts · Rating: 1800 · first AC: 2020-08-13 · GNU C++11 (first AC) · Tags: dp
AQT's solution

922.
1394A
Boboniu Chats with Du · Tutorial
Quality: 7,122 global accepts · Rating: 1800 · first AC: 2020-08-12 · GNU C++11 (first AC) · Tags: dp, greedy, sortings, two pointers
AQT's solution

923.
1190B
Tokitsukaze, CSL and Stone Game · Tutorial
Quality: 6,831 global accepts · Rating: 1800 · first AC: 2020-07-26 · GNU C++11 (first AC) · Tags: games
AQT's solution

924.
1381B
Unmerge · Tutorial
Quality: 9,566 global accepts · Rating: 1800 · first AC: 2020-07-21 · GNU C++11 (first AC) · Tags: dp
AQT's solution

925.
1355C
Count Triangles · Tutorial
Quality: 11,948 global accepts · Rating: 1800 · first AC: 2020-06-01 · GNU C++11 (first AC) · Tags: binary search, implementation, math, two pointers
AQT's solution

926.
822D
My pretty girl Noora · Tutorial
Quality: 3,283 global accepts · Rating: 1800 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, math, number theory
AQT's solution

927.
528B
Clique Problem · Tutorial
Rating: 1800 · first AC: 2020-05-21 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

928.
420B
Online Meeting · Tutorial
Quality: 1,172 global accepts · Rating: 1800 · first AC: 2020-05-20 · C++14 (GCC 6-32) (first AC) · Tags: implementation
AQT's solution

929.
603B
Moodular Arithmetic · Tutorial
Quality: 2,710 global accepts · Rating: 1800 · first AC: 2020-05-16 · GNU C++11 (first AC) · Tags: combinatorics, dfs and similar, dsu, math, number theory
AQT's solution

930.
1280B
Beingawesomeism · Tutorial
Quality: 4,204 global accepts · Rating: 1800 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: implementation, math
AQT's solution

931.
725D
Contest Balloons · Tutorial
Quality: 3,093 global accepts · Rating: 1800 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: data structures, greedy
AQT's solution

932.
799C
Fountains · Tutorial
Quality: 4,054 global accepts · Rating: 1800 · first AC: 2020-04-16 · GNU C++11 (first AC) · Tags: binary search, data structures, implementation
AQT's solution

933.
1338B
Edge Weight Assignment · Tutorial
Quality: 9,523 global accepts · Rating: 1800 · first AC: 2020-04-12 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, dfs and similar, greedy, math, trees
AQT's solution

934.
1334D
Minimum Euler Cycle · Tutorial
Quality: 7,723 global accepts · Rating: 1800 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, greedy, implementation
AQT's solution

935.
1329A
Dreamoon Likes Coloring · Tutorial
Quality: 9,669 global accepts · Rating: 1800 · first AC: 2020-04-03 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation, math
AQT's solution

936.
768C
Jon Snow and his Favourite Number · Tutorial
Quality: 3,974 global accepts · Rating: 1800 · first AC: 2020-03-31 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, implementation, sortings
AQT's solution

937.
794C
Naming Company · Tutorial
Quality: 3,327 global accepts · Rating: 1800 · first AC: 2020-03-25 · C++14 (GCC 6-32) (first AC) · Tags: games, greedy, sortings
AQT's solution

938.
1327E
Count The Blocks · Tutorial
Quality: 9,599 global accepts · Rating: 1800 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

939.
914C
Travelling Salesman and Special Numbers · Tutorial
Quality: 4,209 global accepts · Rating: 1800 · first AC: 2020-03-22 · GNU C++11 (first AC) · Tags: brute force, combinatorics, dp
AQT's solution

940.
1326D2
Prefix-Suffix Palindrome (Hard version) · Tutorial
Quality: 11,757 global accepts · Rating: 1800 · first AC: 2020-03-19 · last AC: 2020-03-20 · GNU C++11 (first AC) · Tags: binary search, greedy, hashing, string suffix structures, strings
AQT's solution

941.
1290B
Irreducible Anagrams · Tutorial
Quality: 7,156 global accepts · Rating: 1800 · first AC: 2020-02-02 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, strings, two pointers
AQT's solution

942.
1295D
Same GCDs · Tutorial
Quality: 10,218 global accepts · Rating: 1800 · first AC: 2020-01-29 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

943.
1286B
Numbers on Tree · Tutorial
Quality: 5,469 global accepts · Rating: 1800 · first AC: 2020-01-08 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, dfs and similar, graphs, greedy, trees
AQT's solution

944.
1283E
New Year Parties · Tutorial
Quality: 7,328 global accepts · Rating: 1800 · first AC: 2019-12-28 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

945.
1283D
Christmas Trees · Tutorial
Quality: 9,442 global accepts · Rating: 1800 · first AC: 2019-12-28 · GNU C++11 (first AC) · Tags: graphs, greedy, shortest paths
AQT's solution

946.
1282C
Petya and Exam · Tutorial
Quality: 4,582 global accepts · Rating: 1800 · first AC: 2019-12-24 · GNU C++11 (first AC) · Tags: greedy, sortings, two pointers
AQT's solution

947.
1254B1
Send Boxes to Alice (Easy Version) · Tutorial
Quality: 5,006 global accepts · Rating: 1800 · first AC: 2019-12-12 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math, number theory, ternary search, two pointers
AQT's solution

948.
1261B2
Optimal Subsequences (Hard Version) · Tutorial
Rating: 1800 · first AC: 2019-11-24 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, greedy, sortings
AQT's solution

949.
724C
Ray Tracing · Tutorial
Quality: 2,281 global accepts · Rating: 1800 · first AC: 2019-11-15 · GNU C++11 (first AC) · Tags: greedy, hashing, implementation, math, number theory, sortings
AQT's solution

950.
1225D
Power Products · Tutorial
Quality: 10,043 global accepts · Rating: 1800 · first AC: 2019-10-26 · GNU C++11 (first AC) · Tags: hashing, math, number theory
AQT's solution

951.
1244D
Paint the Tree · Tutorial
Quality: 8,301 global accepts · Rating: 1800 · first AC: 2019-10-13 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, dp, graphs, implementation, trees
AQT's solution

952.
846F
Random Query · Tutorial
Quality: 2,657 global accepts · Rating: 1800 · first AC: 2019-10-03 · last AC: 2019-10-03 · GNU C++11 (first AC) · Tags: data structures, math, probabilities, two pointers
AQT's solution

953.
1082D
Maximum Diameter Graph · Tutorial
Quality: 4,090 global accepts · Rating: 1800 · first AC: 2019-09-18 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, implementation
AQT's solution

954.
1213G
Path Queries · Tutorial
Quality: 9,533 global accepts · Rating: 1800 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: divide and conquer, dsu, graphs, sortings, trees
AQT's solution

955.
1208C
Magic Grid · Tutorial
Quality: 6,367 global accepts · Rating: 1800 · first AC: 2019-08-25 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

956.
238B
Boring Partition · Tutorial
Quality: 1,420 global accepts · Rating: 1800 · first AC: 2019-08-23 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

957.
1207D
Number Of Permutations · Tutorial
Quality: 6,701 global accepts · Rating: 1800 · first AC: 2019-08-22 · GNU C++11 (first AC) · Tags: combinatorics
AQT's solution

958.
1187C
Vasya And Array · Tutorial
Quality: 6,764 global accepts · Rating: 1800 · first AC: 2019-08-11 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

959.
1195D2
Submarine in the Rybinsk Sea (hard edition) · Tutorial
Quality: 4,898 global accepts · Rating: 1800 · first AC: 2019-07-17 · GNU C++11 (first AC) · Tags: combinatorics, math, number theory
AQT's solution

960.
1191D
Tokitsukaze, CSL and Stone Game · Tutorial
Rating: 1800 · first AC: 2019-07-12 · GNU C++11 (first AC) · Tags: games, greedy
AQT's solution

961.
1186C
Vus the Cossack and Strings · Tutorial
Quality: 6,546 global accepts · Rating: 1800 · first AC: 2019-07-06 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math
AQT's solution

962.
863D
Yet Another Array Queries Problem · Tutorial
Quality: 3,813 global accepts · Rating: 1800 · first AC: 2019-06-30 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
AQT's solution

963.
1179B
Tolik and His Uncle · Tutorial
Quality: 4,593 global accepts · Rating: 1800 · first AC: 2019-06-21 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms
AQT's solution

964.
1148D
Dirty Deeds Done Dirt Cheap · Tutorial
Quality: 5,263 global accepts · Rating: 1800 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings
AQT's solution

965.
1154E
Two Teams · Tutorial
Quality: 6,950 global accepts · Rating: 1800 · first AC: 2019-05-27 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation, sortings

AQT's solution

966.
1151C
Problem for Nazar · Tutorial
Quality: 5,605 global accepts · Rating: 1800 · first AC: 2019-05-20 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

967.
911D
Inversion Counting · Tutorial
Quality: 5,107 global accepts · Rating: 1800 · first AC: 2019-05-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math
AQT's solution

968.
899D
Shovel Sale · Tutorial
Quality: 3,261 global accepts · Rating: 1800 · first AC: 2019-05-19 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

969.
1107D
Compression · Tutorial
Quality: 3,904 global accepts · Rating: 1800 · first AC: 2019-05-18 · C++14 (GCC 6-32) (first AC) · Tags: dp, implementation, math, number theory
AQT's solution

970.
1062D
Fun with Integers · Tutorial
Quality: 4,170 global accepts · Rating: 1800 · first AC: 2019-05-18 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, implementation, math
AQT's solution

971.
1152C
Neko does Maths · Tutorial
Quality: 7,083 global accepts · Rating: 1800 · first AC: 2019-05-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory
AQT's solution

972.
363D
Renting Bikes · Tutorial
Quality: 4,331 global accepts · Rating: 1800 · first AC: 2019-04-28 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy
AQT's solution

973.
873D
Merge Sort · Tutorial
Quality: 4,028 global accepts · Rating: 1800 · first AC: 2019-04-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, divide and conquer
AQT's solution

974.
700B
Connecting Universities · Tutorial
Quality: 4,641 global accepts · Rating: 1800 · first AC: 2019-04-18 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, graphs, trees
AQT's solution

975.
1076D
Edge Deletion · Tutorial
Quality: 5,914 global accepts · Rating: 1800 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: graphs, greedy, shortest paths
AQT's solution

976.
813B
The Golden Age · Tutorial
Quality: 4,438 global accepts · Rating: 1800 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math
AQT's solution

977.
222C
Reducing Fractions · Tutorial
Quality: 2,926 global accepts · Rating: 1800 · first AC: 2019-04-14 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math, number theory, sortings
AQT's solution

978.
1119D
Frets On Fire · Tutorial
Quality: 5,169 global accepts · Rating: 1800 · first AC: 2019-04-07 · C++17 (GCC 7-32) (first AC) · Tags: binary search, sortings
AQT's solution

979.
220B
Little Elephant and Array · Tutorial
Quality: 12,885 global accepts · Rating: 1800 · first AC: 2019-03-28 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures
AQT's solution

980.
482B
Interesting Array · Tutorial
Quality: 7,729 global accepts · Rating: 1800 · first AC: 2019-03-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, trees
AQT's solution

981.
434A
Ryouko's Memory Note · Tutorial
Rating: 1800 · first AC: 2019-03-25 · C++17 (GCC 7-32) (first AC) · Tags: math, sortings
AQT's solution

982.
543A
Writing Code · Tutorial
Quality: 8,837 global accepts · Rating: 1800 · first AC: 2019-03-22 · C++17 (GCC 7-32) (first AC) · Tags: dp
AQT's solution

983.
1133E
K Balanced Teams · Tutorial
Quality: 6,442 global accepts · Rating: 1800 · first AC: 2019-03-21 · C++17 (GCC 7-32) (first AC) · Tags: dp, sortings, two pointers
AQT's solution

984.
1136D
Nastya Is Buying Lunch · Tutorial
Quality: 4,001 global accepts · Rating: 1800 · first AC: 2019-03-11 · C++17 (GCC 7-32) (first AC) · Tags: greedy
AQT's solution

985.
1138B
Circus · Tutorial
Quality: 4,201 global accepts · Rating: 1800 · first AC: 2019-03-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, strings
AQT's solution

986.
1130D2
Toy Train · Tutorial

Rating: 1800 · first AC: 2019-02-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation
AQT's solution

987.
1113D
Sasha and One More Name · Tutorial
Rating: 1800 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, strings
AQT's solution

988.
989C
A Mist of Florescence · Tutorial
Quality: 4,034 global accepts · Rating: 1800 · first AC: 2018-06-11 · last AC: 2019-01-30 · Java 8 (first AC) · Tags: constructive algorithms, graphs
AQT's solution

989.
923C
Perfect Security · Tutorial
Quality: 4,727 global accepts · Rating: 1800 · first AC: 2019-01-29 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, strings, trees
AQT's solution

990.
245H
Queries for Number of Palindromes · Tutorial
Quality: 9,060 global accepts · Rating: 1800 · first AC: 2018-09-15 · last AC: 2019-01-29 · Java 8 (first AC) · Tags: dp, hashing, strings
AQT's solution

991.
1016D
Vasya And The Matrix · Tutorial
Quality: 4,985 global accepts · Rating: 1800 · first AC: 2018-08-05 · last AC: 2019-01-29 · Java 8 (first AC) · Tags: constructive algorithms, flows, math
AQT's solution

992.
1096D
Easy Problem · Tutorial
Quality: 9,398 global accepts · Rating: 1800 · first AC: 2018-12-28 · GNU C++11 (first AC) · Tags: dp
AQT's solution

993.
448D
Multiplication Table · Tutorial
Quality: 16,667 global accepts · Rating: 1800 · first AC: 2018-09-30 · Java 8 (first AC) · Tags: binary search, brute force
AQT's solution

994.
1042D
Petya and Array · Tutorial
Quality: 7,401 global accepts · Rating: 1800 · first AC: 2018-09-17 · Java 8 (first AC) · Tags: data structures, divide and conquer, two pointers
AQT's solution

995.
432C
Prime Swaps · Tutorial
Quality: 2,679 global accepts · Rating: 1800 · first AC: 2018-09-14 · Java 8 (first AC) · Tags: greedy, sortings
AQT's solution

996.
161D
Distance in Tree · Tutorial
Quality: 19,178 global accepts · Rating: 1800 · first AC: 2018-09-08 · Java 8 (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

997.
1038D
Slime · Tutorial
Quality: 8,862 global accepts · Rating: 1800 · first AC: 2018-09-06 · Java 8 (first AC) · Tags: dp, greedy, implementation
AQT's solution

998.
706D
Vasiliy's Multiset · Tutorial
Quality: 12,587 global accepts · Rating: 1800 · first AC: 2018-09-02 · Java 8 (first AC) · Tags: binary search, bitmasks, data structures, trees
AQT's solution

999.
471D
MUH and Cube Walls · Tutorial
Quality: 10,276 global accepts · Rating: 1800 · first AC: 2018-08-29 · Java 8 (first AC) · Tags: string suffix structures, strings
AQT's solution

1000.
701E
Connecting Universities · Tutorial
Rating: 1800 · first AC: 2018-08-20 · last AC: 2018-08-20 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, graphs, trees
AQT's solution

1001.
1011D
Rocket · Tutorial
Rating: 1800 · first AC: 2018-07-26 · Java 8 (first AC) · Tags: binary search, interactive
AQT's solution

1002.
1011E
Border · Tutorial
Rating: 1800 · first AC: 2018-07-26 · Java 8 (first AC) · Tags: number theory
AQT's solution

1003.
665D
Simple Subset · Tutorial
Quality: 4,175 global accepts · Rating: 1800 · first AC: 2018-07-19 · Java 8 (first AC) · Tags: constructive algorithms, greedy, number theory
AQT's solution

1004.
853B
Jury Meeting · Tutorial
Quality: 2,756 global accepts · Rating: 1800 · first AC: 2018-07-19 · Java 8 (first AC) · Tags: greedy, sortings, two pointers
AQT's solution

1005.
551B
ZgukistringZ · Tutorial
Quality: 4,064 global accepts · Rating: 1800 · first AC: 2018-07-17 · Java 8 (first AC) · Tags: brute force, constructive algorithms, implementation, strings
AQT's solution

1006.
846C
Four Segments · Tutorial
Quality: 2,968 global accepts · Rating: 1800 · first AC: 2018-07-14 · Java 8 (first AC) · Tags: brute force, data structures, dp
AQT's solution

1007.
846B
Math Show · Tutorial
Quality: 2,839 global accepts · Rating: 1800 · first AC: 2018-07-13 · Java 8 (first AC) · Tags: brute force, greedy
AQT's solution

1008.
1005E1
Median on Segments (Permutations Edition) · Tutorial
Quality: 4,343 global accepts · Rating: 1800 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: sortings
AQT's solution

1009.
983B
XOR-pyramid · Tutorial
Quality: 6,308 global accepts · Rating: 1800 · first AC: 2018-07-08 · Java 8 (first AC) · Tags: dp
AQT's solution

1010.
336C
Vasily the Bear and Sequence · Tutorial
Quality: 2,657 global accepts · Rating: 1800 · first AC: 2018-07-05 · Java 8 (first AC) · Tags: brute force, greedy, implementation, number theory
AQT's solution

1011.
979B
Treasure Hunt · Tutorial
Quality: 4,779 global accepts · Rating: 1800 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: greedy
AQT's solution

1012.
991E
Bus Number · Tutorial
Quality: 3,728 global accepts · Rating: 1800 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: brute force, combinatorics, math
AQT's solution

1013.
988D
Points and Powers of Two · Tutorial
Quality: 8,042 global accepts · Rating: 1800 · first AC: 2018-06-20 · last AC: 2018-06-20 · Java 8 (first AC) · Tags: brute force, math
AQT's solution

1014.
888E
Maximum Subsequence · Tutorial
Quality: 9,201 global accepts · Rating: 1800 · first AC: 2018-06-15 · Java 8 (first AC) · Tags: bitmasks, divide and conquer, meet-in-the-middle
AQT's solution

1015.
459D
Pashmak and Parmida's problem · Tutorial
Quality: 12,809 global accepts · Rating: 1800 · first AC: 2018-06-13 · Java 8 (first AC) · Tags: data structures, divide and conquer, sortings
AQT's solution

1016.
612D
The Union of k-Segments · Tutorial
Quality: 4,362 global accepts · Rating: 1800 · first AC: 2018-06-13 · Java 8 (first AC) · Tags: greedy, sortings
AQT's solution

1017.
2014H
Robin Hood Archery · Tutorial
Quality: 5,687 global accepts · Rating: 1900 · first AC: 2024-10-21 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, greedy, hashing
AQT's solution

1018.
1949C
Annual Ants' Gathering · Tutorial
Quality: 2,527 global accepts · Rating: 1900 · first AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, greedy, trees
AQT's solution

1019.
1887B
Time Travel · Tutorial
Quality: 3,904 global accepts · Rating: 1900 · first AC: 2024-01-01 · C++20 (GCC 11-64) (first AC) · Tags: binary search, graphs, shortest paths
AQT's solution

1020.
1887A2
Dances (Hard Version) · Tutorial
Rating: 1900 · first AC: 2024-01-01 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, implementation, sortings
AQT's solution

1021.
1801C
Music Festival · Tutorial
Quality: 4,102 global accepts · Rating: 1900 · first AC: 2023-03-13 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, dp, greedy, sortings
AQT's solution

1022.
1794D
Counting Factorizations · Tutorial
Quality: 4,485 global accepts · Rating: 1900 · first AC: 2023-03-04 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, divide and conquer, dp, math, number theory
AQT's solution

1023.
1717D
Madoka and The Corruption Scheme · Tutorial
Quality: 4,863 global accepts · Rating: 1900 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, constructive algorithms, greedy, math
AQT's solution

1024.
1558B
Up the Strip · Tutorial
Quality: 5,271 global accepts · Rating: 1900 · first AC: 2021-08-24 · C++17 (GCC 9-64) (first AC) · Tags: brute force, dp, math, number theory, two pointers
AQT's solution

1025.
1479B1
Painting the Array I · Tutorial
Quality: 7,472 global accepts · Rating: 1900 · first AC: 2021-06-03 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, dp, greedy, implementation
AQT's solution

1026.
1495B
Let's Go Hiking · Tutorial
Quality: 6,333 global accepts · Rating: 1900 · first AC: 2021-03-13 · last AC: 2021-03-13 · GNU C++11 (first AC) · Tags: games, greedy
AQT's solution

1027.
1486C2
Guessing the Greatest (hard version) · Tutorial
Quality: 9,972 global accepts · Rating: 1900 · first AC: 2021-02-18 · GNU C++11 (first AC) · Tags: binary search, interactive
AQT's solution

1028.
1467C
Three Bags · Tutorial
Quality: 6,787 global accepts · Rating: 1900 · first AC: 2021-01-08 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy
AQT's solution

1029.
1463D
Pairs · Tutorial
Quality: 4,835 global accepts · Rating: 1900 · first AC: 2020-12-18 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, greedy, two pointers
AQT's solution

1030.
1439A2
Binary Table (Hard Version) · Tutorial
Quality: 5,399 global accepts · Rating: 1900 · first AC: 2020-11-17 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, greedy, implementation
AQT's solution

1031.
1444B
Divide and Sum · Tutorial
Quality: 6,775 global accepts · Rating: 1900 · first AC: 2020-11-02 · GNU C++11 (first AC) · Tags: combinatorics, math, sortings
AQT's solution

1032.
1428D
Bouncing Boomerangs · Tutorial
Quality: 4,723 global accepts · Rating: 1900 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation
AQT's solution

1033.
1404B
Tree Tag · Tutorial
Quality: 8,186 global accepts · Rating: 1900 · first AC: 2020-09-06 · GNU C++11 (first AC) · Tags: dfs and similar, dp, games, trees
AQT's solution

1034.
1400D
Zigzags · Tutorial
Quality: 11,392 global accepts · Rating: 1900 · first AC: 2020-08-25 · GNU C++11 (first AC) · Tags: brute force, combinatorics, data structures, math, two pointers
AQT's solution

1035.
846D
Monitor · Tutorial
Quality: 2,840 global accepts · Rating: 1900 · first AC: 2020-08-04 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

1036.
607B
Zuma · Tutorial
Quality: 16,310 global accepts · Rating: 1900 · first AC: 2020-07-31 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1037.
1384B1
Koa and the Beach (Easy Version) · Tutorial
Quality: 4,083 global accepts · Rating: 1900 · first AC: 2020-07-25 · GNU C++11 (first AC) · Tags: brute force, dp, greedy
AQT's solution

1038.
1383B
GameGame · Tutorial
Quality: 5,443 global accepts · Rating: 1900 · first AC: 2020-07-24 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, dp, games, greedy, math
AQT's solution

1039.
1375D
Replace by MEX · Tutorial
Quality: 10,142 global accepts · Rating: 1900 · first AC: 2020-07-04 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, sortings
AQT's solution

1040.
1371E1
Asterism (Easy Version) · Tutorial
Quality: 5,529 global accepts · Rating: 1900 · first AC: 2020-07-01 · GNU C++11 (first AC) · Tags: binary search, brute force, combinatorics, math, number theory, sortings
AQT's solution

1041.
1369D
TediousLee · Tutorial
Quality: 9,229 global accepts · Rating: 1900 · first AC: 2020-06-23 · GNU C++11 (first AC) · Tags: dp, graphs, greedy, math, trees
AQT's solution

1042.
1367E
Necklace Assembly · Tutorial
Quality: 5,844 global accepts · Rating: 1900 · first AC: 2020-06-16 · GNU C++11 (first AC) · Tags: brute force, dfs and similar, dp, graphs, greedy, number theory
AQT's solution

1043.
1365E
Maximum Subsequence Value · Tutorial
Quality: 8,318 global accepts · Rating: 1900 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms
AQT's solution

1044.
1285D
Dr. Evil Underscores · Tutorial
Quality: 8,612 global accepts · Rating: 1900 · first AC: 2020-06-05 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dfs and similar, divide and conquer, dp, greedy, strings, trees
AQT's solution

1045.
1361B
Johnny and Grandmaster · Tutorial
Quality: 3,859 global accepts · Rating: 1900 · first AC: 2020-06-04 · GNU C++11 (first AC) · Tags: greedy, implementation, math, sortings
AQT's solution

1046.
1342D
Multiple Testcases · Tutorial
Quality: 6,365 global accepts · Rating: 1900 · first AC: 2020-06-01 · last AC: 2020-06-01 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, greedy, sortings, two pointers
AQT's solution

1047.
1358D
The Best Vacation · Tutorial
Quality: 8,724 global accepts · Rating: 1900 · first AC: 2020-06-01 · GNU C++11 (first AC) · Tags: binary search, brute force, greedy, implementation, two pointers
AQT's solution

1048.
1360G
A/B Matrix · Tutorial
Quality: 8,349 global accepts · Rating: 1900 · first AC: 2020-05-24 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

1049.
757C
Felicity is Coming! · Tutorial
Quality: 2,465 global accepts · Rating: 1900 · first AC: 2020-05-22 · GNU C++11 (first AC) · Tags: data structures, hashing, sortings, strings
AQT's solution

1050.
420C
Bug in Code · Tutorial
Quality: 1,394 global accepts · Rating: 1900 · first AC: 2020-05-20 · GNU C++11 (first AC) · Tags: data structures, graphs, implementation, two pointers
AQT's solution

1051.
199B
Special Olympics · Tutorial
Quality: 877 global accepts · Rating: 1900 · first AC: 2020-05-20 · GNU C++11 (first AC) · Tags: geometry
AQT's solution

1052.
1354D
Multiset · Tutorial
Quality: 10,172 global accepts · Rating: 1900 · first AC: 2020-05-17 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

1053.
1353E
K-periodic Garland · Tutorial
Quality: 7,796 global accepts · Rating: 1900 · first AC: 2020-05-14 · GNU C++11 (first AC) · Tags: brute force, dp, greedy
AQT's solution

1054.
1305D
Kuroni and the Celebration · Tutorial
Quality: 5,365 global accepts · Rating: 1900 · first AC: 2020-05-13 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, interactive, trees
AQT's solution

1055.
261B
Maxim and Restaurant · Tutorial
Quality: 1,612 global accepts · Rating: 1900 · first AC: 2020-05-13 · GNU C++11 (first AC) · Tags: dp, math, probabilities
AQT's solution

1056.
750D
New Year and Fireworks · Tutorial
Quality: 3,168 global accepts · Rating: 1900 · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: brute force, data structures, dfs and similar, dp, implementation
AQT's solution

1057.
1348D
Phoenix and Science · Tutorial
Quality: 9,342 global accepts · Rating: 1900 · first AC: 2020-05-01 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, greedy, implementation, math
AQT's solution

1058.
737C
Subordinates · Tutorial
Rating: 1900 · first AC: 2020-04-25 · GNU C++11 (first AC) · Tags: graphs, greedy
AQT's solution

1059.
1063C
Dwarves, Hats and Extrasensory Abilities · Tutorial
Quality: 3,280 global accepts · Rating: 1900 · first AC: 2020-04-22 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, geometry, interactive
AQT's solution

1060.
377B
Preparing for the Contest · Tutorial
Quality: 2,448 global accepts · Rating: 1900 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, sortings
AQT's solution

1061.
1328E
Tree Queries · Tutorial
Quality: 11,722 global accepts · Rating: 1900 · first AC: 2020-03-26 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, trees
AQT's solution

1062.
1307D
Cow and Fields · Tutorial
Quality: 7,171 global accepts · Rating: 1900 · first AC: 2020-02-17 · GNU C++11 (first AC) · Tags: binary search, data structures, dfs and similar, graphs, greedy, shortest paths, sortings
AQT's solution

1063.
613A
Peter and Snow Blower · Tutorial
Quality: 3,429 global accepts · Rating: 1900 · first AC: 2020-01-02 · GNU C++11 (first AC) · Tags: binary search, geometry, ternary search
AQT's solution

1064.
613B
Skills · Tutorial
Quality: 2,476 global accepts · Rating: 1900 · first AC: 2020-01-02 · GNU C++11 (first AC) · Tags: binary search, brute force, dp, greedy, sortings, two pointers
AQT's solution

1065.
1270D
Strange Device · Tutorial
Quality: 4,869 global accepts · Rating: 1900 · first AC: 2019-12-29 · GNU C++11 (first AC) · Tags: constructive algorithms, interactive, math, sortings
AQT's solution

1066.
1276B
Two Fairs · Tutorial
Quality: 5,669 global accepts · Rating: 1900 · first AC: 2019-12-14 · GNU C++11 (first AC) · Tags: combinatorics, dfs and similar, dsu, graphs
AQT's solution

1067.
372B
Counting Rectangles is Fun · Tutorial
Quality: 2,839 global accepts · Rating: 1900 · first AC: 2019-12-11 · GNU C++11 (first AC) · Tags: brute force, divide and conquer, dp
AQT's solution

1068.
1264B
Beautiful Sequence · Tutorial
Quality: 6,046 global accepts · Rating: 1900 · first AC: 2019-12-06 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy
AQT's solution

1069.
1260D
A Game with Traps · Tutorial
Quality: 4,193 global accepts · Rating: 1900 · first AC: 2019-12-04 · GNU C++11 (first AC) · Tags: binary search, dp, greedy, sortings
AQT's solution

1070.
1133F2
Spanning Tree with One Fixed Degree · Tutorial
Quality: 3,823 global accepts · Rating: 1900 · first AC: 2019-11-26 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs, greedy
AQT's solution

1071.
819B
Mister B and PR Shifts · Tutorial
Quality: 1,794 global accepts · Rating: 1900 · first AC: 2019-11-20 · GNU C++11 (first AC) · Tags: data structures, implementation, math
AQT's solution

1072.
724D
Dense Subsequence · Tutorial
Quality: 2,460 global accepts · Rating: 1900 · first AC: 2019-11-15 · GNU C++11 (first AC) · Tags: data structures, greedy, strings
AQT's solution

1073.
722D
Generating Sets · Tutorial
Quality: 3,350 global accepts · Rating: 1900 · first AC: 2019-11-10 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dfs and similar, greedy, strings, trees
AQT's solution

1074.
1242B
0-1 MST · Tutorial
Quality: 9,246 global accepts · Rating: 1900 · first AC: 2019-11-06 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs, sortings
AQT's solution

1075.
1245D
Shichikuji and Power Grid · Tutorial
Quality: 9,603 global accepts · Rating: 1900 · first AC: 2019-11-02 · GNU C++11 (first AC) · Tags: dsu, graphs, greedy, shortest paths, trees
AQT's solution

1076.
1074B
Intersecting Subtrees · Tutorial
Rating: 1900 · first AC: 2019-10-21 · GNU C++11 (first AC) · Tags: interactive, trees
AQT's solution

1077.
1228D
Complete Tripartite · Tutorial
Quality: 5,420 global accepts · Rating: 1900 · first AC: 2019-09-29 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, graphs, hashing, implementation
AQT's solution

1078.
1216E1
Numerical Sequence (easy version) · Tutorial
Quality: 3,731 global accepts · Rating: 1900 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: binary search, brute force, math
AQT's solution

1079.
1220D
Alex and Julian · Tutorial

Quality: 4,140 global accepts · Rating: 1900 · first AC: 2019-09-18 · GNU C++11 (first AC) · Tags: bitmasks, math, number theory
AQT's solution

1080.
1141G
Privatization of Roads in Treeland · Tutorial
Quality: 2,546 global accepts · Rating: 1900 · first AC: 2019-09-07 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, dfs and similar, graphs, greedy, trees
AQT's solution

1081.
1095F
Make It Connected · Tutorial
Quality: 7,572 global accepts · Rating: 1900 · first AC: 2019-09-07 · GNU C++11 (first AC) · Tags: dsu, graphs, greedy
AQT's solution

1082.
1214D
Treasure Island · Tutorial
Quality: 7,169 global accepts · Rating: 1900 · first AC: 2019-09-04 · GNU C++11 (first AC) · Tags: dfs and similar, dp, flows, hashing
AQT's solution

1083.
862C
Mahmoud and Ehab and the xor · Tutorial
Quality: 4,506 global accepts · Rating: 1900 · first AC: 2019-09-04 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

1084.
660D
Number of Parallelograms · Tutorial
Quality: 4,739 global accepts · Rating: 1900 · first AC: 2019-09-01 · GNU C++11 (first AC) · Tags: geometry
AQT's solution

1085.
622D
Optimal Number Permutation · Tutorial
Quality: 3,392 global accepts · Rating: 1900 · first AC: 2019-09-01 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

1086.
1213E
Two Small Strings · Tutorial
Quality: 5,467 global accepts · Rating: 1900 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms
AQT's solution

1087.
1208D
Restore Permutation · Tutorial
Quality: 5,460 global accepts · Rating: 1900 · first AC: 2019-08-25 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, implementation
AQT's solution

1088.
1147B
Chladni Figure · Tutorial
Quality: 3,110 global accepts · Rating: 1900 · first AC: 2019-08-24 · GNU C++11 (first AC) · Tags: brute force, strings
AQT's solution

1089.
1181C
Flag · Tutorial
Quality: 3,403 global accepts · Rating: 1900 · first AC: 2019-08-24 · GNU C++11 (first AC) · Tags: brute force, combinatorics, dp, implementation
AQT's solution

1090.
1207E
XOR Guessing · Tutorial
Quality: 6,655 global accepts · Rating: 1900 · first AC: 2019-08-22 · GNU C++11 (first AC) · Tags: bitmasks, interactive, math
AQT's solution

1091.
746E
Numbers Exchange · Tutorial
Quality: 1,902 global accepts · Rating: 1900 · first AC: 2019-08-21 · GNU C++11 (first AC) · Tags: greedy, implementation, math
AQT's solution

1092.
1205B
Shortest Cycle · Tutorial
Quality: 7,451 global accepts · Rating: 1900 · first AC: 2019-08-18 · GNU C++11 (first AC) · Tags: bitmasks, brute force, graphs, shortest paths
AQT's solution

1093.
1120A
Diana and Liana · Tutorial
Quality: 1,737 global accepts · Rating: 1900 · first AC: 2019-08-18 · GNU C++11 (first AC) · Tags: greedy, implementation, two pointers
AQT's solution

1094.
926E
Merge Equal Elements · Tutorial
Quality: 1,067 global accepts · Rating: 1900 · first AC: 2019-08-17 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures
AQT's solution

1095.
1200D
White Lines · Tutorial
Quality: 4,402 global accepts · Rating: 1900 · first AC: 2019-08-11 · GNU C++11 (first AC) · Tags: brute force, data structures, dp, implementation, two pointers
AQT's solution

1096.
1202D
Print a 1337-string... · Tutorial
Quality: 5,462 global accepts · Rating: 1900 · first AC: 2019-08-07 · GNU C++11 (first AC) · Tags: combinatorics, constructive algorithms, math, strings
AQT's solution

1097.
1197D
Yet Another Subarray Problem · Tutorial
Quality: 5,781 global accepts · Rating: 1900 · first AC: 2019-07-22 · GNU C++11 (first AC) · Tags: dp, greedy, math
AQT's solution

1098.
1178E
Archaeology · Tutorial
Quality: 4,504 global accepts · Rating: 1900 · first AC: 2019-07-20 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, strings
AQT's solution

1099.
553B
Kyoya and Permutation · Tutorial
Quality: 2,265 global accepts · Rating: 1900 · first AC: 2019-07-17 · GNU C++11 (first AC) · Tags: binary search, combinatorics, constructive algorithms, greedy, implementation, math
AQT's solution

1100.
1172B
Nauuo and Circle · Tutorial
Quality: 4,405 global accepts · Rating: 1900 · first AC: 2019-07-05 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dfs and similar, dp, trees
AQT's solution

1101.
1183H
Subsequences (hard version) · Tutorial
Quality: 3,642 global accepts · Rating: 1900 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: dp, strings
AQT's solution

1102.
1054D
Changing Array · Tutorial
Quality: 2,415 global accepts · Rating: 1900 · first AC: 2019-06-18 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
AQT's solution

1103.
691E
Xor-sequences · Tutorial
Quality: 3,089 global accepts · Rating: 1900 · first AC: 2019-06-13 · C++14 (GCC 6-32) (first AC) · Tags: matrices
AQT's solution

1104.
1175D
Array Splitting · Tutorial
Quality: 7,066 global accepts · Rating: 1900 · first AC: 2019-06-05 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings
AQT's solution

1105.
1174D
Ehab and the Expected XOR Problem · Tutorial
Quality: 5,042 global accepts · Rating: 1900 · first AC: 2019-06-03 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms
AQT's solution

1106.
448C
Painting Fence · Tutorial
Quality: 10,792 global accepts · Rating: 1900 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: divide and conquer, dp, greedy
AQT's solution

1107.
1168B
Good Triple · Tutorial
Quality: 3,811 global accepts · Rating: 1900 · first AC: 2019-05-26 · C++14 (GCC 6-32) (first AC) · Tags: brute force, two pointers
AQT's solution

1108.
1000D
Yet Another Problem On a Subsequence · Tutorial
Quality: 5,044 global accepts · Rating: 1900 · first AC: 2019-05-21 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp
AQT's solution

1109.
1081E
Missing Numbers · Tutorial
Quality: 2,820 global accepts · Rating: 1900 · first AC: 2019-05-20 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, greedy, math, number theory
AQT's solution

1110.
488B
Candy Boxes · Tutorial
Quality: 2,263 global accepts · Rating: 1900 · first AC: 2019-05-19 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, math

AQT's solution

1111.
540D
Bad Luck Island · Tutorial
Quality: 6,496 global accepts · Rating: 1900 · first AC: 2019-05-10 · C++17 (GCC 7-32) (first AC) · Tags: dp, probabilities
AQT's solution

1112.
1163C1
Power Transmission (Easy Edition) · Tutorial
Quality: 3,581 global accepts · Rating: 1900 · first AC: 2019-05-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, geometry
AQT's solution

1113.
1163C2
Power Transmission (Hard Edition) · Tutorial
Quality: 3,955 global accepts · Rating: 1900 · first AC: 2019-05-09 · C++17 (GCC 7-32) (first AC) · Tags: data structures, geometry, implementation, math
AQT's solution

1114.
981D
Bookshelves · Tutorial
Quality: 3,549 global accepts · Rating: 1900 · first AC: 2019-05-03 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, dp, greedy
AQT's solution

1115.
388B
Fox and Minimal path · Tutorial
Quality: 2,603 global accepts · Rating: 1900 · first AC: 2019-05-02 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, graphs, implementation, math
AQT's solution

1116.
437D
The Child and Zoo · Tutorial
Quality: 3,667 global accepts · Rating: 1900 · first AC: 2019-04-23 · C++17 (GCC 7-32) (first AC) · Tags: dsu, sortings
AQT's solution

1117.
1155D
Beautiful Array · Tutorial
Quality: 7,719 global accepts · Rating: 1900 · first AC: 2019-04-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, divide and conquer, dp, greedy
AQT's solution

1118.
711D
Directed Roads · Tutorial
Quality: 4,971 global accepts · Rating: 1900 · first AC: 2019-04-14 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dfs and similar, graphs, math
AQT's solution

1119.
1153D
Serval and Rooted Tree · Tutorial
Quality: 5,541 global accepts · Rating: 1900 · first AC: 2019-04-13 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dfs and similar, dp, greedy, trees
AQT's solution

1120.
1119E
Pavel and Triangles · Tutorial
Quality: 5,561 global accepts · Rating: 1900 · first AC: 2019-04-07 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, fft, greedy, ternary search

AQT's solution

1121.
496D
Tennis Game · Tutorial
Quality: 3,200 global accepts · Rating: 1900 · first AC: 2019-03-22 · C++17 (GCC 7-32) (first AC) · Tags: binary search
AQT's solution

1122.
1141F1
Same Sum Blocks (Easy) · Tutorial
Quality: 4,156 global accepts · Rating: 1900 · first AC: 2019-03-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy
AQT's solution

1123.
1141F2
Same Sum Blocks (Hard) · Tutorial
Quality: 4,581 global accepts · Rating: 1900 · first AC: 2019-03-19 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy
AQT's solution

1124.
1029D
Concatenated Multiples · Tutorial
Quality: 4,235 global accepts · Rating: 1900 · first AC: 2019-03-03 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math
AQT's solution

1125.
368D
Sereja ans Anagrams · Tutorial
Rating: 1900 · first AC: 2019-03-01 · C++17 (GCC 7-32) (first AC) · Tags: data structures, two pointers
AQT's solution

1126.
1117C
Magic Ship · Tutorial
Quality: 9,114 global accepts · Rating: 1900 · first AC: 2019-02-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search
AQT's solution

1127.
1114D
Flood Fill · Tutorial
Quality: 7,978 global accepts · Rating: 1900 · first AC: 2019-02-10 · C++14 (GCC 6-32) (first AC) · Tags: dp
AQT's solution

1128.
111B
Petya and Divisors · Tutorial
Quality: 4,104 global accepts · Rating: 1900 · first AC: 2019-01-31 · last AC: 2019-01-31 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, number theory
AQT's solution

1129.
1017D
The Wu · Tutorial
Quality: 3,953 global accepts · Rating: 1900 · first AC: 2018-08-13 · last AC: 2019-01-29 · Java 8 (first AC) · Tags: bitmasks, brute force, data structures
AQT's solution

1130.
1036C
Classy Numbers · Tutorial
Quality: 13,378 global accepts · Rating: 1900 · first AC: 2018-09-08 · last AC: 2019-01-26 · Java 8 (first AC) · Tags: combinatorics, dp
AQT's solution

1131.
1105D
Kilani and the Game · Tutorial

Quality: 4,423 global accepts · Rating: 1900 · first AC: 2019-01-20 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, implementation, shortest paths
AQT's solution

1132.
1092F
Tree with Maximum Cost · Tutorial
Quality: 10,844 global accepts · Rating: 1900 · first AC: 2018-12-25 · GNU C++11 (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

1133.
1076E
Vasya and a Tree · Tutorial
Quality: 4,153 global accepts · Rating: 1900 · first AC: 2018-11-14 · Java 8 (first AC) · Tags: data structures, trees
AQT's solution

1134.
817D
Imbalanced Array · Tutorial
Quality: 6,289 global accepts · Rating: 1900 · first AC: 2018-11-11 · Java 8 (first AC) · Tags: data structures, divide and conquer, dsu, sortings
AQT's solution

1135.
1055C
Lucky Days · Tutorial
Quality: 2,055 global accepts · Rating: 1900 · first AC: 2018-11-10 · Java 8 (first AC) · Tags: math, number theory
AQT's solution

1136.
1043E
Train Hard, Win Easy · Tutorial
Quality: 3,461 global accepts · Rating: 1900 · first AC: 2018-10-28 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math, sortings
AQT's solution

1137.
1071B
Minimum path · Tutorial
Rating: 1900 · first AC: 2018-10-21 · Java 8 (first AC) · Tags: dfs and similar, dp, greedy, hashing
AQT's solution

1138.
1013D
Chemical table · Tutorial
Rating: 1900 · first AC: 2018-10-05 · Java 8 (first AC) · Tags: dfs and similar, graphs, matrices
AQT's solution

1139.
1060D
Social Circles · Tutorial
Quality: 3,874 global accepts · Rating: 1900 · first AC: 2018-10-04 · Java 8 (first AC) · Tags: greedy, math
AQT's solution

1140.
27C
Unordered Subsequence · Tutorial
Quality: 3,064 global accepts · Rating: 1900 · first AC: 2018-09-29 · Java 8 (first AC) · Tags: constructive algorithms, greedy
AQT's solution

1141.
803D
Magazine Ad · Tutorial
Quality: 4,042 global accepts · Rating: 1900 · first AC: 2018-09-28 · Java 8 (first AC) · Tags: binary search, greedy
AQT's solution

1142.
803C
Maximal GCD · Tutorial

Quality: 5,818 global accepts · Rating: 1900 · first AC: 2018-09-28 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

1143.
848B
Rooter's Song · Tutorial
Quality: 2,003 global accepts · Rating: 1900 · first AC: 2018-09-20 · Java 8 (first AC) · Tags: constructive algorithms, data structures, geometry, implementation, sortings, two pointers
AQT's solution

1144.
1041E
Tree Reconstruction · Tutorial
Quality: 3,854 global accepts · Rating: 1900 · first AC: 2018-09-16 · Java 8 (first AC) · Tags: constructive algorithms, data structures, graphs, greedy
AQT's solution

1145.
19B
Checkout Assistant · Tutorial
Quality: 5,823 global accepts · Rating: 1900 · first AC: 2018-09-13 · Java 8 (first AC) · Tags: dp
AQT's solution

1146.
357D
Xenia and Hamming · Tutorial
Rating: 1900 · first AC: 2018-09-04 · Java 8 (first AC) · Tags: number theory
AQT's solution

1147.
577B
Modulo Sum · Tutorial
Quality: 14,859 global accepts · Rating: 1900 · first AC: 2018-09-02 · Java 8 (first AC) · Tags: combinatorics, data structures, dp, two pointers
AQT's solution

1148.
701D
As Fast As Possible · Tutorial
Rating: 1900 · first AC: 2018-08-20 · C++14 (GCC 6-32) (first AC) · Tags: binary search, math
AQT's solution

1149.
961E
Tufurama · Tutorial
Quality: 4,234 global accepts · Rating: 1900 · first AC: 2018-08-18 · Java 8 (first AC) · Tags: data structures
AQT's solution

1150.
597C
Subsequences · Tutorial
Quality: 6,605 global accepts · Rating: 1900 · first AC: 2018-08-15 · Java 8 (first AC) · Tags: data structures, dp
AQT's solution

1151.
144D
Missile Silos · Tutorial
Quality: 5,064 global accepts · Rating: 1900 · first AC: 2018-08-15 · Java 8 (first AC) · Tags: data structures, dfs and similar, graphs, shortest paths
AQT's solution

1152.
456D
A Lot of Games · Tutorial
Rating: 1900 · first AC: 2018-08-09 · Java 8 (first AC) · Tags: dp, games, strings
AQT's solution

1153.
1015E2
Stars Drawing (Hard Edition) · Tutorial
Quality: 4,038 global accepts · Rating: 1900 · first AC: 2018-08-08 · Java 8 (first AC) · Tags: binary search, dp, greedy
AQT's solution

1154.
1013E
Hills · Tutorial
Rating: 1900 · first AC: 2018-07-30 · Java 8 (first AC) · Tags: dp
AQT's solution

1155.
359C
Prime Number · Tutorial
Quality: 3,559 global accepts · Rating: 1900 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: math, number theory
AQT's solution

1156.
686D
Kay and Snowflake · Tutorial
Rating: 1900 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: data structures, dfs and similar, dp, trees
AQT's solution

1157.
959D
Mahmoud and Ehab and another array construction task · Tutorial
Quality: 3,268 global accepts · Rating: 1900 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math, number theory
AQT's solution

1158.
808D
Array Division · Tutorial
Quality: 8,100 global accepts · Rating: 1900 · first AC: 2018-07-02 · Java 8 (first AC) · Tags: binary search, data structures, implementation
AQT's solution

1159.
811C
Vladik and Memorable Trip · Tutorial
Quality: 3,495 global accepts · Rating: 1900 · first AC: 2018-06-27 · Java 8 (first AC) · Tags: dp, implementation
AQT's solution

1160.
999D
Equalize the Remainders · Tutorial
Quality: 4,897 global accepts · Rating: 1900 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: data structures, greedy, implementation
AQT's solution

1161.
459E
Pashmak and Graph · Tutorial
Quality: 5,971 global accepts · Rating: 1900 · first AC: 2018-06-15 · Java 8 (first AC) · Tags: dp, sortings
AQT's solution

1162.
959E
Mahmoud and Ehab and the xor-MST · Tutorial
Quality: 3,767 global accepts · Rating: 1900 · first AC: 2018-06-13 · Java 8 (first AC) · Tags: bitmasks, dp, graphs, implementation, math
AQT's solution

1163.
417D
Cunning Gena · Tutorial
Quality: 2,915 global accepts · Rating: 1900 · first AC: 2018-06-07 · Java 8 (first AC) · Tags: bitmasks, dp, greedy, sortings
AQT's solution

1164.
535D
Tavas and Malekas · Tutorial
Quality: 4,679 global accepts · Rating: 1900 · first AC: 2018-05-28 · Java 8 (first AC) · Tags: greedy, hashing, string suffix structures, strings
AQT's solution

1165.
191C
Fools and Roads · Tutorial
Quality: 9,223 global accepts · Rating: 1900 · first AC: 2018-05-24 · Java 8 (first AC) · Tags: data structures, dfs and similar, trees
AQT's solution

1166.
965D
Single-use Stones · Tutorial
Quality: 3,345 global accepts · Rating: 1900 · first AC: 2018-04-25 · Java 8 (first AC) · Tags: binary search, flows, greedy, two pointers
AQT's solution

1167.
909E
Coprocessor · Tutorial
Quality: 2,462 global accepts · Rating: 1900 · first AC: 2017-12-27 · Java 8 (first AC) · Tags: dfs and similar, dp, graphs, greedy
AQT's solution

1168.
20C
Dijkstra? · Tutorial
Quality: 46,882 global accepts · Rating: 1900 · first AC: 2017-11-16 · Java 8 (first AC) · Tags: graphs, shortest paths
AQT's solution

1169.
1951E
No Palindromes · Tutorial
Quality: 4,477 global accepts · Rating: 2000 · first AC: 2024-04-07 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, divide and conquer, greedy, hashing, implementation, math, strings
AQT's solution

1170.
1951D
Buying Jewels · Tutorial
Quality: 6,299 global accepts · Rating: 2000 · first AC: 2024-04-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

1171.
1893C
Freedom of Choice · Tutorial
Quality: 3,194 global accepts · Rating: 2000 · first AC: 2024-03-27 · C++20 (GCC 13-64) (first AC) · Tags: brute force, greedy, implementation
AQT's solution

1172.
1764D
Doremy's Pegging Game · Tutorial
Quality: 3,144 global accepts · Rating: 2000 · first AC: 2024-03-22 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, math
AQT's solution

1173.
1862G
The Great Equalizer · Tutorial
Quality: 3,455 global accepts · Rating: 2000 · first AC: 2023-08-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, math, sortings
AQT's solution

1174.
1827B1
Range Sorting (Easy Version) · Tutorial
Quality: 4,539 global accepts · Rating: 2000 · first AC: 2023-06-26 · C++20 (GCC 11-64) (first AC) · Tags: binary search, dp, dsu, greedy, trees,

two pointers
AQT's solution

1175.
1558C
Bottom-Tier Reversals · Tutorial
Quality: 3,714 global accepts · Rating: 2000 · first AC: 2021-08-24 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy
AQT's solution

1176.
1536D
Omkar and Medians · Tutorial
Quality: 5,059 global accepts · Rating: 2000 · first AC: 2021-06-06 · GNU C++11 (first AC) · Tags: data structures, greedy, implementation
AQT's solution

1177.
1525C
Robot Collisions · Tutorial
Quality: 4,815 global accepts · Rating: 2000 · first AC: 2021-05-16 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation, sortings
AQT's solution

1178.
1514D
Cut and Stick · Tutorial
Quality: 4,817 global accepts · Rating: 2000 · first AC: 2021-04-20 · last AC: 2021-04-20 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, implementation, sortings
AQT's solution

1179.
1458B
Glass Half Spilled · Tutorial
Quality: 4,102 global accepts · Rating: 2000 · first AC: 2021-01-07 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1180.
1415D
XOR-gun · Tutorial
Quality: 6,165 global accepts · Rating: 2000 · first AC: 2020-11-30 · GNU C++11 (first AC) · Tags: bitmasks, brute force, constructive algorithms
AQT's solution

1181.
1427D
Unshuffling a Deck · Tutorial
Quality: 3,696 global accepts · Rating: 2000 · first AC: 2020-10-10 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

1182.
1427C
The Hard Work of Paparazzi · Tutorial
Quality: 6,070 global accepts · Rating: 2000 · first AC: 2020-10-10 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1183.
1408D
Searchlights · Tutorial
Quality: 4,674 global accepts · Rating: 2000 · first AC: 2020-09-30 · GNU C++11 (first AC) · Tags: binary search, brute force, data structures, dp, implementation, sortings, two pointers
AQT's solution

1184.
1416B
Make Them Equal · Tutorial
Quality: 6,687 global accepts · Rating: 2000 · first AC: 2020-09-27 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

1185.
1416C
XOR Inverse · Tutorial
Quality: 5,056 global accepts · Rating: 2000 · first AC: 2020-09-27 · GNU C++11 (first AC) · Tags: bitmasks, data structures, divide and conquer, dp, greedy, math, sortings, strings, trees
AQT's solution

1186.
933B
A Determined Cleanup · Tutorial
Quality: 2,055 global accepts · Rating: 2000 · first AC: 2020-08-13 · GNU C++11 (first AC) · Tags: math
AQT's solution

1187.
1380D
Berserk And Fireball · Tutorial
Quality: 5,005 global accepts · Rating: 2000 · first AC: 2020-07-12 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math, two pointers
AQT's solution

1188.
806B
Dynamic Problem Scoring · Tutorial
Rating: 2000 · first AC: 2020-07-05 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy
AQT's solution

1189.
954E
Water Taps · Tutorial
Quality: 2,096 global accepts · Rating: 2000 · first AC: 2020-06-21 · last AC: 2020-06-21 · GNU C++11 (first AC) · Tags: binary search, greedy, sortings
AQT's solution

1190.
1019B
The hat · Tutorial
Quality: 2,112 global accepts · Rating: 2000 · first AC: 2020-06-17 · GNU C++11 (first AC) · Tags: binary search, interactive
AQT's solution

1191.
1366D
Two Divisors · Tutorial
Quality: 12,346 global accepts · Rating: 2000 · first AC: 2020-06-11 · GNU C++11 (first AC) · Tags: constructive algorithms, math, number theory
AQT's solution

1192.
786A
Berzerk · Tutorial
Quality: 2,842 global accepts · Rating: 2000 · first AC: 2020-06-11 · GNU C++11 (first AC) · Tags: dfs and similar, dp, games
AQT's solution

1193.
893E
Counting Arrays · Tutorial
Quality: 4,203 global accepts · Rating: 2000 · first AC: 2020-06-11 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, math, number theory
AQT's solution

1194.
235B
Let's Play Osu! · Tutorial
Quality: 4,306 global accepts · Rating: 2000 · first AC: 2020-06-10 · last AC: 2020-06-10 · GNU C++11 (first AC) · Tags: dp, math, probabilities
AQT's solution

1195.
468B
Two Sets · Tutorial
Quality: 5,271 global accepts · Rating: 2000 · first AC: 2020-06-09 · GNU C++11 (first AC) · Tags: 2-sat, dfs and similar, dsu, graph matchings, greedy
AQT's solution

1196.
1304E
1-Trees and Queries · Tutorial
Quality: 5,877 global accepts · Rating: 2000 · first AC: 2020-06-05 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, shortest paths, trees
AQT's solution

1197.
1316D
Nash Matrix · Tutorial
Quality: 3,539 global accepts · Rating: 2000 · first AC: 2020-06-02 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, implementation
AQT's solution

1198.
1363E
Tree Shuffling · Tutorial
Quality: 7,496 global accepts · Rating: 2000 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: dfs and similar, dp, greedy, trees
AQT's solution

1199.
1359E
Modular Stability · Tutorial
Quality: 6,732 global accepts · Rating: 2000 · first AC: 2020-05-28 · GNU C++11 (first AC) · Tags: combinatorics, math, number theory
AQT's solution

1200.
1359D
Yet Another Yet Another Task · Tutorial
Quality: 10,732 global accepts · Rating: 2000 · first AC: 2020-05-28 · GNU C++11 (first AC) · Tags: data structures, dp, implementation, two pointers
AQT's solution

1201.
341C
Iahub and Permutations · Tutorial
Rating: 2000 · first AC: 2020-05-23 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1202.
758D
Ability To Convert · Tutorial
Quality: 2,935 global accepts · Rating: 2000 · first AC: 2020-05-18 · GNU C++11 (first AC) · Tags: constructive algorithms, dp, greedy, math, strings
AQT's solution

1203.
261C
Maxim and Matrix · Tutorial
Quality: 836 global accepts · Rating: 2000 · first AC: 2020-05-13 · GNU C++11 (first AC) · Tags: constructive algorithms, dp, math
AQT's solution

1204.
1280C
Jeremy Bearimy · Tutorial
Quality: 3,039 global accepts · Rating: 2000 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, greedy, trees
AQT's solution

1205.
1349C
Orac and Game of Life · Tutorial
Quality: 4,820 global accepts · Rating: 2000 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, implementation, shortest paths
AQT's solution

1206.
1349B
Orac and Medians · Tutorial
Quality: 8,947 global accepts · Rating: 2000 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

1207.
1344B
Monopole Magnets · Tutorial
Quality: 6,354 global accepts · Rating: 2000 · first AC: 2020-05-06 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs
AQT's solution

1208.
317B
Ants · Tutorial
Quality: 1,659 global accepts · Rating: 2000 · first AC: 2020-04-22 · GNU C++11 (first AC) · Tags: brute force, implementation
AQT's solution

1209.
696C
PLEASE · Tutorial
Quality: 2,217 global accepts · Rating: 2000 · first AC: 2020-04-13 · GNU C++11 (first AC) · Tags: combinatorics, dp, implementation, math, matrices
AQT's solution

1210.
15C
Industrial Nim · Tutorial
Quality: 2,838 global accepts · Rating: 2000 · first AC: 2020-04-01 · last AC: 2020-04-01 · GNU C++11 (first AC) · Tags: games
AQT's solution

1211.
1320C
World of Darkraft: Battle for Azathoth · Tutorial
Quality: 3,428 global accepts · Rating: 2000 · first AC: 2020-03-01 · GNU C++11 (first AC) · Tags: brute force, data structures, sortings
AQT's solution

1212.
1301D
Time to Run · Tutorial
Quality: 4,236 global accepts · Rating: 2000 · first AC: 2020-02-13 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, implementation
AQT's solution

1213.
1294F
Three Paths on a Tree · Tutorial
Quality: 6,861 global accepts · Rating: 2000 · first AC: 2020-01-22 · GNU C++11 (first AC) · Tags: dfs and similar, dp, greedy, trees
AQT's solution

1214.
1269D
Domino for Young · Tutorial
Rating: 2000 · first AC: 2019-12-23 · GNU C++11 (first AC) · Tags: combinatorics, constructive algorithms, math
AQT's solution

1215.
1257E
The Contest · Tutorial
Quality: 4,537 global accepts · Rating: 2000 · first AC: 2019-11-14 · GNU C++11 (first AC) · Tags: data structures, dp, greedy
AQT's solution

1216.
667D
World Tour · Tutorial
Rating: 2000 · first AC: 2019-11-13 · GNU C++11 (first AC) · Tags: brute force, graphs, shortest paths
AQT's solution

1217.
792C
Divide by Three · Tutorial
Quality: 4,999 global accepts · Rating: 2000 · first AC: 2019-11-11 · GNU C++11 (first AC) · Tags: dp, greedy, math, number theory
AQT's solution

1218.
899E
Segments Removal · Tutorial
Quality: 3,518 global accepts · Rating: 2000 · first AC: 2019-10-30 · GNU C++11 (first AC) · Tags: data structures, dsu, flows, implementation, two pointers
AQT's solution

1219.
755D
PolandBall and Polygon · Tutorial
Quality: 2,675 global accepts · Rating: 2000 · first AC: 2019-10-29 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

1220.
895C
Square Subsets · Tutorial
Quality: 7,348 global accepts · Rating: 2000 · first AC: 2019-10-23 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, dp, math
AQT's solution

1221.
997B
Roman Digits · Tutorial
Quality: 3,140 global accepts · Rating: 2000 · first AC: 2019-10-22 · GNU C++11 (first AC) · Tags: brute force, combinatorics, dp, greedy, math
AQT's solution

1222.
1244E
Minimizing Difference · Tutorial
Quality: 6,401 global accepts · Rating: 2000 · first AC: 2019-10-13 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, greedy, sortings, ternary search, two pointers
AQT's solution

1223.
1244C
The Football Season · Tutorial
Quality: 8,295 global accepts · Rating: 2000 · first AC: 2019-10-13 · GNU C++11 (first AC) · Tags: brute force, math, number theory
AQT's solution

1224.
1240B
Sequence Sorting · Tutorial
Rating: 2000 · first AC: 2019-10-06 · GNU C++11 (first AC) · Tags: dp, two pointers
AQT's solution

1225.
1234E
Special Permutations · Tutorial
Quality: 2,978 global accepts · Rating: 2000 · first AC: 2019-10-01 · GNU C++11 (first AC) · Tags: math

AQT's solution

1226.
1129B
Wrong Answer · Tutorial
Quality: 2,331 global accepts · Rating: 2000 · first AC: 2019-09-30 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

1227.
1083B
The Fair Nut and Strings · Tutorial
Quality: 2,169 global accepts · Rating: 2000 · first AC: 2019-09-30 · GNU C++11 (first AC) · Tags: greedy, strings
AQT's solution

1228.
1229B
Kamil and Making a Stream · Tutorial
Rating: 2000 · first AC: 2019-09-23 · GNU C++11 (first AC) · Tags: binary search, data structures, dfs and similar, dp, graphs, math, number theory, trees
AQT's solution

1229.
1209E1
Rotate Columns (easy version) · Tutorial
Quality: 3,250 global accepts · Rating: 2000 · first AC: 2019-09-14 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, greedy, sortings
AQT's solution

1230.
1142B
Lynyrd Skynyrd · Tutorial
Quality: 3,739 global accepts · Rating: 2000 · first AC: 2019-09-07 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp, math, trees
AQT's solution

1231.
1214E
Petya and Construction Set · Tutorial
Quality: 2,864 global accepts · Rating: 2000 · first AC: 2019-09-05 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, math, sortings, trees
AQT's solution

1232.
609D
Gadgets for dollars and pounds · Tutorial
Quality: 3,163 global accepts · Rating: 2000 · first AC: 2019-08-31 · GNU C++11 (first AC) · Tags: binary search, greedy, two pointers
AQT's solution

1233.
1103B
Game with modulo · Tutorial
Quality: 3,530 global accepts · Rating: 2000 · first AC: 2019-08-26 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, interactive
AQT's solution

1234.
1088D
Ehab and another another xor problem · Tutorial
Quality: 3,168 global accepts · Rating: 2000 · first AC: 2019-08-25 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, implementation, interactive
AQT's solution

1235.
1204D1
Kirk and a Binary String (easy version) · Tutorial
Quality: 3,219 global accepts · Rating: 2000 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: brute force, greedy, strings
AQT's solution

1236.
900D
Unusual Sequences · Tutorial
Quality: 3,789 global accepts · Rating: 2000 · first AC: 2019-08-18 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, dp, math, number theory
AQT's solution

1237.
1198C
Matching vs Independent Set · Tutorial
Quality: 4,055 global accepts · Rating: 2000 · first AC: 2019-08-17 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, greedy, sortings
AQT's solution

1238.
1200E
Compress Words · Tutorial
Quality: 9,363 global accepts · Rating: 2000 · first AC: 2019-08-11 · GNU C++11 (first AC) · Tags: brute force, hashing, implementation, string suffix structures, strings
AQT's solution

1239.
1190D
Tokitsukaze and Strange Rectangle · Tutorial
Quality: 2,684 global accepts · Rating: 2000 · first AC: 2019-07-12 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, sortings, two pointers
AQT's solution

1240.
1029F
Multicolored Markers · Tutorial
Quality: 2,754 global accepts · Rating: 2000 · first AC: 2019-07-08 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, math, number theory
AQT's solution

1241.
842D
Vitya and Strange Lesson · Tutorial
Quality: 4,484 global accepts · Rating: 2000 · first AC: 2019-07-05 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures
AQT's solution

1242.
842C
Ilya And The Tree · Tutorial
Quality: 3,762 global accepts · Rating: 2000 · first AC: 2019-07-05 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, math, number theory, trees
AQT's solution

1243.
776D
The Door Problem · Tutorial
Quality: 6,219 global accepts · Rating: 2000 · first AC: 2019-07-01 · C++14 (GCC 6-32) (first AC) · Tags: 2-sat, dfs and similar, dsu, graphs
AQT's solution

1244.
1156C
Match Points · Tutorial
Quality: 6,670 global accepts · Rating: 2000 · first AC: 2019-06-27 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, sortings, ternary search, two pointers
AQT's solution

1245.
1132F
Clear the String · Tutorial
Quality: 10,710 global accepts · Rating: 2000 · first AC: 2019-06-27 · C++14 (GCC 6-32) (first AC) · Tags: dp
AQT's solution

1246.
1183G
Candy Box (hard version) · Tutorial
Quality: 2,665 global accepts · Rating: 2000 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, sortings
AQT's solution

1247.
1183E
Subsequences (easy version) · Tutorial
Quality: 5,422 global accepts · Rating: 2000 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: dp, graphs, implementation, shortest paths
AQT's solution

1248.
844D
Interactive LowerBound · Tutorial
Rating: 2000 · first AC: 2019-06-20 · last AC: 2019-06-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, interactive, probabilities
AQT's solution

1249.
1185E
Polycarp and Snakes · Tutorial
Quality: 2,807 global accepts · Rating: 2000 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation
AQT's solution

1250.
963B
Destruction of a Tree · Tutorial
Quality: 3,000 global accepts · Rating: 2000 · first AC: 2019-06-18 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, dp, greedy, trees
AQT's solution

1251.
940E
Cashback · Tutorial
Quality: 4,392 global accepts · Rating: 2000 · first AC: 2019-06-18 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, greedy, math
AQT's solution

1252.
1061D
TV Shows · Tutorial
Quality: 2,560 global accepts · Rating: 2000 · first AC: 2019-06-18 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, implementation, sortings
AQT's solution

1253.
1147C
Thanos Nim · Tutorial
Quality: 3,654 global accepts · Rating: 2000 · first AC: 2019-06-17 · C++14 (GCC 6-32) (first AC) · Tags: games
AQT's solution

1254.
1165F1
Microtransactions (easy version) · Tutorial
Quality: 2,148 global accepts · Rating: 2000 · first AC: 2019-06-10 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy
AQT's solution

1255.
1165F2
Microtransactions (hard version) · Tutorial
Quality: 2,451 global accepts · Rating: 2000 · first AC: 2019-06-10 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, implementation
AQT's solution

1256.
710E
Generate a String · Tutorial

Quality: 5,772 global accepts · Rating: 2000 · first AC: 2019-05-18 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp
AQT's solution

1257.
314B
Sereja and Periods · Tutorial
Quality: 1,619 global accepts · Rating: 2000 · first AC: 2019-05-09 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dfs and similar, strings
AQT's solution

1258.
598E
Chocolate Bar · Tutorial
Quality: 6,084 global accepts · Rating: 2000 · first AC: 2019-05-08 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp
AQT's solution

1259.
118E
Bertown roads · Tutorial
Quality: 8,435 global accepts · Rating: 2000 · first AC: 2019-05-07 · last AC: 2019-05-07 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs
AQT's solution

1260.
920F
SUM and REPLACE · Tutorial
Quality: 8,601 global accepts · Rating: 2000 · first AC: 2019-05-05 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dsu, number theory
AQT's solution

1261.
526C
Om Nom and Candies · Tutorial
Quality: 2,650 global accepts · Rating: 2000 · first AC: 2019-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math
AQT's solution

1262.
1101D
GCD Counting · Tutorial
Quality: 5,424 global accepts · Rating: 2000 · first AC: 2019-04-28 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dfs and similar, dp, number theory, trees
AQT's solution

1263.
461B
Appleman and Tree · Tutorial
Quality: 7,021 global accepts · Rating: 2000 · first AC: 2019-04-28 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

1264.
366D
Dima and Trap Graph · Tutorial
Quality: 1,722 global accepts · Rating: 2000 · first AC: 2019-04-19 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dfs and similar, dsu, shortest paths, two pointers
AQT's solution

1265.
1082E
Increasing Frequency · Tutorial
Quality: 6,343 global accepts · Rating: 2000 · first AC: 2019-04-16 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dp, greedy
AQT's solution

1266.
337D
Book of Evil · Tutorial
Quality: 6,907 global accepts · Rating: 2000 · first AC: 2019-04-11 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, divide and conquer, dp, trees

AQT's solution

1267.
474E
Pillars · Tutorial
Quality: 4,181 global accepts · Rating: 2000 · first AC: 2019-04-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp, sortings, trees
AQT's solution

1268.
453B
Little Pony and Harmony Chest · Tutorial
Quality: 5,401 global accepts · Rating: 2000 · first AC: 2019-03-29 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dp
AQT's solution

1269.
291E
Tree-String Problem · Tutorial
Quality: 1,577 global accepts · Rating: 2000 · first AC: 2019-03-24 · last AC: 2019-03-24 · C++14 (GCC 6-32) (first AC) · Tags: *special, dfs and similar, hashing, strings
AQT's solution

1270.
855C
Helga Hufflepuff's Cup · Tutorial
Quality: 2,405 global accepts · Rating: 2000 · first AC: 2019-03-19 · C++17 (GCC 7-32) (first AC) · Tags: dp, trees
AQT's solution

1271.
264C
Choosing Balls · Tutorial
Quality: 3,277 global accepts · Rating: 2000 · first AC: 2019-03-16 · C++17 (GCC 7-32) (first AC) · Tags: dp
AQT's solution

1272.
368E
Sereja and the Arrangement of Numbers · Tutorial
Rating: 2000 · first AC: 2019-03-01 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, graphs, implementation
AQT's solution

1273.
1131D
Gourmet choice · Tutorial
Quality: 3,635 global accepts · Rating: 2000 · first AC: 2019-02-25 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, dsu, graphs, greedy
AQT's solution

1274.
877E
Danil and a Part-time Job · Tutorial
Quality: 5,497 global accepts · Rating: 2000 · first AC: 2019-02-16 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, data structures, trees
AQT's solution

1275.
629D
Babaei and Birthday Cake · Tutorial
Quality: 4,499 global accepts · Rating: 2000 · first AC: 2019-02-15 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp
AQT's solution

1276.
629C
Famil Door and Brackets · Tutorial
Quality: 3,023 global accepts · Rating: 2000 · first AC: 2019-02-15 · C++14 (GCC 6-32) (first AC) · Tags: dp, strings
AQT's solution

1277.
767C
Garland · Tutorial

Quality: 4,636 global accepts · Rating: 2000 · first AC: 2019-02-14 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, greedy, trees
AQT's solution

1278.
`864E`
Fire · Tutorial
Quality: 4,689 global accepts · Rating: 2000 · first AC: 2019-02-04 · C++14 (GCC 6-32) (first AC) · Tags: dp, sortings
AQT's solution

1279.
`578C`
Weakness and Poorness · Tutorial
Quality: 5,181 global accepts · Rating: 2000 · first AC: 2019-01-28 · C++14 (GCC 6-32) (first AC) · Tags: ternary search
AQT's solution

1280.
`1010D`
Mars rover · Tutorial
Quality: 2,563 global accepts · Rating: 2000 · first AC: 2018-11-16 · Java 8 (first AC) · Tags: dfs and similar, graphs, implementation, trees
AQT's solution

1281.
`954G`
Castle Defense · Tutorial
Quality: 2,401 global accepts · Rating: 2000 · first AC: 2018-11-12 · Java 8 (first AC) · Tags: binary search, data structures, greedy, two pointers
AQT's solution

1282.
`1070C`
Cloud Computing · Tutorial
Quality: 2,295 global accepts · Rating: 2000 · first AC: 2018-11-10 · Java 8 (first AC) · Tags: data structures, greedy
AQT's solution

1283.
`911E`
Stack Sorting · Tutorial
Quality: 2,853 global accepts · Rating: 2000 · first AC: 2018-10-24 · Java 8 (first AC) · Tags: constructive algorithms, data structures, greedy, implementation
AQT's solution

1284.
`1033D`
Divisors · Tutorial
Quality: 2,611 global accepts · Rating: 2000 · first AC: 2018-10-07 · Java 8 (first AC) · Tags: interactive, math, number theory
AQT's solution

1285.
`545E`
Paths and Trees · Tutorial
Quality: 5,554 global accepts · Rating: 2000 · first AC: 2018-10-04 · Java 8 (first AC) · Tags: graphs, greedy, shortest paths
AQT's solution

1286.
`1060E`
Sergey and Subway · Tutorial
Quality: 3,499 global accepts · Rating: 2000 · first AC: 2018-10-04 · Java 8 (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

1287.
`803E`
Roma and Poker · Tutorial
Quality: 2,652 global accepts · Rating: 2000 · first AC: 2018-09-29 · Java 8 (first AC) · Tags: dp, graphs
AQT's solution

1288.
`803F`
Coprime Subsequences · Tutorial

Quality: 4,638 global accepts · Rating: 2000 · first AC: 2018-09-29 · Java 8 (first AC) · Tags: bitmasks, combinatorics, number theory
AQT's solution

1289.
797E
Array Queries · Tutorial
Quality: 5,609 global accepts · Rating: 2000 · first AC: 2018-09-28 · Java 8 (first AC) · Tags: brute force, data structures, dp
AQT's solution

1290.
1053B
Vasya and Good Sequences · Tutorial
Rating: 2000 · first AC: 2018-09-23 · Java 8 (first AC) · Tags: data structures, divide and conquer, dp
AQT's solution

1291.
863E
Turn Off The TV · Tutorial
Quality: 4,061 global accepts · Rating: 2000 · first AC: 2018-08-30 · Java 8 (first AC) · Tags: data structures, sortings
AQT's solution

1292.
777E
Hanoi Factory · Tutorial
Quality: 4,752 global accepts · Rating: 2000 · first AC: 2018-08-16 · Java 8 (first AC) · Tags: brute force, data structures, dp, greedy, sortings
AQT's solution

1293.
359D
Pair of Numbers · Tutorial
Quality: 5,724 global accepts · Rating: 2000 · first AC: 2018-07-25 · Java 8 (first AC) · Tags: binary search, brute force, data structures, math, two pointers
AQT's solution

1294.
1009E
Intercity Travelling · Tutorial
Quality: 3,363 global accepts · Rating: 2000 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: combinatorics, math, probabilities
AQT's solution

1295.
999F
Cards and Joy · Tutorial
Quality: 3,266 global accepts · Rating: 2000 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: dp
AQT's solution

1296.
999E
Reachability from the Capital · Tutorial
Quality: 7,853 global accepts · Rating: 2000 · first AC: 2018-06-21 · Java 8 (first AC) · Tags: dfs and similar, graphs, greedy
AQT's solution

1297.
761E
Dasha and Puzzle · Tutorial
Quality: 2,373 global accepts · Rating: 2000 · first AC: 2018-06-16 · Java 8 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, trees
AQT's solution

1298.
817E
Choosing The Commander · Tutorial
Quality: 3,716 global accepts · Rating: 2000 · first AC: 2018-06-16 · Java 8 (first AC) · Tags: bitmasks, data structures, trees
AQT's solution

1299.
938D
Buy a Ticket · Tutorial
Quality: 6,966 global accepts · Rating: 2000 · first AC: 2018-06-13 · Java 8 (first AC) · Tags: data structures, graphs, shortest paths
AQT's solution

1300.
242E
XOR on Segment · Tutorial
Quality: 11,857 global accepts · Rating: 2000 · first AC: 2018-05-26 · Java 8 (first AC) · Tags: bitmasks, data structures
AQT's solution

1301.
213C
Relay Race · Tutorial
Quality: 3,255 global accepts · Rating: 2000 · first AC: 2018-05-25 · Java 8 (first AC) · Tags: dp
AQT's solution

1302.
383C
Propagating tree · Tutorial
Quality: 7,523 global accepts · Rating: 2000 · first AC: 2018-05-20 · Java 8 (first AC) · Tags: data structures, dfs and similar, trees
AQT's solution

1303.
380C
Sereja and Brackets · Tutorial
Quality: 19,779 global accepts · Rating: 2000 · first AC: 2018-05-19 · Java 8 (first AC) · Tags: data structures, schedules
AQT's solution

1304.
1942D
Learning to Paint · Tutorial
Quality: 3,347 global accepts · Rating: 2100 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dfs and similar, dp, greedy, implementation, sortings
AQT's solution

1305.
1810E
Monsters · Tutorial
Quality: 3,906 global accepts · Rating: 2100 · first AC: 2023-09-17 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, dfs and similar, dsu, graphs, greedy
AQT's solution

1306.
1863E
Speedrun · Tutorial
Quality: 3,191 global accepts · Rating: 2100 · first AC: 2023-09-01 · C++20 (GCC 11-64) (first AC) · Tags: brute force, dfs and similar, dp, graphs, greedy, math, sortings, two pointers
AQT's solution

1307.
1864E
Guess Game · Tutorial
Quality: 3,053 global accepts · Rating: 2100 · first AC: 2023-08-31 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, data structures, games, math, probabilities, sortings, strings, trees
AQT's solution

1308.
1776G
Another Wine Tasting Event · Tutorial
Quality: 2,374 global accepts · Rating: 2100 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, constructive algorithms, math, strings
AQT's solution

1309.
1801D
The way home · Tutorial
Quality: 2,863 global accepts · Rating: 2100 · first AC: 2023-03-13 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, dp, graphs, greedy, shortest paths, sortings
AQT's solution

1310.
1654D
Potion Brewing Class · Tutorial
Quality: 3,062 global accepts · Rating: 2100 · first AC: 2023-02-06 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, math, number theory, trees
AQT's solution

1311.
1605D
Treelabeling · Tutorial
Quality: 3,253 global accepts · Rating: 2100 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, dfs and similar, games, greedy, implementation, trees
AQT's solution

1312.
1483C
Skyline Photo · Tutorial
Rating: 2100 · first AC: 2021-06-15 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, greedy
AQT's solution

1313.
1479B2
Painting the Array II · Tutorial
Quality: 4,431 global accepts · Rating: 2100 · first AC: 2021-06-03 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, dp, greedy, implementation
AQT's solution

1314.
1511E
Colorings and Dominoes · Tutorial
Quality: 2,897 global accepts · Rating: 2100 · first AC: 2021-05-20 · GNU C++11 (first AC) · Tags: combinatorics, dp, greedy, math
AQT's solution

1315.
1525E
Assimilation IV · Tutorial
Quality: 2,447 global accepts · Rating: 2100 · first AC: 2021-05-16 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, probabilities, two pointers
AQT's solution

1316.
1516D
Cut · Tutorial
Quality: 5,173 global accepts · Rating: 2100 · first AC: 2021-04-21 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, graphs, number theory, two pointers
AQT's solution

1317.
1486D
Max Median · Tutorial
Quality: 9,728 global accepts · Rating: 2100 · first AC: 2021-02-18 · GNU C++11 (first AC) · Tags: binary search, data structures, dp
AQT's solution

1318.
1464B
Grime Zoo · Tutorial
Rating: 2100 · first AC: 2020-12-29 · GNU C++11 (first AC) · Tags: brute force, data structures, greedy, implementation, ternary search
AQT's solution

1319.
1450C1
Errich-Tac-Toe (Easy Version) · Tutorial
Quality: 5,915 global accepts · Rating: 2100 · first AC: 2020-12-06 · GNU C++11 (first AC) · Tags: constructive algorithms, math
AQT's solution

1320.
1434C
Solo mid Oracle · Tutorial
Rating: 2100 · first AC: 2020-11-11 · GNU C++11 (first AC) · Tags: binary search, greedy, math, ternary search
AQT's solution

1321.
1420C2
Pokémon Army (hard version) · Tutorial
Quality: 5,190 global accepts · Rating: 2100 · first AC: 2020-09-24 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, dp, greedy, implementation
AQT's solution

1322.
1419E
Decryption · Tutorial
Quality: 3,505 global accepts · Rating: 2100 · first AC: 2020-09-19 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation, math, number theory
AQT's solution

1323.
1409F
Subsequences of Length Two · Tutorial
Quality: 5,120 global accepts · Rating: 2100 · first AC: 2020-09-04 · GNU C++11 (first AC) · Tags: dp, strings
AQT's solution

1324.
1166E
The LCMs Must be Large · Tutorial
Quality: 3,009 global accepts · Rating: 2100 · first AC: 2020-09-03 · GNU C++11 (first AC) · Tags: bitmasks, brute force, constructive algorithms, math, number theory
AQT's solution

1325.
955C
Sad powers · Tutorial
Quality: 2,891 global accepts · Rating: 2100 · first AC: 2020-09-01 · last AC: 2020-09-01 · GNU C++11 (first AC) · Tags: binary search, math, number theory
AQT's solution

1326.
689D
Friends and Subsequences · Tutorial
Quality: 4,102 global accepts · Rating: 2100 · first AC: 2020-08-31 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

1327.
1392E
Omkar and Duck · Tutorial
Quality: 3,747 global accepts · Rating: 2100 · first AC: 2020-08-16 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, interactive, math
AQT's solution

1328.
1032E
The Unbearable Lightness of Weights · Tutorial
Quality: 1,865 global accepts · Rating: 2100 · first AC: 2020-08-06 · GNU C++11 (first AC) · Tags: dp, math
AQT's solution

1329.
282D
Yet Another Number Game · Tutorial
Quality: 1,615 global accepts · Rating: 2100 · first AC: 2020-08-03 · GNU C++11 (first AC) · Tags: dp, games
AQT's solution

1330.
335C
More Reclamation · Tutorial
Quality: 603 global accepts · Rating: 2100 · first AC: 2020-08-02 · GNU C++11 (first AC) · Tags: games
AQT's solution

1331.
995A
Tesla · Tutorial
Quality: 1,807 global accepts · Rating: 2100 · first AC: 2020-08-01 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

1332.
1389D
Segment Intersections · Tutorial
Quality: 4,554 global accepts · Rating: 2100 · first AC: 2020-07-29 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation, math
AQT's solution

1333.
463E
Caisa and Tree · Tutorial
Quality: 1,743 global accepts · Rating: 2100 · first AC: 2020-07-26 · GNU C++11 (first AC) · Tags: brute force, dfs and similar, math, number theory, trees
AQT's solution

1334.
576B
Invariance of Tree · Tutorial
Quality: 1,918 global accepts · Rating: 2100 · first AC: 2020-07-25 · last AC: 2020-07-25 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees
AQT's solution

1335.
340B
Maximal Area Quadrilateral · Tutorial
Quality: 2,314 global accepts · Rating: 2100 · first AC: 2020-07-22 · last AC: 2020-07-22 · GNU C++11 (first AC) · Tags: brute force, geometry
AQT's solution

1336.
1266E
Spaceship Solitaire · Tutorial
Quality: 2,348 global accepts · Rating: 2100 · first AC: 2020-07-18 · GNU C++11 (first AC) · Tags: data structures, greedy, implementation
AQT's solution

1337.
1372D
Omkar and Circle · Tutorial
Quality: 5,719 global accepts · Rating: 2100 · first AC: 2020-07-11 · GNU C++11 (first AC) · Tags: brute force, dp, games, greedy
AQT's solution

1338.
675C
Money Transfers · Tutorial
Quality: 3,859 global accepts · Rating: 2100 · first AC: 2020-06-23 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy, sortings
AQT's solution

1339.
1370E
Binary Subsequence Rotation · Tutorial

Quality: 5,220 global accepts · Rating: 2100 · first AC: 2020-06-21 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, greedy
AQT's solution

1340.
992D
Nastya and a Game · Tutorial
Quality: 1,751 global accepts · Rating: 2100 · first AC: 2020-06-17 · GNU C++11 (first AC) · Tags: brute force, implementation, math
AQT's solution

1341.
1367F1
Flying Sort (Easy Version) · Tutorial
Quality: 3,626 global accepts · Rating: 2100 · first AC: 2020-06-16 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, two pointers
AQT's solution

1342.
1364D
Ehab's Last Corollary · Tutorial
Quality: 4,961 global accepts · Rating: 2100 · first AC: 2020-06-13 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, implementation, trees
AQT's solution

1343.
1366E
Two Arrays · Tutorial
Quality: 4,623 global accepts · Rating: 2100 · first AC: 2020-06-11 · GNU C++11 (first AC) · Tags: binary search, brute force, combinatorics, constructive algorithms, dp, two pointers
AQT's solution

1344.
1365F
Swaps Again · Tutorial
Quality: 4,757 global accepts · Rating: 2100 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation, sortings
AQT's solution

1345.
498C
Array and Operations · Tutorial
Quality: 4,189 global accepts · Rating: 2100 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: flows, graph matchings, number theory
AQT's solution

1346.
1271D
Portals · Tutorial
Quality: 3,402 global accepts · Rating: 2100 · first AC: 2020-06-04 · GNU C++11 (first AC) · Tags: data structures, dp, greedy, implementation, sortings
AQT's solution

1347.
1278D
Segment Tree · Tutorial
Quality: 4,329 global accepts · Rating: 2100 · first AC: 2020-06-03 · GNU C++11 (first AC) · Tags: data structures, dsu, graphs, trees
AQT's solution

1348.
1343E
Weights Distributing · Tutorial
Quality: 5,739 global accepts · Rating: 2100 · first AC: 2020-06-01 · GNU C++11 (first AC) · Tags: brute force, graphs, greedy, shortest paths, sortings
AQT's solution

1349.
1363D
Guess The Maximums · Tutorial

Quality: 4,414 global accepts · Rating: 2100 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: binary search, implementation, interactive, math
AQT's solution

1350.
1039B
Subway Pursuit · Tutorial
Quality: 2,596 global accepts · Rating: 2100 · first AC: 2020-05-29 · last AC: 2020-05-29 · GNU C++11 (first AC) · Tags: binary search, interactive, probabilities
AQT's solution

1351.
793D
Presents in Bankopolis · Tutorial
Quality: 1,706 global accepts · Rating: 2100 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: dp, graphs, shortest paths
AQT's solution

1352.
1360H
Binary Median · Tutorial
Quality: 4,861 global accepts · Rating: 2100 · first AC: 2020-05-24 · GNU C++11 (first AC) · Tags: binary search, bitmasks, brute force, constructive algorithms
AQT's solution

1353.
789D
Weird journey · Tutorial
Rating: 2100 · first AC: 2020-05-22 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs
AQT's solution

1354.
1354E
Graph Coloring · Tutorial
Quality: 3,725 global accepts · Rating: 2100 · first AC: 2020-05-17 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graphs
AQT's solution

1355.
1355E
Restorer Distance · Tutorial
Quality: 5,834 global accepts · Rating: 2100 · first AC: 2020-05-16 · GNU C++11 (first AC) · Tags: binary search, greedy, math, sortings, ternary search
AQT's solution

1356.
601B
Lipshitz Sequence · Tutorial
Quality: 2,423 global accepts · Rating: 2100 · first AC: 2020-05-14 · GNU C++11 (first AC) · Tags: data structures, math
AQT's solution

1357.
1299C
Water Balance · Tutorial
Quality: 4,333 global accepts · Rating: 2100 · first AC: 2020-05-14 · GNU C++11 (first AC) · Tags: data structures, geometry, greedy
AQT's solution

1358.
1332E
Height All the Same · Tutorial
Quality: 4,312 global accepts · Rating: 2100 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: combinatorics, constructive algorithms, math, matrices
AQT's solution

1359.
1271E
Common Number · Tutorial
Quality: 3,712 global accepts · Rating: 2100 · first AC: 2020-04-30 · last AC: 2020-04-30 · GNU C++11 (first AC) · Tags: binary search,

combinatorics, dp, math
AQT's solution

1360.
850B
Arpa and a list of numbers · Tutorial
Quality: 2,132 global accepts · Rating: 2100 · first AC: 2020-04-24 · C++14 (GCC 6-32) (first AC) · Tags: implementation, number theory
AQT's solution

1361.
799D
Field expansion · Tutorial
Quality: 2,183 global accepts · Rating: 2100 · first AC: 2020-04-16 · GNU C++11 (first AC) · Tags: brute force, dp, meet-in-the-middle
AQT's solution

1362.
1333D
Challenges in school ! 41 Tutorial
Quality: 4,131 global accepts · Rating: 2100 · first AC: 2020-04-08 · last AC: 2020-04-08 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, games, graphs, greedy, implementation, sortings
AQT's solution

1363.
372C
Watching Fireworks is Fun · Tutorial
Quality: 4,932 global accepts · Rating: 2100 · first AC: 2018-05-30 · last AC: 2020-04-06 · Java 8 (first AC) · Tags: data structures, dp, math
AQT's solution

1364.
466D
Increase Sequence · Tutorial
Quality: 3,755 global accepts · Rating: 2100 · first AC: 2020-04-02 · GNU C++11 (first AC) · Tags: combinatorics, dp
AQT's solution

1365.
768E
Game of Stones · Tutorial
Quality: 3,508 global accepts · Rating: 2100 · first AC: 2020-03-31 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dp, games
AQT's solution

1366.
441D
Valera and Swaps · Tutorial
Quality: 1,200 global accepts · Rating: 2100 · first AC: 2020-03-29 · GNU C++11 (first AC) · Tags: constructive algorithms, dsu, graphs, implementation, math, string suffix structures
AQT's solution

1367.
1322B
Present · Tutorial
Quality: 4,638 global accepts · Rating: 2100 · first AC: 2020-03-27 · GNU C++11 (first AC) · Tags: binary search, bitmasks, constructive algorithms, data structures, math, sortings
AQT's solution

1368.
1312E
Array Shrinking · Tutorial
Quality: 7,379 global accepts · Rating: 2100 · first AC: 2020-03-16 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

1369.
912D
Fishes · Tutorial
Quality: 2,148 global accepts · Rating: 2100 · first AC: 2020-02-13 · GNU C++11 (first AC) · Tags: data structures, graphs, greedy, probabilities, shortest paths
AQT's solution

1370.
1284D
New Year and Conference · Tutorial
Quality: 3,397 global accepts · Rating: 2100 · first AC: 2020-01-04 · GNU C++11 (first AC) · Tags: binary search, data structures, hashing, sortings
AQT's solution

1371.
400E
Inna and Binary Logic · Tutorial
Quality: 1,043 global accepts · Rating: 2100 · first AC: 2019-12-21 · GNU C++11 (first AC) · Tags: binary search, bitmasks, data structures
AQT's solution

1372.
1254B2
Send Boxes to Alice (Hard Version) · Tutorial
Quality: 3,419 global accepts · Rating: 2100 · first AC: 2019-12-12 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math, number theory, ternary search, two pointers
AQT's solution

1373.
1265E
Beautiful Mirrors · Tutorial
Quality: 4,521 global accepts · Rating: 2100 · first AC: 2019-12-06 · GNU C++11 (first AC) · Tags: data structures, dp, math, probabilities
AQT's solution

1374.
551D
GukiZ and Binary Operations · Tutorial
Quality: 2,110 global accepts · Rating: 2100 · first AC: 2019-12-05 · GNU C++11 (first AC) · Tags: combinatorics, implementation, math, matrices, number theory
AQT's solution

1375.
260D
Black and White Tree · Tutorial
Quality: 1,665 global accepts · Rating: 2100 · first AC: 2019-11-22 · GNU C++11 (first AC) · Tags: constructive algorithms, dsu, graphs, greedy, trees
AQT's solution

1376.
703C
Chris and Road · Tutorial
Quality: 1,972 global accepts · Rating: 2100 · first AC: 2019-11-17 · C++14 (GCC 6-32) (first AC) · Tags: geometry, implementation
AQT's solution

1377.
703D
Mishka and Interesting sum · Tutorial
Quality: 4,063 global accepts · Rating: 2100 · first AC: 2019-11-17 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

1378.
764D
Timofey and rectangles · Tutorial
Rating: 2100 · first AC: 2019-11-14 · GNU C++11 (first AC) · Tags: geometry
AQT's solution

1379.
899F
Letters Removing · Tutorial
Quality: 2,030 global accepts · Rating: 2100 · first AC: 2019-10-30 · GNU C++11 (first AC) · Tags: data structures, strings
AQT's solution

1380.
776E
The Holmes Children · Tutorial
Quality: 2,445 global accepts · Rating: 2100 · first AC: 2019-10-28 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

1381.
754D
Fedor and coupons · Tutorial
Quality: 2,694 global accepts · Rating: 2100 · first AC: 2019-10-27 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, sortings
AQT's solution

1382.
1044C
Optimal Polygon Perimeter · Tutorial
Quality: 1,409 global accepts · Rating: 2100 · first AC: 2019-10-21 · GNU C++11 (first AC) · Tags: dp, geometry
AQT's solution

1383.
1240C
Paint the Tree · Tutorial
Rating: 2100 · first AC: 2019-10-06 · GNU C++11 (first AC) · Tags: dp, sortings, trees
AQT's solution

1384.
818F
Level Generation · Tutorial
Quality: 1,929 global accepts · Rating: 2100 · first AC: 2019-10-04 · GNU C++11 (first AC) · Tags: binary search, math, ternary search
AQT's solution

1385.
827C
DNA Evolution · Tutorial
Quality: 1,789 global accepts · Rating: 2100 · first AC: 2019-10-03 · GNU C++11 (first AC) · Tags: data structures, strings
AQT's solution

1386.
1120C
Compress String · Tutorial
Quality: 2,445 global accepts · Rating: 2100 · first AC: 2019-09-25 · GNU C++11 (first AC) · Tags: dp, strings
AQT's solution

1387.
1108F
MST Unification · Tutorial
Quality: 3,572 global accepts · Rating: 2100 · first AC: 2019-09-23 · GNU C++11 (first AC) · Tags: binary search, dsu, graphs, greedy
AQT's solution

1388.
1216F
Wi-Fi · Tutorial
Quality: 3,101 global accepts · Rating: 2100 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: data structures, dp, greedy
AQT's solution

1389.
1027E
Inverse Coloring · Tutorial
Quality: 2,362 global accepts · Rating: 2100 · first AC: 2019-09-11 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1390.
1213F
Unstable String Sort · Tutorial
Quality: 3,020 global accepts · Rating: 2100 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dsu, graphs, greedy, implementation, strings

AQT's solution

1391.
1152D
Neko and Aki's Prank · Tutorial
Quality: 2,579 global accepts · Rating: 2100 · first AC: 2019-08-26 · last AC: 2019-08-26 · GNU C++11 (first AC) · Tags: dp, greedy, trees
AQT's solution

1392.
1207F
Remainder Problem · Tutorial
Quality: 6,749 global accepts · Rating: 2100 · first AC: 2019-08-22 · GNU C++11 (first AC) · Tags: brute force, data structures, implementation
AQT's solution

1393.
1204D2
Kirk and a Binary String (hard version) · Tutorial
Quality: 3,395 global accepts · Rating: 2100 · first AC: 2019-08-20 · GNU C++11 (first AC) · Tags: data structures, greedy, math, strings
AQT's solution

1394.
936B
Sleepy Game · Tutorial
Quality: 3,411 global accepts · Rating: 2100 · first AC: 2019-08-17 · GNU C++11 (first AC) · Tags: dfs and similar, dp, games, graphs
AQT's solution

1395.
1202C
You Are Given a WASD-string... · Tutorial
Quality: 2,769 global accepts · Rating: 2100 · first AC: 2019-08-08 · GNU C++11 (first AC) · Tags: brute force, data structures, dp, greedy, implementation, math, strings
AQT's solution

1396.
1201D
Treasure Hunting · Tutorial
Quality: 2,533 global accepts · Rating: 2100 · first AC: 2019-08-06 · last AC: 2019-08-06 · GNU C++11 (first AC) · Tags: binary search, dp, greedy, implementation
AQT's solution

1397.
1195E
OpenStreetMap · Tutorial
Quality: 3,549 global accepts · Rating: 2100 · first AC: 2019-07-17 · GNU C++11 (first AC) · Tags: data structures, two pointers
AQT's solution

1398.
1167E
Range Deleting · Tutorial
Quality: 2,924 global accepts · Rating: 2100 · first AC: 2019-07-16 · GNU C++11 (first AC) · Tags: binary search, combinatorics, data structures, two pointers
AQT's solution

1399.
1176F
Destroy it! · Tutorial
Quality: 2,320 global accepts · Rating: 2100 · first AC: 2019-07-09 · C++14 (GCC 6-32) (first AC) · Tags: dp, implementation, sortings
AQT's solution

1400.
1187E
Tree Painting · Tutorial
Quality: 11,282 global accepts · Rating: 2100 · first AC: 2019-07-01 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

1401.
1183F
Topforces Strikes Back · Tutorial
Quality: 2,252 global accepts · Rating: 2100 · first AC: 2019-06-26 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math, sortings
AQT's solution

1402.
988E
Divisibility by 25 · Tutorial
Quality: 4,427 global accepts · Rating: 2100 · first AC: 2019-06-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy
AQT's solution

1403.
1056E
Check Transcription · Tutorial
Quality: 2,814 global accepts · Rating: 2100 · first AC: 2019-06-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, hashing, strings
AQT's solution

1404.
960D
Full Binary Tree Queries · Tutorial
Quality: 1,946 global accepts · Rating: 2100 · first AC: 2019-06-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, trees
AQT's solution

1405.
1185F
Two Pizzas · Tutorial
Quality: 2,237 global accepts · Rating: 2100 · first AC: 2019-06-19 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force
AQT's solution

1406.
821E
Okabe and El Psy Kongroo · Tutorial
Quality: 1,666 global accepts · Rating: 2100 · first AC: 2019-06-16 · C++14 (GCC 6-32) (first AC) · Tags: dp, matrices
AQT's solution

1407.
954F
Runner's Problem · Tutorial
Quality: 1,378 global accepts · Rating: 2100 · first AC: 2019-06-14 · C++14 (GCC 6-32) (first AC) · Tags: dp, matrices, sortings
AQT's solution

1408.
985D
Sand Fortress · Tutorial
Quality: 2,753 global accepts · Rating: 2100 · first AC: 2019-06-14 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, math
AQT's solution

1409.
702E
Analysis of Pathes in Functional Graph · Tutorial
Quality: 3,108 global accepts · Rating: 2100 · first AC: 2019-05-13 · C++14 (GCC 6-32) (first AC) · Tags: data structures, graphs
AQT's solution

1410.
1158C
Permutation recovery · Tutorial
Quality: 2,116 global accepts · Rating: 2100 · first AC: 2019-05-12 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, graphs, greedy, math, sortings
AQT's solution

1411.
1163D
Mysterious Code · Tutorial

Quality: 1,541 global accepts · Rating: 2100 · first AC: 2019-05-09 · C++17 (GCC 7-32) (first AC) · Tags: dp, strings
AQT's solution

1412.
485D
Maximum Value · Tutorial
Rating: 2100 · first AC: 2019-05-06 · C++17 (GCC 7-32) (first AC) · Tags: binary search, sortings
AQT's solution

1413.
484B
Maximum Value · Tutorial
Quality: 7,736 global accepts · Rating: 2100 · first AC: 2018-06-26 · last AC: 2019-05-06 · Java 8 (first AC) · Tags: binary search, math, sortings, two pointers
AQT's solution

1414.
920E
Connected Components? · Tutorial
Quality: 7,749 global accepts · Rating: 2100 · first AC: 2019-05-05 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dfs and similar, dsu, graphs
AQT's solution

1415.
862E
Mahmoud and Ehab and the function · Tutorial
Quality: 2,178 global accepts · Rating: 2100 · first AC: 2019-05-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, sortings
AQT's solution

1416.
486D
Valid Sets · Tutorial
Quality: 4,380 global accepts · Rating: 2100 · first AC: 2019-05-01 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, math, trees
AQT's solution

1417.
847F
Berland Elections · Tutorial
Quality: 1,003 global accepts · Rating: 2100 · first AC: 2019-04-29 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings
AQT's solution

1418.
620E
New Year Tree · Tutorial
Quality: 7,088 global accepts · Rating: 2100 · first AC: 2019-04-29 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, data structures, trees
AQT's solution

1419.
576C
Points on Plane · Tutorial
Quality: 4,179 global accepts · Rating: 2100 · first AC: 2019-04-28 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, divide and conquer, geometry, greedy, sortings
AQT's solution

1420.
771C
Bear and Tree Jumps · Tutorial
Quality: 3,552 global accepts · Rating: 2100 · first AC: 2019-04-21 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

1421.
665E
Beautiful Subarrays · Tutorial
Quality: 4,425 global accepts · Rating: 2100 · first AC: 2019-04-19 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, strings, trees
AQT's solution

1422.
1151E
Number of Components · Tutorial
Quality: 3,770 global accepts · Rating: 2100 · first AC: 2019-04-18 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, data structures, dp, math
AQT's solution

1423.
976E
Well played! · Tutorial
Quality: 2,552 global accepts · Rating: 2100 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings
AQT's solution

1424.
990E
Post Lamps · Tutorial
Quality: 2,163 global accepts · Rating: 2100 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy
AQT's solution

1425.
837E
Vasya's Function · Tutorial
Quality: 2,065 global accepts · Rating: 2100 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: binary search, implementation, math
AQT's solution

1426.
837D
Round Subset · Tutorial
Quality: 7,526 global accepts · Rating: 2100 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: dp, math
AQT's solution

1427.
519E
A and B and Lecture Rooms · Tutorial
Quality: 8,356 global accepts · Rating: 2100 · first AC: 2019-03-29 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dfs and similar, dp, trees
AQT's solution

1428.
343D
Water Tree · Tutorial
Quality: 6,849 global accepts · Rating: 2100 · first AC: 2019-03-29 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dfs and similar, graphs, trees
AQT's solution

1429.
414C
Mashmokh and Reverse Operation · Tutorial
Quality: 2,359 global accepts · Rating: 2100 · first AC: 2019-03-14 · last AC: 2019-03-14 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, divide and conquer
AQT's solution

1430.
767B
The Queue · Tutorial
Quality: 2,248 global accepts · Rating: 2100 · first AC: 2019-02-14 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy
AQT's solution

1431.
767D
Cartons of milk · Tutorial
Quality: 2,414 global accepts · Rating: 2100 · first AC: 2019-02-14 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, greedy, sortings, two pointers
AQT's solution

1432.
875C
National Property · Tutorial
Quality: 2,366 global accepts · Rating: 2100 · first AC: 2019-02-13 · C++14 (GCC 6-32) (first AC) · Tags: 2-sat, dfs and similar, graphs, implementation
AQT's solution

1433.
525E
Anya and Cubes · Tutorial
Quality: 4,180 global accepts · Rating: 2100 · first AC: 2019-02-06 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, brute force, dp, math, meet-in-the-middle
AQT's solution

1434.
1106E
Lunar New Year and Red Envelopes · Tutorial
Quality: 2,816 global accepts · Rating: 2100 · first AC: 2019-01-31 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp
AQT's solution

1435.
455C
Civilization · Tutorial
Quality: 6,466 global accepts · Rating: 2100 · first AC: 2018-05-23 · last AC: 2019-01-26 · Java 8 (first AC) · Tags: dfs and similar, dp, dsu, ternary search, trees
AQT's solution

1436.
321C
Ciel the Commander · Tutorial
Quality: 9,392 global accepts · Rating: 2100 · first AC: 2018-01-15 · last AC: 2019-01-26 · Java 8 (first AC) · Tags: constructive algorithms, dfs and similar, divide and conquer, greedy, trees
AQT's solution

1437.
960F
Pathwalks · Tutorial
Quality: 3,383 global accepts · Rating: 2100 · first AC: 2018-11-18 · Java 8 (first AC) · Tags: data structures, dp, graphs
AQT's solution

1438.
1077F2
Pictures with Kittens (hard version) · Tutorial
Quality: 4,185 global accepts · Rating: 2100 · first AC: 2018-11-17 · Java 8 (first AC) · Tags: data structures, dp
AQT's solution

1439.
1025D
Recovering BST · Tutorial
Quality: 4,138 global accepts · Rating: 2100 · first AC: 2018-11-15 · Java 8 (first AC) · Tags: brute force, dp, math, number theory, trees
AQT's solution

1440.
797D
Broken BST · Tutorial
Quality: 2,185 global accepts · Rating: 2100 · first AC: 2018-09-28 · Java 8 (first AC) · Tags: data structures, dfs and similar
AQT's solution

1441.
796D
Police Stations · Tutorial
Quality: 7,190 global accepts · Rating: 2100 · first AC: 2018-09-26 · Java 8 (first AC) · Tags: constructive algorithms, dfs and similar, dp, graphs, shortest paths, trees
AQT's solution

1442.
780E
Underground Lab · Tutorial
Quality: 2,976 global accepts · Rating: 2100 · first AC: 2018-09-23 · Java 8 (first AC) · Tags: constructive algorithms, dfs and similar, graphs
AQT's solution

1443.
632D
Longest Subsequence · Tutorial
Quality: 4,587 global accepts · Rating: 2100 · first AC: 2018-09-13 · Java 8 (first AC) · Tags: brute force, math, number theory
AQT's solution

1444.
781C
Underground Lab · Tutorial
Rating: 2100 · first AC: 2018-09-10 · Java 8 (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graphs, trees
AQT's solution

1445.
762C
Two strings · Tutorial
Quality: 2,989 global accepts · Rating: 2100 · first AC: 2018-09-07 · Java 8 (first AC) · Tags: binary search, hashing, strings, two pointers
AQT's solution

1446.
355E
Vasya and Beautiful Arrays · Tutorial
Rating: 2100 · first AC: 2018-09-03 · Java 8 (first AC) · Tags: binary search, brute force, data structures
AQT's solution

1447.
1028D
Order book · Tutorial
Quality: 1,822 global accepts · Rating: 2100 · first AC: 2018-08-28 · Java 8 (first AC) · Tags: combinatorics, data structures, greedy
AQT's solution

1448.
1023E
Down or Right · Tutorial
Quality: 2,223 global accepts · Rating: 2100 · first AC: 2018-08-17 · Java 8 (first AC) · Tags: constructive algorithms, interactive, matrices
AQT's solution

1449.
225E
Unsolvable · Tutorial
Quality: 902 global accepts · Rating: 2100 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: math, number theory
AQT's solution

1450.
1006F
Xor-Paths · Tutorial
Quality: 6,888 global accepts · Rating: 2100 · first AC: 2018-07-16 · Java 8 (first AC) · Tags: bitmasks, brute force, dp, meet-in-the-middle
AQT's solution

1451.
313D
Ilya and Roads · Tutorial
Quality: 1,691 global accepts · Rating: 2100 · first AC: 2018-07-12 · Java 8 (first AC) · Tags: dp
AQT's solution

1452.
840B
Leha and another game about graph · Tutorial
Quality: 2,807 global accepts · Rating: 2100 · first AC: 2018-07-12 · Java 8 (first AC) · Tags: constructive algorithms, data structures, dfs and similar, dp, graphs
AQT's solution

1453.
208E
Blood Cousins · Tutorial
Quality: 8,922 global accepts · Rating: 2100 · first AC: 2018-07-11 · Java 8 (first AC) · Tags: binary search, data structures, dfs and similar, trees
AQT's solution

1454.
319C
Kalila and Dimna in the Logging Industry · Tutorial
Quality: 6,592 global accepts · Rating: 2100 · first AC: 2018-07-10 · Java 8 (first AC) · Tags: dp, geometry
AQT's solution

1455.
1005F
Berland and the Shortest Paths · Tutorial
Quality: 2,105 global accepts · Rating: 2100 · first AC: 2018-07-09 · Java 8 (first AC) · Tags: brute force, dfs and similar, graphs, shortest paths
AQT's solution

1456.
1003E
Tree Constructing · Tutorial
Quality: 3,029 global accepts · Rating: 2100 · first AC: 2018-07-03 · Java 8 (first AC) · Tags: constructive algorithms, graphs
AQT's solution

1457.
1000E
We Need More Bosses · Tutorial
Quality: 6,506 global accepts · Rating: 2100 · first AC: 2018-06-28 · Java 8 (first AC) · Tags: dfs and similar, graphs, trees
AQT's solution

1458.
103D
Time to Raid Cowavans · Tutorial
Quality: 2,527 global accepts · Rating: 2100 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: brute force, data structures, sortings
AQT's solution

1459.
980D
Perfect Groups · Tutorial
Quality: 3,006 global accepts · Rating: 2100 · first AC: 2018-06-25 · Java 8 (first AC) · Tags: dp, math, number theory
AQT's solution

1460.
988F
Rain and Umbrellas · Tutorial
Quality: 2,777 global accepts · Rating: 2100 · first AC: 2018-06-20 · Java 8 (first AC) · Tags: dp
AQT's solution

1461.
994E
Careful Maneuvering · Tutorial
Rating: 2100 · first AC: 2018-06-17 · Java 8 (first AC) · Tags: bitmasks, brute force, data structures
AQT's solution

1462.
546E
Soldier and Traveling · Tutorial
Quality: 4,313 global accepts · Rating: 2100 · first AC: 2018-06-15 · Java 8 (first AC) · Tags: flows, graphs, math
AQT's solution

1463.
609E
Minimum spanning tree for each edge · Tutorial
Quality: 10,271 global accepts · Rating: 2100 · first AC: 2018-06-03 · Java 8 (first AC) · Tags: data structures, dfs and similar, dsu, graphs, trees
AQT's solution

1464.
766E
Mahmoud and a xor trip · Tutorial
Quality: 3,473 global accepts · Rating: 2100 · first AC: 2018-05-27 · Java 8 (first AC) · Tags: bitmasks, constructive algorithms, data structures, dfs and similar, dp, math, trees
AQT's solution

1465.
985E
Pencils and Boxes · Tutorial
Quality: 4,146 global accepts · Rating: 2100 · first AC: 2018-05-22 · Java 8 (first AC) · Tags: binary search, data structures, dp, greedy, two pointers
AQT's solution

1466.
276E
Little Girl and Problem on Trees · Tutorial
Quality: 1,859 global accepts · Rating: 2100 · first AC: 2018-05-19 · Java 8 (first AC) · Tags: data structures, graphs, trees
AQT's solution

1467.
1949F
Dating · Tutorial
Quality: 1,408 global accepts · Rating: 2200 · first AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings, trees
AQT's solution

1468.
1854B
Earn or Unlock · Tutorial
Quality: 4,227 global accepts · Rating: 2200 · first AC: 2023-07-31 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, dp
AQT's solution

1469.
1776B
Vittorio Plays with LEGO Bricks · Tutorial
Quality: 1,554 global accepts · Rating: 2200 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: dp, geometry
AQT's solution

1470.
1772G
Gaining Rating · Tutorial
Quality: 1,605 global accepts · Rating: 2200 · first AC: 2023-02-12 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, implementation, math, sortings, two pointers
AQT's solution

1471.
1615D
X(or)-mas Tree · Tutorial
Quality: 2,134 global accepts · Rating: 2200 · first AC: 2023-02-04 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, dfs and similar, dsu, graphs, trees
AQT's solution

1472.
1717E
Madoka and The Best University · Tutorial
Quality: 3,403 global accepts · Rating: 2200 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: math, number theory
AQT's solution

1473.
1155E
Guess the Root · Tutorial
Quality: 1,601 global accepts · Rating: 2200 · first AC: 2021-12-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, interactive, math
AQT's solution

1474.
1622E
Math Test · Tutorial
Quality: 2,245 global accepts · Rating: 2200 · first AC: 2021-12-27 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, greedy
AQT's solution

1475.
1567E
Non-Decreasing Dilemma · Tutorial
Quality: 4,135 global accepts · Rating: 2200 · first AC: 2021-09-05 · C++17 (GCC 9-64) (first AC) · Tags: data structures, divide and conquer, math
AQT's solution

1476.
1556E
Equilibrium · Tutorial
Quality: 2,989 global accepts · Rating: 2200 · first AC: 2021-08-29 · C++17 (GCC 9-64) (first AC) · Tags: data structures, dp, greedy
AQT's solution

1477.
1562D2
Two Hundred Twenty One (hard version) · Tutorial
Quality: 2,245 global accepts · Rating: 2200 · first AC: 2021-08-26 · C++17 (GCC 9-64) (first AC) · Tags: data structures, math
AQT's solution

1478.
1559E
Mocha and Stars · Tutorial
Quality: 2,714 global accepts · Rating: 2200 · first AC: 2021-08-15 · C++17 (GCC 9-64) (first AC) · Tags: combinatorics, dp, fft, math, number theory
AQT's solution

1479.
1477C
Nezzar and Nice Beatmap · Tutorial
Quality: 2,587 global accepts · Rating: 2200 · first AC: 2021-08-01 · GNU C++11 (first AC) · Tags: constructive algorithms, geometry, greedy, math, sortings
AQT's solution

1480.
1552F
Telepanting · Tutorial
Quality: 3,334 global accepts · Rating: 2200 · first AC: 2021-07-25 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, sortings
AQT's solution

1481.
679B
Bear and Tower of Cubes · Tutorial
Quality: 2,231 global accepts · Rating: 2200 · first AC: 2021-06-30 · GNU C++11 (first AC) · Tags: binary search, dp, greedy
AQT's solution

1482.
1503C
Travelling Salesman Problem · Tutorial
Quality: 3,846 global accepts · Rating: 2200 · first AC: 2021-06-10 · last AC: 2021-06-10 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, greedy, shortest paths, sortings, two pointers
AQT's solution

1483.
1520F2
Guess the K-th Zero (Hard version) · Tutorial
Quality: 3,348 global accepts · Rating: 2200 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, interactive
AQT's solution

1484.
1515E
Phoenix and Computers · Tutorial
Quality: 4,477 global accepts · Rating: 2200 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1485.
1500B
Two chandeliers · Tutorial
Quality: 2,314 global accepts · Rating: 2200 · first AC: 2021-04-29 · last AC: 2021-04-29 · GNU C++11 (first AC) · Tags: binary search, brute force, chinese remainder theorem, math, number theory
AQT's solution

1486.
1474D
Cleaning · Tutorial
Quality: 4,302 global accepts · Rating: 2200 · first AC: 2021-04-25 · GNU C++11 (first AC) · Tags: data structures, dp, greedy, math
AQT's solution

1487.
1467D
Sum of Paths · Tutorial
Quality: 3,995 global accepts · Rating: 2200 · first AC: 2021-01-08 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1488.
1461E
Water Level · Tutorial
Quality: 2,215 global accepts · Rating: 2200 · first AC: 2020-12-11 · C++17 (GCC 7-32) (first AC) · Tags: brute force, graphs, greedy, implementation, math
AQT's solution

1489.
1456C
New Game Plus! · Tutorial
Rating: 2200 · first AC: 2020-11-30 · GNU C++11 (first AC) · Tags: binary search, dp, greedy, sortings
AQT's solution

1490.
1437E
Make It Increasing · Tutorial
Quality: 3,927 global accepts · Rating: 2200 · first AC: 2020-11-25 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, dp, implementation
AQT's solution

1491.
1438D
Powerful Ksenia · Tutorial
Quality: 4,545 global accepts · Rating: 2200 · first AC: 2020-11-15 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, math
AQT's solution

1492.
809B
Glad to see you! · Tutorial
Quality: 1,777 global accepts · Rating: 2200 · first AC: 2020-10-27 · GNU C++11 (first AC) · Tags: binary search, interactive
AQT's solution

1493.
1428E
Carrots for Rabbits · Tutorial
Quality: 4,208 global accepts · Rating: 2200 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, math, sortings
AQT's solution

1494.
553C
Love Triangles · Tutorial
Quality: 1,965 global accepts · Rating: 2200 · first AC: 2020-09-14 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs
AQT's solution

1495.
1407D
Discrete Centrifugal Jumps · Tutorial
Quality: 5,704 global accepts · Rating: 2200 · first AC: 2020-09-08 · GNU C++11 (first AC) · Tags: data structures, dp, graphs
AQT's solution

1496.
413E
Maze 2D · Tutorial
Quality: 851 global accepts · Rating: 2200 · first AC: 2020-09-07 · GNU C++11 (first AC) · Tags: data structures, divide and conquer
AQT's solution

1497.
590C
Three States · Tutorial
Quality: 3,553 global accepts · Rating: 2200 · first AC: 2020-09-07 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, shortest paths
AQT's solution

1498.
746F
Music in Car · Tutorial
Quality: 903 global accepts · Rating: 2200 · first AC: 2020-09-05 · GNU C++11 (first AC) · Tags: data structures, greedy, two pointers
AQT's solution

1499.
1166D
Cute Sequences · Tutorial
Quality: 2,285 global accepts · Rating: 2200 · first AC: 2020-09-03 · last AC: 2020-09-03 · GNU C++11 (first AC) · Tags: binary search, brute force, greedy, math
AQT's solution

1500.
387D
George and Interesting Graph · Tutorial
Quality: 1,169 global accepts · Rating: 2200 · first AC: 2020-08-31 · GNU C++11 (first AC) · Tags: graph matchings
AQT's solution

1501.
757D
Felicity's Big Secret Revealed · Tutorial
Quality: 1,547 global accepts · Rating: 2200 · first AC: 2020-08-29 · last AC: 2020-08-29 · GNU C++11 (first AC) · Tags: bitmasks, dp
AQT's solution

1502.
587C
Duff in the Army · Tutorial
Quality: 4,735 global accepts · Rating: 2200 · first AC: 2020-08-28 · GNU C++11 (first AC) · Tags: data structures, trees
AQT's solution

1503.
547A
Mike and Frog · Tutorial
Quality: 2,749 global accepts · Rating: 2200 · first AC: 2020-08-27 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation, math
AQT's solution

1504.
1400E
Clear the Multiset · Tutorial
Quality: 6,310 global accepts · Rating: 2200 · first AC: 2020-08-25 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, dp, greedy

AQT's solution

1505.
650C
Table Compression · Tutorial
Quality: 2,180 global accepts · Rating: 2200 · first AC: 2020-08-25 · GNU C++11 (first AC) · Tags: dfs and similar, dp, dsu, graphs, greedy
AQT's solution

1506.
144E
Competition · Tutorial
Quality: 682 global accepts · Rating: 2200 · first AC: 2020-08-24 · GNU C++11 (first AC) · Tags: data structures, greedy
AQT's solution

1507.
1398E
Two Types of Spells · Tutorial
Quality: 2,597 global accepts · Rating: 2200 · first AC: 2020-08-23 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, implementation, math, sortings
AQT's solution

1508.
855E
Salazar Slytherin's Locket · Tutorial
Quality: 2,137 global accepts · Rating: 2200 · first AC: 2020-08-17 · GNU C++11 (first AC) · Tags: bitmasks, dp
AQT's solution

1509.
1311E
Construct the Binary Tree · Tutorial
Quality: 2,723 global accepts · Rating: 2200 · first AC: 2020-08-15 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, trees
AQT's solution

1510.
618D
Hamiltonian Spanning Tree · Tutorial
Quality: 1,895 global accepts · Rating: 2200 · first AC: 2020-08-11 · last AC: 2020-08-11 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graph matchings, greedy, trees
AQT's solution

1511.
555C
Case of Chocolate · Tutorial
Quality: 2,061 global accepts · Rating: 2200 · first AC: 2020-08-09 · last AC: 2020-08-09 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

1512.
712D
Memory and Scores · Tutorial
Quality: 1,993 global accepts · Rating: 2200 · first AC: 2020-08-04 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1513.
520E
Pluses everywhere · Tutorial
Quality: 2,087 global accepts · Rating: 2200 · first AC: 2020-08-02 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, number theory
AQT's solution

1514.
350E
Wrong Floyd · Tutorial
Quality: 858 global accepts · Rating: 2200 · first AC: 2020-08-01 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graphs
AQT's solution

1515.
645E
Intellectual Inquiry · Tutorial
Quality: 1,407 global accepts · Rating: 2200 · first AC: 2020-08-01 · GNU C++11 (first AC) · Tags: dp, greedy, strings
AQT's solution

1516.
868D
Huge Strings · Tutorial
Quality: 1,005 global accepts · Rating: 2200 · first AC: 2020-08-01 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, implementation, strings
AQT's solution

1517.
1389E
Calendar Ambiguity · Tutorial
Quality: 3,724 global accepts · Rating: 2200 · first AC: 2020-07-29 · GNU C++11 (first AC) · Tags: math, number theory
AQT's solution

1518.
1272F
Two Bracket Sequences · Tutorial
Quality: 2,334 global accepts · Rating: 2200 · first AC: 2020-07-26 · last AC: 2020-07-26 · GNU C++11 (first AC) · Tags: dp, strings, two pointers
AQT's solution

1519.
707D
Persistent Bookcase · Tutorial
Quality: 2,990 global accepts · Rating: 2200 · first AC: 2020-07-25 · GNU C++11 (first AC) · Tags: bitmasks, data structures, dfs and similar, implementation
AQT's solution

1520.
1384B2
Koa and the Beach (Hard Version) · Tutorial
Quality: 2,591 global accepts · Rating: 2200 · first AC: 2020-07-24 · GNU C++11 (first AC) · Tags: constructive algorithms, dp, greedy, implementation
AQT's solution

1521.
570D
Tree Requests · Tutorial
Quality: 9,042 global accepts · Rating: 2200 · first AC: 2020-07-21 · GNU C++11 (first AC) · Tags: binary search, bitmasks, constructive algorithms, dfs and similar, graphs, trees
AQT's solution

1522.
756C
Nikita and stack · Tutorial
Quality: 1,466 global accepts · Rating: 2200 · first AC: 2020-07-20 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

1523.
839D
Winter is here · Tutorial
Quality: 3,552 global accepts · Rating: 2200 · first AC: 2020-07-19 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, number theory
AQT's solution

1524.
979D
Kuro and GCD and XOR and SUM · Tutorial
Quality: 2,176 global accepts · Rating: 2200 · first AC: 2020-07-09 · GNU C++11 (first AC) · Tags: binary search, bitmasks, brute force, data structures, dp, dsu, greedy, math, number theory, strings, trees
AQT's solution

1525.
723E
One-Way Reform · Tutorial
Quality: 2,260 global accepts · Rating: 2200 · first AC: 2020-07-07 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, flows, graphs, greedy
AQT's solution

1526.
806C
Prairie Partition · Tutorial
Rating: 2200 · first AC: 2020-07-05 · GNU C++11 (first AC) · Tags: binary search, greedy
AQT's solution

1527.
863F
Almost Permutation · Tutorial
Quality: 1,525 global accepts · Rating: 2200 · first AC: 2020-07-01 · GNU C++11 (first AC) · Tags: flows
AQT's solution

1528.
1373E
Sum of Digits · Tutorial
Quality: 2,952 global accepts · Rating: 2200 · first AC: 2020-06-25 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, dp, greedy
AQT's solution

1529.
508E
Arthur and Brackets · Tutorial
Quality: 1,957 global accepts · Rating: 2200 · first AC: 2020-06-12 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

1530.
1328F
Make k Equal · Tutorial
Quality: 3,525 global accepts · Rating: 2200 · first AC: 2020-06-02 · GNU C++11 (first AC) · Tags: greedy
AQT's solution

1531.
1335F
Robots on a Grid · Tutorial
Quality: 2,423 global accepts · Rating: 2200 · first AC: 2020-06-02 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dsu, graphs, greedy, matrices
AQT's solution

1532.
385D
Bear and Floodlight · Tutorial
Quality: 944 global accepts · Rating: 2200 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: bitmasks, dp, geometry
AQT's solution

1533.
453C
Little Pony and Summer Sun Celebration · Tutorial
Quality: 1,742 global accepts · Rating: 2200 · first AC: 2020-05-30 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs
AQT's solution

1534.
653D
Delivery Bears · Tutorial
Quality: 2,933 global accepts · Rating: 2200 · first AC: 2020-05-23 · GNU C++11 (first AC) · Tags: binary search, flows, graphs
AQT's solution

1535.
420D
Cup Trick · Tutorial
Quality: 999 global accepts · Rating: 2200 · first AC: 2020-05-20 · C++14 (GCC 6-32) (first AC) · Tags: data structures
AQT's solution

1536.
603C
Lieges of Legendre · Tutorial
Quality: 2,060 global accepts · Rating: 2200 · first AC: 2020-05-16 · GNU C++11 (first AC) · Tags: games, math
AQT's solution

1537.
1353F
Decreasing Heights · Tutorial
Quality: 3,613 global accepts · Rating: 2200 · first AC: 2020-05-14 · GNU C++11 (first AC) · Tags: brute force, dp
AQT's solution

1538.
1303E
Erase Subsequences · Tutorial
Quality: 3,165 global accepts · Rating: 2200 · first AC: 2020-05-12 · GNU C++11 (first AC) · Tags: dp, strings
AQT's solution

1539.
1305E
Kuroni and the Score Distribution · Tutorial
Quality: 3,272 global accepts · Rating: 2200 · first AC: 2020-04-29 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation, math
AQT's solution

1540.
850C
Arpa and a game with Mojtaba · Tutorial
Quality: 1,867 global accepts · Rating: 2200 · first AC: 2020-04-24 · GNU C++11 (first AC) · Tags: bitmasks, dp, games
AQT's solution

1541.
662B
Graph Coloring · Tutorial
Quality: 1,658 global accepts · Rating: 2200 · first AC: 2020-04-24 · GNU C++11 (first AC) · Tags: dfs and similar, graphs
AQT's solution

1542.
1336C
Kaavi and Magic Spell · Tutorial
Quality: 4,085 global accepts · Rating: 2200 · first AC: 2020-04-15 · GNU C++11 (first AC) · Tags: dp, strings
AQT's solution

1543.
946E
Largest Beautiful Number · Tutorial
Quality: 1,244 global accepts · Rating: 2200 · first AC: 2020-04-14 · GNU C++11 (first AC) · Tags: greedy, implementation
AQT's solution

1544.
1338C
Perfect Triples · Tutorial
Quality: 3,440 global accepts · Rating: 2200 · first AC: 2020-04-12 · GNU C++11 (first AC) · Tags: bitmasks, brute force, constructive algorithms, divide and conquer, math
AQT's solution

1545.
377C
Captains Mode · Tutorial
Quality: 1,258 global accepts · Rating: 2200 · first AC: 2020-04-11 · GNU C++11 (first AC) · Tags: bitmasks, dp, games

AQT's solution

1546.
1334E
Divisor Paths · Tutorial
Quality: 3,179 global accepts · Rating: 2200 · first AC: 2020-04-10 · last AC: 2020-04-10 · GNU C++11 (first AC) · Tags: combinatorics, graphs, greedy, math, number theory
AQT's solution

1547.
1333F
Kate and imperfection · Tutorial
Quality: 4,573 global accepts · Rating: 2200 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: greedy, implementation, math, number theory, sortings, two pointers
AQT's solution

1548.
1039C
Network Safety · Tutorial
Quality: 1,492 global accepts · Rating: 2200 · first AC: 2020-04-08 · last AC: 2020-04-08 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs, math, sortings
AQT's solution

1549.
768D
Jon and Orbs · Tutorial
Quality: 3,424 global accepts · Rating: 2200 · first AC: 2020-03-31 · GNU C++11 (first AC) · Tags: dp, math, probabilities
AQT's solution

1550.
1327D
Infinite Path · Tutorial
Quality: 3,549 global accepts · Rating: 2200 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: brute force, dfs and similar, graphs, math, number theory
AQT's solution

1551.
1295E
Permutation Separation · Tutorial
Quality: 2,772 global accepts · Rating: 2200 · first AC: 2020-01-29 · GNU C++11 (first AC) · Tags: data structures, divide and conquer
AQT's solution

1552.
1278E
Tests for problem D · Tutorial
Quality: 2,042 global accepts · Rating: 2200 · first AC: 2020-01-23 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, divide and conquer, trees
AQT's solution

1553.
1283F
DIY Garland · Tutorial
Quality: 2,043 global accepts · Rating: 2200 · first AC: 2019-12-28 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, trees
AQT's solution

1554.
965E
Short Code · Tutorial
Quality: 1,881 global accepts · Rating: 2200 · first AC: 2019-12-20 · GNU C++11 (first AC) · Tags: data structures, dp, greedy, strings, trees
AQT's solution

1555.
366E
Dima and Magic Guitar · Tutorial
Quality: 844 global accepts · Rating: 2200 · first AC: 2019-11-25 · GNU C++11 (first AC) · Tags: brute force, implementation, math
AQT's solution

1556.
1261D1
Wrong Answer on test 233 (Easy Version) · Tutorial
Rating: 2200 · first AC: 2019-11-24 · GNU C++11 (first AC) · Tags: combinatorics, dp
AQT's solution

1557.
1261C
Arson In Berland Forest · Tutorial
Rating: 2200 · first AC: 2019-11-24 · GNU C++11 (first AC) · Tags: binary search, brute force, data structures, dfs and similar, graphs, greedy, shortest paths
AQT's solution

1558.
1253E
Antenna Coverage · Tutorial
Quality: 3,064 global accepts · Rating: 2200 · first AC: 2019-11-19 · last AC: 2019-11-19 · GNU C++11 (first AC) · Tags: data structures, dp, greedy, sortings
AQT's solution

1559.
448E
Divisors · Tutorial
Quality: 1,635 global accepts · Rating: 2200 · first AC: 2019-11-15 · GNU C++11 (first AC) · Tags: brute force, dfs and similar, implementation, number theory
AQT's solution

1560.
559C
Gerald and Giant Chess · Tutorial
Quality: 8,095 global accepts · Rating: 2200 · first AC: 2019-11-14 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, number theory
AQT's solution

1561.
567E
President and Roads · Tutorial
Quality: 2,240 global accepts · Rating: 2200 · first AC: 2019-11-09 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, hashing, shortest paths
AQT's solution

1562.
1097D
Makoto and a Blackboard · Tutorial
Quality: 3,172 global accepts · Rating: 2200 · first AC: 2019-11-02 · GNU C++11 (first AC) · Tags: dp, math, number theory, probabilities
AQT's solution

1563.
1136E
Nastya Hasn't Written a Legend · Tutorial
Quality: 1,188 global accepts · Rating: 2200 · first AC: 2019-11-02 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

1564.
1225E
Rock Is Push · Tutorial
Quality: 2,086 global accepts · Rating: 2200 · first AC: 2019-10-26 · GNU C++11 (first AC) · Tags: binary search, dp
AQT's solution

1565.
1249F
Maximum Weight Subset · Tutorial
Quality: 2,746 global accepts · Rating: 2200 · first AC: 2019-10-23 · GNU C++11 (first AC) · Tags: dp, trees
AQT's solution

1566.
1140E
Palindrome-less Arrays · Tutorial
Quality: 2,112 global accepts · Rating: 2200 · first AC: 2019-10-20 · GNU C++11 (first AC) · Tags: combinatorics, divide and conquer, dp
AQT's solution

1567.
627C
Package Delivery · Tutorial
Quality: 1,313 global accepts · Rating: 2200 · first AC: 2019-10-11 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, greedy
AQT's solution

1568.
1231E
Middle-Out · Tutorial
Quality: 932 global accepts · Rating: 2200 · first AC: 2019-10-11 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, strings
AQT's solution

1569.
1238E
Keyboard Purchase · Tutorial
Quality: 3,461 global accepts · Rating: 2200 · first AC: 2019-10-09 · GNU C++11 (first AC) · Tags: bitmasks, dp
AQT's solution

1570.
1238F
The Maximum Subtree · Tutorial
Quality: 2,060 global accepts · Rating: 2200 · first AC: 2019-10-09 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graphs, trees
AQT's solution

1571.
804C
Ice cream coloring · Tutorial
Quality: 1,931 global accepts · Rating: 2200 · first AC: 2019-10-05 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, greedy
AQT's solution

1572.
1234F
Yet Another Substring Reverse · Tutorial
Quality: 2,973 global accepts · Rating: 2200 · first AC: 2019-10-01 · GNU C++11 (first AC) · Tags: bitmasks, dp
AQT's solution

1573.
1157G
Inverse of Rows and Columns · Tutorial
Quality: 1,009 global accepts · Rating: 2200 · first AC: 2019-09-24 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms
AQT's solution

1574.
1216E2
Numerical Sequence (hard version) · Tutorial
Quality: 1,652 global accepts · Rating: 2200 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: binary search, math
AQT's solution

1575.
1220E
Tourism · Tutorial
Quality: 3,004 global accepts · Rating: 2200 · first AC: 2019-09-18 · GNU C++11 (first AC) · Tags: dfs and similar, dp, dsu, graphs, greedy, trees
AQT's solution

1576.
628D
Magic Numbers · Tutorial
Quality: 8,281 global accepts · Rating: 2200 · first AC: 2019-09-07 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1577.
894D
Ralph And His Tour in Binary Country · Tutorial
Quality: 1,204 global accepts · Rating: 2200 · first AC: 2019-09-02 · GNU C++11 (first AC) · Tags: brute force, data structures, trees
AQT's solution

1578.
622E
Ants in Leaves · Tutorial
Quality: 2,455 global accepts · Rating: 2200 · first AC: 2019-09-01 · GNU C++11 (first AC) · Tags: dfs and similar, greedy, sortings, trees
AQT's solution

1579.
616E
Sum of Remainders · Tutorial
Quality: 3,500 global accepts · Rating: 2200 · first AC: 2019-09-01 · GNU C++11 (first AC) · Tags: implementation, math, number theory
AQT's solution

1580.
620D
Professor GukiZ and Two Arrays · Tutorial
Quality: 2,000 global accepts · Rating: 2200 · first AC: 2019-08-30 · GNU C++11 (first AC) · Tags: binary search, two pointers
AQT's solution

1581.
762E
Radio stations · Tutorial
Quality: 1,644 global accepts · Rating: 2200 · first AC: 2019-08-29 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

1582.
1208E
Let Them Slide · Tutorial
Quality: 2,183 global accepts · Rating: 2200 · first AC: 2019-08-25 · GNU C++11 (first AC) · Tags: data structures, implementation
AQT's solution

1583.
1158B
The minimal unique substring · Tutorial
Quality: 2,383 global accepts · Rating: 2200 · first AC: 2019-08-17 · GNU C++11 (first AC) · Tags: constructive algorithms, math, strings
AQT's solution

1584.
1034B
Little C Loves 3 II · Tutorial
Quality: 2,290 global accepts · Rating: 2200 · first AC: 2019-08-17 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, flows, graph matchings
AQT's solution

1585.
980E
The Number Games · Tutorial
Quality: 2,117 global accepts · Rating: 2200 · first AC: 2019-08-09 · GNU C++11 (first AC) · Tags: data structures, greedy, trees
AQT's solution

1586.
1178F1
Short Colorful Strip · Tutorial
Quality: 2,286 global accepts · Rating: 2200 · first AC: 2019-07-20 · GNU C++11 (first AC) · Tags: combinatorics, dfs and similar, dp
AQT's solution

1587.
1194E
Count The Rectangles · Tutorial
Quality: 2,057 global accepts · Rating: 2200 · first AC: 2019-07-14 · GNU C++11 (first AC) · Tags: bitmasks, brute force, data structures, geometry, sortings

AQT's solution

1588.
1117E
Decypher the String · Tutorial
Quality: 1,641 global accepts · Rating: 2200 · first AC: 2019-07-10 · GNU C++11 (first AC) · Tags: bitmasks, chinese remainder theorem, constructive algorithms, interactive, math
AQT's solution

1589.
915D
Almost Acyclic Graph · Tutorial
Quality: 4,056 global accepts · Rating: 2200 · first AC: 2019-06-30 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs
AQT's solution

1590.
1110D
Jongmah · Tutorial
Quality: 3,997 global accepts · Rating: 2200 · first AC: 2019-06-23 · C++14 (GCC 6-32) (first AC) · Tags: dp
AQT's solution

1591.
1037E
Trips · Tutorial
Quality: 3,124 global accepts · Rating: 2200 · first AC: 2019-06-22 · C++14 (GCC 6-32) (first AC) · Tags: graphs
AQT's solution

1592.
1179C
Serge and Dining Room · Tutorial
Quality: 2,459 global accepts · Rating: 2200 · first AC: 2019-06-21 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, graph matchings, greedy, implementation, math, trees
AQT's solution

1593.
549C
The Game Of Parity · Tutorial
Quality: 1,827 global accepts · Rating: 2200 · first AC: 2019-06-17 · C++14 (GCC 6-32) (first AC) · Tags: games
AQT's solution

1594.
1181D
Irrigation · Tutorial
Quality: 2,805 global accepts · Rating: 2200 · first AC: 2019-06-17 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, implementation, sortings, trees, two pointers
AQT's solution

1595.
903F
Clear The Matrix · Tutorial
Quality: 772 global accepts · Rating: 2200 · first AC: 2019-06-13 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dp
AQT's solution

1596.
1154G
Minimum Possible LCM · Tutorial
Quality: 3,258 global accepts · Rating: 2200 · first AC: 2019-06-11 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, math, number theory
AQT's solution

1597.
1175E
Minimal Segment Cover · Tutorial
Quality: 4,540 global accepts · Rating: 2200 · first AC: 2019-06-05 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dfs and similar, divide and conquer, dp, greedy, implementation, trees
AQT's solution

1598.
1110E
Magic Stones · Tutorial
Quality: 4,720 global accepts · Rating: 2200 · first AC: 2019-05-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math, sortings
AQT's solution

1599.
1169E
And Reachability · Tutorial
Rating: 2200 · first AC: 2019-05-26 · C++14 (GCC 6-32) (first AC) · Tags: dp
AQT's solution

1600.
962E
Byteland, Berland and Disputed Cities · Tutorial
Quality: 1,141 global accepts · Rating: 2200 · first AC: 2019-05-21 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
AQT's solution

1601.
691F
Couple Cover · Tutorial
Quality: 1,437 global accepts · Rating: 2200 · first AC: 2019-05-08 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, number theory
AQT's solution

1602.
920G
List Of Integers · Tutorial
Quality: 1,998 global accepts · Rating: 2200 · first AC: 2019-05-05 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, brute force, combinatorics, math, number theory
AQT's solution

1603.
1149B
Three Religions · Tutorial
Quality: 2,045 global accepts · Rating: 2200 · first AC: 2019-05-03 · C++17 (GCC 7-32) (first AC) · Tags: dp, implementation, strings
AQT's solution

1604.
1156D
0-1-Tree · Tutorial
Quality: 4,667 global accepts · Rating: 2200 · first AC: 2019-05-01 · last AC: 2019-05-01 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, divide and conquer, dp, dsu, trees
AQT's solution

1605.
1156E
Special Segments of Permutation · Tutorial
Quality: 4,032 global accepts · Rating: 2200 · first AC: 2019-05-01 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, dsu, two pointers
AQT's solution

1606.
981E
Addition on Segments · Tutorial
Quality: 2,536 global accepts · Rating: 2200 · first AC: 2019-04-20 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, data structures, divide and conquer, dp
AQT's solution

1607.
875D
High Cry · Tutorial
Quality: 2,495 global accepts · Rating: 2200 · first AC: 2019-04-20 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, combinatorics, data structures, divide and conquer
AQT's solution

1608.
1153E
Serval and Snake · Tutorial
Quality: 1,756 global accepts · Rating: 2200 · first AC: 2019-04-14 · last AC: 2019-04-14 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, interactive
AQT's solution

1609.
279D
The Minimum Number of Variables · Tutorial
Quality: 856 global accepts · Rating: 2200 · first AC: 2019-04-07 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, dp
AQT's solution

1610.
922E
Birds · Tutorial
Quality: 2,462 global accepts · Rating: 2200 · first AC: 2019-03-20 · C++17 (GCC 7-32) (first AC) · Tags: dp
AQT's solution

1611.
743E
Vladik and cards · Tutorial
Quality: 1,629 global accepts · Rating: 2200 · first AC: 2019-03-10 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, brute force, dp
AQT's solution

1612.
165E
Compatible Numbers · Tutorial
Quality: 9,385 global accepts · Rating: 2200 · first AC: 2019-03-01 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp
AQT's solution

1613.
876F
High Cry · Tutorial
Rating: 2200 · first AC: 2019-02-13 · C++14 (GCC 6-32) (first AC) · Tags: binary search, combinatorics, data structures
AQT's solution

1614.
1114E
Arithmetic Progression · Tutorial
Quality: 3,191 global accepts · Rating: 2200 · first AC: 2019-02-10 · Java 8 (first AC) · Tags: binary search, interactive, number theory, probabilities
AQT's solution

1615.
1105E
Helping Hiasat · Tutorial
Quality: 1,915 global accepts · Rating: 2200 · first AC: 2019-01-20 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, dp, meet-in-the-middle
AQT's solution

1616.
1100E
Andrew and Taxi · Tutorial
Quality: 2,630 global accepts · Rating: 2200 · first AC: 2019-01-13 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dfs and similar, graphs
AQT's solution

1617.
505D
Mr. Kitayuta's Technology · Tutorial
Quality: 2,930 global accepts · Rating: 2200 · first AC: 2018-09-24 · Java 8 (first AC) · Tags: dfs and similar
AQT's solution

1618.
369E
Valera and Queries · Tutorial
Quality: 2,782 global accepts · Rating: 2200 · first AC: 2018-09-19 · Java 8 (first AC) · Tags: binary search, data structures
AQT's solution

1619.
461C
Appleman and a Sheet of Paper · Tutorial
Quality: 1,393 global accepts · Rating: 2200 · first AC: 2018-09-19 · Java 8 (first AC) · Tags: data structures, implementation
AQT's solution

1620.
833B
The Bakery · Tutorial
Quality: 6,497 global accepts · Rating: 2200 · first AC: 2018-08-28 · Java 8 (first AC) · Tags: binary search, data structures, divide and conquer, dp, two pointers
AQT's solution

1621.
813E
Army Creation · Tutorial
Quality: 3,115 global accepts · Rating: 2200 · first AC: 2018-08-22 · Java 8 (first AC) · Tags: binary search, data structures
AQT's solution

1622.
903D
Almost Difference · Tutorial
Quality: 4,475 global accepts · Rating: 2200 · first AC: 2018-07-20 · Java 8 (first AC) · Tags: data structures, math
AQT's solution

1623.
52C
Circular RMQ · Tutorial
Quality: 11,249 global accepts · Rating: 2200 · first AC: 2018-07-19 · Java 8 (first AC) · Tags: data structures
AQT's solution

1624.
551C
GukiZ hates Boxes · Tutorial
Quality: 3,988 global accepts · Rating: 2200 · first AC: 2018-07-17 · Java 8 (first AC) · Tags: binary search, greedy
AQT's solution

1625.
86D
Powerful array · Tutorial
Quality: 16,876 global accepts · Rating: 2200 · first AC: 2018-06-23 · Java 8 (first AC) · Tags: data structures, implementation, math, two pointers
AQT's solution

1626.
617E
XOR and Favorite Number · Tutorial
Quality: 10,614 global accepts · Rating: 2200 · first AC: 2018-05-26 · Java 8 (first AC) · Tags: data structures
AQT's solution

1627.
1942E
Farm Game · Tutorial
Quality: 1,957 global accepts · Rating: 2300 · first AC: 2024-04-01 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, games
AQT's solution

1628.
1949G
Scooter · Tutorial
Quality: 1,041 global accepts · Rating: 2300 · first AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: graphs, greedy

AQT's solution

1629.
1864F
Exotic Queries · Tutorial
Quality: 1,639 global accepts · Rating: 2300 · first AC: 2023-08-31 · C++20 (GCC 11-64) (first AC) · Tags: data structures, implementation, sortings
AQT's solution

1630.
1824B2
LuoTianyi and the Floating Islands (Hard Version) · Tutorial
Quality: 3,361 global accepts · Rating: 2300 · first AC: 2023-07-07 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dfs and similar, math, probabilities, trees
AQT's solution

1631.
1798E
Multitest Generator · Tutorial
Quality: 2,062 global accepts · Rating: 2300 · first AC: 2023-04-07 · C++20 (GCC 11-64) (first AC) · Tags: brute force, dp
AQT's solution

1632.
1654E
Arithmetic Operations · Tutorial
Quality: 2,359 global accepts · Rating: 2300 · first AC: 2023-02-06 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, graphs, math
AQT's solution

1633.
487C
Prefix Product Sequence · Tutorial
Quality: 3,080 global accepts · Rating: 2300 · first AC: 2021-08-03 · GNU C++11 (first AC) · Tags: constructive algorithms, math, number theory
AQT's solution

1634.
1548D1
Gregor and the Odd Cows (Easy) · Tutorial
Quality: 1,623 global accepts · Rating: 2300 · first AC: 2021-08-01 · GNU C++11 (first AC) · Tags: bitmasks, geometry, math, number theory
AQT's solution

1635.
1552E
Colors and Intervals · Tutorial
Quality: 2,125 global accepts · Rating: 2300 · first AC: 2021-07-25 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy, sortings
AQT's solution

1636.
1553F
Pairwise Modulo · Tutorial
Quality: 2,518 global accepts · Rating: 2300 · first AC: 2021-07-23 · GNU C++11 (first AC) · Tags: data structures, math
AQT's solution

1637.
1450C2
Errich-Tac-Toe (Hard Version) · Tutorial
Quality: 4,178 global accepts · Rating: 2300 · first AC: 2020-12-06 · last AC: 2021-07-17 · GNU C++11 (first AC) · Tags: constructive algorithms, math
AQT's solution

1638.
1540B
Tree Array · Tutorial
Quality: 2,989 global accepts · Rating: 2300 · first AC: 2021-06-25 · GNU C++11 (first AC) · Tags: brute force, combinatorics, dp, graphs, math, probabilities, trees

AQT's solution

1639.
1534E
Lost Array · Tutorial
Quality: 2,078 global accepts · Rating: 2300 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: graphs, greedy, interactive, shortest paths
AQT's solution

1640.
1536E
Omkar and Forest · Tutorial
Quality: 2,734 global accepts · Rating: 2300 · first AC: 2021-06-06 · GNU C++11 (first AC) · Tags: combinatorics, graphs, math, shortest paths
AQT's solution

1641.
1528C
Trees of Tranquillity · Tutorial
Quality: 2,952 global accepts · Rating: 2300 · first AC: 2021-05-24 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dfs and similar, greedy, trees
AQT's solution

1642.
1495C
Garden of the Sun · Tutorial
Quality: 2,905 global accepts · Rating: 2300 · first AC: 2021-03-10 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs
AQT's solution

1643.
1464C
Poman Numbers · Tutorial
Rating: 2300 · first AC: 2020-12-29 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy, math
AQT's solution

1644.
1453E
Dog Snacks · Tutorial
Quality: 2,225 global accepts · Rating: 2300 · first AC: 2020-12-11 · GNU C++11 (first AC) · Tags: binary search, dfs and similar, dp, greedy, trees
AQT's solution

1645.
812E
Sagheer and Apple Tree · Tutorial
Quality: 1,326 global accepts · Rating: 2300 · first AC: 2020-11-22 · GNU C++11 (first AC) · Tags: games, trees
AQT's solution

1646.
936C
Lock Puzzle · Tutorial
Quality: 1,259 global accepts · Rating: 2300 · first AC: 2020-10-11 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation, strings
AQT's solution

1647.
1422D
Returning Home · Tutorial
Quality: 3,191 global accepts · Rating: 2300 · first AC: 2020-10-04 · GNU C++11 (first AC) · Tags: graphs, shortest paths, sortings
AQT's solution

1648.
1139D
Steps to One · Tutorial
Quality: 2,702 global accepts · Rating: 2300 · first AC: 2020-10-02 · GNU C++11 (first AC) · Tags: dp, math, number theory, probabilities
AQT's solution

1649.
1408F
Two Different · Tutorial
Quality: 2,681 global accepts · Rating: 2300 · first AC: 2020-09-30 · last AC: 2020-09-30 · GNU C++11 (first AC) · Tags: constructive algorithms, divide and conquer
AQT's solution

1650.
935E
Fafa and Ancient Mathematics · Tutorial
Quality: 979 global accepts · Rating: 2300 · first AC: 2020-09-27 · GNU C++11 (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

1651.
901C
Bipartite Segments · Tutorial
Quality: 1,298 global accepts · Rating: 2300 · first AC: 2020-09-10 · GNU C++11 (first AC) · Tags: binary search, data structures, dfs and similar, dsu, graphs, two pointers
AQT's solution

1652.
123D
String · Tutorial
Quality: 1,431 global accepts · Rating: 2300 · first AC: 2020-09-08 · GNU C++11 (first AC) · Tags: string suffix structures
AQT's solution

1653.
1404C
Fixed Point Removal · Tutorial
Quality: 3,050 global accepts · Rating: 2300 · first AC: 2020-09-06 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, greedy, two pointers
AQT's solution

1654.
1379D
New Passenger Trams · Tutorial
Quality: 1,150 global accepts · Rating: 2300 · first AC: 2020-09-02 · last AC: 2020-09-02 · GNU C++11 (first AC) · Tags: binary search, brute force, data structures, sortings, two pointers
AQT's solution

1655.
1396C
Monster Invaders · Tutorial
Quality: 2,784 global accepts · Rating: 2300 · first AC: 2020-08-31 · GNU C++11 (first AC) · Tags: dp, greedy, implementation
AQT's solution

1656.
1065E
Side Transmutations · Tutorial
Quality: 1,294 global accepts · Rating: 2300 · first AC: 2020-08-29 · GNU C++11 (first AC) · Tags: combinatorics, strings
AQT's solution

1657.
1385F
Removing Leaves · Tutorial
Quality: 2,821 global accepts · Rating: 2300 · first AC: 2020-08-29 · GNU C++11 (first AC) · Tags: data structures, greedy, implementation, trees
AQT's solution

1658.
1015F
Bracket Substring · Tutorial
Quality: 1,477 global accepts · Rating: 2300 · first AC: 2020-08-26 · GNU C++11 (first AC) · Tags: dp, strings
AQT's solution

1659.
1239C
Queue in the Train · Tutorial
Quality: 1,810 global accepts · Rating: 2300 · first AC: 2020-08-26 · GNU C++11 (first AC) · Tags: data structures, greedy, implementation
AQT's solution

1660.
985F
Isomorphic Strings · Tutorial
Quality: 2,168 global accepts · Rating: 2300 · first AC: 2020-08-23 · last AC: 2020-08-23 · GNU C++11 (first AC) · Tags: hashing, strings
AQT's solution

1661.
1385G
Columns Swaps · Tutorial
Quality: 1,818 global accepts · Rating: 2300 · first AC: 2020-08-23 · GNU C++11 (first AC) · Tags: 2-sat, dfs and similar, dsu, graphs, implementation
AQT's solution

1662.
509F
Progress Monitoring · Tutorial
Quality: 1,183 global accepts · Rating: 2300 · first AC: 2020-08-23 · GNU C++11 (first AC) · Tags: dp, trees
AQT's solution

1663.
403D
Beautiful Pairs of Numbers · Tutorial
Quality: 1,234 global accepts · Rating: 2300 · first AC: 2020-08-16 · GNU C++11 (first AC) · Tags: combinatorics, dp
AQT's solution

1664.
873E
Awards For Contestants · Tutorial
Quality: 793 global accepts · Rating: 2300 · first AC: 2020-08-15 · GNU C++11 (first AC) · Tags: brute force, data structures, dp
AQT's solution

1665.
160D
Edges in MST · Tutorial
Quality: 3,350 global accepts · Rating: 2300 · first AC: 2020-08-13 · last AC: 2020-08-13 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs, sortings
AQT's solution

1666.
1394B
Boboniu Walks on Graph · Tutorial
Quality: 2,146 global accepts · Rating: 2300 · first AC: 2020-08-12 · GNU C++11 (first AC) · Tags: brute force, dfs and similar, graphs, hashing
AQT's solution

1667.
727E
Games on a CD · Tutorial
Quality: 1,553 global accepts · Rating: 2300 · first AC: 2020-08-12 · GNU C++11 (first AC) · Tags: data structures, hashing, string suffix structures, strings
AQT's solution

1668.
467E
Alex and Complicated Task · Tutorial
Quality: 852 global accepts · Rating: 2300 · first AC: 2020-08-08 · GNU C++11 (first AC) · Tags: data structures, dp, greedy
AQT's solution

1669.
1085E
Vasya and Templates · Tutorial

Quality: 1,122 global accepts · Rating: 2300 · first AC: 2020-08-07 · GNU C++11 (first AC) · Tags: greedy, implementation, strings
AQT's solution

1670.
1399F
Yet Another Segments Subset · Tutorial
Quality: 1,869 global accepts · Rating: 2300 · first AC: 2020-08-06 · GNU C++11 (first AC) · Tags: data structures, dp, graphs, sortings
AQT's solution

1671.
1254C
Point Ordering · Tutorial
Quality: 1,596 global accepts · Rating: 2300 · first AC: 2020-08-06 · GNU C++11 (first AC) · Tags: constructive algorithms, geometry, interactive, math
AQT's solution

1672.
846E
Chemistry in Berland · Tutorial
Quality: 1,028 global accepts · Rating: 2300 · first AC: 2020-08-04 · GNU C++11 (first AC) · Tags: dfs and similar, greedy, trees
AQT's solution

1673.
659G
Fence Divercity · Tutorial
Quality: 1,317 global accepts · Rating: 2300 · first AC: 2020-08-03 · GNU C++11 (first AC) · Tags: combinatorics, dp, number theory
AQT's solution

1674.
713C
Sonya and Problem Wihtout a Legend · Tutorial
Quality: 6,534 global accepts · Rating: 2300 · first AC: 2020-07-28 · GNU C++11 (first AC) · Tags: dp, sortings
AQT's solution

1675.
573C
Bear and Drawing · Tutorial
Quality: 1,040 global accepts · Rating: 2300 · first AC: 2020-07-21 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, trees
AQT's solution

1676.
1380E
Merging Towers · Tutorial
Quality: 2,409 global accepts · Rating: 2300 · first AC: 2020-07-12 · GNU C++11 (first AC) · Tags: data structures, dsu, implementation, trees
AQT's solution

1677.
277B
Set of Points · Tutorial
Quality: 847 global accepts · Rating: 2300 · first AC: 2020-07-08 · GNU C++11 (first AC) · Tags: constructive algorithms, geometry
AQT's solution

1678.
723F
st-Spanning Tree · Tutorial
Quality: 1,752 global accepts · Rating: 2300 · first AC: 2020-07-07 · GNU C++11 (first AC) · Tags: dsu, graphs, greedy, implementation
AQT's solution

1679.
660E
Different Subsets For All Tuples · Tutorial
Quality: 1,957 global accepts · Rating: 2300 · first AC: 2020-07-03 · GNU C++11 (first AC) · Tags: combinatorics, math
AQT's solution

1680.
489E
Hiking · Tutorial

Quality: 1,147 global accepts · Rating: 2300 · first AC: 2020-07-03 · last AC: 2020-07-03 · GNU C++11 (first AC) · Tags: binary search, dp
AQT's solution

1681.
1371E2
Asterism (Hard Version) · Tutorial
Quality: 2,513 global accepts · Rating: 2300 · first AC: 2020-07-01 · GNU C++11 (first AC) · Tags: binary search, combinatorics, dp, math, number theory, sortings
AQT's solution

1682.
451E
Devu and Flowers · Tutorial
Quality: 4,543 global accepts · Rating: 2300 · first AC: 2020-06-30 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, number theory
AQT's solution

1683.
405E
Graph Cutting · Tutorial
Quality: 1,602 global accepts · Rating: 2300 · first AC: 2020-06-26 · GNU C++11 (first AC) · Tags: dfs and similar, graphs
AQT's solution

1684.
895E
Eyes Closed · Tutorial
Quality: 1,268 global accepts · Rating: 2300 · first AC: 2020-06-16 · last AC: 2020-06-16 · GNU C++11 (first AC) · Tags: data structures, probabilities
AQT's solution

1685.
1197E
Culture Code · Tutorial
Quality: 1,852 global accepts · Rating: 2300 · first AC: 2020-06-10 · GNU C++11 (first AC) · Tags: binary search, combinatorics, data structures, dp, shortest paths, sortings
AQT's solution

1686.
808E
Selling Souvenirs · Tutorial
Quality: 2,191 global accepts · Rating: 2300 · first AC: 2020-06-10 · GNU C++11 (first AC) · Tags: binary search, dp, greedy, ternary search
AQT's solution

1687.
510E
Fox And Dinner · Tutorial
Quality: 2,423 global accepts · Rating: 2300 · first AC: 2020-06-08 · C++17 (GCC 7-32) (first AC) · Tags: flows
AQT's solution

1688.
327E
Axis Walking · Tutorial
Quality: 1,583 global accepts · Rating: 2300 · first AC: 2020-06-08 · last AC: 2020-06-08 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, constructive algorithms, dp, meet-in-the-middle
AQT's solution

1689.
1316E
Team Building · Tutorial
Quality: 5,372 global accepts · Rating: 2300 · first AC: 2020-06-02 · GNU C++11 (first AC) · Tags: bitmasks, dp, greedy, sortings
AQT's solution

1690.
1039A
Timetable · Tutorial
Quality: 861 global accepts · Rating: 2300 · first AC: 2020-05-28 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy, math

AQT's solution

1691.
793C
Mice problem · Tutorial
Quality: 1,356 global accepts · Rating: 2300 · first AC: 2020-05-25 · GNU C++11 (first AC) · Tags: geometry, implementation, math, sortings
AQT's solution

1692.
1198D
Rectangle Painting 1 · Tutorial
Quality: 3,744 global accepts · Rating: 2300 · first AC: 2020-05-23 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1693.
601C
Kleofáš and the n-thlon · Tutorial
Quality: 1,420 global accepts · Rating: 2300 · first AC: 2020-05-14 · GNU C++11 (first AC) · Tags: dp, math, probabilities
AQT's solution

1694.
1322C
Instant Noodles · Tutorial
Quality: 2,704 global accepts · Rating: 2300 · first AC: 2020-05-13 · GNU C++11 (first AC) · Tags: graphs, hashing, math, number theory
AQT's solution

1695.
856B
Similar Words · Tutorial
Quality: 619 global accepts · Rating: 2300 · first AC: 2020-05-07 · C++14 (GCC 6-32) (first AC) · Tags: dp, hashing, strings, trees
AQT's solution

1696.
1342E
Placing Rooks · Tutorial
Quality: 3,558 global accepts · Rating: 2300 · first AC: 2020-04-27 · GNU C++11 (first AC) · Tags: combinatorics, fft, math
AQT's solution

1697.
317D
Game with Powers · Tutorial
Quality: 1,257 global accepts · Rating: 2300 · first AC: 2020-04-22 · GNU C++11 (first AC) · Tags: dp, games
AQT's solution

1698.
1245F
Daniel and Spring Cleaning · Tutorial
Quality: 2,264 global accepts · Rating: 2300 · first AC: 2020-04-02 · GNU C++11 (first AC) · Tags: bitmasks, brute force, combinatorics, dp
AQT's solution

1699.
768F
Barrels and boxes · Tutorial
Quality: 1,129 global accepts · Rating: 2300 · first AC: 2020-03-31 · GNU C++11 (first AC) · Tags: brute force, combinatorics, math, number theory, probabilities
AQT's solution

1700.
628E
Zbazi in Zeydabad · Tutorial
Quality: 1,086 global accepts · Rating: 2300 · first AC: 2020-03-24 · last AC: 2020-03-24 · GNU C++11 (first AC) · Tags: data structures, implementation
AQT's solution

1701.
845G
Shortest Path Problem? · Tutorial

Quality: 2,162 global accepts · Rating: 2300 · first AC: 2020-03-24 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, math
AQT's solution

1702.
1096F
Inversion Expectation · Tutorial
Quality: 2,060 global accepts · Rating: 2300 · first AC: 2020-03-17 · GNU C++11 (first AC) · Tags: dp, math, probabilities
AQT's solution

1703.
891C
Envy · Tutorial
Quality: 3,006 global accepts · Rating: 2300 · first AC: 2020-03-16 · GNU C++11 (first AC) · Tags: data structures, dsu, graphs
AQT's solution

1704.
1101G
(Zero XOR Subset)-less · Tutorial
Quality: 2,208 global accepts · Rating: 2300 · first AC: 2020-03-16 · GNU C++11 (first AC) · Tags: math, matrices
AQT's solution

1705.
1314D
Tourism · Tutorial
Rating: 2300 · first AC: 2020-02-23 · last AC: 2020-02-23 · GNU C++11 (first AC) · Tags: brute force, dp, graphs, probabilities
AQT's solution

1706.
1292C
Xenon's Attack on the Gangs · Tutorial
Quality: 2,252 global accepts · Rating: 2300 · first AC: 2020-01-19 · last AC: 2020-01-19 · GNU C++11 (first AC) · Tags: combinatorics, dfs and similar, dp, greedy, trees
AQT's solution

1707.
1270E
Divide Points · Tutorial
Quality: 2,746 global accepts · Rating: 2300 · first AC: 2019-12-30 · GNU C++11 (first AC) · Tags: constructive algorithms, geometry, math
AQT's solution

1708.
1073E
Segment Sum · Tutorial
Quality: 3,574 global accepts · Rating: 2300 · first AC: 2019-12-27 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, dp, math
AQT's solution

1709.
1282D
Enchanted Artifact · Tutorial
Quality: 2,375 global accepts · Rating: 2300 · first AC: 2019-12-24 · GNU C++11 (first AC) · Tags: constructive algorithms, interactive, strings
AQT's solution

1710.
1268C
K Integers · Tutorial
Quality: 1,953 global accepts · Rating: 2300 · first AC: 2019-12-23 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

1711.
708C
Centroids · Tutorial
Quality: 4,361 global accepts · Rating: 2300 · first AC: 2019-12-19 · last AC: 2019-12-19 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp, graphs, greedy, trees
AQT's solution

1712.
1276C
Beautiful Rectangle · Tutorial
Quality: 1,788 global accepts · Rating: 2300 · first AC: 2019-12-15 · GNU C++11 (first AC) · Tags: brute force, combinatorics, constructive algorithms, data structures, greedy, math
AQT's solution

1713.
623B
Array GCD · Tutorial
Quality: 2,370 global accepts · Rating: 2300 · first AC: 2019-11-30 · GNU C++11 (first AC) · Tags: dp, greedy, number theory
AQT's solution

1714.
596D
Wilbur and Trees · Tutorial
Quality: 729 global accepts · Rating: 2300 · first AC: 2019-11-27 · last AC: 2019-11-27 · GNU C++11 (first AC) · Tags: dp, math, probabilities, sortings
AQT's solution

1715.
515E
Drazil and Park · Tutorial
Quality: 2,434 global accepts · Rating: 2300 · first AC: 2019-11-16 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

1716.
460D
Little Victor and Set · Tutorial
Quality: 1,036 global accepts · Rating: 2300 · first AC: 2019-11-15 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, math
AQT's solution

1717.
830C
Bamboo Partition · Tutorial
Quality: 1,312 global accepts · Rating: 2300 · first AC: 2019-11-09 · GNU C++11 (first AC) · Tags: brute force, data structures, implementation, math, number theory, sortings, two pointers
AQT's solution

1718.
888G
Xor-MST · Tutorial
Quality: 5,859 global accepts · Rating: 2300 · first AC: 2019-11-08 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, data structures
AQT's solution

1719.
1251E1
Voting (Easy Version) · Tutorial
Quality: 2,587 global accepts · Rating: 2300 · first AC: 2019-10-24 · GNU C++11 (first AC) · Tags: data structures, dp, greedy
AQT's solution

1720.
1042E
Vasya and Magic Matrix · Tutorial
Quality: 2,081 global accepts · Rating: 2300 · first AC: 2019-10-21 · GNU C++11 (first AC) · Tags: dp, math, probabilities
AQT's solution

1721.
1236D
Alice and the Doll · Tutorial
Quality: 1,738 global accepts · Rating: 2300 · first AC: 2019-10-17 · last AC: 2019-10-17 · GNU C++11 (first AC) · Tags: brute force, data structures, greedy, implementation
AQT's solution

1722.
1244F
Chips · Tutorial
Quality: 1,633 global accepts · Rating: 2300 · first AC: 2019-10-13 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
AQT's solution

1723.
817F
MEX Queries · Tutorial
Quality: 3,362 global accepts · Rating: 2300 · first AC: 2019-10-09 · GNU C++11 (first AC) · Tags: binary search, data structures, trees
AQT's solution

1724.
1228E
Another Filling the Grid · Tutorial
Quality: 3,453 global accepts · Rating: 2300 · first AC: 2019-10-08 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1725.
838E
Convex Countour · Tutorial
Quality: 413 global accepts · Rating: 2300 · first AC: 2019-10-02 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1726.
1062E
Company · Tutorial
Quality: 2,073 global accepts · Rating: 2300 · first AC: 2019-09-27 · GNU C++11 (first AC) · Tags: binary search, data structures, dfs and similar, greedy, trees
AQT's solution

1727.
1217E
Sum Queries? · Tutorial
Quality: 2,062 global accepts · Rating: 2300 · first AC: 2019-09-06 · last AC: 2019-09-14 · GNU C++11 (first AC) · Tags: data structures, greedy, implementation, math
AQT's solution

1728.
938E
Max History · Tutorial
Quality: 1,557 global accepts · Rating: 2300 · first AC: 2019-09-13 · GNU C++11 (first AC) · Tags: combinatorics, math
AQT's solution

1729.
877F
Ann and Books · Tutorial
Quality: 2,334 global accepts · Rating: 2300 · first AC: 2019-09-04 · GNU C++11 (first AC) · Tags: data structures, flows, hashing
AQT's solution

1730.
762D
Maximum path · Tutorial
Quality: 1,810 global accepts · Rating: 2300 · first AC: 2019-08-28 · GNU C++11 (first AC) · Tags: dp, greedy, implementation
AQT's solution

1731.
1131E
String Multiplication · Tutorial
Quality: 1,262 global accepts · Rating: 2300 · first AC: 2019-08-28 · GNU C++11 (first AC) · Tags: dp, greedy, strings
AQT's solution

1732.
727F
Polycarp's problems · Tutorial
Quality: 957 global accepts · Rating: 2300 · first AC: 2019-08-21 · GNU C++11 (first AC) · Tags: binary search, dp, greedy

AQT's solution

1733.
1200F
Graph Traveler · Tutorial
Quality: 1,163 global accepts · Rating: 2300 · first AC: 2019-08-11 · GNU C++11 (first AC) · Tags: brute force, data structures, dfs and similar, dp, graphs, implementation, math, number theory
AQT's solution

1734.
960E
Alternating Tree · Tutorial
Quality: 2,271 global accepts · Rating: 2300 · first AC: 2019-07-21 · GNU C++11 (first AC) · Tags: combinatorics, dfs and similar, divide and conquer, dp, probabilities, trees
AQT's solution

1735.
1191E
Tokitsukaze and Duel · Tutorial
Rating: 2300 · first AC: 2019-07-12 · GNU C++11 (first AC) · Tags: brute force, games, greedy
AQT's solution

1736.
1151F
Sonya and Informatics · Tutorial
Quality: 1,457 global accepts · Rating: 2300 · first AC: 2019-07-10 · GNU C++11 (first AC) · Tags: combinatorics, dp, matrices, probabilities
AQT's solution

1737.
1188B
Count Pairs · Tutorial
Quality: 5,169 global accepts · Rating: 2300 · first AC: 2019-07-05 · C++14 (GCC 6-32) (first AC) · Tags: math, matrices, number theory, two pointers
AQT's solution

1738.
1132D
Stressful Training · Tutorial
Quality: 2,265 global accepts · Rating: 2300 · first AC: 2019-06-29 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy
AQT's solution

1739.
677D
Vanya and Treasure · Tutorial
Quality: 1,958 global accepts · Rating: 2300 · first AC: 2019-06-11 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, graphs, shortest paths
AQT's solution

1740.
915G
Coprime Arrays · Tutorial
Quality: 1,454 global accepts · Rating: 2300 · first AC: 2019-06-04 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory
AQT's solution

1741.
1148E
Earth Wind and Fire · Tutorial
Quality: 1,824 global accepts · Rating: 2300 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings, two pointers
AQT's solution

1742.
547C
Mike and Foam · Tutorial
Quality: 3,401 global accepts · Rating: 2300 · first AC: 2019-04-05 · last AC: 2019-06-01 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, dp, math, number theory

AQT's solution

1743.
825E
Minimal Labels · Tutorial
Quality: 4,309 global accepts · Rating: 2300 · first AC: 2018-11-18 · last AC: 2019-05-30 · Java 8 (first AC) · Tags: data structures, dfs and similar, graphs, greedy
AQT's solution

1744.
786B
Legacy · Tutorial
Quality: 8,020 global accepts · Rating: 2300 · first AC: 2019-05-28 · C++14 (GCC 6-32) (first AC) · Tags: data structures, graphs, shortest paths
AQT's solution

1745.
915E
Physical Education Lessons · Tutorial
Quality: 5,569 global accepts · Rating: 2300 · first AC: 2019-05-23 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation, sortings
AQT's solution

1746.
1009F
Dominant Indices · Tutorial
Quality: 7,753 global accepts · Rating: 2300 · first AC: 2019-05-22 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dsu, trees
AQT's solution

1747.
1156F
Card Bag · Tutorial
Quality: 1,715 global accepts · Rating: 2300 · first AC: 2019-05-18 · C++14 (GCC 6-32) (first AC) · Tags: dp, math, probabilities
AQT's solution

1748.
1167F
Scalar Queries · Tutorial
Quality: 1,891 global accepts · Rating: 2300 · first AC: 2019-05-15 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, math, sortings
AQT's solution

1749.
652E
Pursuit For Artifacts · Tutorial
Quality: 2,865 global accepts · Rating: 2300 · first AC: 2019-05-12 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dsu, graphs, trees
AQT's solution

1750.
803G
Periodic RMQ Problem · Tutorial
Quality: 1,890 global accepts · Rating: 2300 · first AC: 2019-05-11 · C++14 (GCC 6-32) (first AC) · Tags: data structures
AQT's solution

1751.
732F
Tourist Reform · Tutorial
Quality: 3,284 global accepts · Rating: 2300 · first AC: 2019-05-08 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs
AQT's solution

1752.
1070G
Monsters and Potions · Tutorial
Quality: 930 global accepts · Rating: 2300 · first AC: 2019-05-02 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, implementation
AQT's solution

1753.
893F
Subtree Minimum Query · Tutorial
Quality: 2,500 global accepts · Rating: 2300 · first AC: 2019-05-01 · last AC: 2019-05-01 · C++17 (GCC 7-32) (first AC) · Tags: data structures, trees
AQT's solution

1754.
585D
Lizard Era: Beginning · Tutorial
Quality: 2,038 global accepts · Rating: 2300 · first AC: 2019-04-23 · C++17 (GCC 7-32) (first AC) · Tags: meet-in-the-middle
AQT's solution

1755.
1093G
Multidimensional Queries · Tutorial
Quality: 2,223 global accepts · Rating: 2300 · first AC: 2019-04-16 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, data structures
AQT's solution

1756.
884D
Boxes And Balls · Tutorial
Quality: 2,220 global accepts · Rating: 2300 · first AC: 2019-04-15 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy
AQT's solution

1757.
752F
Santa Clauses and a Soccer Championship · Tutorial
Rating: 2300 · first AC: 2019-04-04 · C++17 (GCC 7-32) (first AC) · Tags: trees
AQT's solution

1758.
558E
A Simple Task · Tutorial
Quality: 7,402 global accepts · Rating: 2300 · first AC: 2019-03-29 · C++17 (GCC 7-32) (first AC) · Tags: data structures, sortings, strings
AQT's solution

1759.
438D
The Child and Sequence · Tutorial
Quality: 11,599 global accepts · Rating: 2300 · first AC: 2019-03-28 · C++17 (GCC 7-32) (first AC) · Tags: data structures, math
AQT's solution

1760.
590D
Top Secret Task · Tutorial
Quality: 1,333 global accepts · Rating: 2300 · first AC: 2019-03-11 · C++17 (GCC 7-32) (first AC) · Tags: dp
AQT's solution

1761.
629E
Famil Door and Roads · Tutorial
Quality: 1,151 global accepts · Rating: 2300 · first AC: 2019-02-15 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, dfs and similar, dp, probabilities, trees
AQT's solution

1762.
1045C
Hyperspace Highways · Tutorial
Quality: 827 global accepts · Rating: 2300 · first AC: 2019-01-22 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, trees
AQT's solution

1763.
543D
Road Improvement · Tutorial
Quality: 3,255 global accepts · Rating: 2300 · first AC: 2019-01-10 · C++14 (GCC 6-32) (first AC) · Tags: dp, trees

AQT's solution

1764.
553D
Nudist Beach · Tutorial
Quality: 1,084 global accepts · Rating: 2300 · first AC: 2018-10-24 · Java 8 (first AC) · Tags: binary search, graphs, greedy
AQT's solution

1765.
584E
Anton and Ira · Tutorial
Quality: 1,491 global accepts · Rating: 2300 · first AC: 2018-09-29 · Java 8 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

1766.
87D
Beautiful Road · Tutorial
Quality: 1,055 global accepts · Rating: 2300 · first AC: 2018-09-14 · Java 8 (first AC) · Tags: dfs and similar, dp, dsu, graphs, implementation, sortings, trees
AQT's solution

1767.
600E
Lomsat gelral · Tutorial
Quality: 18,405 global accepts · Rating: 2300 · first AC: 2018-09-11 · Java 8 (first AC) · Tags: data structures, dfs and similar, dsu, trees
AQT's solution

1768.
500E
New Year Domino · Tutorial
Quality: 1,582 global accepts · Rating: 2300 · first AC: 2018-08-31 · Java 8 (first AC) · Tags: data structures, dp, dsu
AQT's solution

1769.
675E
Trains and Statistic · Tutorial
Quality: 3,331 global accepts · Rating: 2300 · first AC: 2018-06-09 · Java 8 (first AC) · Tags: data structures, dp, greedy
AQT's solution

1770.
1764E
Doremy's Number Line · Tutorial
Quality: 1,425 global accepts · Rating: 2400 · first AC: 2024-03-23 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy, sortings
AQT's solution

1771.
1887C
Minimum Array · Tutorial
Quality: 2,283 global accepts · Rating: 2400 · first AC: 2024-01-01 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, constructive algorithms, data structures, greedy, hashing, two pointers
AQT's solution

1772.
1844E
Great Grids · Tutorial
Quality: 2,155 global accepts · Rating: 2400 · first AC: 2023-09-09 · C++20 (GCC 11-64) (first AC) · Tags: 2-sat, constructive algorithms, dfs and similar, dsu, graphs
AQT's solution

1773.
1794E
Labeling the Tree with Distances · Tutorial
Quality: 1,531 global accepts · Rating: 2400 · first AC: 2023-03-12 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp, greedy, hashing, implementation, trees
AQT's solution

1774.
1615E
Purple Crayon · Tutorial
Quality: 1,701 global accepts · Rating: 2400 · first AC: 2023-02-05 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dfs and similar, games, graphs, greedy, math, sortings, trees
AQT's solution

1775.
1697E
Coloring · Tutorial
Quality: 1,450 global accepts · Rating: 2400 · first AC: 2022-06-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, combinatorics, constructive algorithms, dp, geometry, graphs, greedy, implementation, math
AQT's solution

1776.
1605E
Array Equalizer · Tutorial
Quality: 1,182 global accepts · Rating: 2400 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, implementation, math, number theory, sortings, two pointers
AQT's solution

1777.
1483D
Useful Edges · Tutorial
Rating: 2400 · first AC: 2021-06-12 · last AC: 2021-06-12 · GNU C++11 (first AC) · Tags: dp, graphs, shortest paths
AQT's solution

1778.
1526E
Oolimry and Suffix Array · Tutorial
Quality: 1,422 global accepts · Rating: 2400 · first AC: 2021-06-02 · GNU C++11 (first AC) · Tags: combinatorics, constructive algorithms, math
AQT's solution

1779.
1523D
Love-Hate · Tutorial
Quality: 2,477 global accepts · Rating: 2400 · first AC: 2021-05-30 · last AC: 2021-05-30 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, probabilities
AQT's solution

1780.
1527D
MEX Tree · Tutorial
Quality: 2,289 global accepts · Rating: 2400 · first AC: 2021-05-21 · GNU C++11 (first AC) · Tags: combinatorics, dfs and similar, implementation, math, trees
AQT's solution

1781.
1096G
Lucky Tickets · Tutorial
Quality: 1,970 global accepts · Rating: 2400 · first AC: 2021-05-19 · last AC: 2021-05-19 · C++17 (GCC 7-32) (first AC) · Tags: divide and conquer, dp, fft
AQT's solution

1782.
1491E
Fib-tree · Tutorial
Quality: 2,337 global accepts · Rating: 2400 · first AC: 2021-05-14 · GNU C++11 (first AC) · Tags: brute force, dfs and similar, divide and conquer, number theory, trees
AQT's solution

1783.
1469E
A Bit Similar · Tutorial
Quality: 2,200 global accepts · Rating: 2400 · first AC: 2021-05-07 · last AC: 2021-05-07 · GNU C++11 (first AC) · Tags: bitmasks, brute force, hashing, string suffix structures, strings, two pointers

AQT's solution

1784.
1098C
Construct a tree · Tutorial
Quality: 1,161 global accepts · Rating: 2400 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, dfs and similar, graphs, greedy, trees
AQT's solution

1785.
283D
Cows and Cool Sequences · Tutorial
Quality: 641 global accepts · Rating: 2400 · first AC: 2021-05-05 · GNU C++11 (first AC) · Tags: dp, math, number theory
AQT's solution

1786.
1494E
A-Z Graph · Tutorial
Quality: 2,055 global accepts · Rating: 2400 · first AC: 2021-03-14 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, graphs, hashing
AQT's solution

1787.
1450F
The Struggling Contestant · Tutorial
Quality: 1,466 global accepts · Rating: 2400 · first AC: 2020-12-06 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy
AQT's solution

1788.
1455E
Four Points · Tutorial
Quality: 1,649 global accepts · Rating: 2400 · first AC: 2020-12-01 · last AC: 2020-12-01 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, flows, geometry, greedy, implementation, math, ternary search
AQT's solution

1789.
1442C
Graph Transpositions · Tutorial
Quality: 2,004 global accepts · Rating: 2400 · first AC: 2020-11-17 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, greedy, shortest paths
AQT's solution

1790.
1028E
Restore Array · Tutorial
Quality: 1,202 global accepts · Rating: 2400 · first AC: 2020-11-10 · GNU C++11 (first AC) · Tags: constructive algorithms
AQT's solution

1791.
1144G
Two Merged Sequences · Tutorial
Quality: 2,337 global accepts · Rating: 2400 · first AC: 2020-11-07 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

1792.
1443E
Long Permutation · Tutorial
Quality: 1,546 global accepts · Rating: 2400 · first AC: 2020-11-05 · GNU C++11 (first AC) · Tags: brute force, math, two pointers
AQT's solution

1793.
1036E
Covered Points · Tutorial
Quality: 1,772 global accepts · Rating: 2400 · first AC: 2020-10-30 · GNU C++11 (first AC) · Tags: fft, geometry, number theory
AQT's solution

1794.
825F
String Compression · Tutorial
Quality: 1,953 global accepts · Rating: 2400 · first AC: 2020-10-29 · C++17 (GCC 7-32) (first AC) · Tags: dp, hashing, string suffix structures, strings
AQT's solution

1795.
1392F
Omkar and Landslide · Tutorial
Quality: 2,403 global accepts · Rating: 2400 · first AC: 2020-10-29 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, greedy, math
AQT's solution

1796.
1436E
Complicated Computations · Tutorial
Quality: 2,674 global accepts · Rating: 2400 · first AC: 2020-10-26 · GNU C++11 (first AC) · Tags: binary search, data structures, two pointers
AQT's solution

1797.
1428F
Fruit Sequences · Tutorial
Quality: 2,588 global accepts · Rating: 2400 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: binary search, data structures, divide and conquer, dp, two pointers
AQT's solution

1798.
755E
PolandBall and White-Red graph · Tutorial
Quality: 917 global accepts · Rating: 2400 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, shortest paths
AQT's solution

1799.
1009G
Allowed Letters · Tutorial
Quality: 1,066 global accepts · Rating: 2400 · first AC: 2020-10-13 · GNU C++11 (first AC) · Tags: bitmasks, flows, graph matchings, graphs, greedy
AQT's solution

1800.
866D
Buy Low Sell High · Tutorial
Rating: 2400 · first AC: 2020-10-11 · GNU C++11 (first AC) · Tags: data structures, greedy, two pointers
AQT's solution

1801.
767E
Change-free · Tutorial
Quality: 1,072 global accepts · Rating: 2400 · first AC: 2020-10-03 · GNU C++11 (first AC) · Tags: greedy
AQT's solution

1802.
1408E
Avoid Rainbow Cycles · Tutorial
Quality: 2,184 global accepts · Rating: 2400 · first AC: 2020-09-30 · GNU C++11 (first AC) · Tags: data structures, dsu, graphs, greedy, sortings, trees
AQT's solution

1803.
922F
Divisibility · Tutorial
Quality: 743 global accepts · Rating: 2400 · first AC: 2020-09-27 · GNU C++11 (first AC) · Tags: constructive algorithms, dp, greedy, number theory
AQT's solution

1804.
484D
Kindergarten · Tutorial
Quality: 3,038 global accepts · Rating: 2400 · first AC: 2020-09-22 · GNU C++11 (first AC) · Tags: data structures, dp, greedy
AQT's solution

1805.
446C
DZY Loves Fibonacci Numbers · Tutorial
Quality: 3,933 global accepts · Rating: 2400 · first AC: 2020-09-22 · last AC: 2020-09-22 · GNU C++11 (first AC) · Tags: data structures, math, number theory
AQT's solution

1806.
1142C
U2 · Tutorial
Quality: 1,547 global accepts · Rating: 2400 · first AC: 2020-09-19 · GNU C++11 (first AC) · Tags: geometry
AQT's solution

1807.
1080E
Sonya and Matrix Beauty · Tutorial
Quality: 1,313 global accepts · Rating: 2400 · first AC: 2020-09-17 · last AC: 2020-09-17 · GNU C++11 (first AC) · Tags: strings
AQT's solution

1808.
1418E
Expected Damage · Tutorial
Quality: 2,202 global accepts · Rating: 2400 · first AC: 2020-09-16 · GNU C++11 (first AC) · Tags: binary search, combinatorics, probabilities
AQT's solution

1809.
781D
Axel and Marston in Bitland · Tutorial
Rating: 2400 · first AC: 2020-09-13 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, graphs, matrices
AQT's solution

1810.
1088E
Ehab and a component choosing problem · Tutorial
Quality: 1,616 global accepts · Rating: 2400 · first AC: 2020-09-11 · GNU C++11 (first AC) · Tags: dp, greedy, math, trees
AQT's solution

1811.
1205C
Palindromic Paths · Tutorial
Quality: 1,263 global accepts · Rating: 2400 · first AC: 2020-09-05 · GNU C++11 (first AC) · Tags: implementation, interactive
AQT's solution

1812.
979E
Kuro and Topological Parity · Tutorial
Quality: 908 global accepts · Rating: 2400 · first AC: 2020-09-03 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1813.
749E
Inversions After Shuffle · Tutorial
Quality: 1,256 global accepts · Rating: 2400 · first AC: 2020-08-30 · GNU C++11 (first AC) · Tags: data structures, probabilities
AQT's solution

1814.
593D
Happy Tree Party · Tutorial
Quality: 1,423 global accepts · Rating: 2400 · first AC: 2020-08-30 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, graphs, math, trees

AQT's solution

1815.
258E
Little Elephant and Tree · Tutorial
Quality: 1,319 global accepts · Rating: 2400 · first AC: 2020-08-28 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, trees
AQT's solution

1816.
582C
Superior Periodic Subarrays · Tutorial
Quality: 796 global accepts · Rating: 2400 · first AC: 2020-08-28 · GNU C++11 (first AC) · Tags: number theory
AQT's solution

1817.
676E
The Last Fight Between Human and AI · Tutorial
Quality: 942 global accepts · Rating: 2400 · first AC: 2020-08-27 · GNU C++11 (first AC) · Tags: math
AQT's solution

1818.
1152E
Neko and Flashback · Tutorial
Quality: 1,123 global accepts · Rating: 2400 · first AC: 2020-08-26 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs
AQT's solution

1819.
916E
Jamie and Tree · Tutorial
Quality: 2,105 global accepts · Rating: 2400 · first AC: 2020-08-22 · GNU C++11 (first AC) · Tags: data structures, trees
AQT's solution

1820.
1401F
Reverse and Swap · Tutorial
Quality: 1,953 global accepts · Rating: 2400 · first AC: 2020-08-21 · GNU C++11 (first AC) · Tags: binary search, bitmasks, data structures
AQT's solution

1821.
1401E
Divide Square · Tutorial
Quality: 2,639 global accepts · Rating: 2400 · first AC: 2020-08-21 · GNU C++11 (first AC) · Tags: data structures, geometry, implementation, sortings
AQT's solution

1822.
1239D
Catowice City · Tutorial
Quality: 2,600 global accepts · Rating: 2400 · first AC: 2020-08-18 · last AC: 2020-08-18 · GNU C++11 (first AC) · Tags: 2-sat, dfs and similar, graph matchings, graphs
AQT's solution

1823.
1054E
Chips Puzzle · Tutorial
Quality: 514 global accepts · Rating: 2400 · first AC: 2020-08-18 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation, math
AQT's solution

1824.
1237E
Balanced Binary Search Trees · Tutorial
Quality: 1,520 global accepts · Rating: 2400 · first AC: 2020-08-17 · GNU C++11 (first AC) · Tags: dp, math
AQT's solution

1825.
107D
Crime Management · Tutorial
Quality: 487 global accepts · Rating: 2400 · first AC: 2020-08-11 · GNU C++11 (first AC) · Tags: dp, graphs, matrices
AQT's solution

1826.
467D
Fedor and Essay · Tutorial
Quality: 2,031 global accepts · Rating: 2400 · first AC: 2020-08-09 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graphs, hashing, strings
AQT's solution

1827.
1016E
Rest In The Shades · Tutorial
Quality: 1,295 global accepts · Rating: 2400 · first AC: 2020-07-31 · last AC: 2020-07-31 · GNU C++11 (first AC) · Tags: binary search, geometry
AQT's solution

1828.
1137D
Cooperative Game · Tutorial
Quality: 2,152 global accepts · Rating: 2400 · first AC: 2020-07-28 · GNU C++11 (first AC) · Tags: constructive algorithms, interactive, number theory
AQT's solution

1829.
639D
Bear and Contribution · Tutorial
Quality: 1,066 global accepts · Rating: 2400 · first AC: 2020-07-14 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, sortings, two pointers
AQT's solution

1830.
277E
Binary Tree on Plane · Tutorial
Quality: 1,479 global accepts · Rating: 2400 · first AC: 2020-07-08 · GNU C++11 (first AC) · Tags: flows, trees
AQT's solution

1831.
798D
Mike and distribution · Tutorial
Quality: 2,167 global accepts · Rating: 2400 · first AC: 2020-07-07 · GNU C++11 (first AC) · Tags: constructive algorithms, sortings
AQT's solution

1832.
1373F
Network Coverage · Tutorial
Quality: 1,878 global accepts · Rating: 2400 · first AC: 2020-06-26 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, greedy
AQT's solution

1833.
674C
Levels and Regions · Tutorial
Rating: 2400 · first AC: 2020-06-25 · GNU C++11 (first AC) · Tags: divide and conquer, dp
AQT's solution

1834.
1369E
DeadLee · Tutorial
Quality: 2,454 global accepts · Rating: 2400 · first AC: 2020-06-23 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, greedy, implementation, sortings
AQT's solution

1835.
1194F
Crossword Expert · Tutorial
Quality: 1,219 global accepts · Rating: 2400 · first AC: 2020-06-22 · GNU C++11 (first AC) · Tags: combinatorics, dp, number theory, probabilities, two pointers
AQT's solution

1836.
756D
Bacterial Melee · Tutorial
Quality: 1,084 global accepts · Rating: 2400 · first AC: 2020-06-22 · GNU C++11 (first AC) · Tags: brute force, combinatorics, dp, string suffix structures
AQT's solution

1837.
920D
Tanks · Tutorial
Quality: 809 global accepts · Rating: 2400 · first AC: 2020-06-21 · GNU C++11 (first AC) · Tags: dp, greedy, implementation
AQT's solution

1838.
1370F1
The Hidden Pair (Easy Version) · Tutorial
Quality: 1,784 global accepts · Rating: 2400 · first AC: 2020-06-20 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dfs and similar, graphs, interactive, shortest paths, trees
AQT's solution

1839.
796E
Exam Cheating · Tutorial
Quality: 733 global accepts · Rating: 2400 · first AC: 2020-06-18 · GNU C++11 (first AC) · Tags: binary search, dp
AQT's solution

1840.
1367F2
Flying Sort (Hard Version) · Tutorial
Quality: 1,869 global accepts · Rating: 2400 · first AC: 2020-06-16 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, greedy, sortings, two pointers
AQT's solution

1841.
835E
The penguin's game · Tutorial
Quality: 1,349 global accepts · Rating: 2400 · first AC: 2020-06-12 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, interactive
AQT's solution

1842.
1109D
Sasha and Interesting Fact from Graph Theory · Tutorial
Quality: 1,502 global accepts · Rating: 2400 · first AC: 2020-06-12 · GNU C++11 (first AC) · Tags: brute force, combinatorics, dp, math, trees
AQT's solution

1843.
534F
Simplified Nonogram · Tutorial
Quality: 533 global accepts · Rating: 2400 · first AC: 2020-06-08 · GNU C++11 (first AC) · Tags: bitmasks, dp, hashing, meet-in-the-middle
AQT's solution

1844.
1166F
Vicky's Delivery Service · Tutorial
Quality: 812 global accepts · Rating: 2400 · first AC: 2020-06-05 · GNU C++11 (first AC) · Tags: data structures, dsu, graphs, hashing
AQT's solution

1845.
1340C
Nastya and Unexpected Guest · Tutorial
Quality: 2,416 global accepts · Rating: 2400 · first AC: 2020-06-01 · last AC: 2020-06-01 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graphs, shortest paths
AQT's solution

1846.
1163E
Magical Permutation · Tutorial
Quality: 1,011 global accepts · Rating: 2400 · first AC: 2020-05-31 · GNU C++11 (first AC) · Tags: bitmasks, brute force, constructive algorithms, data structures, graphs, math
AQT's solution

1847.
1358E
Are You Fired? · Tutorial
Quality: 2,451 global accepts · Rating: 2400 · first AC: 2020-05-28 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy, implementation
AQT's solution

1848.
758F
Geometrical Progression · Tutorial
Quality: 713 global accepts · Rating: 2400 · first AC: 2020-05-18 · GNU C++11 (first AC) · Tags: brute force, math, number theory
AQT's solution

1849.
601D
Acyclic Organic Compounds · Tutorial
Quality: 1,246 global accepts · Rating: 2400 · first AC: 2020-05-14 · last AC: 2020-05-14 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dsu, hashing, strings, trees
AQT's solution

1850.
698C
LRU · Tutorial
Quality: 1,443 global accepts · Rating: 2400 · first AC: 2020-05-11 · GNU C++11 (first AC) · Tags: bitmasks, dp, math, probabilities
AQT's solution

1851.
856C
Eleventh Birthday · Tutorial
Quality: 731 global accepts · Rating: 2400 · first AC: 2020-05-07 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1852.
856D
Masha and Cactus · Tutorial
Quality: 590 global accepts · Rating: 2400 · first AC: 2020-05-07 · C++14 (GCC 6-32) (first AC) · Tags: dp, trees
AQT's solution

1853.
1348E
Phoenix and Berries · Tutorial
Quality: 2,430 global accepts · Rating: 2400 · first AC: 2020-05-01 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, math
AQT's solution

1854.
626E
Simple Skewness · Tutorial
Quality: 1,585 global accepts · Rating: 2400 · first AC: 2020-04-28 · GNU C++11 (first AC) · Tags: binary search, math, ternary search
AQT's solution

1855.
815C
Karen and Supermarket · Tutorial
Quality: 3,317 global accepts · Rating: 2400 · first AC: 2020-04-25 · GNU C++11 (first AC) · Tags: brute force, dp, trees
AQT's solution

1856.
1343F
Restore the Permutation by Sorted Segments · Tutorial
Quality: 1,402 global accepts · Rating: 2400 · first AC: 2020-04-21 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, data structures, greedy, implementation
AQT's solution

1857.
377D
Developing Game · Tutorial
Quality: 1,339 global accepts · Rating: 2400 · first AC: 2020-04-10 · last AC: 2020-04-10 · C++17 (GCC 7-32) (first AC) · Tags: data structures
AQT's solution

1858.
1147D
Palindrome XOR · Tutorial
Quality: 856 global accepts · Rating: 2400 · first AC: 2020-04-09 · GNU C++11 (first AC) · Tags: dfs and similar, graphs
AQT's solution

1859.
1333E
Road to 1600 · Tutorial
Quality: 1,811 global accepts · Rating: 2400 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms
AQT's solution

1860.
1329C
Drazil Likes Heap · Tutorial
Quality: 1,804 global accepts · Rating: 2400 · first AC: 2020-04-03 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy, implementation
AQT's solution

1861.
869E
The Untended Antiquity · Tutorial
Quality: 2,061 global accepts · Rating: 2400 · first AC: 2020-03-27 · GNU C++11 (first AC) · Tags: data structures, hashing
AQT's solution

1862.
794D
Labelling Cities · Tutorial
Quality: 914 global accepts · Rating: 2400 · first AC: 2020-03-25 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, hashing
AQT's solution

1863.
632E
Thief in a Shop · Tutorial
Quality: 3,550 global accepts · Rating: 2400 · first AC: 2020-03-24 · GNU C++11 (first AC) · Tags: divide and conquer, dp, fft, math
AQT's solution

1864.
1326E
Bombs · Tutorial
Quality: 2,420 global accepts · Rating: 2400 · first AC: 2020-03-21 · GNU C++11 (first AC) · Tags: data structures, two pointers
AQT's solution

1865.
1059E
Split the Tree · Tutorial
Quality: 1,623 global accepts · Rating: 2400 · first AC: 2020-03-18 · last AC: 2020-03-18 · GNU C++11 (first AC) · Tags: binary search, data

structures, dp, greedy, trees
AQT's solution

1866.
653E
Bear and Forgotten Tree 2 · Tutorial
Quality: 1,738 global accepts · Rating: 2400 · first AC: 2020-03-16 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs, trees
AQT's solution

1867.
1132G
Greedy Subsequences · Tutorial
Quality: 1,230 global accepts · Rating: 2400 · first AC: 2020-02-26 · GNU C++11 (first AC) · Tags: data structures, dp, trees
AQT's solution

1868.
1290C
Prefix Enlightenment · Tutorial
Quality: 2,013 global accepts · Rating: 2400 · first AC: 2020-02-02 · last AC: 2020-02-02 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs
AQT's solution

1869.
873F
Forbidden Indices · Tutorial
Quality: 1,862 global accepts · Rating: 2400 · first AC: 2020-01-26 · last AC: 2020-01-26 · GNU C++11 (first AC) · Tags: dsu, string suffix structures, strings
AQT's solution

1870.
1282E
The Cake Is a Lie · Tutorial
Quality: 1,222 global accepts · Rating: 2400 · first AC: 2019-12-24 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, dfs and similar, graphs
AQT's solution

1871.
983C
Elevator · Tutorial
Quality: 932 global accepts · Rating: 2400 · first AC: 2019-12-24 · GNU C++11 (first AC) · Tags: dp, graphs, shortest paths
AQT's solution

1872.
1264C
Beautiful Mirrors with queries · Tutorial
Quality: 1,322 global accepts · Rating: 2400 · first AC: 2019-12-06 · GNU C++11 (first AC) · Tags: data structures, probabilities
AQT's solution

1873.
1263F
Economic Difficulties · Tutorial
Quality: 951 global accepts · Rating: 2400 · first AC: 2019-11-30 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp, flows, graphs, trees
AQT's solution

1874.
1260E
Tournament · Tutorial
Quality: 1,890 global accepts · Rating: 2400 · first AC: 2019-11-28 · GNU C++11 (first AC) · Tags: brute force, dp, greedy
AQT's solution

1875.
1261D2
Wrong Answer on test 233 (Hard Version) · Tutorial
Rating: 2400 · first AC: 2019-11-24 · GNU C++11 (first AC) · Tags: combinatorics, fft, math, number theory
AQT's solution

1876.
626F
Group Projects · Tutorial
Quality: 3,592 global accepts · Rating: 2400 · first AC: 2019-11-24 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1877.
1257F
Make Them Similar · Tutorial
Quality: 2,315 global accepts · Rating: 2400 · first AC: 2019-11-14 · last AC: 2019-11-14 · GNU C++11 (first AC) · Tags: bitmasks, brute force, hashing, meet-in-the-middle
AQT's solution

1878.
1091E
New Year and the Acquaintance Estimation · Tutorial
Quality: 1,086 global accepts · Rating: 2400 · first AC: 2019-11-14 · last AC: 2019-11-14 · GNU C++11 (first AC) · Tags: binary search, data structures, graphs, greedy, implementation, math, sortings
AQT's solution

1879.
1242C
Sum Balance · Tutorial
Quality: 1,948 global accepts · Rating: 2400 · first AC: 2019-11-07 · GNU C++11 (first AC) · Tags: bitmasks, dfs and similar, dp, graphs
AQT's solution

1880.
908F
New Year and Rainbow Roads · Tutorial
Quality: 1,608 global accepts · Rating: 2400 · first AC: 2019-11-05 · GNU C++11 (first AC) · Tags: graphs, greedy, implementation
AQT's solution

1881.
1004E
Sonya and Ice Cream · Tutorial
Quality: 1,239 global accepts · Rating: 2400 · first AC: 2019-11-05 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, greedy, shortest paths, trees
AQT's solution

1882.
959F
Mahmoud and Ehab and yet another xor task · Tutorial
Quality: 2,828 global accepts · Rating: 2400 · first AC: 2019-10-29 · GNU C++11 (first AC) · Tags: bitmasks, dp, math, matrices
AQT's solution

1883.
914E
Palindromes in a Tree · Tutorial
Quality: 1,921 global accepts · Rating: 2400 · first AC: 2019-10-26 · GNU C++11 (first AC) · Tags: bitmasks, data structures, divide and conquer, trees
AQT's solution

1884.
1251E2
Voting (Hard Version) · Tutorial
Quality: 2,951 global accepts · Rating: 2400 · first AC: 2019-10-24 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy
AQT's solution

1885.
1044D
Deduction Queries · Tutorial
Quality: 1,186 global accepts · Rating: 2400 · first AC: 2019-10-21 · GNU C++11 (first AC) · Tags: data structures, dsu
AQT's solution

1886.
1244G
Running in Pairs · Tutorial
Quality: 1,533 global accepts · Rating: 2400 · first AC: 2019-10-19 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

1887.
1007B
Pave the Parallelepiped · Tutorial
Quality: 1,038 global accepts · Rating: 2400 · first AC: 2019-10-09 · GNU C++11 (first AC) · Tags: bitmasks, brute force, combinatorics, math, number theory
AQT's solution

1888.
1027F
Session in BSU · Tutorial
Quality: 1,947 global accepts · Rating: 2400 · first AC: 2019-09-27 · GNU C++11 (first AC) · Tags: binary search, dfs and similar, dsu, graph matchings, graphs
AQT's solution

1889.
1005E2
Median on Segments (General Case Edition) · Tutorial
Quality: 1,533 global accepts · Rating: 2400 · first AC: 2019-09-25 · GNU C++11 (first AC) · Tags: sortings
AQT's solution

1890.
1229C
Konrad and Company Evaluation · Tutorial
Rating: 2400 · first AC: 2019-09-23 · GNU C++11 (first AC) · Tags: brute force, graphs
AQT's solution

1891.
1055D
Refactoring · Tutorial
Quality: 649 global accepts · Rating: 2400 · first AC: 2019-09-21 · last AC: 2019-09-21 · GNU C++11 (first AC) · Tags: greedy, implementation, strings
AQT's solution

1892.
1101F
Trucks and Cities · Tutorial
Quality: 1,631 global accepts · Rating: 2400 · first AC: 2019-09-20 · GNU C++11 (first AC) · Tags: binary search, dp
AQT's solution

1893.
1221F
Choose a Square · Tutorial
Quality: 1,237 global accepts · Rating: 2400 · first AC: 2019-09-19 · GNU C++11 (first AC) · Tags: binary search, data structures, sortings
AQT's solution

1894.
1042F
Leaf Sets · Tutorial
Quality: 1,490 global accepts · Rating: 2400 · first AC: 2019-09-17 · last AC: 2019-09-17 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dsu, graphs, greedy, sortings, trees
AQT's solution

1895.
912E
Prime Gift · Tutorial
Quality: 2,045 global accepts · Rating: 2400 · first AC: 2019-09-03 · GNU C++11 (first AC) · Tags: binary search, dfs and similar, math, meet-in-the-middle, number theory, two pointers
AQT's solution

1896.
449D
Jzzhu and Numbers · Tutorial
Quality: 6,138 global accepts · Rating: 2400 · first AC: 2019-09-03 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, dp
AQT's solution

1897.
990G
GCD Counting · Tutorial
Quality: 2,306 global accepts · Rating: 2400 · first AC: 2019-09-02 · GNU C++11 (first AC) · Tags: divide and conquer, dp, dsu, number theory, trees
AQT's solution

1898.
990F
Flow Control · Tutorial
Quality: 1,056 global accepts · Rating: 2400 · first AC: 2019-09-02 · GNU C++11 (first AC) · Tags: dfs and similar, dp, greedy, trees
AQT's solution

1899.
1202E
You Are Given Some Strings... · Tutorial
Quality: 2,765 global accepts · Rating: 2400 · first AC: 2019-08-23 · GNU C++11 (first AC) · Tags: brute force, string suffix structures, strings
AQT's solution

1900.
1129C
Morse Code · Tutorial
Quality: 1,003 global accepts · Rating: 2400 · first AC: 2019-07-16 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, hashing, sortings, string suffix structures, strings
AQT's solution

1901.
1114F
Please, another Queries on Array? · Tutorial
Quality: 2,438 global accepts · Rating: 2400 · first AC: 2019-07-14 · GNU C++11 (first AC) · Tags: bitmasks, data structures, divide and conquer, math, number theory
AQT's solution

1902.
707E
Garlands · Tutorial
Quality: 1,342 global accepts · Rating: 2400 · first AC: 2019-07-09 · C++14 (GCC 6-32) (first AC) · Tags: data structures
AQT's solution

1903.
1146E
Hot is Cold · Tutorial
Quality: 1,017 global accepts · Rating: 2400 · first AC: 2019-07-02 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, data structures, divide and conquer, implementation
AQT's solution

1904.
1187D
Subarray Sorting · Tutorial
Quality: 3,001 global accepts · Rating: 2400 · first AC: 2019-07-01 · C++14 (GCC 6-32) (first AC) · Tags: data structures, sortings
AQT's solution

1905.
1182D
Complete Mirror · Tutorial
Quality: 1,003 global accepts · Rating: 2400 · first AC: 2019-06-25 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, dp, hashing, implementation, trees
AQT's solution

1906.
1174F
Ehab and the Big Finale · Tutorial
Quality: 1,959 global accepts · Rating: 2400 · first AC: 2019-06-04 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, divide and conquer, graphs, implementation, interactive, trees
AQT's solution

1907.
1107E
Vasya and Binary String · Tutorial
Quality: 2,784 global accepts · Rating: 2400 · first AC: 2019-06-03 · C++14 (GCC 6-32) (first AC) · Tags: dp
AQT's solution

1908.
911F
Tree Destruction · Tutorial
Quality: 2,273 global accepts · Rating: 2400 · first AC: 2019-05-20 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, trees
AQT's solution

1909.
1107G
Vasya and Maximum Profit · Tutorial
Quality: 1,242 global accepts · Rating: 2400 · first AC: 2019-05-15 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, data structures, dp, dsu
AQT's solution

1910.
1000F
One Occurrence · Tutorial
Quality: 4,836 global accepts · Rating: 2400 · first AC: 2019-05-07 · last AC: 2019-05-07 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer
AQT's solution

1911.
524E
Rooks and Rectangles · Tutorial
Quality: 1,336 global accepts · Rating: 2400 · first AC: 2019-05-04 · C++17 (GCC 7-32) (first AC) · Tags: data structures, sortings
AQT's solution

1912.
679C
Bear and Square Grid · Tutorial
Quality: 1,265 global accepts · Rating: 2400 · first AC: 2019-04-29 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dsu, implementation
AQT's solution

1913.
915F
Imbalance Value of a Tree · Tutorial
Quality: 3,052 global accepts · Rating: 2400 · first AC: 2019-04-21 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dsu, graphs, trees
AQT's solution

1914.
379F
New Year Tree · Tutorial
Quality: 2,753 global accepts · Rating: 2400 · first AC: 2019-04-20 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, trees
AQT's solution

1915.
1093E
Intersection of Permutations · Tutorial
Quality: 1,861 global accepts · Rating: 2400 · first AC: 2019-04-16 · C++17 (GCC 7-32) (first AC) · Tags: data structures
AQT's solution

1916.
209C
Trails and Glades · Tutorial
Quality: 875 global accepts · Rating: 2400 · first AC: 2019-04-03 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dsu, graphs, greedy
AQT's solution

1917.
1036F
Relatively Prime Powers · Tutorial
Quality: 1,858 global accepts · Rating: 2400 · first AC: 2019-03-28 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math, number theory
AQT's solution

1918.
115E
Linear Kingdom Races · Tutorial
Quality: 2,212 global accepts · Rating: 2400 · first AC: 2019-03-17 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp
AQT's solution

1919.
1083E
The Fair Nut and Rectangles · Tutorial
Quality: 5,614 global accepts · Rating: 2400 · first AC: 2018-12-22 · GNU C++11 (first AC) · Tags: data structures, dp, geometry
AQT's solution

1920.
311B
Cats Transport · Tutorial
Quality: 4,302 global accepts · Rating: 2400 · first AC: 2018-10-03 · last AC: 2018-10-03 · Java 8 (first AC) · Tags: data structures, dp
AQT's solution

1921.
786C
Till I Collapse · Tutorial
Quality: 3,704 global accepts · Rating: 2400 · first AC: 2018-08-28 · Java 8 (first AC) · Tags: data structures, divide and conquer
AQT's solution

1922.
342E
Xenia and Tree · Tutorial
Quality: 10,836 global accepts · Rating: 2400 · first AC: 2018-05-21 · Java 8 (first AC) · Tags: data structures, divide and conquer, trees
AQT's solution

1923.
1854C
Expected Destruction · Tutorial
Quality: 1,788 global accepts · Rating: 2500 · first AC: 2023-07-29 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dp, math, probabilities
AQT's solution

1924.
1824C
LuoTianyi and XOR-Tree · Tutorial
Quality: 1,687 global accepts · Rating: 2500 · first AC: 2023-07-09 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dfs and similar, dp, dsu, greedy, trees
AQT's solution

1925.
1776C
Library game · Tutorial
Quality: 982 global accepts · Rating: 2500 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: games, greedy, interactive, sortings
AQT's solution

1926.
1776J
Italian Data Centers · Tutorial
Quality: 881 global accepts · Rating: 2500 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: graphs, shortest paths

AQT's solution

1927.
1776I
Spinach Pizza · Tutorial
Quality: 895 global accepts · Rating: 2500 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: games, geometry, greedy, interactive
AQT's solution

1928.
1556F
Sports Betting · Tutorial
Quality: 1,420 global accepts · Rating: 2500 · first AC: 2021-08-29 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, combinatorics, dp, graphs, math, probabilities
AQT's solution

1929.
1562E
Rescue Niwen! · Tutorial
Quality: 1,588 global accepts · Rating: 2500 · first AC: 2021-08-26 · C++17 (GCC 9-64) (first AC) · Tags: dp, greedy, string suffix structures, strings
AQT's solution

1930.
1559D2
Mocha and Diana (Hard Version) · Tutorial
Quality: 3,066 global accepts · Rating: 2500 · first AC: 2021-08-15 · C++17 (GCC 9-64) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, dsu, graphs, greedy, trees, two pointers
AQT's solution

1931.
1548C
The Three Little Pigs · Tutorial
Quality: 2,042 global accepts · Rating: 2500 · first AC: 2021-08-02 · last AC: 2021-08-02 · C++17 (GCC 9-64) (first AC) · Tags: combinatorics, dp, fft, math
AQT's solution

1932.
1492E
Almost Fault-Tolerant Database · Tutorial
Quality: 1,290 global accepts · Rating: 2500 · first AC: 2021-08-01 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, dfs and similar, greedy, implementation
AQT's solution

1933.
1097F
Alex and a TV Show · Tutorial
Quality: 1,472 global accepts · Rating: 2500 · first AC: 2021-07-10 · last AC: 2021-07-10 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, number theory
AQT's solution

1934.
1539E
Game with Cards · Tutorial
Quality: 1,055 global accepts · Rating: 2500 · first AC: 2021-06-22 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, dp, greedy, implementation
AQT's solution

1935.
1187F
Expected Square Beauty · Tutorial
Quality: 1,113 global accepts · Rating: 2500 · first AC: 2021-06-05 · last AC: 2021-06-05 · GNU C++11 (first AC) · Tags: dp, math, probabilities
AQT's solution

1936.
1513F
Swapping Problem · Tutorial

Quality: 1,431 global accepts · Rating: 2500 · first AC: 2021-06-01 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, data structures, sortings
AQT's solution

1937.
1251F
Red-White Fence · Tutorial
Quality: 978 global accepts · Rating: 2500 · first AC: 2021-05-27 · last AC: 2021-05-27 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, fft
AQT's solution

1938.
1528D
It's a bird! No, it's a plane! No, it's AaParsa! · Tutorial
Quality: 1,689 global accepts · Rating: 2500 · first AC: 2021-05-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs, shortest paths
AQT's solution

1939.
1527E
Partition Game · Tutorial
Quality: 2,906 global accepts · Rating: 2500 · first AC: 2021-05-21 · last AC: 2021-05-21 · GNU C++11 (first AC) · Tags: binary search, data structures, divide and conquer, dp
AQT's solution

1940.
1521D
Nastia Plays with a Tree · Tutorial
Quality: 2,298 global accepts · Rating: 2500 · first AC: 2021-05-08 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, dfs and similar, dp, dsu, greedy, implementation, trees
AQT's solution

1941.
1516E
Baby Ehab Plays with Permutations · Tutorial
Quality: 1,005 global accepts · Rating: 2500 · first AC: 2021-04-21 · last AC: 2021-04-21 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
AQT's solution

1942.
1497D
Genius · Tutorial
Quality: 1,739 global accepts · Rating: 2500 · first AC: 2021-03-19 · GNU C++11 (first AC) · Tags: bitmasks, dp, graphs, number theory
AQT's solution

1943.
1198E
Rectangle Painting 2 · Tutorial
Quality: 1,298 global accepts · Rating: 2500 · first AC: 2021-02-07 · GNU C++11 (first AC) · Tags: flows, graph matchings, graphs
AQT's solution

1944.
1467E
Distinctive Roots in a Tree · Tutorial
Quality: 1,762 global accepts · Rating: 2500 · first AC: 2021-01-08 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp, trees
AQT's solution

1945.
1374E2
Reading Books (hard version) · Tutorial
Quality: 1,075 global accepts · Rating: 2500 · first AC: 2021-01-07 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation, sortings, ternary search, two pointers
AQT's solution

1946.
1085F
Rock-Paper-Scissors Champion · Tutorial
Quality: 710 global accepts · Rating: 2500 · first AC: 2021-01-07 · GNU C++11 (first AC) · Tags: —

AQT's solution

1947.
156D
Clues · Tutorial
Quality: 2,035 global accepts · Rating: 2500 · first AC: 2020-12-24 · GNU C++11 (first AC) · Tags: combinatorics, graphs
AQT's solution

1948.
314D
Sereja and Straight Lines · Tutorial
Quality: 577 global accepts · Rating: 2500 · first AC: 2020-11-23 · GNU C++11 (first AC) · Tags: binary search, data structures, geometry, sortings, two pointers
AQT's solution

1949.
1452E
Two Editorials · Tutorial
Quality: 1,695 global accepts · Rating: 2500 · first AC: 2020-11-22 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, sortings, two pointers
AQT's solution

1950.
1438E
Yurii Can Do Everything · Tutorial
Quality: 1,466 global accepts · Rating: 2500 · first AC: 2020-11-16 · GNU C++11 (first AC) · Tags: binary search, bitmasks, brute force, constructive algorithms, divide and conquer, two pointers
AQT's solution

1951.
1444C
Team-Building · Tutorial
Quality: 1,859 global accepts · Rating: 2500 · first AC: 2020-11-03 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dsu, graphs
AQT's solution

1952.
311C
Fetch the Treasure · Tutorial
Quality: 547 global accepts · Rating: 2500 · first AC: 2020-11-01 · GNU C++11 (first AC) · Tags: brute force, data structures, graphs, shortest paths
AQT's solution

1953.
645F
Cowslip Collections · Tutorial
Quality: 970 global accepts · Rating: 2500 · first AC: 2020-10-23 · GNU C++11 (first AC) · Tags: combinatorics, math, number theory
AQT's solution

1954.
884F
Anti-Palindromize · Tutorial
Quality: 1,281 global accepts · Rating: 2500 · first AC: 2020-10-14 · GNU C++11 (first AC) · Tags: flows, graphs, greedy
AQT's solution

1955.
1427E
Xum · Tutorial
Quality: 1,632 global accepts · Rating: 2500 · first AC: 2020-10-10 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, math, matrices, number theory
AQT's solution

1956.
1420E
Battle Lemmings · Tutorial
Quality: 1,045 global accepts · Rating: 2500 · first AC: 2020-09-24 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

1957.
734F
Anton and School · Tutorial
Quality: 1,402 global accepts · Rating: 2500 · first AC: 2020-09-21 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, implementation, math
AQT's solution

1958.
611F
New Year and Cleaning · Tutorial
Quality: 522 global accepts · Rating: 2500 · first AC: 2020-09-18 · GNU C++11 (first AC) · Tags: binary search, implementation
AQT's solution

1959.
1418G
Three Occurrences · Tutorial
Quality: 2,748 global accepts · Rating: 2500 · first AC: 2020-09-16 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, hashing, two pointers
AQT's solution

1960.
1407E
Egor in the Republic of Dagestan · Tutorial
Quality: 1,907 global accepts · Rating: 2500 · first AC: 2020-09-12 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, dp, graphs, greedy, shortest paths
AQT's solution

1961.
1186E
Vus the Cossack and a Field · Tutorial
Quality: 681 global accepts · Rating: 2500 · first AC: 2020-09-04 · GNU C++11 (first AC) · Tags: divide and conquer, implementation, math
AQT's solution

1962.
1320D
Reachable Strings · Tutorial
Quality: 1,693 global accepts · Rating: 2500 · first AC: 2020-09-02 · last AC: 2020-09-02 · GNU C++11 (first AC) · Tags: data structures, hashing, strings
AQT's solution

1963.
1398F
Controversial Rounds · Tutorial
Quality: 1,392 global accepts · Rating: 2500 · first AC: 2020-08-31 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp, greedy, two pointers
AQT's solution

1964.
868F
Yet Another Minimization Problem · Tutorial
Quality: 5,100 global accepts · Rating: 2500 · first AC: 2020-08-05 · GNU C++11 (first AC) · Tags: divide and conquer, dp
AQT's solution

1965.
1076F
Summer Practice Report · Tutorial
Quality: 726 global accepts · Rating: 2500 · first AC: 2020-08-05 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

1966.
1381C
Mastermind · Tutorial
Quality: 1,710 global accepts · Rating: 2500 · first AC: 2020-07-22 · GNU C++11 (first AC) · Tags: constructive algorithms, graph matchings, greedy, implementation, sortings, two pointers
AQT's solution

1967.
997C
Sky Full of Stars · Tutorial
Quality: 2,176 global accepts · Rating: 2500 · first AC: 2020-07-18 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math
AQT's solution

1968.
449C
Jzzhu and Apples · Tutorial
Quality: 2,527 global accepts · Rating: 2500 · first AC: 2020-07-08 · GNU C++11 (first AC) · Tags: constructive algorithms, number theory
AQT's solution

1969.
923D
Picking Strings · Tutorial
Quality: 1,259 global accepts · Rating: 2500 · first AC: 2020-07-05 · last AC: 2020-07-05 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation, strings
AQT's solution

1970.
1375E
Inversion SwapSort · Tutorial
Quality: 3,371 global accepts · Rating: 2500 · first AC: 2020-07-04 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, sortings
AQT's solution

1971.
1096E
The Top Scorer · Tutorial
Quality: 1,279 global accepts · Rating: 2500 · first AC: 2020-07-04 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, probabilities
AQT's solution

1972.
1368E
Ski Accidents · Tutorial
Quality: 2,363 global accepts · Rating: 2500 · first AC: 2020-06-19 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, greedy
AQT's solution

1973.
992E
Nastya and King-Shamans · Tutorial
Quality: 1,677 global accepts · Rating: 2500 · first AC: 2020-06-17 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

1974.
884E
Binary Matrix · Tutorial
Quality: 777 global accepts · Rating: 2500 · first AC: 2020-06-15 · last AC: 2020-06-15 · C++17 (GCC 7-32) (first AC) · Tags: dsu
AQT's solution

1975.
1361C
Johnny and Megan's Necklace · Tutorial
Quality: 1,836 global accepts · Rating: 2500 · first AC: 2020-06-04 · GNU C++11 (first AC) · Tags: binary search, bitmasks, constructive algorithms, dfs and similar, dsu, graphs
AQT's solution

1976.
348C
Subset Sums · Tutorial
Quality: 2,742 global accepts · Rating: 2500 · first AC: 2020-06-03 · last AC: 2020-06-03 · GNU C++11 (first AC) · Tags: brute force, data structures
AQT's solution

1977.
1137C
Museums Tour · Tutorial

Quality: 1,320 global accepts · Rating: 2500 · first AC: 2020-06-02 · last AC: 2020-06-02 · GNU C++11 (first AC) · Tags: dp, graphs, implementation
AQT's solution

1978.
341D
Iahub and Xors · Tutorial
Quality: 1,383 global accepts · Rating: 2500 · first AC: 2020-05-23 · C++14 (GCC 6-32) (first AC) · Tags: data structures
AQT's solution

1979.
508D
Tanya and Password · Tutorial
Quality: 4,230 global accepts · Rating: 2500 · first AC: 2020-05-22 · GNU C++11 (first AC) · Tags: dfs and similar, graphs
AQT's solution

1980.
757E
Bash Plays with Functions · Tutorial
Quality: 1,546 global accepts · Rating: 2500 · first AC: 2020-05-22 · last AC: 2020-05-22 · GNU C++11 (first AC) · Tags: brute force, combinatorics, dp, number theory
AQT's solution

1981.
528D
Fuzzy Search · Tutorial
Quality: 2,861 global accepts · Rating: 2500 · first AC: 2020-05-21 · GNU C++11 (first AC) · Tags: bitmasks, brute force, fft
AQT's solution

1982.
1354F
Summoning Minions · Tutorial
Quality: 1,477 global accepts · Rating: 2500 · first AC: 2020-05-18 · GNU C++11 (first AC) · Tags: constructive algorithms, dp, flows, graph matchings, greedy, sortings
AQT's solution

1983.
1332F
Independent Set · Tutorial
Quality: 1,129 global accepts · Rating: 2500 · first AC: 2020-05-13 · GNU C++11 (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

1984.
981F
Round Marriage · Tutorial
Quality: 905 global accepts · Rating: 2500 · first AC: 2020-05-03 · last AC: 2020-05-03 · GNU C++11 (first AC) · Tags: binary search, graph matchings, greedy
AQT's solution

1985.
981G
Magic multisets · Tutorial
Quality: 763 global accepts · Rating: 2500 · first AC: 2020-05-03 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

1986.
1017F
The Neutral Zone · Tutorial
Quality: 952 global accepts · Rating: 2500 · first AC: 2020-05-02 · GNU C++11 (first AC) · Tags: brute force, math
AQT's solution

1987.
1305F
Kuroni and the Punishment · Tutorial
Quality: 3,239 global accepts · Rating: 2500 · first AC: 2020-04-29 · last AC: 2020-04-29 · GNU C++11 (first AC) · Tags: math, number theory, probabilities

AQT's solution

1988.
729F
Financiers Game · Tutorial
Quality: 1,070 global accepts · Rating: 2500 · first AC: 2020-04-25 · GNU C++11 (first AC) · Tags: dp
AQT's solution

1989.
1280D
Miss Punyverse · Tutorial
Quality: 1,230 global accepts · Rating: 2500 · first AC: 2020-04-24 · GNU C++11 (first AC) · Tags: dp, greedy, trees
AQT's solution

1990.
1111E
Tree · Tutorial
Quality: 1,092 global accepts · Rating: 2500 · first AC: 2020-04-20 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp, graphs, trees
AQT's solution

1991.
704B
Ant Man · Tutorial
Quality: 2,173 global accepts · Rating: 2500 · first AC: 2020-04-17 · GNU C++11 (first AC) · Tags: dp, graphs, greedy
AQT's solution

1992.
799E
Aquarium decoration · Tutorial
Quality: 1,053 global accepts · Rating: 2500 · first AC: 2020-04-16 · GNU C++11 (first AC) · Tags: data structures, greedy, two pointers
AQT's solution

1993.
963D
Frequency of String · Tutorial
Quality: 2,730 global accepts · Rating: 2500 · first AC: 2020-04-10 · C++17 (GCC 7-32) (first AC) · Tags: hashing, string suffix structures, strings
AQT's solution

1994.
1334F
Strange Function · Tutorial
Quality: 1,506 global accepts · Rating: 2500 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, greedy
AQT's solution

1995.
1246D
Tree Factory · Tutorial
Rating: 2500 · first AC: 2020-04-05 · last AC: 2020-04-05 · GNU C++11 (first AC) · Tags: constructive algorithms, divide and conquer, greedy, trees
AQT's solution

1996.
1117G
Recursive Queries · Tutorial
Quality: 913 global accepts · Rating: 2500 · first AC: 2020-04-05 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

1997.
1117F
Crisp String · Tutorial
Quality: 674 global accepts · Rating: 2500 · first AC: 2020-03-25 · GNU C++11 (first AC) · Tags: bitmasks, dp
AQT's solution

1998.
1327F
AND Segments · Tutorial

Quality: 2,028 global accepts · Rating: 2500 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, data structures, dp, two pointers
AQT's solution

1999.
1037F
Maximum Reduction · Tutorial
Quality: 1,272 global accepts · Rating: 2500 · first AC: 2020-03-21 · GNU C++11 (first AC) · Tags: combinatorics, data structures, math
AQT's solution

2000.
1325F
Ehab's Last Theorem · Tutorial
Quality: 2,329 global accepts · Rating: 2500 · first AC: 2020-03-16 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy
AQT's solution

2001.
792E
Colored Balls · Tutorial
Quality: 1,264 global accepts · Rating: 2500 · first AC: 2020-03-16 · GNU C++11 (first AC) · Tags: greedy, math, number theory
AQT's solution

2002.
1307E
Cow and Treats · Tutorial
Quality: 1,364 global accepts · Rating: 2500 · first AC: 2020-02-17 · last AC: 2020-02-17 · GNU C++11 (first AC) · Tags: binary search, combinatorics, dp, greedy, implementation, math
AQT's solution

2003.
1301E
Nanosoft · Tutorial
Quality: 1,613 global accepts · Rating: 2500 · first AC: 2020-02-13 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, implementation
AQT's solution

2004.
91E
Igloo Skyscraper · Tutorial
Quality: 671 global accepts · Rating: 2500 · first AC: 2020-01-24 · GNU C++11 (first AC) · Tags: data structures, geometry
AQT's solution

2005.
1100F
Ivan and Burgers · Tutorial
Quality: 3,690 global accepts · Rating: 2500 · first AC: 2019-12-25 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, greedy, math
AQT's solution

2006.
993D
Compute Power · Tutorial
Quality: 835 global accepts · Rating: 2500 · first AC: 2019-12-22 · GNU C++11 (first AC) · Tags: binary search, dp, greedy
AQT's solution

2007.
840D
Destiny · Tutorial
Quality: 3,957 global accepts · Rating: 2500 · first AC: 2019-12-10 · last AC: 2019-12-10 · GNU C++11 (first AC) · Tags: data structures, probabilities
AQT's solution

2008.
840C
On the Bench · Tutorial

Quality: 2,070 global accepts · Rating: 2500 · first AC: 2019-12-08 · GNU C++11 (first AC) · Tags: combinatorics, dp
AQT's solution

2009.
1253F
Cheap Robot · Tutorial
Quality: 2,253 global accepts · Rating: 2500 · first AC: 2019-11-19 · last AC: 2019-11-19 · GNU C++11 (first AC) · Tags: binary search, dsu, graphs, shortest paths, trees
AQT's solution

2010.
1188C
Array Beauty · Tutorial
Quality: 2,133 global accepts · Rating: 2500 · first AC: 2019-10-30 · GNU C++11 (first AC) · Tags: dp
AQT's solution

2011.
954H
Path Counting · Tutorial
Quality: 763 global accepts · Rating: 2500 · first AC: 2019-10-29 · GNU C++11 (first AC) · Tags: combinatorics, dp
AQT's solution

2012.
1236E
Alice and the Unfair Game · Tutorial
Quality: 731 global accepts · Rating: 2500 · first AC: 2019-10-17 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, dsu
AQT's solution

2013.
1055E
Segments on the Line · Tutorial
Quality: 891 global accepts · Rating: 2500 · first AC: 2019-10-07 · GNU C++11 (first AC) · Tags: binary search, dp
AQT's solution

2014.
1030F
Putting Boxes Together · Tutorial
Quality: 905 global accepts · Rating: 2500 · first AC: 2019-10-06 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

2015.
875F
Royal Questions · Tutorial
Quality: 1,585 global accepts · Rating: 2500 · first AC: 2019-09-22 · GNU C++11 (first AC) · Tags: dsu, graphs, greedy
AQT's solution

2016.
1043F
Make It One · Tutorial
Quality: 2,995 global accepts · Rating: 2500 · first AC: 2019-09-20 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, dp, math, number theory, shortest paths
AQT's solution

2017.
1120D
Power Tree · Tutorial
Quality: 1,777 global accepts · Rating: 2500 · first AC: 2019-09-17 · GNU C++11 (first AC) · Tags: dfs and similar, dp, dsu, graphs, greedy, trees
AQT's solution

2018.
1209E2
Rotate Columns (hard version) · Tutorial
Quality: 2,300 global accepts · Rating: 2500 · first AC: 2019-09-14 · last AC: 2019-09-14 · GNU C++11 (first AC) · Tags: bitmasks, dp, greedy, sortings
AQT's solution

2019.
1065F
Up and Down the Tree · Tutorial
Quality: 1,324 global accepts · Rating: 2500 · first AC: 2019-09-07 · GNU C++11 (first AC) · Tags: dfs and similar, dp, trees
AQT's solution

2020.
1188A2
Add on a Tree: Revolution · Tutorial
Quality: 1,297 global accepts · Rating: 2500 · first AC: 2019-07-05 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, implementation, trees
AQT's solution

2021.
1175F
The Number of Subpermutations · Tutorial
Quality: 2,666 global accepts · Rating: 2500 · first AC: 2019-06-06 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, divide and conquer, hashing, math
AQT's solution

2022.
825G
Tree Queries · Tutorial
Quality: 1,470 global accepts · Rating: 2500 · first AC: 2019-04-17 · last AC: 2019-05-30 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs, trees
AQT's solution

2023.
609F
Frogs and mosquitoes · Tutorial
Quality: 1,511 global accepts · Rating: 2500 · first AC: 2019-05-06 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy
AQT's solution

2024.
1146F
Leaf Partition · Tutorial
Quality: 1,337 global accepts · Rating: 2500 · first AC: 2019-04-28 · C++17 (GCC 7-32) (first AC) · Tags: dp, trees
AQT's solution

2025.
551E
GukiZ and GukiZiana · Tutorial
Quality: 2,141 global accepts · Rating: 2500 · first AC: 2019-04-19 · last AC: 2019-04-20 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, implementation
AQT's solution

2026.
739C
Alyona and towers · Tutorial
Quality: 1,709 global accepts · Rating: 2500 · first AC: 2019-04-19 · C++17 (GCC 7-32) (first AC) · Tags: data structures
AQT's solution

2027.
986C
AND Graph · Tutorial
Quality: 2,716 global accepts · Rating: 2500 · first AC: 2019-04-12 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, dfs and similar, dsu, graphs
AQT's solution

2028.
484E
Sign on Fence · Tutorial
Quality: 3,032 global accepts · Rating: 2500 · first AC: 2019-04-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, data structures
AQT's solution

2029.
837G
Functions On The Segments · Tutorial
Quality: 902 global accepts · Rating: 2500 · first AC: 2019-02-15 · last AC: 2019-02-15 · C++14 (GCC 6-32) (first AC) · Tags: data structures
AQT's solution

2030.
1041F
Ray in the tube · Tutorial
Quality: 1,614 global accepts · Rating: 2500 · first AC: 2018-09-16 · Java 8 (first AC) · Tags: data structures, divide and conquer, dp, math
AQT's solution

2031.
60D
Savior · Tutorial
Quality: 547 global accepts · Rating: 2500 · first AC: 2018-08-14 · Java 8 (first AC) · Tags: brute force, dsu, math
AQT's solution

2032.
1949D
Funny or Scary? · Tutorial
Quality: 554 global accepts · Rating: 2600 · first AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms
AQT's solution

2033.
1949J
Amanda the Amoeba · Tutorial
Quality: 536 global accepts · Rating: 2600 · first AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: graphs, implementation, trees, two pointers
AQT's solution

2034.
1863F
Divide, XOR, and Conquer · Tutorial
Quality: 1,352 global accepts · Rating: 2600 · first AC: 2023-09-01 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, dp, math
AQT's solution

2035.
1827C
Palindrome Partition · Tutorial
Quality: 1,658 global accepts · Rating: 2600 · first AC: 2023-06-30 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, dp, hashing, strings
AQT's solution

2036.
1558D
Top-Notch Insertions · Tutorial
Quality: 1,135 global accepts · Rating: 2600 · first AC: 2021-08-24 · C++17 (GCC 9-64) (first AC) · Tags: combinatorics, data structures
AQT's solution

2037.
1554E
You · Tutorial
Quality: 1,374 global accepts · Rating: 2600 · first AC: 2021-07-30 · GNU C++11 (first AC) · Tags: dfs and similar, dp, math, number theory
AQT's solution

2038.
1530F
Bingo · Tutorial
Quality: 992 global accepts · Rating: 2600 · first AC: 2021-07-18 · last AC: 2021-07-18 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, dp, math, probabilities
AQT's solution

2039.
1237F
Balanced Domino Placements · Tutorial

Quality: 1,092 global accepts · Rating: 2600 · first AC: 2021-06-26 · last AC: 2021-06-26 · GNU C++11 (first AC) · Tags: combinatorics, dp
AQT's solution

2040.
1257G
Divisor Set · Tutorial
Quality: 736 global accepts · Rating: 2600 · first AC: 2021-06-12 · last AC: 2021-06-12 · C++17 (GCC 7-32) (first AC) · Tags: divide and conquer, fft, greedy, math, number theory
AQT's solution

2041.
1523E
Crypto Lights · Tutorial
Quality: 1,939 global accepts · Rating: 2600 · first AC: 2021-05-30 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, probabilities
AQT's solution

2042.
1469F
Power Sockets · Tutorial
Quality: 1,080 global accepts · Rating: 2600 · first AC: 2021-05-07 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy
AQT's solution

2043.
1515F
Phoenix and Earthquake · Tutorial
Quality: 2,076 global accepts · Rating: 2600 · first AC: 2021-05-03 · last AC: 2021-05-03 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs, greedy, trees
AQT's solution

2044.
1348F
Phoenix and Memory · Tutorial
Quality: 906 global accepts · Rating: 2600 · first AC: 2021-04-27 · last AC: 2021-04-27 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, graphs, greedy
AQT's solution

2045.
1209F
Koala and Notebook · Tutorial
Quality: 1,364 global accepts · Rating: 2600 · first AC: 2021-04-27 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, graphs, shortest paths, strings, trees
AQT's solution

2046.
1493F
Enchanted Matrix · Tutorial
Quality: 503 global accepts · Rating: 2600 · first AC: 2021-04-27 · GNU C++11 (first AC) · Tags: bitmasks, interactive, number theory
AQT's solution

2047.
1495D
BFS Trees · Tutorial
Quality: 1,537 global accepts · Rating: 2600 · first AC: 2021-03-12 · GNU C++11 (first AC) · Tags: combinatorics, dfs and similar, graphs, math, shortest paths, trees
AQT's solution

2048.
1486F
Pairs of Paths · Tutorial
Quality: 812 global accepts · Rating: 2600 · first AC: 2021-02-18 · GNU C++11 (first AC) · Tags: combinatorics, data structures, dfs and similar, dp, trees
AQT's solution

2049.
1380G
Circular Dungeon · Tutorial

Quality: 935 global accepts · Rating: 2600 · first AC: 2020-12-03 · GNU C++11 (first AC) · Tags: greedy, math, probabilities
AQT's solution

2050.
1437F
Emotional Fishermen · Tutorial
Quality: 1,609 global accepts · Rating: 2600 · first AC: 2020-11-25 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, two pointers
AQT's solution

2051.
1439C
Greedy Shopping · Tutorial
Quality: 2,209 global accepts · Rating: 2600 · first AC: 2020-11-22 · GNU C++11 (first AC) · Tags: binary search, data structures, divide and conquer, greedy, implementation
AQT's solution

2052.
1439B
Graph Subset Problem · Tutorial
Quality: 1,652 global accepts · Rating: 2600 · first AC: 2020-11-17 · last AC: 2020-11-17 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, graphs
AQT's solution

2053.
955F
Heaps · Tutorial
Quality: 1,964 global accepts · Rating: 2600 · first AC: 2020-10-28 · GNU C++11 (first AC) · Tags: dp, trees
AQT's solution

2054.
1158D
Winding polygonal line · Tutorial
Quality: 927 global accepts · Rating: 2600 · first AC: 2020-09-30 · last AC: 2020-09-30 · GNU C++11 (first AC) · Tags: constructive algorithms, geometry, greedy, math
AQT's solution

2055.
1416D
Graph and Queries · Tutorial
Quality: 2,713 global accepts · Rating: 2600 · first AC: 2020-09-27 · GNU C++11 (first AC) · Tags: data structures, dsu, graphs, implementation, trees
AQT's solution

2056.
1110F
Nearest Leaf · Tutorial
Quality: 2,050 global accepts · Rating: 2600 · first AC: 2020-09-24 · GNU C++11 (first AC) · Tags: data structures, trees
AQT's solution

2057.
1406E
Deleting Numbers · Tutorial
Quality: 1,879 global accepts · Rating: 2600 · first AC: 2020-09-12 · GNU C++11 (first AC) · Tags: interactive, math, number theory
AQT's solution

2058.
1375F
Integer Game · Tutorial
Quality: 2,510 global accepts · Rating: 2600 · first AC: 2020-09-03 · GNU C++11 (first AC) · Tags: constructive algorithms, games, interactive, math
AQT's solution

2059.
1400G
Mercenaries · Tutorial
Quality: 1,160 global accepts · Rating: 2600 · first AC: 2020-08-25 · GNU C++11 (first AC) · Tags: bitmasks, brute force, combinatorics, dp, dsu,

math, two pointers
AQT's solution

2060.
1394C
Boboniu and String · Tutorial
Quality: 1,224 global accepts · Rating: 2600 · first AC: 2020-08-13 · GNU C++11 (first AC) · Tags: binary search, geometry, ternary search
AQT's solution

2061.
1391E
Pairs of Pairs · Tutorial
Quality: 1,928 global accepts · Rating: 2600 · first AC: 2020-08-10 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, trees
AQT's solution

2062.
1389F
Bicolored Segments · Tutorial
Quality: 1,246 global accepts · Rating: 2600 · first AC: 2020-07-30 · GNU C++11 (first AC) · Tags: data structures, dp, graph matchings, sortings
AQT's solution

2063.
1373G
Pawns · Tutorial
Quality: 923 global accepts · Rating: 2600 · first AC: 2020-06-26 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, greedy
AQT's solution

2064.
528C
Data Center Drama · Tutorial
Rating: 2600 · first AC: 2020-05-22 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs
AQT's solution

2065.
420E
Playing the ball · Tutorial
Quality: 266 global accepts · Rating: 2600 · first AC: 2020-05-20 · last AC: 2020-05-20 · C++14 (GCC 6-32) (first AC) · Tags: geometry
AQT's solution

2066.
1355F
Guess Divisors Count · Tutorial
Quality: 964 global accepts · Rating: 2600 · first AC: 2020-05-20 · GNU C++11 (first AC) · Tags: constructive algorithms, interactive, number theory
AQT's solution

2067.
1354G
Find a Gift · Tutorial
Quality: 970 global accepts · Rating: 2600 · first AC: 2020-05-19 · GNU C++11 (first AC) · Tags: binary search, interactive, probabilities
AQT's solution

2068.
758E
Broken Tree · Tutorial
Quality: 552 global accepts · Rating: 2600 · first AC: 2020-05-19 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graphs, greedy, trees
AQT's solution

2069.
261D
Maxim and Increasing Subsequence · Tutorial
Quality: 714 global accepts · Rating: 2600 · first AC: 2020-05-13 · GNU C++11 (first AC) · Tags: dp
AQT's solution

2070.
725E
Too Much Money · Tutorial
Quality: 710 global accepts · Rating: 2600 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: brute force, greedy
AQT's solution

2071.
1344C
Quantifier Question · Tutorial
Quality: 1,980 global accepts · Rating: 2600 · first AC: 2020-05-06 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graphs, math
AQT's solution

2072.
1340D
Nastya and Time Machine · Tutorial
Quality: 1,071 global accepts · Rating: 2600 · first AC: 2020-04-29 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, trees
AQT's solution

2073.
1107F
Vasya and Endless Credits · Tutorial
Quality: 953 global accepts · Rating: 2600 · first AC: 2020-04-22 · GNU C++11 (first AC) · Tags: dp, flows, graph matchings, graphs, sortings
AQT's solution

2074.
1217F
Forced Online Queries Problem · Tutorial
Quality: 722 global accepts · Rating: 2600 · first AC: 2020-04-17 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, dsu, graphs, trees
AQT's solution

2075.
1270F
Awesome Substrings · Tutorial
Quality: 1,336 global accepts · Rating: 2600 · first AC: 2020-04-09 · last AC: 2020-04-09 · GNU C++11 (first AC) · Tags: math, strings
AQT's solution

2076.
1091F
New Year and the Mallard Expedition · Tutorial
Quality: 892 global accepts · Rating: 2600 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy
AQT's solution

2077.
1178F2
Long Colorful Strip · Tutorial
Quality: 1,049 global accepts · Rating: 2600 · first AC: 2020-04-01 · last AC: 2020-04-01 · GNU C++11 (first AC) · Tags: dp
AQT's solution

2078.
1326F1
Wise Men (Easy Version) · Tutorial
Quality: 1,007 global accepts · Rating: 2600 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, meet-in-the-middle
AQT's solution

2079.
1325E
Ehab's REAL Number Theory Problem · Tutorial
Quality: 2,335 global accepts · Rating: 2600 · first AC: 2020-03-14 · GNU C++11 (first AC) · Tags: brute force, dfs and similar, graphs, number theory, shortest paths
AQT's solution

2080.
1312G
Autocompletion · Tutorial

Quality: 1,081 global accepts · Rating: 2600 · first AC: 2020-03-10 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp
AQT's solution

2081.
1301F
Super Jaber · Tutorial
Quality: 1,414 global accepts · Rating: 2600 · first AC: 2020-02-13 · last AC: 2020-02-13 · GNU C++11 (first AC) · Tags: dfs and similar, graphs, implementation, shortest paths
AQT's solution

2082.
703E
Mishka and Divisors · Tutorial
Quality: 670 global accepts · Rating: 2600 · first AC: 2019-11-17 · last AC: 2020-02-03 · GNU C++11 (first AC) · Tags: dp, number theory
AQT's solution

2083.
631E
Product Sum · Tutorial
Quality: 3,204 global accepts · Rating: 2600 · first AC: 2020-01-25 · GNU C++11 (first AC) · Tags: data structures, dp, geometry
AQT's solution

2084.
372D
Choosing Subtree is Fun · Tutorial
Quality: 1,129 global accepts · Rating: 2600 · first AC: 2019-12-11 · GNU C++11 (first AC) · Tags: binary search, data structures, dfs and similar, trees, two pointers
AQT's solution

2085.
685D
Kay and Eternity · Tutorial
Quality: 517 global accepts · Rating: 2600 · first AC: 2019-11-11 · GNU C++11 (first AC) · Tags: brute force, implementation, sortings
AQT's solution

2086.
940F
Machine Learning · Tutorial
Quality: 3,377 global accepts · Rating: 2600 · first AC: 2019-11-05 · GNU C++11 (first AC) · Tags: brute force, data structures
AQT's solution

2087.
1223F
Stack Exterminable Arrays · Tutorial
Quality: 2,268 global accepts · Rating: 2600 · first AC: 2019-10-17 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, dp, hashing
AQT's solution

2088.
627D
Preorder Test · Tutorial
Quality: 999 global accepts · Rating: 2600 · first AC: 2019-10-14 · GNU C++11 (first AC) · Tags: binary search, dfs and similar, dp, graphs, greedy, trees
AQT's solution

2089.
875E
Delivery Club · Tutorial
Quality: 1,009 global accepts · Rating: 2600 · first AC: 2019-09-21 · GNU C++11 (first AC) · Tags: binary search, data structures, dp
AQT's solution

2090.
1140F
Extending Set of Points · Tutorial
Quality: 1,557 global accepts · Rating: 2600 · first AC: 2019-09-10 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, dsu
AQT's solution

2091.
797F
Mice and Holes · Tutorial
Quality: 1,471 global accepts · Rating: 2600 · first AC: 2019-08-27 · GNU C++11 (first AC) · Tags: data structures, dp, greedy, sortings
AQT's solution

2092.
1208F
Bits And Pieces · Tutorial
Quality: 3,300 global accepts · Rating: 2600 · first AC: 2019-08-26 · last AC: 2019-08-26 · GNU C++11 (first AC) · Tags: bitmasks, dfs and similar, dp, greedy
AQT's solution

2093.
1023F
Mobile Phone Network · Tutorial
Quality: 1,009 global accepts · Rating: 2600 · first AC: 2019-07-19 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs, trees
AQT's solution

2094.
196E
Opening Portals · Tutorial
Quality: 1,204 global accepts · Rating: 2600 · first AC: 2019-05-31 · C++14 (GCC 6-32) (first AC) · Tags: dsu, graphs, shortest paths
AQT's solution

2095.
811E
Vladik and Entertaining Flags · Tutorial
Quality: 980 global accepts · Rating: 2600 · first AC: 2019-05-20 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dsu, graphs
AQT's solution

2096.
633F
The Chocolate Spree · Tutorial
Quality: 1,386 global accepts · Rating: 2600 · first AC: 2019-05-11 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, graphs, trees
AQT's solution

2097.
321E
Ciel and Gondolas · Tutorial
Quality: 6,272 global accepts · Rating: 2600 · first AC: 2019-01-19 · C++14 (GCC 6-32) (first AC) · Tags: data structures, divide and conquer, dp
AQT's solution

2098.
1887D
Split · Tutorial
Quality: 1,259 global accepts · Rating: 2700 · first AC: 2024-01-01 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, divide and conquer, dsu, math, trees, two pointers
AQT's solution

2099.
1553G
Common Divisor Graph · Tutorial
Quality: 1,213 global accepts · Rating: 2700 · first AC: 2021-07-23 · last AC: 2021-07-23 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, dsu, graphs, hashing, math, number theory
AQT's solution

2100.
1148F
Foo Fighters · Tutorial
Quality: 1,132 global accepts · Rating: 2700 · first AC: 2021-05-24 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms
AQT's solution

2101.
1519E
Off by One · Tutorial

Quality: 895 global accepts · Rating: 2700 · first AC: 2021-05-13 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, geometry, graphs, sortings, trees
AQT's solution

2102.
1521E
Nastia and a Beautiful Matrix · Tutorial
Quality: 734 global accepts · Rating: 2700 · first AC: 2021-05-08 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, dp, greedy
AQT's solution

2103.
1514E
Baby Ehab's Hyper Apartment · Tutorial
Quality: 697 global accepts · Rating: 2700 · first AC: 2021-04-20 · GNU C++11 (first AC) · Tags: binary search, graphs, interactive, sortings, two pointers
AQT's solution

2104.
1458C
Latin Square · Tutorial
Quality: 1,687 global accepts · Rating: 2700 · first AC: 2021-01-08 · GNU C++11 (first AC) · Tags: math, matrices
AQT's solution

2105.
1453F
Even Harder · Tutorial
Quality: 970 global accepts · Rating: 2700 · first AC: 2020-12-15 · GNU C++11 (first AC) · Tags: dp
AQT's solution

2106.
1452G
Game On Tree · Tutorial
Quality: 552 global accepts · Rating: 2700 · first AC: 2020-11-30 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, greedy, trees
AQT's solution

2107.
1451F
Nullify The Matrix · Tutorial
Quality: 1,219 global accepts · Rating: 2700 · first AC: 2020-11-21 · GNU C++11 (first AC) · Tags: constructive algorithms, games
AQT's solution

2108.
1388E
Uncle Bogdan and Projections · Tutorial
Quality: 648 global accepts · Rating: 2700 · first AC: 2020-11-12 · GNU C++11 (first AC) · Tags: data structures, geometry, sortings
AQT's solution

2109.
860E
Arkady and a Nobody-men · Tutorial
Quality: 507 global accepts · Rating: 2700 · first AC: 2020-10-23 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, trees
AQT's solution

2110.
1140G
Double Tree · Tutorial
Quality: 614 global accepts · Rating: 2700 · first AC: 2020-10-12 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, shortest paths, trees
AQT's solution

2111.
1074F
DFS · Tutorial
Rating: 2700 · first AC: 2020-10-06 · GNU C++11 (first AC) · Tags: data structures, trees
AQT's solution

2112.
1422F
Boring Queries · Tutorial
Quality: 1,272 global accepts · Rating: 2700 · first AC: 2020-10-05 · GNU C++11 (first AC) · Tags: data structures, math, number theory
AQT's solution

2113.
1408G
Clusterization Counting · Tutorial
Quality: 1,301 global accepts · Rating: 2700 · first AC: 2020-10-01 · GNU C++11 (first AC) · Tags: combinatorics, dp, dsu, fft, graphs, trees
AQT's solution

2114.
1000G
Two-Paths · Tutorial
Quality: 715 global accepts · Rating: 2700 · first AC: 2020-09-29 · GNU C++11 (first AC) · Tags: data structures, dp, trees
AQT's solution

2115.
464D
World of Darkraft - 2 · Tutorial
Quality: 758 global accepts · Rating: 2700 · first AC: 2020-09-13 · GNU C++11 (first AC) · Tags: dp, probabilities
AQT's solution

2116.
1205D
Almost All · Tutorial
Quality: 764 global accepts · Rating: 2700 · first AC: 2020-09-06 · GNU C++11 (first AC) · Tags: constructive algorithms, trees
AQT's solution

2117.
1379F1
Chess Strikes Back (easy version) · Tutorial
Quality: 685 global accepts · Rating: 2700 · first AC: 2020-09-02 · GNU C++11 (first AC) · Tags: binary search, data structures
AQT's solution

2118.
1254D
Tree Queries · Tutorial
Quality: 1,532 global accepts · Rating: 2700 · first AC: 2020-08-30 · last AC: 2020-08-30 · C++17 (GCC 7-32) (first AC) · Tags: data structures, probabilities, trees
AQT's solution

2119.
351D
Jeff and Removing Periods · Tutorial
Quality: 1,346 global accepts · Rating: 2700 · first AC: 2020-08-22 · last AC: 2020-08-22 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

2120.
1034C
Region Separation · Tutorial
Quality: 993 global accepts · Rating: 2700 · first AC: 2020-07-01 · GNU C++11 (first AC) · Tags: combinatorics, dp, number theory, trees
AQT's solution

2121.
903G
Yet Another Maxflow Problem · Tutorial
Quality: 687 global accepts · Rating: 2700 · first AC: 2020-06-27 · GNU C++11 (first AC) · Tags: data structures, flows, graphs
AQT's solution

2122.
1370F2
The Hidden Pair (Hard Version) · Tutorial
Quality: 1,669 global accepts · Rating: 2700 · first AC: 2020-06-20 · GNU C++11 (first AC) · Tags: binary search, dfs and similar, graphs, interactive, shortest paths, trees

AQT's solution

2123.
1364E
X-OR · Tutorial
Quality: 1,551 global accepts · Rating: 2700 · first AC: 2020-06-13 · last AC: 2020-06-13 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, divide and conquer, interactive, probabilities
AQT's solution

2124.
1366F
Jog Around The Graph · Tutorial
Quality: 895 global accepts · Rating: 2700 · first AC: 2020-06-11 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dp, geometry, graphs
AQT's solution

2125.
772D
Varying Kibibits · Tutorial
Quality: 753 global accepts · Rating: 2700 · first AC: 2020-05-24 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, dp
AQT's solution

2126.
383E
Vowels · Tutorial
Quality: 4,315 global accepts · Rating: 2700 · first AC: 2020-05-24 · GNU C++11 (first AC) · Tags: combinatorics, divide and conquer, dp
AQT's solution

2127.
1344D
Résumé Review · Tutorial
Quality: 1,292 global accepts · Rating: 2700 · first AC: 2020-05-06 · GNU C++11 (first AC) · Tags: binary search, greedy, math
AQT's solution

2128.
1109E
Sasha and a Very Easy Test · Tutorial
Quality: 599 global accepts · Rating: 2700 · first AC: 2020-04-25 · GNU C++11 (first AC) · Tags: data structures, number theory
AQT's solution

2129.
932F
Escape Through Leaf · Tutorial
Quality: 4,115 global accepts · Rating: 2700 · first AC: 2020-04-14 · last AC: 2020-04-14 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, geometry
AQT's solution

2130.
1338D
Nested Rubber Bands · Tutorial
Quality: 1,127 global accepts · Rating: 2700 · first AC: 2020-04-13 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dp, math, trees
AQT's solution

2131.
1270G
Subset with Zero Sum · Tutorial
Quality: 2,960 global accepts · Rating: 2700 · first AC: 2020-04-08 · last AC: 2020-04-08 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, math
AQT's solution

2132.
367E
Sereja and Intervals · Tutorial
Quality: 1,389 global accepts · Rating: 2700 · first AC: 2020-04-02 · GNU C++11 (first AC) · Tags: combinatorics, dp
AQT's solution

2133.
1295F
Good Contest · Tutorial
Quality: 1,507 global accepts · Rating: 2700 · first AC: 2020-03-04 · GNU C++11 (first AC) · Tags: combinatorics, dp, probabilities
AQT's solution

2134.
1292D
Chaotic V. · Tutorial
Quality: 971 global accepts · Rating: 2700 · first AC: 2020-01-20 · GNU C++11 (first AC) · Tags: dp, graphs, greedy, math, number theory, trees
AQT's solution

2135.
1260F
Colored Tree · Tutorial
Quality: 632 global accepts · Rating: 2700 · first AC: 2019-11-30 · last AC: 2019-11-30 · GNU C++11 (first AC) · Tags: data structures, trees
AQT's solution

2136.
995E
Number Clicker · Tutorial
Quality: 927 global accepts · Rating: 2700 · first AC: 2019-10-22 · GNU C++11 (first AC) · Tags: divide and conquer, graphs, meet-in-the-middle, number theory
AQT's solution

2137.
780G
Andryusha and Nervous Barriers · Tutorial
Quality: 707 global accepts · Rating: 2700 · first AC: 2019-09-15 · last AC: 2019-09-15 · GNU C++11 (first AC) · Tags: data structures, dp
AQT's solution

2138.
938F
Erasing Substrings · Tutorial
Quality: 613 global accepts · Rating: 2700 · first AC: 2019-09-12 · GNU C++11 (first AC) · Tags: bitmasks, dp, greedy
AQT's solution

2139.
293E
Close Vertices · Tutorial
Quality: 1,980 global accepts · Rating: 2700 · first AC: 2019-07-21 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, trees
AQT's solution

2140.
500F
New Year Shopping · Tutorial
Quality: 829 global accepts · Rating: 2700 · first AC: 2019-07-18 · last AC: 2019-07-18 · GNU C++11 (first AC) · Tags: divide and conquer, dp
AQT's solution

2141.
1146G
Zoning Restrictions · Tutorial
Quality: 1,046 global accepts · Rating: 2700 · first AC: 2019-04-23 · C++17 (GCC 7-32) (first AC) · Tags: dp, flows, graphs
AQT's solution

2142.
13E
Holes · Tutorial
Quality: 7,951 global accepts · Rating: 2700 · first AC: 2018-05-30 · Java 8 (first AC) · Tags: data structures, dsu
AQT's solution

2143.
1949K
Make Triangle · Tutorial
Quality: 449 global accepts · Rating: 2800 · first AC: 2024-03-29 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
AQT's solution

2144.
1776D
Teamwork · Tutorial
Quality: 453 global accepts · Rating: 2800 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math
AQT's solution

2145.
1291F
Coffee Varieties (easy version) · Tutorial
Quality: 726 global accepts · Rating: 2800 · first AC: 2021-08-02 · GNU C++11 (first AC) · Tags: graphs, interactive
AQT's solution

2146.
1404D
Game of Pairs · Tutorial
Quality: 1,271 global accepts · Rating: 2800 · first AC: 2021-06-08 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, interactive, math, number theory
AQT's solution

2147.
1436F
Sum Over Subsets · Tutorial
Quality: 623 global accepts · Rating: 2800 · first AC: 2020-11-28 · GNU C++11 (first AC) · Tags: combinatorics, math, number theory
AQT's solution

2148.
1442D
Sum · Tutorial
Quality: 2,916 global accepts · Rating: 2800 · first AC: 2020-11-24 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, dp, greedy
AQT's solution

2149.
1434D
Roads and Ramen · Tutorial
Rating: 2800 · first AC: 2020-11-13 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, trees
AQT's solution

2150.
1322D
Reality Show · Tutorial
Quality: 882 global accepts · Rating: 2800 · first AC: 2020-10-21 · GNU C++11 (first AC) · Tags: bitmasks, dp
AQT's solution

2151.
1375G
Tree Modification · Tutorial
Quality: 2,187 global accepts · Rating: 2800 · first AC: 2020-09-03 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graph matchings, graphs, trees
AQT's solution

2152.
1379F2
Chess Strikes Back (hard version) · Tutorial
Quality: 580 global accepts · Rating: 2800 · first AC: 2020-09-02 · GNU C++11 (first AC) · Tags: data structures, divide and conquer
AQT's solution

2153.
1383D
Rearrange · Tutorial
Quality: 762 global accepts · Rating: 2800 · first AC: 2020-09-01 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, graphs, greedy, sortings
AQT's solution

2154.
986E
Prince's Problem · Tutorial
Quality: 898 global accepts · Rating: 2800 · first AC: 2020-07-09 · last AC: 2020-07-09 · GNU C++11 (first AC) · Tags: brute force, data structures, math, number theory, trees
AQT's solution

2155.
1039D
You Are Given a Tree · Tutorial
Quality: 2,309 global accepts · Rating: 2800 · first AC: 2020-06-17 · last AC: 2020-06-17 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, trees
AQT's solution

2156.
1365G
Secure Password · Tutorial
Quality: 1,415 global accepts · Rating: 2800 · first AC: 2020-06-07 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, constructive algorithms, interactive, math
AQT's solution

2157.
702F
T-Shirts · Tutorial
Quality: 1,922 global accepts · Rating: 2800 · first AC: 2020-05-19 · last AC: 2020-05-19 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

2158.
601E
A Museum Robbery · Tutorial
Quality: 1,141 global accepts · Rating: 2800 · first AC: 2020-05-15 · GNU C++11 (first AC) · Tags: data structures, dp
AQT's solution

2159.
750F
New Year and Finding Roots · Tutorial
Quality: 595 global accepts · Rating: 2800 · first AC: 2020-05-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, interactive, trees
AQT's solution

2160.
850D
Tournament Construction · Tutorial
Quality: 468 global accepts · Rating: 2800 · first AC: 2020-04-25 · GNU C++11 (first AC) · Tags: constructive algorithms, dp, graphs, greedy, math
AQT's solution

2161.
377E
Cookie Clicker · Tutorial
Quality: 568 global accepts · Rating: 2800 · first AC: 2020-04-12 · C++14 (GCC 6-32) (first AC) · Tags: dp, geometry
AQT's solution

2162.
794F
Leha and security system · Tutorial
Quality: 992 global accepts · Rating: 2800 · first AC: 2020-03-27 · last AC: 2020-04-10 · C++14 (GCC 6-32) (first AC) · Tags: data structures
AQT's solution

2163.
1303F
Number of Components · Tutorial
Quality: 615 global accepts · Rating: 2800 · first AC: 2020-02-14 · GNU C++11 (first AC) · Tags: dsu, implementation
AQT's solution

2164.
983E
NN country · Tutorial
Quality: 1,199 global accepts · Rating: 2800 · first AC: 2020-01-11 · GNU C++11 (first AC) · Tags: binary search, data structures, trees
AQT's solution

2165.
1279F
New Year and Handle Change · Tutorial
Quality: 1,217 global accepts · Rating: 2800 · first AC: 2019-12-30 · last AC: 2019-12-30 · GNU C++11 (first AC) · Tags: binary search, dp
AQT's solution

2166.
549F
Yura and Developers · Tutorial
Quality: 1,034 global accepts · Rating: 2800 · first AC: 2019-12-03 · GNU C++11 (first AC) · Tags: data structures, divide and conquer
AQT's solution

2167.
516D
Drazil and Morning Exercise · Tutorial
Quality: 1,528 global accepts · Rating: 2800 · first AC: 2019-11-26 · GNU C++11 (first AC) · Tags: dfs and similar, dp, dsu, trees, two pointers
AQT's solution

2168.
1553H
XOR and Distance · Tutorial
Quality: 842 global accepts · Rating: 2900 · first AC: 2021-07-24 · last AC: 2021-07-24 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, divide and conquer, trees
AQT's solution

2169.
1500D
Tiles for Bathroom · Tutorial
Quality: 587 global accepts · Rating: 2900 · first AC: 2021-06-15 · C++17 (GCC 7-32) (first AC) · Tags: data structures, sortings, two pointers
AQT's solution

2170.
1479D
Odd Mineral Resource · Tutorial
Quality: 1,333 global accepts · Rating: 2900 · first AC: 2021-06-03 · last AC: 2021-06-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, brute force, data structures, probabilities, trees
AQT's solution

2171.
1285F
Classical? · Tutorial
Quality: 1,356 global accepts · Rating: 2900 · first AC: 2021-01-22 · GNU C++11 (first AC) · Tags: binary search, combinatorics, number theory
AQT's solution

2172.
1428G1
Lucky Numbers (Easy Version) · Tutorial
Quality: 644 global accepts · Rating: 2900 · first AC: 2020-10-19 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

2173.
17E
Palisection · Tutorial
Quality: 1,990 global accepts · Rating: 2900 · first AC: 2020-08-20 · GNU C++11 (first AC) · Tags: strings
AQT's solution

2174.
1372E
Omkar and Last Floor · Tutorial
Quality: 1,433 global accepts · Rating: 2900 · first AC: 2020-07-11 · GNU C++11 (first AC) · Tags: dp, greedy, two pointers

AQT's solution

2175.
1221G
Graph And Numbers · Tutorial
Quality: 876 global accepts · Rating: 2900 · first AC: 2020-06-21 · GNU C++11 (first AC) · Tags: bitmasks, brute force, combinatorics, dp, meet-in-the-middle
AQT's solution

2176.
1129D
Isolation · Tutorial
Quality: 1,308 global accepts · Rating: 2900 · first AC: 2019-12-26 · last AC: 2019-12-26 · GNU C++11 (first AC) · Tags: data structures, dp
AQT's solution

2177.
1824D
LuoTianyi and the Function · Tutorial
Quality: 655 global accepts · Rating: 3000 · first AC: 2023-07-14 · C++20 (GCC 11-64) (first AC) · Tags: data structures
AQT's solution

2178.
1776M
Parmigiana With Seafood · Tutorial
Quality: 508 global accepts · Rating: 3000 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: binary search, dp, greedy, trees
AQT's solution

2179.
1290D
Coffee Varieties (hard version) · Tutorial
Quality: 948 global accepts · Rating: 3000 · first AC: 2021-08-02 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs, interactive
AQT's solution

2180.
1464D
The Thorny Path · Tutorial
Rating: 3000 · first AC: 2020-12-30 · GNU C++11 (first AC) · Tags: greedy, implementation, math
AQT's solution

2181.
1428G2
Lucky Numbers (Hard Version) · Tutorial
Quality: 727 global accepts · Rating: 3000 · first AC: 2020-10-19 · GNU C++11 (first AC) · Tags: dp, greedy
AQT's solution

2182.
618F
Double Knapsack · Tutorial
Quality: 1,828 global accepts · Rating: 3000 · first AC: 2020-10-09 · GNU C++11 (first AC) · Tags: constructive algorithms, two pointers
AQT's solution

2183.
1320E
Treeland and Viruses · Tutorial
Quality: 1,075 global accepts · Rating: 3000 · first AC: 2020-09-02 · last AC: 2020-09-02 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp, shortest paths, trees
AQT's solution

2184.
793F
Julia the snail · Tutorial
Quality: 799 global accepts · Rating: 3000 · first AC: 2020-05-25 · last AC: 2020-05-25 · GNU C++11 (first AC) · Tags: data structures, divide and conquer, dp
AQT's solution

2185.
1147E
Rainbow Coins · Tutorial
Quality: 472 global accepts · Rating: 3000 · first AC: 2020-04-09 · last AC: 2020-05-15 · GNU C++11 (first AC) · Tags: interactive
AQT's solution

2186.
914F
Substrings in a String · Tutorial
Quality: 2,142 global accepts · Rating: 3000 · first AC: 2020-05-11 · GNU C++11 (first AC) · Tags: bitmasks, brute force, data structures, string suffix structures, strings
AQT's solution

2187.
696E
...Wait for it... · Tutorial
Quality: 629 global accepts · Rating: 3000 · first AC: 2020-04-14 · GNU C++11 (first AC) · Tags: data structures, dsu, trees
AQT's solution

2188.
627E
Orchestra · Tutorial
Quality: 709 global accepts · Rating: 3000 · first AC: 2019-10-19 · GNU C++11 (first AC) · Tags: two pointers
AQT's solution

2189.
1481F
AB Tree · Tutorial
Quality: 737 global accepts · Rating: 3100 · first AC: 2021-02-07 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, trees
AQT's solution

2190.
765F
Souvenirs · Tutorial
Quality: 2,558 global accepts · Rating: 3100 · first AC: 2020-07-17 · GNU C++11 (first AC) · Tags: data structures
AQT's solution

2191.
1523G
Try Booking · Tutorial
Quality: 520 global accepts · Rating: 3200 · first AC: 2021-07-01 · last AC: 2021-07-01 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer
AQT's solution

2192.
768G
The Winds of Winter · Tutorial
Quality: 405 global accepts · Rating: 3300 · first AC: 2020-03-31 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures
AQT's solution

2193.
102465C
Crosswords · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2194.
102465G
Strings · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2195.
102465I
Mason's Mark · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —

AQT's solution

2196.
`102465F`
Paris by Night · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2197.
`102465H`
Travel Guide · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2198.
`102465K`
Dishonest Driver · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2199.
`102465B`
Blurred Pictures · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2200.
`102465E`
Rounding · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2201.
`102465D`
Monument Tour · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2202.
`102465A`
City of Lights · Tutorial
Rating: — · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2203.
`101635I`
Burglary · Tutorial
Rating: — · first AC: 2023-10-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2204.
`101635B`
Table · Tutorial
Rating: — · first AC: 2023-10-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2205.
`101635G`
Cordon Bleu · Tutorial
Rating: — · first AC: 2023-10-15 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2206.
`101635K`
Blowing Candles · Tutorial
Rating: — · first AC: 2023-10-15 · C++17 (GCC 7-32) (first AC) · Tags: —

AQT's solution

2207.
`101635D`
Candy Chain · Tutorial
Rating: — · first AC: 2023-10-15 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2208.
`101635C`
Macarons · Tutorial
Rating: — · first AC: 2023-10-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2209.
`101635E`
Ingredients · Tutorial
Rating: — · first AC: 2023-10-15 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2210.
`101635F`
Shattered Cake · Tutorial
Rating: — · first AC: 2023-10-15 · PyPy 3-64 (first AC) · Tags: —
AQT's solution

2211.
`101635A`
Cakey McCakeFace · Tutorial
Rating: — · first AC: 2023-10-15 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2212.
`101635J`
Frosting on the Cake · Tutorial
Rating: — · first AC: 2023-10-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2213.
`104427F`
Beautiful Sequence · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2214.
`104427C`
One, Two, Three · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2215.
`104427E`
Treasure Box · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2216.
`104427I`
Visiting Friend · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2217.
`104427D`
Lonely King · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —

AQT's solution

2218.
104427J
Cooperation Game · Tutorial
Rating: — · first AC: 2023-10-14 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2219.
104427B
Lawyers · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2220.
104427G
Make Everything White · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2221.
104427A
Reversing · Tutorial
Rating: — · first AC: 2023-10-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2222.
102511G
First of Her Name · Tutorial
Rating: — · first AC: 2023-10-08 · last AC: 2023-10-09 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2223.
102511H
Hobsons' trains · Tutorial
Rating: — · first AC: 2023-10-08 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2224.
102511D
Circular DNA · Tutorial
Rating: — · first AC: 2023-10-08 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2225.
102511A
Azulejos · Tutorial
Rating: — · first AC: 2023-10-08 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2226.
102511E
Dead-End Detector · Tutorial
Rating: — · first AC: 2023-10-08 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2227.
102482I
Triangles · Tutorial
Rating: — · first AC: 2023-10-01 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2228.
102482F
Go with the Flow · Tutorial
Rating: — · first AC: 2023-09-30 · C++20 (GCC 11-64) (first AC) · Tags: —

AQT's solution

2229.
102482K
Wireless is the New Fiber · Tutorial
Rating: — · first AC: 2023-09-30 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2230.
102482A
Catch the Plane · Tutorial
Rating: — · first AC: 2023-09-30 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2231.
102482B
Comma Sprinkler · Tutorial
Rating: — · first AC: 2023-09-30 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2232.
101471D
Money for Nothing · Tutorial
Rating: — · first AC: 2023-09-28 · last AC: 2023-09-28 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2233.
101471L
Visual Python++ · Tutorial
Rating: — · first AC: 2023-09-25 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2234.
101471C
Mission Improbable · Tutorial
Rating: — · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2235.
101471F
Posterize · Tutorial
Rating: — · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2236.
101471E
Need for Speed · Tutorial
Rating: — · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2237.
101471I
Secret Chamber at Mount Rushmore · Tutorial
Rating: — · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2238.
104017G
Round Table · Tutorial
Rating: — · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2239.
104017H
Pandemic Restrictions · Tutorial
Rating: — · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: —

AQT's solution

2240.
104017I
Antennas · Tutorial
Rating: — · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2241.
104017L
Circular Maze · Tutorial
Rating: — · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2242.
104017K
Gastronomic Event · Tutorial
Rating: — · first AC: 2023-05-14 · last AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2243.
104017C
Il Derby della Madonnina · Tutorial
Rating: — · first AC: 2023-05-14 · last AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2244.
104017B
Drone Photo · Tutorial
Rating: — · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2245.
104017D
Ice Cream Shop · Tutorial
Rating: — · first AC: 2023-05-13 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2246.
104017J
Boundary · Tutorial
Rating: — · first AC: 2023-05-13 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2247.
104017F
Bottle Arrangements · Tutorial
Rating: — · first AC: 2023-05-13 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2248.
104017A
Organizing SWERC · Tutorial
Rating: — · first AC: 2023-05-13 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2249.
104294L
My Hero Photographia · Tutorial
Rating: — · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2250.
104294I
Snack Time · Tutorial
Rating: — · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —

AQT's solution

2251.
104294A
Square Jutsu! · Tutorial
Rating: — · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2252.
104294K
Anime Trading · Tutorial
Rating: — · first AC: 2023-04-15 · last AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2253.
104294G
Howl's Moving Castle · Tutorial
Rating: — · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2254.
104294J
3 Reasons to Eat Potato Chips · Tutorial
Rating: — · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2255.
104294E
Monster-Slayer · Tutorial
Rating: — · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2256.
104294C
Attack on Titans · Tutorial
Rating: — · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2257.
104064I
IXth Problem · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2258.
104064B
Boredom Buster · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2259.
104064E
Exchange Students · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2260.
104064F
Flatland Olympics · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2261.
104064L
Lucky Shirt · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —

AQT's solution

2262.
`104064H`
Heating Up · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2263.
`104064D`
Dyson Circle · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2264.
`104064J`
Jet Set · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2265.
`104064G`
Glossary Arrangement · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2266.
`104064A`
Access Denied · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2267.
`104064K`
Knitpicking · Tutorial
Rating: — · first AC: 2023-02-20 · C++20 (GCC 11-64) (first AC) · Tags: —
AQT's solution

2268.
`undefined277`
Heroes · Tutorial
Rating: — · first AC: 2023-02-09 · C++20 (GCC 11-64) (first AC) · Tags: *special
AQT's solution

2269.
`101806Y`
Yut Nori · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2270.
`101806T`
Touch The Sky · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2271.
`101806X`
Xtreme NP-hard Problem?! · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2272.
`101806P`
Puyo Puyo · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 9-64) (first AC) · Tags: —

AQT's solution

2273.
101806R
Recipe · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2274.
101806W
Winter Olympic Games · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2275.
101806V
Voronoi Diagram · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2276.
101806Q
QueryreuQ · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2277.
101806S
Segmentation · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2278.
101806Z
Zigzag · Tutorial
Rating: — · first AC: 2022-01-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2279.
100015E
Empty Triangles · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2280.
100015G
Guessing Game · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2281.
100015I
Identity Checker · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2282.
100015D
Drunken Walk · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2283.
100015H
Hidden Code · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 9-64) (first AC) · Tags: —

AQT's solution

2284.
100015B
Ball Painting · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2285.
100015F
Fighting for Triangles · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2286.
100015C
City Driving · Tutorial
Rating: — · first AC: 2021-07-10 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2287.
100015A
Another Rock-Paper-Scissors Problem · Tutorial
Rating: — · first AC: 2021-07-10 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2288.
103098F
Friendship Circles · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2289.
103098D
Display of Springs · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2290.
103098H
Hackerman · Tutorial
Rating: — · first AC: 2021-07-04 · Python 3 (first AC) · Tags: —
AQT's solution

2291.
103098K
Königsberg Bridges · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2292.
103098B
Beautiful Permutation · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2293.
103098E
Even Intervals · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2294.
103098L
Long Grid Covering · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 9-64) (first AC) · Tags: —

AQT's solution

2295.
103098A
Adjacent Rooks · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2296.
103098I
Interesting Scoring Systems · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2297.
103098J
Joyful Numbers · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2298.
103098C
Cartesian MST · Tutorial
Rating: — · first AC: 2021-07-04 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2299.
103081L
Restaurants · Tutorial
Rating: — · first AC: 2021-06-27 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2300.
103081I
Emails · Tutorial
Rating: — · first AC: 2021-06-27 · GNU C++11 (first AC) · Tags: —
AQT's solution

2301.
103081G
Decoration · Tutorial
Rating: — · first AC: 2021-06-27 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2302.
103081H
Figurines · Tutorial
Rating: — · first AC: 2021-06-27 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2303.
103081F
Mentors · Tutorial
Rating: — · first AC: 2021-06-27 · GNU C++11 (first AC) · Tags: —
AQT's solution

2304.
103081D
Jogging · Tutorial
Rating: — · first AC: 2021-06-27 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2305.
103081K
Unique Activities · Tutorial
Rating: — · first AC: 2021-06-27 · C++17 (GCC 9-64) (first AC) · Tags: —

AQT's solution

2306.
103081C
Safe Distance · Tutorial
Rating: — · first AC: 2021-06-27 · GNU C++11 (first AC) · Tags: —
AQT's solution

2307.
103081A
Gratitude · Tutorial
Rating: — · first AC: 2021-06-27 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2308.
103081E
Cakes · Tutorial
Rating: — · first AC: 2021-06-27 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2309.
101431E
Vera and Engineering Buildings · Tutorial
Rating: — · first AC: 2021-02-06 · GNU C++11 (first AC) · Tags: —
AQT's solution

2310.
101431B
Vera and Banquet · Tutorial
Rating: — · first AC: 2021-02-06 · GNU C++11 (first AC) · Tags: —
AQT's solution

2311.
101431C
Vera and Canada Day · Tutorial
Rating: — · first AC: 2021-02-06 · GNU C++11 (first AC) · Tags: —
AQT's solution

2312.
101431D
Vera and Dogs · Tutorial
Rating: — · first AC: 2021-02-06 · GNU C++11 (first AC) · Tags: —
AQT's solution

2313.
101431A
Vera and ABCDE · Tutorial
Rating: — · first AC: 2021-02-06 · GNU C++11 (first AC) · Tags: —
AQT's solution

2314.
102365F
Fair Distribution · Tutorial
Rating: — · first AC: 2020-10-21 · GNU C++11 (first AC) · Tags: —
AQT's solution

2315.
102365H
Ancient Wisdom · Tutorial
Rating: — · first AC: 2020-10-21 · GNU C++11 (first AC) · Tags: —
AQT's solution

2316.
102365C
Unjob Search · Tutorial
Rating: — · first AC: 2020-10-21 · GNU C++11 (first AC) · Tags: —

AQT's solution

2317.
102365E
Exciting Acts · Tutorial
Rating: — · first AC: 2020-10-21 · GNU C++11 (first AC) · Tags: —
AQT's solution

2318.
102365B
Balanced Fighters · Tutorial
Rating: — · first AC: 2020-10-21 · GNU C++11 (first AC) · Tags: —
AQT's solution

2319.
102365A
Abnormal Words · Tutorial
Rating: — · first AC: 2020-10-21 · GNU C++11 (first AC) · Tags: —
AQT's solution

2320.
100570F
Tree Query · Tutorial
Rating: — · first AC: 2020-05-08 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2321.
100570E
Palindrome Query · Tutorial
Rating: — · first AC: 2020-05-08 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2322.
100570C
Subrect Query · Tutorial
Rating: — · first AC: 2020-05-08 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2323.
100570D
TROY Query · Tutorial
Rating: — · first AC: 2020-05-08 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2324.
100570A
LCM Query · Tutorial
Rating: — · first AC: 2020-05-08 · C++17 (GCC 7-32) (first AC) · Tags: —
AQT's solution

2325.
100570B
ShortestPath Query · Tutorial
Rating: — · first AC: 2020-05-08 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2326.
102062H
String Game · Tutorial
Rating: — · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: —
AQT's solution

2327.
102062I
Freddie's Time Dimension(s) · Tutorial
Rating: — · first AC: 2020-05-04 · C++14 (GCC 6-32) (first AC) · Tags: —

AQT's solution

2328.
102062F
Special Birthday Card · Tutorial
Rating: — · first AC: 2020-05-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2329.
102062G
Ainum's Delusion · Tutorial
Rating: — · first AC: 2020-05-04 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2330.
102062E
Jumpy Robot · Tutorial
Rating: — · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: —
AQT's solution

2331.
102062D
Palindrome and Chocolate · Tutorial
Rating: — · first AC: 2020-05-04 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2332.
102062A
Bob and BoB · Tutorial
Rating: — · first AC: 2020-05-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2333.
102062C
The Blood Moon · Tutorial
Rating: — · first AC: 2020-05-04 · C++17 (GCC 9-64) (first AC) · Tags: —
AQT's solution

2334.
102062B
Vibranium Gift · Tutorial
Rating: — · first AC: 2020-05-04 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2335.
102391H
Maximizer · Tutorial
Rating: — · first AC: 2020-04-30 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2336.
102391G
Lexicographically Minimum Walk · Tutorial
Rating: — · first AC: 2020-04-30 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2337.
102391A
6789 · Tutorial
Rating: — · first AC: 2020-04-30 · C++14 (GCC 6-32) (first AC) · Tags: —
AQT's solution

2338.
102416E
Space guardians · Tutorial
Rating: — · first AC: 2020-02-15 · GNU C++11 (first AC) · Tags: —

AQT's solution

2339.
`102416B`
Efficient market · Tutorial
Rating: — · first AC: 2020-02-15 · GNU C++11 (first AC) · Tags: —
AQT's solution

2340.
`102416D`
Calculated risk · Tutorial
Rating: — · first AC: 2020-02-15 · GNU C++11 (first AC) · Tags: —
AQT's solution

2341.
`102416C`
Quick coffee · Tutorial
Rating: — · first AC: 2020-02-15 · GNU C++11 (first AC) · Tags: —
AQT's solution

2342.
`102416A`
Palindrome · Tutorial
Rating: — · first AC: 2020-02-15 · GNU C++11 (first AC) · Tags: —
AQT's solution

2343.
`102191C`
Seating Arrangement · Tutorial
Rating: — · first AC: 2020-02-12 · GNU C++11 (first AC) · Tags: —
AQT's solution

2344.
`102503H`
A Sheety Problem · Tutorial
Rating: — · first AC: 2020-02-04 · last AC: 2020-02-04 · GNU C++11 (first AC) · Tags: —
AQT's solution

2345.
`102503D`
Union Found · Tutorial
Rating: — · first AC: 2020-02-03 · GNU C++11 (first AC) · Tags: —
AQT's solution

2346.
`102503I`
Pakain ng Pahiyas 2 · Tutorial
Rating: — · first AC: 2020-02-03 · GNU C++11 (first AC) · Tags: —
AQT's solution

2347.
`102503M`
Señorita · Tutorial
Rating: — · first AC: 2020-02-01 · GNU C++11 (first AC) · Tags: —
AQT's solution

2348.
`102503L`
Arnis Ball · Tutorial
Rating: — · first AC: 2020-02-01 · last AC: 2020-02-01 · GNU C++11 (first AC) · Tags: —
AQT's solution

2349.
`102503G`
Sharing Chocolates 8: The Last Jebediah · Tutorial
Rating: — · first AC: 2020-01-31 · GNU C++11 (first AC) · Tags: —

AQT's solution

2350.
`102503C`
Partial Reduplication · Tutorial
Rating: — · first AC: 2020-01-31 · GNU C++11 (first AC) · Tags: —
AQT's solution

2351.
`102503B`
Bogart Gets Disqualified · Tutorial
Rating: — · first AC: 2020-01-31 · GNU C++11 (first AC) · Tags: —
AQT's solution

2352.
`102503A`
Vincent Adultman · Tutorial
Rating: — · first AC: 2020-01-31 · GNU C++11 (first AC) · Tags: —
AQT's solution

2353.
`undefined347`
Join the Strings · Tutorial
Rating: — · first AC: 2018-10-27 · Java 8 (first AC) · Tags: *special
AQT's solution

2354.
`390B`
Inna, Dima and Song · Tutorial
Quality: 1,257 global accepts · Rating: — · first AC: 2018-10-24 · Java 8 (first AC) · Tags: implementation
AQT's solution

2355.
`undefined222`
Little Rooks · Tutorial
Rating: — · first AC: 2018-04-30 · Java 8 (first AC) · Tags: *special
AQT's solution

2356.
`undefined149`
Computer Network · Tutorial
Rating: — · first AC: 2018-04-28 · Java 8 (first AC) · Tags: *special
AQT's solution

2357.
`undefined231`
Prime Sum · Tutorial
Rating: — · first AC: 2018-04-28 · Java 8 (first AC) · Tags: —
AQT's solution

2358.
`undefined180`
Inversions · Tutorial
Rating: — · first AC: 2018-04-25 · Java 8 (first AC) · Tags: *special
AQT's solution

2359.
`undefined460`
Plural Form of Nouns · Tutorial
Rating: — · first AC: 2018-04-25 · Java 8 (first AC) · Tags: *special
AQT's solution

2360.
`undefined403`
Scientific Problem · Tutorial
Rating: — · first AC: 2018-04-25 · Java 8 (first AC) · Tags: *special

AQT's solution

2361.

`undefined123`

The sum · Tutorial

Rating: — · first AC: 2018-04-25 · Java 8 (first AC) · Tags: *special

AQT's solution

2362.

`undefined100`

A+B · Tutorial

Rating: — · first AC: 2018-04-25 · Java 8 (first AC) · Tags: *special

AQT's solution