

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — Aotsuki

Links: [problem](#) ([problemset](#)), [Tutorial](#), [submission](#) (first AC).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 367

1.

2211A

[Antimedian Deletion](#) · [Tutorial](#)

Quality: 16,097 global accepts · Rating: 800 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [implementation](#), [math](#)
[Aotsuki's solution](#)

2.

2178A

[Yes or Yes](#) · [Tutorial](#)

Quality: 25,744 global accepts · Rating: 800 · first AC: 2025-12-31 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [greedy](#), [strings](#)
[Aotsuki's solution](#)

3.

2158A

[Suspension](#) · [Tutorial](#)

Quality: 23,399 global accepts · Rating: 800 · first AC: 2025-12-02 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [constructive algorithms](#), [greedy](#), [math](#)
[Aotsuki's solution](#)

4.

2096A

[Wonderful Sticks](#) · [Tutorial](#)

Quality: 20,577 global accepts · Rating: 800 · first AC: 2025-04-19 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [constructive algorithms](#), [greedy](#)
[Aotsuki's solution](#)

5.

2084A

[Max and Mod](#) · [Tutorial](#)

Quality: 17,434 global accepts · Rating: 800 · first AC: 2025-04-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [constructive algorithms](#), [math](#)
[Aotsuki's solution](#)

6.

2092A

[Kamilka and the Sheep](#) · [Tutorial](#)

Quality: 28,319 global accepts · Rating: 800 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [greedy](#), [math](#), [number theory](#), [sortings](#)
[Aotsuki's solution](#)

7.

1896A

[Jagged Swaps](#) · [Tutorial](#)

Quality: 57,388 global accepts · Rating: 800 · first AC: 2025-03-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [sortings](#)
[Aotsuki's solution](#)

8.

2002A

[Distanced Coloring](#) · [Tutorial](#)

Quality: 21,314 global accepts · Rating: 800 · first AC: 2025-03-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [constructive algorithms](#), [implementation](#), [math](#)
[Aotsuki's solution](#)

9.

2072A

[New World, New Me, New Array](#) · [Tutorial](#)

Quality: 40,667 global accepts · Rating: 800 · first AC: 2025-02-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [greedy](#), [implementation](#), [math](#)

[Aotsuki's solution](#)

10.

2069A

[Was there an Array? · Tutorial](#)

Quality: 26,551 global accepts · Rating: 800 · first AC: 2025-02-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: graph matchings, greedy

[Aotsuki's solution](#)

11.

2064A

[Brogramming Contest · Tutorial](#)

Quality: 27,101 global accepts · Rating: 800 · first AC: 2025-02-16 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, strings

[Aotsuki's solution](#)

12.

1991A

[Maximize the Last Element · Tutorial](#)

Quality: 24,426 global accepts · Rating: 800 · first AC: 2025-02-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, implementation

[Aotsuki's solution](#)

13.

2059A

[Milya and Two Arrays · Tutorial](#)

Quality: 29,192 global accepts · Rating: 800 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, sortings

[Aotsuki's solution](#)

14.

2062A

[String · Tutorial](#)

Quality: 28,281 global accepts · Rating: 800 · first AC: 2025-01-26 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math, strings

[Aotsuki's solution](#)

15.

2053A

[Tender Carpenter · Tutorial](#)

Quality: 21,263 global accepts · Rating: 800 · first AC: 2024-12-28 · C++20 (GCC 13-64) (first AC) · Tags: dp, geometry, greedy, math

[Aotsuki's solution](#)

16.

2048A

[Kevin and Combination Lock · Tutorial](#)

Quality: 22,853 global accepts · Rating: 800 · first AC: 2024-12-19 · C++20 (GCC 13-64) (first AC) · Tags: brute force, greedy, implementation, math, number theory

[Aotsuki's solution](#)

17.

2034A

[King Keykhosrow's Mystery · Tutorial](#)

Quality: 18,401 global accepts · Rating: 800 · first AC: 2024-11-30 · C++20 (GCC 13-64) (first AC) · Tags: brute force, chinese remainder theorem, math, number theory

[Aotsuki's solution](#)

18.

1761A

[Two Permutations · Tutorial](#)

Quality: 36,639 global accepts · Rating: 800 · first AC: 2023-10-21 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms

[Aotsuki's solution](#)

19.

1839A

[The Good Array · Tutorial](#)

Quality: 18,331 global accepts · Rating: 800 · first AC: 2023-06-03 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation, math

[Aotsuki's solution](#)

20.

1696A

[NIT orz!](#) · [Tutorial](#)

Quality: 20,260 global accepts · Rating: 800 · first AC: 2023-05-03 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, greedy

[Aotsuki's solution](#)

21.

1704A

[Two 0-1 Sequences](#) · [Tutorial](#)

Quality: 16,651 global accepts · Rating: 800 · first AC: 2023-05-01 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[Aotsuki's solution](#)

22.

1804A

[Lame King](#) · [Tutorial](#)

Quality: 18,666 global accepts · Rating: 800 · first AC: 2023-04-05 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[Aotsuki's solution](#)

23.

1774A

[Add Plus Minus Sign](#) · [Tutorial](#)

Quality: 23,532 global accepts · Rating: 800 · first AC: 2023-04-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math

[Aotsuki's solution](#)

24.

1810B

[Candies](#) · [Tutorial](#)

Quality: 18,934 global accepts · Rating: 800 · first AC: 2023-03-31 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math, number theory

[Aotsuki's solution](#)

25.

1810A

[Beautiful Sequence](#) · [Tutorial](#)

Quality: 21,912 global accepts · Rating: 800 · first AC: 2023-03-31 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy

[Aotsuki's solution](#)

26.

1809A

[Garland](#) · [Tutorial](#)

Quality: 25,175 global accepts · Rating: 800 · first AC: 2023-03-23 · C++20 (GCC 11-64) (first AC) · Tags: implementation

[Aotsuki's solution](#)

27.

1799A

[Recent Actions](#) · [Tutorial](#)

Quality: 12,318 global accepts · Rating: 800 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, implementation, math

[Aotsuki's solution](#)

28.

1779A

[Hall of Fame](#) · [Tutorial](#)

Quality: 24,060 global accepts · Rating: 800 · first AC: 2023-01-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, strings

[Aotsuki's solution](#)

29.

1746B

[Rebellion](#) · [Tutorial](#)

Quality: 18,637 global accepts · Rating: 800 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, two pointers

[Aotsuki's solution](#)

- 30.**
1746A
[Maxmina](#) · [Tutorial](#)
Quality: 21,066 global accepts · Rating: 800 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy
[Aotsuki's solution](#)
- 31.**
1738A
[Glory Addicts](#) · [Tutorial](#)
Quality: 14,193 global accepts · Rating: 800 · first AC: 2022-09-30 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation, sortings
[Aotsuki's solution](#)
- 32.**
1608A
[Find Array](#) · [Tutorial](#)
Quality: 20,264 global accepts · Rating: 800 · first AC: 2022-08-24 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math
[Aotsuki's solution](#)
- 33.**
1712B
[Woeful Permutation](#) · [Tutorial](#)
Quality: 22,399 global accepts · Rating: 800 · first AC: 2022-08-13 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, number theory
[Aotsuki's solution](#)
- 34.**
1712A
[Wonderful Permutation](#) · [Tutorial](#)
Quality: 25,058 global accepts · Rating: 800 · first AC: 2022-08-13 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation
[Aotsuki's solution](#)
- 35.**
1673A
[Subtle Substring Subtraction](#) · [Tutorial](#)
Quality: 19,141 global accepts · Rating: 800 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, strings
[Aotsuki's solution](#)
- 36.**
1661A
[Array Balancing](#) · [Tutorial](#)
Quality: 19,370 global accepts · Rating: 800 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math
[Aotsuki's solution](#)
- 37.**
1647A
[Madoka and Math Dad](#) · [Tutorial](#)
Quality: 23,492 global accepts · Rating: 800 · first AC: 2022-03-25 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math
[Aotsuki's solution](#)
- 38.**
1654B
[Prefix Removals](#) · [Tutorial](#)
Quality: 16,778 global accepts · Rating: 800 · first AC: 2022-03-25 · C++17 (GCC 7-32) (first AC) · Tags: strings
[Aotsuki's solution](#)
- 39.**
1654A
[Maximum Cake Tastiness](#) · [Tutorial](#)
Quality: 19,391 global accepts · Rating: 800 · first AC: 2022-03-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation, sortings
[Aotsuki's solution](#)
- 40.**
1656A
[Good Pairs](#) · [Tutorial](#)
Quality: 20,454 global accepts · Rating: 800 · first AC: 2022-03-24 · C++17 (GCC 7-32) (first AC) · Tags: math, sortings

[Aotsuki's solution](#)

41.

1567A

[Domino Disaster](#) · [Tutorial](#)

Quality: 31,718 global accepts · Rating: 800 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: implementation, strings

[Aotsuki's solution](#)

42.

1183A

[Nearest Interesting Number](#) · [Tutorial](#)

Quality: 27,024 global accepts · Rating: 800 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[Aotsuki's solution](#)

43.

1484A

[Prison Break](#) · [Tutorial](#)

Rating: 800 · first AC: 2021-03-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[Aotsuki's solution](#)

44.

1398A

[Bad Triangle](#) · [Tutorial](#)

Quality: 28,791 global accepts · Rating: 800 · first AC: 2020-08-14 · C++17 (GCC 7-32) (first AC) · Tags: geometry, math

[Aotsuki's solution](#)

45.

2178B

[Impost or Sus](#) · [Tutorial](#)

Quality: 21,589 global accepts · Rating: 900 · first AC: 2025-12-31 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, greedy, implementation, strings

[Aotsuki's solution](#)

46.

1896B

[AB Flipping](#) · [Tutorial](#)

Quality: 18,424 global accepts · Rating: 900 · first AC: 2025-03-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, strings, two pointers

[Aotsuki's solution](#)

47.

2072B

[Having Been a Treasurer in the Past, I Help Goblins Deceive](#) · [Tutorial](#)

Quality: 30,937 global accepts · Rating: 900 · first AC: 2025-02-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, constructive algorithms, strings

[Aotsuki's solution](#)

48.

2062B

[Clockwork](#) · [Tutorial](#)

Quality: 23,753 global accepts · Rating: 900 · first AC: 2025-01-26 · C++20 (GCC 13-64) (first AC) · Tags: greedy, math

[Aotsuki's solution](#)

49.

2048B

[Kevin and Permutation](#) · [Tutorial](#)

Quality: 20,651 global accepts · Rating: 900 · first AC: 2024-12-19 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy

[Aotsuki's solution](#)

50.

1696B

[NIT Destroys the Universe](#) · [Tutorial](#)

Quality: 36,337 global accepts · Rating: 900 · first AC: 2023-05-03 · C++20 (GCC 11-64) (first AC) · Tags: greedy

[Aotsuki's solution](#)

51.

1779B

[MKnez's ConstructiveForces Task](#) · [Tutorial](#)

Quality: 25,066 global accepts · Rating: 900 · first AC: 2023-01-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math
[Aotsuki's solution](#)

52.

1183B

[Equalize Prices](#) · [Tutorial](#)

Quality: 19,697 global accepts · Rating: 900 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: math
[Aotsuki's solution](#)

53.

2092B

[Lady Bug](#) · [Tutorial](#)

Quality: 24,823 global accepts · Rating: 1000 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, implementation, math
[Aotsuki's solution](#)

54.

2002B

[Removals Game](#) · [Tutorial](#)

Quality: 22,992 global accepts · Rating: 1000 · first AC: 2025-03-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, games
[Aotsuki's solution](#)

55.

2034B

[Rakhsh's Revival](#) · [Tutorial](#)

Quality: 15,764 global accepts · Rating: 1000 · first AC: 2024-11-30 · C++20 (GCC 13-64) (first AC) · Tags: data structures, greedy, implementation, two pointers
[Aotsuki's solution](#)

56.

1761B

[Elimination of a Ring](#) · [Tutorial](#)

Quality: 14,715 global accepts · Rating: 1000 · first AC: 2023-10-21 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation
[Aotsuki's solution](#)

57.

1704B

[Luke is a Foodie](#) · [Tutorial](#)

Quality: 29,929 global accepts · Rating: 1000 · first AC: 2023-05-01 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, implementation
[Aotsuki's solution](#)

58.

1804B

[Vaccination](#) · [Tutorial](#)

Quality: 15,624 global accepts · Rating: 1000 · first AC: 2023-04-05 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation
[Aotsuki's solution](#)

59.

1809B

[Points on Plane](#) · [Tutorial](#)

Quality: 22,348 global accepts · Rating: 1000 · first AC: 2023-03-23 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, math
[Aotsuki's solution](#)

60.

1567B

[MEXor Mixup](#) · [Tutorial](#)

Quality: 32,947 global accepts · Rating: 1000 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy
[Aotsuki's solution](#)

61.

1476A

[K-divisible Sum](#) · [Tutorial](#)

Quality: 44,890 global accepts · Rating: 1000 · first AC: 2021-01-29 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, greedy, math

[Aotsuki's solution](#)

62.

2211B

[Mickey Mouse Constructive](#) · [Tutorial](#)

Quality: 11,650 global accepts · Rating: 1100 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dp, greedy, math

[Aotsuki's solution](#)

63.

2138A

[Cake Assignment](#) · [Tutorial](#)

Quality: 17,002 global accepts · Rating: 1100 · first AC: 2026-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, greedy

[Aotsuki's solution](#)

64.

2096B

[Wonderful Gloves](#) · [Tutorial](#)

Quality: 16,575 global accepts · Rating: 1100 · first AC: 2025-04-19 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, math, sortings

[Aotsuki's solution](#)

65.

2084B

[MIN = GCD](#) · [Tutorial](#)

Quality: 16,618 global accepts · Rating: 1100 · first AC: 2025-04-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, math, number theory

[Aotsuki's solution](#)

66.

2064B

[Variety is Discouraged](#) · [Tutorial](#)

Quality: 20,121 global accepts · Rating: 1100 · first AC: 2025-02-16 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, constructive algorithms, greedy, two pointers

[Aotsuki's solution](#)

67.

1991B

[AND Reconstruction](#) · [Tutorial](#)

Quality: 18,905 global accepts · Rating: 1100 · first AC: 2025-02-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, greedy

[Aotsuki's solution](#)

68.

1839B

[Lamps](#) · [Tutorial](#)

Quality: 16,550 global accepts · Rating: 1100 · first AC: 2023-06-03 · C++20 (GCC 11-64) (first AC) · Tags: greedy, sortings

[Aotsuki's solution](#)

69.

1827A

[Counting Orders](#) · [Tutorial](#)

Quality: 28,822 global accepts · Rating: 1100 · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math, sortings, two pointers

[Aotsuki's solution](#)

70.

1712C

[Sort Zero](#) · [Tutorial](#)

Quality: 21,269 global accepts · Rating: 1100 · first AC: 2022-08-13 · C++20 (GCC 11-64) (first AC) · Tags: greedy, sortings

[Aotsuki's solution](#)

71.

1673B

[A Perfectly Balanced String?](#) · [Tutorial](#)

Quality: 21,782 global accepts · Rating: 1100 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, strings

[Aotsuki's solution](#)

72.

1656B

[Subtract Operation](#) · [Tutorial](#)

Quality: 26,811 global accepts · Rating: 1100 · first AC: 2022-03-24 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, math, two pointers

[Aotsuki's solution](#)

73.

1157A

[Reachable Numbers](#) · [Tutorial](#)

Quality: 16,566 global accepts · Rating: 1100 · first AC: 2021-06-19 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[Aotsuki's solution](#)

74.

2178C

[First or Second](#) · [Tutorial](#)

Quality: 15,704 global accepts · Rating: 1200 · first AC: 2025-12-31 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, greedy, implementation

[Aotsuki's solution](#)

75.

2158B

[Split](#) · [Tutorial](#)

Quality: 13,952 global accepts · Rating: 1200 · first AC: 2025-12-02 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

76.

2092C

[Asuna and the Mosquitoes](#) · [Tutorial](#)

Quality: 22,585 global accepts · Rating: 1200 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

77.

2002C

[Black Circles](#) · [Tutorial](#)

Quality: 17,706 global accepts · Rating: 1200 · first AC: 2025-03-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, geometry, greedy, math

[Aotsuki's solution](#)

78.

2072C

[Creating Keys for StORages Has Become My Main Skill](#) · [Tutorial](#)

Quality: 19,577 global accepts · Rating: 1200 · first AC: 2025-02-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, greedy

[Aotsuki's solution](#)

79.

2069B

[Set of Strangers](#) · [Tutorial](#)

Quality: 18,816 global accepts · Rating: 1200 · first AC: 2025-02-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, matrices

[Aotsuki's solution](#)

80.

2046A

[Swap Columns and Find a Path](#) · [Tutorial](#)

Quality: 16,814 global accepts · Rating: 1200 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: greedy, sortings

[Aotsuki's solution](#)

81.

2062C

[Cirno and Operations](#) · [Tutorial](#)

Quality: 18,392 global accepts · Rating: 1200 · first AC: 2025-01-26 · C++20 (GCC 13-64) (first AC) · Tags: brute force, math

[Aotsuki's solution](#)

82.

2053B

[Outstanding Impressionist](#) · [Tutorial](#)

Quality: 16,981 global accepts · Rating: 1200 · first AC: 2024-12-28 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, data structures, greedy

[Aotsuki's solution](#)

83.

2048C

[Kevin and Binary Strings](#) · [Tutorial](#)

Quality: 15,146 global accepts · Rating: 1200 · first AC: 2024-12-19 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, greedy, implementation, strings

[Aotsuki's solution](#)

84.

1704C

[Virus](#) · [Tutorial](#)

Quality: 24,801 global accepts · Rating: 1200 · first AC: 2023-05-01 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation, sortings

[Aotsuki's solution](#)

85.

1799B

[Equalize by Divide](#) · [Tutorial](#)

Quality: 12,742 global accepts · Rating: 1200 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, greedy, math

[Aotsuki's solution](#)

86.

1738B

[Prefix Sum Addicts](#) · [Tutorial](#)

Quality: 18,795 global accepts · Rating: 1200 · first AC: 2022-09-30 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Aotsuki's solution](#)

87.

1608B

[Build the Permutation](#) · [Tutorial](#)

Quality: 12,487 global accepts · Rating: 1200 · first AC: 2022-08-24 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[Aotsuki's solution](#)

88.

1647B

[Madoka and the Elegant Gift](#) · [Tutorial](#)

Quality: 17,124 global accepts · Rating: 1200 · first AC: 2022-03-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, graphs, implementation

[Aotsuki's solution](#)

89.

1656C

[Make Equal With Mod](#) · [Tutorial](#)

Quality: 21,006 global accepts · Rating: 1200 · first AC: 2022-03-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory, sortings

[Aotsuki's solution](#)

90.

1205A

[Almost Equal](#) · [Tutorial](#)

Quality: 14,708 global accepts · Rating: 1200 · first AC: 2021-08-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

91.

2201A1

[Lost Civilization \(Easy Version\)](#) · [Tutorial](#)

Quality: 11,064 global accepts · Rating: 1300 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures

[Aotsuki's solution](#)

92.

2211C1

[Equal Multisets \(Easy Version\) · Tutorial](#)

Quality: 9,124 global accepts · Rating: 1300 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, greedy, two pointers

[Aotsuki's solution](#)

93.

2101A

[Mex in the Grid · Tutorial](#)

Quality: 13,434 global accepts · Rating: 1300 · first AC: 2025-05-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, implementation

[Aotsuki's solution](#)

94.

1943A

[MEX Game 1 · Tutorial](#)

Quality: 21,482 global accepts · Rating: 1300 · first AC: 2025-02-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: games, greedy

[Aotsuki's solution](#)

95.

2023A

[Concatenation of Arrays · Tutorial](#)

Quality: 16,571 global accepts · Rating: 1300 · first AC: 2025-02-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Aotsuki's solution](#)

96.

2064C

[Remove the Ends · Tutorial](#)

Quality: 17,788 global accepts · Rating: 1300 · first AC: 2025-02-16 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, dp, greedy

[Aotsuki's solution](#)

97.

1991C

[Absolute Zero · Tutorial](#)

Quality: 17,707 global accepts · Rating: 1300 · first AC: 2025-02-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

98.

2059B

[Cost of the Array · Tutorial](#)

Quality: 18,789 global accepts · Rating: 1300 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, greedy, math

[Aotsuki's solution](#)

99.

1601A

[Array Elimination · Tutorial](#)

Quality: 21,100 global accepts · Rating: 1300 · first AC: 2023-10-16 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, greedy, math, number theory

[Aotsuki's solution](#)

100.

1839C

[Insert Zero and Invert Prefix · Tutorial](#)

Quality: 13,444 global accepts · Rating: 1300 · first AC: 2023-06-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms

[Aotsuki's solution](#)

101.

1693A

[Directional Increase · Tutorial](#)

Quality: 17,440 global accepts · Rating: 1300 · first AC: 2023-05-04 · C++20 (GCC 11-64) (first AC) · Tags: greedy

[Aotsuki's solution](#)

102.

1819A

[Constructive Problem](#) · [Tutorial](#)

Quality: 14,594 global accepts · Rating: 1300 · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy
[Aotsuki's solution](#)

103.

1815A

[Ian and Array Sorting](#) · [Tutorial](#)

Quality: 15,975 global accepts · Rating: 1300 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math
[Aotsuki's solution](#)

104.

1774C

[Ice and Fire](#) · [Tutorial](#)

Quality: 13,276 global accepts · Rating: 1300 · first AC: 2023-04-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dp, greedy
[Aotsuki's solution](#)

105.

1753A1

[Make Nonzero Sum \(easy version\)](#) · [Tutorial](#)

Quality: 16,455 global accepts · Rating: 1300 · first AC: 2023-04-02 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dp, greedy
[Aotsuki's solution](#)

106.

1810C

[Make It Permutation](#) · [Tutorial](#)

Quality: 16,551 global accepts · Rating: 1300 · first AC: 2023-03-31 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, sortings
[Aotsuki's solution](#)

107.

1746C

[Permutation Operations](#) · [Tutorial](#)

Quality: 14,102 global accepts · Rating: 1300 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math
[Aotsuki's solution](#)

108.

1661B

[Getting Zero](#) · [Tutorial](#)

Quality: 20,689 global accepts · Rating: 1300 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp, graphs, greedy, shortest paths
[Aotsuki's solution](#)

109.

1647C

[Madoka and Childish Pranks](#) · [Tutorial](#)

Quality: 13,332 global accepts · Rating: 1300 · first AC: 2022-03-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy
[Aotsuki's solution](#)

110.

1157C1

[Increasing Subsequence \(easy version\)](#) · [Tutorial](#)

Quality: 13,457 global accepts · Rating: 1300 · first AC: 2021-06-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[Aotsuki's solution](#)

111.

1157B

[Long Number](#) · [Tutorial](#)

Quality: 15,637 global accepts · Rating: 1300 · first AC: 2021-06-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[Aotsuki's solution](#)

112.

1476B

[Inflation](#) · [Tutorial](#)

Quality: 21,638 global accepts · Rating: 1300 · first AC: 2021-01-29 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, greedy,

math

[Aotsuki's solution](#)

113.

2097A

[Sports Betting](#) · [Tutorial](#)

Quality: 8,588 global accepts · Rating: 1400 · first AC: 2025-04-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: 2-sat, brute force, math, sortings

[Aotsuki's solution](#)

114.

2084C

[You Soared Afar With Grace](#) · [Tutorial](#)

Quality: 11,712 global accepts · Rating: 1400 · first AC: 2025-04-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, data structures, greedy, implementation

[Aotsuki's solution](#)

115.

2066A

[Object Identification](#) · [Tutorial](#)

Quality: 7,174 global accepts · Rating: 1400 · first AC: 2025-03-10 · C++23 (GCC 14-64, msys2) (first AC) · Tags: graphs, greedy, implementation, interactive

[Aotsuki's solution](#)

116.

1896C

[Matching Arrays](#) · [Tutorial](#)

Quality: 11,601 global accepts · Rating: 1400 · first AC: 2025-03-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, constructive algorithms, greedy, sortings

[Aotsuki's solution](#)

117.

1967B1

[Reverse Card \(Easy Version\)](#) · [Tutorial](#)

Quality: 16,059 global accepts · Rating: 1400 · first AC: 2025-02-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, math, number theory

[Aotsuki's solution](#)

118.

1967A

[Permutation Counting](#) · [Tutorial](#)

Quality: 14,940 global accepts · Rating: 1400 · first AC: 2025-02-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, greedy, implementation, math, sortings

[Aotsuki's solution](#)

119.

1893A

[Anonymous Informant](#) · [Tutorial](#)

Quality: 15,082 global accepts · Rating: 1400 · first AC: 2025-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dfs and similar, graphs, implementation

[Aotsuki's solution](#)

120.

1965A

[Everything Nim](#) · [Tutorial](#)

Quality: 16,708 global accepts · Rating: 1400 · first AC: 2025-02-04 · C++23 (GCC 14-64, msys2) (first AC) · Tags: games, greedy, math, sortings

[Aotsuki's solution](#)

121.

2034C

[Trapped in the Witch's Labyrinth](#) · [Tutorial](#)

Quality: 9,141 global accepts · Rating: 1400 · first AC: 2024-11-30 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, implementation

[Aotsuki's solution](#)

122.

1761C

[Set Construction](#) · [Tutorial](#)

Quality: 10,731 global accepts · Rating: 1400 · first AC: 2023-10-21 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy

[Aotsuki's solution](#)

123.

1696C

[Fishingprince Plays With Array](#) · [Tutorial](#)

Quality: 12,585 global accepts · Rating: 1400 · first AC: 2023-05-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Aotsuki's solution](#)

124.

1648A

[Weird Sum](#) · [Tutorial](#)

Quality: 18,776 global accepts · Rating: 1400 · first AC: 2022-04-17 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, data structures, geometry, math, matrices, sortings

[Aotsuki's solution](#)

125.

1654C

[Alice and the Cake](#) · [Tutorial](#)

Quality: 14,527 global accepts · Rating: 1400 · first AC: 2022-03-25 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation, sortings

[Aotsuki's solution](#)

126.

1190A

[Tokitsukaze and Discard Items](#) · [Tutorial](#)

Quality: 9,807 global accepts · Rating: 1400 · first AC: 2021-08-13 · C++17 (GCC 7-32) (first AC) · Tags: implementation, two pointers

[Aotsuki's solution](#)

127.

2069C

[Beautiful Sequence](#) · [Tutorial](#)

Quality: 14,826 global accepts · Rating: 1500 · first AC: 2025-02-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, greedy, two pointers

[Aotsuki's solution](#)

128.

1924A

[Did We Get Everything Covered?](#) · [Tutorial](#)

Quality: 16,754 global accepts · Rating: 1500 · first AC: 2025-02-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dp, greedy, shortest paths, strings

[Aotsuki's solution](#)

129.

2053C

[Bewitching Stargazer](#) · [Tutorial](#)

Quality: 12,336 global accepts · Rating: 1500 · first AC: 2024-12-28 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, divide and conquer, dp, math

[Aotsuki's solution](#)

130.

1338A

[Powered Addition](#) · [Tutorial](#)

Quality: 30,348 global accepts · Rating: 1500 · first AC: 2023-10-26 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[Aotsuki's solution](#)

131.

1299A

[Anu Has a Function](#) · [Tutorial](#)

Quality: 12,551 global accepts · Rating: 1500 · first AC: 2023-10-25 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, math

[Aotsuki's solution](#)

132.

1710A

[Color the Picture](#) · [Tutorial](#)

Quality: 11,910 global accepts · Rating: 1500 · first AC: 2023-05-13 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

133.

1817A

[Almost Increasing Subsequence](#) · [Tutorial](#)

Quality: 12,757 global accepts · Rating: 1500 · first AC: 2023-04-29 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, greedy

[Aotsuki's solution](#)

134.

1804C

[Pull Your Luck](#) · [Tutorial](#)

Quality: 13,837 global accepts · Rating: 1500 · first AC: 2023-04-05 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, math, number theory

[Aotsuki's solution](#)

135.

1774B

[Coloring](#) · [Tutorial](#)

Quality: 13,992 global accepts · Rating: 1500 · first AC: 2023-04-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

136.

1753A2

[Make Nonzero Sum \(hard version\)](#) · [Tutorial](#)

Quality: 11,608 global accepts · Rating: 1500 · first AC: 2023-04-02 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dp, greedy

[Aotsuki's solution](#)

137.

1809C

[Sum on Subarrays](#) · [Tutorial](#)

Quality: 15,176 global accepts · Rating: 1500 · first AC: 2023-03-23 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

138.

1673C

[Palindrome Basis](#) · [Tutorial](#)

Quality: 18,017 global accepts · Rating: 1500 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, math, number theory

[Aotsuki's solution](#)

139.

1158A

[The Party and Sweets](#) · [Tutorial](#)

Quality: 8,339 global accepts · Rating: 1500 · first AC: 2021-08-27 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, greedy, implementation, math, sortings, two pointers

[Aotsuki's solution](#)

140.

1179A

[Valeriy and Deque](#) · [Tutorial](#)

Quality: 11,801 global accepts · Rating: 1500 · first AC: 2021-08-17 · C++17 (GCC 7-32) (first AC) · Tags: data structures, implementation

[Aotsuki's solution](#)

141.

1242A

[Tile Painting](#) · [Tutorial](#)

Quality: 13,267 global accepts · Rating: 1500 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory

[Aotsuki's solution](#)

142.

939D

[Love Rescue](#) · [Tutorial](#)

Quality: 8,111 global accepts · Rating: 1600 · first AC: 2025-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dfs and similar, dsu, graphs, greedy, strings

[Aotsuki's solution](#)

143.

722C

[Destroying Array](#) · [Tutorial](#)

Quality: 11,473 global accepts · Rating: 1600 · first AC: 2025-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dsu

[Aotsuki's solution](#)

144.

2084D

[Arcology On Permafrost](#) · [Tutorial](#)

Quality: 8,843 global accepts · Rating: 1600 · first AC: 2025-04-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, constructive algorithms, greedy, math

[Aotsuki's solution](#)

145.

2018A

[Cards Partition](#) · [Tutorial](#)

Quality: 12,618 global accepts · Rating: 1600 · first AC: 2025-02-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: 2-sat, brute force, greedy, implementation, math

[Aotsuki's solution](#)

146.

1677A

[Tokitsukaze and Strange Inequality](#) · [Tutorial](#)

Quality: 9,357 global accepts · Rating: 1600 · first AC: 2025-02-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, data structures, dp

[Aotsuki's solution](#)

147.

2046B

[Move Back at a Cost](#) · [Tutorial](#)

Quality: 10,870 global accepts · Rating: 1600 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, greedy, sortings

[Aotsuki's solution](#)

148.

2048D

[Kevin and Competition Memories](#) · [Tutorial](#)

Quality: 8,311 global accepts · Rating: 1600 · first AC: 2024-12-19 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, data structures, greedy, sortings, two pointers

[Aotsuki's solution](#)

149.

2034D

[Darius' Wisdom](#) · [Tutorial](#)

Quality: 6,606 global accepts · Rating: 1600 · first AC: 2024-11-30 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, implementation, sortings

[Aotsuki's solution](#)

150.

1687A

[The Enchanted Forest](#) · [Tutorial](#)

Quality: 11,396 global accepts · Rating: 1600 · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy

[Aotsuki's solution](#)

151.

1707A

[Doremy's IQ](#) · [Tutorial](#)

Quality: 15,448 global accepts · Rating: 1600 · first AC: 2023-05-04 · C++20 (GCC 11-64) (first AC) · Tags: binary search, constructive algorithms, greedy, implementation

[Aotsuki's solution](#)

152.

1774D

[Same Count One](#) · [Tutorial](#)

Quality: 9,226 global accepts · Rating: 1600 · first AC: 2023-04-03 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, two pointers

[Aotsuki's solution](#)

153.

1753B

[Factorial Divisibility](#) · [Tutorial](#)

Quality: 14,997 global accepts · Rating: 1600 · first AC: 2023-04-02 · C++20 (GCC 11-64) (first AC) · Tags: math, number theory

[Aotsuki's solution](#)

154.

1801A

[The Very Beautiful Blanket](#) · [Tutorial](#)

Quality: 9,749 global accepts · Rating: 1600 · first AC: 2023-03-24 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms

[Aotsuki's solution](#)

155.

1779C

[Least Prefix Sum](#) · [Tutorial](#)

Quality: 14,392 global accepts · Rating: 1600 · first AC: 2023-01-03 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy

[Aotsuki's solution](#)

156.

1567C

[Carrying Conundrum](#) · [Tutorial](#)

Quality: 13,156 global accepts · Rating: 1600 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, dp, math

[Aotsuki's solution](#)

157.

1137A

[Skyscrapers](#) · [Tutorial](#)

Quality: 4,677 global accepts · Rating: 1600 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: implementation, sortings

[Aotsuki's solution](#)

158.

1188A1

[Add on a Tree](#) · [Tutorial](#)

Quality: 8,935 global accepts · Rating: 1600 · first AC: 2021-08-14 · C++17 (GCC 7-32) (first AC) · Tags: trees

[Aotsuki's solution](#)

159.

1246A

[p-binary](#) · [Tutorial](#)

Rating: 1600 · first AC: 2021-08-04 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, math

[Aotsuki's solution](#)

160.

1503A

[Balance the Bits](#) · [Tutorial](#)

Quality: 14,609 global accepts · Rating: 1600 · first AC: 2021-07-03 · last AC: 2021-07-03 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[Aotsuki's solution](#)

161.

512A

[Fox And Names](#) · [Tutorial](#)

Rating: 1600 · first AC: 2021-03-29 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs, greedy, sortings

[Aotsuki's solution](#)

162.

2201B

[Recollect Numbers](#) · [Tutorial](#)

Quality: 4,961 global accepts · Rating: 1700 · first AC: 2026-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms
[Aotsuki's solution](#)

163.

2201A2

[Lost Civilization \(Hard Version\)](#) · [Tutorial](#)

Quality: 5,091 global accepts · Rating: 1700 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dp
[Aotsuki's solution](#)

164.

2178D

[Xmas or Hysteria](#) · [Tutorial](#)

Quality: 6,699 global accepts · Rating: 1700 · first AC: 2025-12-31 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, implementation, math
[Aotsuki's solution](#)

165.

2096C

[Wonderful City](#) · [Tutorial](#)

Quality: 8,226 global accepts · Rating: 1700 · first AC: 2025-04-19 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, implementation
[Aotsuki's solution](#)

166.

1896D

[Ones and Twos](#) · [Tutorial](#)

Quality: 7,007 global accepts · Rating: 1700 · first AC: 2025-03-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, data structures, divide and conquer, math, two pointers
[Aotsuki's solution](#)

167.

2018C

[Tree Pruning](#) · [Tutorial](#)

Quality: 9,646 global accepts · Rating: 1700 · first AC: 2025-02-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dfs and similar, greedy, sortings, trees
[Aotsuki's solution](#)

168.

2006A

[Iris and Game on the Tree](#) · [Tutorial](#)

Quality: 9,371 global accepts · Rating: 1700 · first AC: 2025-02-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dfs and similar, games, graphs, greedy, trees
[Aotsuki's solution](#)

169.

2023B

[Skipping](#) · [Tutorial](#)

Quality: 7,081 global accepts · Rating: 1700 · first AC: 2025-02-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, dp, graphs, shortest paths
[Aotsuki's solution](#)

170.

1677B

[Tokitsukaze and Meeting](#) · [Tutorial](#)

Quality: 4,552 global accepts · Rating: 1700 · first AC: 2025-02-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, implementation, math
[Aotsuki's solution](#)

171.

1893B

[Neutral Tonality](#) · [Tutorial](#)

Quality: 11,467 global accepts · Rating: 1700 · first AC: 2025-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, sortings, two pointers
[Aotsuki's solution](#)

172.

1936A

[Bitwise Operation Wizard](#) · [Tutorial](#)

Quality: 8,660 global accepts · Rating: 1700 · first AC: 2025-02-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, greedy, interactive, math

[Aotsuki's solution](#)

173.

2053D

[Refined Product Optimality](#) · [Tutorial](#)

Quality: 7,685 global accepts · Rating: 1700 · first AC: 2024-12-28 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, greedy, math, schedules, sortings

[Aotsuki's solution](#)

174.

1254A

[Feeding Chicken](#) · [Tutorial](#)

Quality: 5,515 global accepts · Rating: 1700 · first AC: 2023-11-12 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation

[Aotsuki's solution](#)

175.

1329B

[Dreamoon Likes Sequences](#) · [Tutorial](#)

Quality: 7,056 global accepts · Rating: 1700 · first AC: 2023-11-07 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, combinatorics, math

[Aotsuki's solution](#)

176.

1687B

[Railway System](#) · [Tutorial](#)

Quality: 4,136 global accepts · Rating: 1700 · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, graphs, greedy, interactive, sortings

[Aotsuki's solution](#)

177.

1693B

[Fake Plastic Trees](#) · [Tutorial](#)

Quality: 9,583 global accepts · Rating: 1700 · first AC: 2023-05-04 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, greedy, trees

[Aotsuki's solution](#)

178.

1810D

[Climbing the Tree](#) · [Tutorial](#)

Quality: 8,543 global accepts · Rating: 1700 · first AC: 2023-03-31 · C++20 (GCC 11-64) (first AC) · Tags: binary search, math

[Aotsuki's solution](#)

179.

1799C

[Double Lexicographically Minimum](#) · [Tutorial](#)

Quality: 6,922 global accepts · Rating: 1700 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: greedy, strings

[Aotsuki's solution](#)

180.

1779D

[Boris and His Amazing Haircut](#) · [Tutorial](#)

Quality: 9,053 global accepts · Rating: 1700 · first AC: 2023-01-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, data structures, dp, dsu, greedy, sortings

[Aotsuki's solution](#)

181.

1608C

[Game Master](#) · [Tutorial](#)

Quality: 7,370 global accepts · Rating: 1700 · first AC: 2022-08-24 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dfs and similar, dp, graphs, greedy, two pointers

[Aotsuki's solution](#)

182.

1661C

[Water the Trees](#) · [Tutorial](#)

Quality: 10,540 global accepts · Rating: 1700 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, math
[Aotsuki's solution](#)

183.

1168A

[Increasing by Modulo](#) · [Tutorial](#)

Quality: 7,596 global accepts · Rating: 1700 · first AC: 2021-08-25 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy
[Aotsuki's solution](#)

184.

1229A

[Marcin and Training Camp](#) · [Tutorial](#)

Rating: 1700 · first AC: 2021-08-06 · C++17 (GCC 7-32) (first AC) · Tags: brute force, graphs, greedy
[Aotsuki's solution](#)

185.

1239A

[Ivan the Fool and the Probability Theory](#) · [Tutorial](#)

Quality: 7,790 global accepts · Rating: 1700 · first AC: 2021-08-06 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, math
[Aotsuki's solution](#)

186.

1157E

[Minimum Array](#) · [Tutorial](#)

Quality: 9,189 global accepts · Rating: 1700 · first AC: 2021-06-19 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, greedy
[Aotsuki's solution](#)

187.

1157C2

[Increasing Subsequence \(hard version\)](#) · [Tutorial](#)

Quality: 9,084 global accepts · Rating: 1700 · first AC: 2021-06-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[Aotsuki's solution](#)

188.

2211C2

[Equal Multisets \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,681 global accepts · Rating: 1800 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dsu, greedy
[Aotsuki's solution](#)

189.

2138C1

[Maple and Tree Beauty \(Easy Version\)](#) · [Tutorial](#)

Quality: 5,427 global accepts · Rating: 1800 · first AC: 2026-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dfs and similar, dp, graphs, trees
[Aotsuki's solution](#)

190.

2101B

[Quartet Swapping](#) · [Tutorial](#)

Quality: 6,830 global accepts · Rating: 1800 · first AC: 2025-05-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, data structures, divide and conquer, greedy, sortings
[Aotsuki's solution](#)

191.

2006B

[Iris and the Tree](#) · [Tutorial](#)

Quality: 4,358 global accepts · Rating: 1800 · first AC: 2025-02-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, data structures, dfs and similar, dsu, math, trees
[Aotsuki's solution](#)

192.

2069D

[Palindrome Shuffle](#) · [Tutorial](#)

Quality: 7,050 global accepts · Rating: 1800 · first AC: 2025-02-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, greedy, hashing, strings, two pointers

[Aotsuki's solution](#)

193.

1965B

[Missing Subsequence Sum](#) · [Tutorial](#)

Quality: 8,124 global accepts · Rating: 1800 · first AC: 2025-02-04 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, greedy, number theory

[Aotsuki's solution](#)

194.

1254B1

[Send Boxes to Alice \(Easy Version\)](#) · [Tutorial](#)

Quality: 5,007 global accepts · Rating: 1800 · first AC: 2023-11-12 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math, number theory, ternary search, two pointers

[Aotsuki's solution](#)

195.

1329A

[Dreamoon Likes Coloring](#) · [Tutorial](#)

Quality: 9,669 global accepts · Rating: 1800 · first AC: 2023-11-07 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Aotsuki's solution](#)

196.

1286B

[Numbers on Tree](#) · [Tutorial](#)

Quality: 5,469 global accepts · Rating: 1800 · first AC: 2023-10-27 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, graphs, greedy, trees

[Aotsuki's solution](#)

197.

1286A

[Garland](#) · [Tutorial](#)

Quality: 9,647 global accepts · Rating: 1800 · first AC: 2023-10-27 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy, sortings

[Aotsuki's solution](#)

198.

1338B

[Edge Weight Assignment](#) · [Tutorial](#)

Quality: 9,523 global accepts · Rating: 1800 · first AC: 2023-10-26 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms, dfs and similar, greedy, math, trees

[Aotsuki's solution](#)

199.

1299B

[Aerodynamic](#) · [Tutorial](#)

Quality: 5,611 global accepts · Rating: 1800 · first AC: 2023-10-25 · C++20 (GCC 11-64) (first AC) · Tags: geometry

[Aotsuki's solution](#)

200.

1801B

[Buying gifts](#) · [Tutorial](#)

Quality: 7,550 global accepts · Rating: 1800 · first AC: 2023-03-24 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, sortings

[Aotsuki's solution](#)

201.

1809D

[Binary String Sorting](#) · [Tutorial](#)

Quality: 7,279 global accepts · Rating: 1800 · first AC: 2023-03-23 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[Aotsuki's solution](#)

202.

1718A1

[Burenka and Traditions \(easy version\)](#) · [Tutorial](#)

Quality: 6,418 global accepts · Rating: 1800 · first AC: 2022-08-16 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy

[Aotsuki's solution](#)

203.

1246B

[Power Products](#) · [Tutorial](#)

Rating: 1800 · first AC: 2021-08-04 · C++17 (GCC 7-32) (first AC) · Tags: hashing, implementation, math

[Aotsuki's solution](#)

204.

663A

[Rebus](#) · [Tutorial](#)

Quality: 3,783 global accepts · Rating: 1800 · first AC: 2021-07-09 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, expression parsing, greedy, math

[Aotsuki's solution](#)

205.

2211D

[AND-array](#) · [Tutorial](#)

Quality: 2,902 global accepts · Rating: 1900 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, combinatorics, math

[Aotsuki's solution](#)

206.

2138B

[Antiamuny Wants to Learn Swap](#) · [Tutorial](#)

Quality: 5,333 global accepts · Rating: 1900 · first AC: 2026-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, greedy, two pointers

[Aotsuki's solution](#)

207.

2066B

[White Magic](#) · [Tutorial](#)

Quality: 5,461 global accepts · Rating: 1900 · first AC: 2025-03-10 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, data structures, dp, greedy, implementation

[Aotsuki's solution](#)

208.

2002D1

[DFS Checker \(Easy Version\)](#) · [Tutorial](#)

Quality: 5,089 global accepts · Rating: 1900 · first AC: 2025-03-01 · last AC: 2025-03-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, data structures, dfs and similar, graphs, hashing, trees

[Aotsuki's solution](#)

209.

2018B

[Speedbreaker](#) · [Tutorial](#)

Quality: 5,189 global accepts · Rating: 1900 · first AC: 2025-02-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, data structures, dp, greedy, implementation, two pointers

[Aotsuki's solution](#)

210.

2064D

[Eating](#) · [Tutorial](#)

Quality: 5,878 global accepts · Rating: 1900 · first AC: 2025-02-16 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, bitmasks, brute force, data structures, dp, greedy, trees, two pointers

[Aotsuki's solution](#)

211.

1677C

[Tokitsukaze and Two Colorful Tapes](#) · [Tutorial](#)

Quality: 4,083 global accepts · Rating: 1900 · first AC: 2025-02-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy

[Aotsuki's solution](#)

212.

1991E

[Coloring Game](#) · [Tutorial](#)

Quality: 5,125 global accepts · Rating: 1900 · first AC: 2025-02-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dfs and similar, games, graphs, greedy, interactive

[Aotsuki's solution](#)

213.

1991D

[Prime XOR Coloring](#) · [Tutorial](#)

Quality: 7,886 global accepts · Rating: 1900 · first AC: 2025-02-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, graphs, greedy, math, number theory

[Aotsuki's solution](#)

214.

2059D

[Graph and Graph](#) · [Tutorial](#)

Quality: 6,565 global accepts · Rating: 1900 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: data structures, graphs, greedy, shortest paths

[Aotsuki's solution](#)

215.

2053E

[Resourceful Caterpillar Sequence](#) · [Tutorial](#)

Quality: 4,515 global accepts · Rating: 1900 · first AC: 2024-12-28 · C++20 (GCC 13-64) (first AC) · Tags: dfs and similar, dp, games, graphs, greedy, trees

[Aotsuki's solution](#)

216.

1601B

[Frog Traveler](#) · [Tutorial](#)

Quality: 5,503 global accepts · Rating: 1900 · first AC: 2023-10-16 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dfs and similar, dp, graphs, shortest paths, two pointers

[Aotsuki's solution](#)

217.

1854A.2

[Dual \(Hard Version\)](#) · [Tutorial](#)

Quality: 7,866 global accepts · Rating: 1900 · first AC: 2023-07-30 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math

[Aotsuki's solution](#)

218.

1707B

[Difference Array](#) · [Tutorial](#)

Quality: 6,402 global accepts · Rating: 1900 · first AC: 2023-05-04 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, implementation, sortings

[Aotsuki's solution](#)

219.

1696D

[Permutation Graph](#) · [Tutorial](#)

Quality: 6,014 global accepts · Rating: 1900 · first AC: 2023-05-03 · C++20 (GCC 11-64) (first AC) · Tags: binary search, constructive algorithms, data structures, divide and conquer, greedy, shortest paths

[Aotsuki's solution](#)

220.

1704D

[Magical Array](#) · [Tutorial](#)

Quality: 5,380 global accepts · Rating: 1900 · first AC: 2023-05-01 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, hashing, implementation, math

[Aotsuki's solution](#)

221.

1819B

[The Butcher](#) · [Tutorial](#)

Quality: 4,221 global accepts · Rating: 1900 · first AC: 2023-04-15 · C++20 (GCC 11-64) (first AC) · Tags: geometry, greedy, implementation, sortings, two pointers

[Aotsuki's solution](#)

222.

1774E

[Two Chess Pieces](#) · [Tutorial](#)

Quality: 3,958 global accepts · Rating: 1900 · first AC: 2023-04-03 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, greedy, trees
[Aotsuki's solution](#)

223.

1801C

[Music Festival](#) · [Tutorial](#)

Quality: 4,102 global accepts · Rating: 1900 · first AC: 2023-03-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, dp, greedy, sortings

[Aotsuki's solution](#)

224.

1799D1

[Hot Start Up \(easy version\)](#) · [Tutorial](#)

Quality: 5,805 global accepts · Rating: 1900 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: dp

[Aotsuki's solution](#)

225.

1746D

[Paths on the Tree](#) · [Tutorial](#)

Quality: 5,115 global accepts · Rating: 1900 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, greedy, sortings, trees

[Aotsuki's solution](#)

226.

1738D

[Permutation Addicts](#) · [Tutorial](#)

Quality: 3,746 global accepts · Rating: 1900 · first AC: 2022-09-30 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, dsu, graphs, trees

[Aotsuki's solution](#)

227.

1718A2

[Burenka and Traditions \(hard version\)](#) · [Tutorial](#)

Quality: 5,912 global accepts · Rating: 1900 · first AC: 2022-08-16 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp, greedy

[Aotsuki's solution](#)

228.

1673D

[Lost Arithmetic Progression](#) · [Tutorial](#)

Quality: 3,625 global accepts · Rating: 1900 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math, number theory

[Aotsuki's solution](#)

229.

1647D

[Madoka and the Best School in Russia](#) · [Tutorial](#)

Quality: 5,701 global accepts · Rating: 1900 · first AC: 2022-03-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dp, math, number theory

[Aotsuki's solution](#)

230.

1172B

[Nauuo and Circle](#) · [Tutorial](#)

Quality: 4,405 global accepts · Rating: 1900 · first AC: 2021-08-22 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dfs and similar, dp, trees

[Aotsuki's solution](#)

231.

1205B

[Shortest Cycle](#) · [Tutorial](#)

Quality: 7,452 global accepts · Rating: 1900 · first AC: 2021-08-08 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, graphs, shortest paths

[Aotsuki's solution](#)

232.

1242B

[0-1 MST](#) · [Tutorial](#)

Quality: 9,249 global accepts · Rating: 1900 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dsu, graphs, sortings

[Aotsuki's solution](#)

233.

1157D

[N Problems During K Days](#) · [Tutorial](#)

Quality: 3,993 global accepts · Rating: 1900 · first AC: 2021-06-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[Aotsuki's solution](#)

234.

512B

[Fox And Jumping](#) · [Tutorial](#)

Rating: 1900 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, math, number theory, shortest paths

[Aotsuki's solution](#)

235.

1183H

[Subsequences \(hard version\)](#) · [Tutorial](#)

Quality: 3,644 global accepts · Rating: 1900 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: dp, strings

[Aotsuki's solution](#)

236.

2201C

[Rigged Bracket Sequence](#) · [Tutorial](#)

Quality: 1,995 global accepts · Rating: 2000 · first AC: 2026-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, greedy

[Aotsuki's solution](#)

237.

2138C2

[Maple and Tree Beauty \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,370 global accepts · Rating: 2000 · first AC: 2026-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp, fft, trees

[Aotsuki's solution](#)

238.

2178E

[Flatten or Concatenate](#) · [Tutorial](#)

Quality: 3,687 global accepts · Rating: 2000 · first AC: 2025-12-31 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, divide and conquer, interactive

[Aotsuki's solution](#)

239.

2096D

[Wonderful Lightbulbs](#) · [Tutorial](#)

Quality: 5,608 global accepts · Rating: 2000 · first AC: 2025-04-19 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, constructive algorithms, math

[Aotsuki's solution](#)

240.

1943B

[Non-Palindromic Substring](#) · [Tutorial](#)

Quality: 4,541 global accepts · Rating: 2000 · first AC: 2025-02-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: hashing, implementation, math, strings

[Aotsuki's solution](#)

241.

1893C

[Freedom of Choice](#) · [Tutorial](#)

Quality: 3,194 global accepts · Rating: 2000 · first AC: 2025-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, greedy, implementation

[Aotsuki's solution](#)

242.

2061E

[Kevin and And](#) · [Tutorial](#)

Quality: 3,993 global accepts · Rating: 2000 · first AC: 2025-02-03 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, dp, greedy, math, sortings

[Aotsuki's solution](#)

243.

2062E1

[The Game \(Easy Version\) · Tutorial](#)

Quality: 4,329 global accepts · Rating: 2000 · first AC: 2025-01-26 · C++20 (GCC 13-64) (first AC) · Tags: data structures, dfs and similar, games, graphs, greedy, trees

[Aotsuki's solution](#)

244.

2048E

[Kevin and Bipartite Graph · Tutorial](#)

Quality: 3,501 global accepts · Rating: 2000 · first AC: 2024-12-19 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, graphs, greedy

[Aotsuki's solution](#)

245.

1827B1

[Range Sorting \(Easy Version\) · Tutorial](#)

Quality: 4,539 global accepts · Rating: 2000 · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: binary search, dp, dsu, greedy, trees, two pointers

[Aotsuki's solution](#)

246.

1696E

[Placing Jinas · Tutorial](#)

Quality: 4,909 global accepts · Rating: 2000 · first AC: 2023-05-03 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math

[Aotsuki's solution](#)

247.

1815B

[Sum Graph · Tutorial](#)

Quality: 3,601 global accepts · Rating: 2000 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, graphs, implementation, interactive, shortest paths, trees

[Aotsuki's solution](#)

248.

1804D

[Accommodation · Tutorial](#)

Quality: 5,270 global accepts · Rating: 2000 · first AC: 2023-04-05 · C++20 (GCC 11-64) (first AC) · Tags: brute force, dp, greedy, implementation

[Aotsuki's solution](#)

249.

1718B

[Fibonacci Strings · Tutorial](#)

Quality: 3,467 global accepts · Rating: 2000 · first AC: 2022-08-16 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation, math, number theory

[Aotsuki's solution](#)

250.

1712D

[Empty Graph · Tutorial](#)

Quality: 5,106 global accepts · Rating: 2000 · first AC: 2022-08-13 · C++20 (GCC 11-64) (first AC) · Tags: binary search, constructive algorithms, data structures, greedy, shortest paths

[Aotsuki's solution](#)

251.

1567D

[Expression Evaluation Error · Tutorial](#)

Quality: 4,853 global accepts · Rating: 2000 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Aotsuki's solution](#)

252.

1142B

[Lynnyrd Skynnyrd · Tutorial](#)

Quality: 3,739 global accepts · Rating: 2000 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dfs and similar, dp, math, trees

[Aotsuki's solution](#)

253.

1229B

[Kamil and Making a Stream](#) · [Tutorial](#)

Rating: 2000 · first AC: 2021-08-07 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dfs and similar, dp, graphs, math, number theory, trees

[Aotsuki's solution](#)

254.

1157F

[Maximum Balanced Circle](#) · [Tutorial](#)

Quality: 2,881 global accepts · Rating: 2000 · first AC: 2021-06-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dp, greedy, two pointers

[Aotsuki's solution](#)

255.

498C

[Array and Operations](#) · [Tutorial](#)

Quality: 4,191 global accepts · Rating: 2100 · first AC: 2026-04-21 · C++23 (GCC 14-64, msys2) (first AC) · Tags: flows, graph matchings, number theory

[Aotsuki's solution](#)

256.

1896E

[Permutation Sorting](#) · [Tutorial](#)

Quality: 2,744 global accepts · Rating: 2100 · first AC: 2025-03-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, sortings

[Aotsuki's solution](#)

257.

1924B

[Space Harbour](#) · [Tutorial](#)

Quality: 3,284 global accepts · Rating: 2100 · first AC: 2025-02-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, implementation, math, sortings

[Aotsuki's solution](#)

258.

2046C

[Adventurers](#) · [Tutorial](#)

Quality: 2,346 global accepts · Rating: 2100 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, greedy, sortings, ternary search, two pointers

[Aotsuki's solution](#)

259.

1254B2

[Send Boxes to Alice \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,420 global accepts · Rating: 2100 · first AC: 2023-11-12 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math, number theory, ternary search, two pointers

[Aotsuki's solution](#)

260.

1299C

[Water Balance](#) · [Tutorial](#)

Quality: 4,334 global accepts · Rating: 2100 · first AC: 2023-10-25 · C++20 (GCC 11-64) (first AC) · Tags: data structures, geometry, greedy

[Aotsuki's solution](#)

261.

1761D

[Carry Bit](#) · [Tutorial](#)

Quality: 2,768 global accepts · Rating: 2100 · first AC: 2023-10-21 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math

[Aotsuki's solution](#)

262.

1710B

[Rain](#) · [Tutorial](#)

Quality: 2,793 global accepts · Rating: 2100 · first AC: 2023-05-13 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, geometry, greedy, implementation, math

[Aotsuki's solution](#)

263.

1810E

[Monsters](#) · [Tutorial](#)

Quality: 3,909 global accepts · Rating: 2100 · first AC: 2023-03-31 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, dfs and similar, dsu, graphs, greedy

[Aotsuki's solution](#)

264.

1801D

[The way home](#) · [Tutorial](#)

Quality: 2,865 global accepts · Rating: 2100 · first AC: 2023-03-24 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, dp, graphs, greedy, shortest paths, sortings

[Aotsuki's solution](#)

265.

1799D2

[Hot Start Up \(hard version\)](#) · [Tutorial](#)

Quality: 3,063 global accepts · Rating: 2100 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp

[Aotsuki's solution](#)

266.

1158C

[Permutation recovery](#) · [Tutorial](#)

Quality: 2,116 global accepts · Rating: 2100 · first AC: 2021-08-28 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, graphs, greedy, math, sortings

[Aotsuki's solution](#)

267.

1446C

[Xor Tree](#) · [Tutorial](#)

Quality: 4,091 global accepts · Rating: 2100 · first AC: 2021-07-08 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, data structures, divide and conquer, dp, trees

[Aotsuki's solution](#)

268.

2178F

[Conquer or of Forest](#) · [Tutorial](#)

Quality: 1,824 global accepts · Rating: 2200 · first AC: 2025-12-31 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, math, trees

[Aotsuki's solution](#)

269.

2101C

[23 Kingdom](#) · [Tutorial](#)

Quality: 2,267 global accepts · Rating: 2200 · first AC: 2025-05-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, data structures, greedy, ternary search, two pointers

[Aotsuki's solution](#)

270.

2018D

[Max Plus Min Plus Size](#) · [Tutorial](#)

Quality: 2,192 global accepts · Rating: 2200 · first AC: 2025-02-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dp, dsu, greedy, implementation, matrices, sortings

[Aotsuki's solution](#)

271.

2062D

[Balanced Tree](#) · [Tutorial](#)

Quality: 3,544 global accepts · Rating: 2200 · first AC: 2025-01-26 · C++20 (GCC 13-64) (first AC) · Tags: dfs and similar, dp, graphs, greedy, trees

[Aotsuki's solution](#)

272.

2034E

[Permutations Harmony](#) · [Tutorial](#)

Quality: 2,019 global accepts · Rating: 2200 · first AC: 2024-11-30 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, constructive algorithms, greedy, hashing, math

[Aotsuki's solution](#)

273.

1338C

[Perfect Triples](#) · [Tutorial](#)

Quality: 3,440 global accepts · Rating: 2200 · first AC: 2023-10-26 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, constructive algorithms, divide and conquer, math

[Aotsuki's solution](#)

274.

1854B

[Earn or Unlock](#) · [Tutorial](#)

Quality: 4,228 global accepts · Rating: 2200 · first AC: 2023-07-30 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, dp

[Aotsuki's solution](#)

275.

1704E

[Count Seconds](#) · [Tutorial](#)

Quality: 2,679 global accepts · Rating: 2200 · first AC: 2023-05-01 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, dp, graphs, implementation, math

[Aotsuki's solution](#)

276.

1815C

[Between](#) · [Tutorial](#)

Quality: 2,355 global accepts · Rating: 2200 · first AC: 2023-04-09 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy

[Aotsuki's solution](#)

277.

1456C

[New Game Plus!](#) · [Tutorial](#)

Rating: 2200 · first AC: 2021-07-31 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dp, greedy, sortings

[Aotsuki's solution](#)

278.

1500B

[Two chandeliers](#) · [Tutorial](#)

Quality: 2,314 global accepts · Rating: 2200 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, chinese remainder theorem, math, number theory

[Aotsuki's solution](#)

279.

1110E

[Magic Stones](#) · [Tutorial](#)

Quality: 4,720 global accepts · Rating: 2200 · first AC: 2021-06-14 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, sortings

[Aotsuki's solution](#)

280.

1110D

[Jongmah](#) · [Tutorial](#)

Quality: 3,997 global accepts · Rating: 2200 · first AC: 2021-06-14 · C++17 (GCC 7-32) (first AC) · Tags: dp

[Aotsuki's solution](#)

281.

2097B

[Baggage Claim](#) · [Tutorial](#)

Quality: 1,932 global accepts · Rating: 2300 · first AC: 2025-04-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dfs and similar, dp, dsu, graphs, implementation, math, trees

[Aotsuki's solution](#)

282.

2066C

[Bitwise Slides](#) · [Tutorial](#)

Quality: 2,523 global accepts · Rating: 2300 · first AC: 2025-03-10 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, combinatorics, dp, math

[Aotsuki's solution](#)

283.

2002E

[Cosmic Rays](#) · [Tutorial](#)

Quality: 2,920 global accepts · Rating: 2300 · first AC: 2025-03-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, data structures, dp

[Aotsuki's solution](#)

284.

2002D2

[DFS Checker \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,866 global accepts · Rating: 2300 · first AC: 2025-03-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, data structures, dfs and similar, graphs, hashing, trees

[Aotsuki's solution](#)

285.

1943C

[Tree Compass](#) · [Tutorial](#)

Quality: 2,601 global accepts · Rating: 2300 · first AC: 2025-02-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees

[Aotsuki's solution](#)

286.

1967C

[Fenwick Tree](#) · [Tutorial](#)

Quality: 2,238 global accepts · Rating: 2300 · first AC: 2025-02-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, brute force, combinatorics, data structures, dp, math, trees

[Aotsuki's solution](#)

287.

2006C

[Eri and Expanded Sets](#) · [Tutorial](#)

Quality: 2,074 global accepts · Rating: 2300 · first AC: 2025-02-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, divide and conquer, math, number theory, two pointers

[Aotsuki's solution](#)

288.

2069E

[A, B, AB and BA](#) · [Tutorial](#)

Quality: 1,907 global accepts · Rating: 2300 · first AC: 2025-02-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, sortings, strings

[Aotsuki's solution](#)

289.

1965C

[Folding Strip](#) · [Tutorial](#)

Quality: 2,353 global accepts · Rating: 2300 · first AC: 2025-02-04 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, strings

[Aotsuki's solution](#)

290.

1254C

[Point Ordering](#) · [Tutorial](#)

Quality: 1,596 global accepts · Rating: 2300 · first AC: 2023-11-12 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, geometry, interactive, math

[Aotsuki's solution](#)

291.

1601C

[Optimal Insertion](#) · [Tutorial](#)

Quality: 2,345 global accepts · Rating: 2300 · first AC: 2023-10-16 · C++20 (GCC 11-64) (first AC) · Tags: data structures, divide and conquer, dp, greedy, sortings

[Aotsuki's solution](#)

292.

1693C

[Keshi in Search of AmShZ](#) · [Tutorial](#)

Quality: 3,185 global accepts · Rating: 2300 · first AC: 2023-05-04 · C++20 (GCC 11-64) (first AC) · Tags: graphs, greedy, shortest paths

[Aotsuki's solution](#)

293.

1799E

[City Union](#) · [Tutorial](#)

Quality: 1,401 global accepts · Rating: 2300 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dfs and similar, dsu, geometry, greedy, implementation, math

[Aotsuki's solution](#)

294.

1712E1

[LCM Sum \(easy version\)](#) · [Tutorial](#)

Quality: 2,463 global accepts · Rating: 2300 · first AC: 2022-08-13 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, combinatorics, math, number theory, two pointers

[Aotsuki's solution](#)

295.

1188B

[Count Pairs](#) · [Tutorial](#)

Quality: 5,169 global accepts · Rating: 2300 · first AC: 2021-08-14 · C++17 (GCC 7-32) (first AC) · Tags: math, matrices, number theory, two pointers

[Aotsuki's solution](#)

296.

1239C

[Queue in the Train](#) · [Tutorial](#)

Quality: 1,810 global accepts · Rating: 2300 · first AC: 2021-08-06 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation

[Aotsuki's solution](#)

297.

1148E

[Earth Wind and Fire](#) · [Tutorial](#)

Quality: 1,824 global accepts · Rating: 2300 · first AC: 2021-06-14 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings, two pointers

[Aotsuki's solution](#)

298.

2211F

[Learning Binary Search](#) · [Tutorial](#)

Quality: 917 global accepts · Rating: 2400 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, divide and conquer, dp, math

[Aotsuki's solution](#)

299.

2097C

[Bermuda Triangle](#) · [Tutorial](#)

Quality: 1,024 global accepts · Rating: 2400 · first AC: 2025-04-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: chinese remainder theorem, geometry, implementation, math, number theory

[Aotsuki's solution](#)

300.

2096E

[Wonderful Teddy Bears](#) · [Tutorial](#)

Quality: 2,047 global accepts · Rating: 2400 · first AC: 2025-04-19 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, implementation, sortings

[Aotsuki's solution](#)

301.

2084E

[Blossom](#) · [Tutorial](#)

Quality: 1,793 global accepts · Rating: 2400 · first AC: 2025-04-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, combinatorics, dp, implementation, math, two pointers

[Aotsuki's solution](#)

302.

2066D1

[Club of Young Aircraft Builders \(easy version\)](#) · [Tutorial](#)

Quality: 1,442 global accepts · Rating: 2400 · first AC: 2025-03-10 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, math

[Aotsuki's solution](#)

303.

1943D1

[Counting Is Fun \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,951 global accepts · Rating: 2400 · first AC: 2025-02-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, combinatorics, dp, math

[Aotsuki's solution](#)

304.

2023C

[C+K+S](#) · [Tutorial](#)

Quality: 1,376 global accepts · Rating: 2400 · first AC: 2025-02-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, hashing, implementation, strings

[Aotsuki's solution](#)

305.

2064E

[Mycraft Sand Sort](#) · [Tutorial](#)

Quality: 1,470 global accepts · Rating: 2400 · first AC: 2025-02-16 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, data structures, dsu, greedy, math, sortings

[Aotsuki's solution](#)

306.

1924C

[Fractal Origami](#) · [Tutorial](#)

Quality: 1,378 global accepts · Rating: 2400 · first AC: 2025-02-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: geometry, math, matrices

[Aotsuki's solution](#)

307.

1329C

[Drazil Likes Heap](#) · [Tutorial](#)

Quality: 1,804 global accepts · Rating: 2400 · first AC: 2023-11-07 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, data structures, greedy, implementation

[Aotsuki's solution](#)

308.

1761E

[Make It Connected](#) · [Tutorial](#)

Quality: 2,148 global accepts · Rating: 2400 · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, constructive algorithms, dsu, graphs, greedy, matrices, trees, two pointers

[Aotsuki's solution](#)

309.

1827B2

[Range Sorting \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,316 global accepts · Rating: 2400 · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, dp, greedy

[Aotsuki's solution](#)

310.

1707C

[DFS Trees](#) · [Tutorial](#)

Quality: 1,906 global accepts · Rating: 2400 · first AC: 2023-05-04 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dsu, graphs, greedy, sortings, trees

[Aotsuki's solution](#)

311.

1804E

[Routing](#) · [Tutorial](#)

Quality: 1,707 global accepts · Rating: 2400 · first AC: 2023-04-05 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp, graphs

[Aotsuki's solution](#)

312.

1774F1

[Magician and Pigs \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,243 global accepts · Rating: 2400 · first AC: 2023-04-03 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, implementation

[Aotsuki's solution](#)

313.

1753D

[The Beach](#) · [Tutorial](#)

Quality: 2,073 global accepts · Rating: 2400 · first AC: 2023-04-02 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, shortest paths

[Aotsuki's solution](#)

314.

1809E

[Two Tanks](#) · [Tutorial](#)

Quality: 1,074 global accepts · Rating: 2400 · first AC: 2023-03-23 · C++20 (GCC 11-64) (first AC) · Tags: binary search, dp, implementation, math

[Aotsuki's solution](#)

315.

1779E

[Anya's Simultaneous Exhibition](#) · [Tutorial](#)

Quality: 2,034 global accepts · Rating: 2400 · first AC: 2023-01-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, graphs, greedy, interactive, sortings

[Aotsuki's solution](#)

316.

1608D

[Dominoes](#) · [Tutorial](#)

Quality: 1,558 global accepts · Rating: 2400 · first AC: 2022-08-24 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, fft, graphs, math, number theory

[Aotsuki's solution](#)

317.

1718C

[Tonya and Burenka-179](#) · [Tutorial](#)

Quality: 1,860 global accepts · Rating: 2400 · first AC: 2022-08-16 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, math, number theory

[Aotsuki's solution](#)

318.

1630D

[Flipping Range](#) · [Tutorial](#)

Quality: 1,994 global accepts · Rating: 2400 · first AC: 2022-08-10 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dp, greedy, number theory

[Aotsuki's solution](#)

319.

1242C

[Sum Balance](#) · [Tutorial](#)

Quality: 1,948 global accepts · Rating: 2400 · first AC: 2021-08-02 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, dfs and similar, dp, graphs

[Aotsuki's solution](#)

320.

2101D

[Mani and Segments](#) · [Tutorial](#)

Quality: 1,023 global accepts · Rating: 2500 · first AC: 2025-05-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, implementation, sortings, two pointers

[Aotsuki's solution](#)

321.

1677D

[Tokitsukaze and Permutations](#) · [Tutorial](#)

Quality: 1,459 global accepts · Rating: 2500 · first AC: 2025-02-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, math

[Aotsuki's solution](#)

322.

2059E1

[Stop Gaming \(Easy Version\)](#) · [Tutorial](#)

Quality: 886 global accepts · Rating: 2500 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, greedy, hashing, strings

[Aotsuki's solution](#)

323.

2048F

[Kevin and Math Class](#) · [Tutorial](#)

Quality: 1,318 global accepts · Rating: 2500 · first AC: 2024-12-19 · C++20 (GCC 13-64) (first AC) · Tags: brute force, data structures, divide and conquer, dp, implementation, math, trees

[Aotsuki's solution](#)

324.

2034F1

[Khayyam's Royal Decree \(Easy Version\)](#) · [Tutorial](#)

Quality: 891 global accepts · Rating: 2500 · first AC: 2024-11-30 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, math, sortings

[Aotsuki's solution](#)

325.

1854C

[Expected Destruction](#) · [Tutorial](#)

Quality: 1,788 global accepts · Rating: 2500 · first AC: 2023-07-30 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dp, math, probabilities

[Aotsuki's solution](#)

326.

1687C

[Sanae and Giant Robot](#) · [Tutorial](#)

Quality: 1,688 global accepts · Rating: 2500 · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, dsu, greedy, sortings

[Aotsuki's solution](#)

327.

1710C

[XOR Triangle](#) · [Tutorial](#)

Quality: 1,628 global accepts · Rating: 2500 · first AC: 2023-05-13 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, constructive algorithms, dp, greedy, math

[Aotsuki's solution](#)

328.

1809F

[Traveling in Berland](#) · [Tutorial](#)

Quality: 930 global accepts · Rating: 2500 · first AC: 2023-03-23 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, graphs, greedy, implementation

[Aotsuki's solution](#)

329.

1779F

[Xorcerer's Stones](#) · [Tutorial](#)

Quality: 1,408 global accepts · Rating: 2500 · first AC: 2023-01-03 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms, dp, trees

[Aotsuki's solution](#)

330.

1746E1

[Joking \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,693 global accepts · Rating: 2500 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: binary search, constructive algorithms, interactive, ternary search

[Aotsuki's solution](#)

331.

1712E2

[LCM Sum \(hard version\)](#) · [Tutorial](#)

Quality: 1,613 global accepts · Rating: 2500 · first AC: 2022-08-13 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, math, number theory, two pointers

[Aotsuki's solution](#)

332.

1188C

[Array Beauty](#) · [Tutorial](#)

Quality: 2,133 global accepts · Rating: 2500 · first AC: 2021-08-16 · C++17 (GCC 7-32) (first AC) · Tags: dp

[Aotsuki's solution](#)

333.

2084G1

[Wish Upon a Satellite \(Easy Version\)](#) · [Tutorial](#)

Quality: 755 global accepts · Rating: 2600 · first AC: 2025-04-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, games

[Aotsuki's solution](#)

334.

1896F

[Bracket Xoring](#) · [Tutorial](#)

Quality: 961 global accepts · Rating: 2600 · first AC: 2025-03-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Aotsuki's solution](#)

335.

2002F1

[Court Blue \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,004 global accepts · Rating: 2600 · first AC: 2025-03-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dfs and similar, dp, math, number theory

[Aotsuki's solution](#)

336.

2006D

[Iris and Adjacent Products](#) · [Tutorial](#)

Quality: 982 global accepts · Rating: 2600 · first AC: 2025-02-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, greedy, implementation, math

[Aotsuki's solution](#)

337.

1893D

[Colorful Constructive](#) · [Tutorial](#)

Quality: 1,091 global accepts · Rating: 2600 · first AC: 2025-02-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, data structures, greedy

[Aotsuki's solution](#)

338.

2053F

[Earnest Matrix Complement](#) · [Tutorial](#)

Quality: 947 global accepts · Rating: 2600 · first AC: 2024-12-28 · C++20 (GCC 13-64) (first AC) · Tags: brute force, data structures, dp, greedy, implementation, math

[Aotsuki's solution](#)

339.

1827C

[Palindrome Partition](#) · [Tutorial](#)

Quality: 1,658 global accepts · Rating: 2600 · first AC: 2023-05-14 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, dp, hashing, strings

[Aotsuki's solution](#)

340.

1799G

[Count Voting](#) · [Tutorial](#)

Quality: 1,071 global accepts · Rating: 2600 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dp, math

[Aotsuki's solution](#)

341.

1924D

[Balanced Subsequences](#) · [Tutorial](#)

Quality: 1,430 global accepts · Rating: 2700 · first AC: 2025-02-11 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, math

[Aotsuki's solution](#)

342.

1254D

[Tree Queries](#) · [Tutorial](#)

Quality: 1,532 global accepts · Rating: 2700 · first AC: 2023-11-12 · C++20 (GCC 11-64) (first AC) · Tags: data structures, probabilities, trees

[Aotsuki's solution](#)

343.

1601D

[Difficult Mountain](#) · [Tutorial](#)

Quality: 1,942 global accepts · Rating: 2700 · first AC: 2023-10-16 · last AC: 2023-10-16 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp, greedy, sortings

[Aotsuki's solution](#)

344.

1804F

[Approximate Diameter](#) · [Tutorial](#)

Quality: 1,175 global accepts · Rating: 2700 · first AC: 2023-04-05 · C++20 (GCC 11-64) (first AC) · Tags: binary search, divide and conquer, graphs, shortest paths

[Aotsuki's solution](#)

345.

1774F2

[Magician and Pigs \(Hard Version\)](#) · [Tutorial](#)

Quality: 866 global accepts · Rating: 2700 · first AC: 2023-04-03 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, implementation

[Aotsuki's solution](#)

346.

1799F

[Halve or Subtract](#) · [Tutorial](#)

Quality: 1,082 global accepts · Rating: 2700 · first AC: 2023-02-27 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, dp, greedy, sortings

[Aotsuki's solution](#)

347.

1137E

[Train Car Selection](#) · [Tutorial](#)

Quality: 602 global accepts · Rating: 2700 · first AC: 2021-09-08 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy

[Aotsuki's solution](#)

348.

2097D

[Homework](#) · [Tutorial](#)

Quality: 554 global accepts · Rating: 2800 · first AC: 2025-04-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, math, matrices

[Aotsuki's solution](#)

349.

1943D2

[Counting Is Fun \(Hard Version\)](#) · [Tutorial](#)

Quality: 1,126 global accepts · Rating: 2800 · first AC: 2025-02-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp

[Aotsuki's solution](#)

350.

1967D

[Long Way to be Non-decreasing](#) · [Tutorial](#)

Quality: 978 global accepts · Rating: 2800 · first AC: 2025-02-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, dfs and similar, graphs, implementation, shortest paths, two pointers

[Aotsuki's solution](#)

351.

2069F

[Graph Inclusion](#) · [Tutorial](#)

Quality: 789 global accepts · Rating: 2800 · first AC: 2025-02-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dfs and similar, divide and conquer, dsu, graphs

[Aotsuki's solution](#)

352.

2066D2

[Club of Young Aircraft Builders \(hard version\)](#) · [Tutorial](#)

Quality: 620 global accepts · Rating: 2900 · first AC: 2025-03-10 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, math

[Aotsuki's solution](#)

353.

2023D

[Many Games](#) · [Tutorial](#)

Quality: 605 global accepts · Rating: 2900 · first AC: 2025-02-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dp, greedy, math, probabilities

[Aotsuki's solution](#)

354.

2046E1

[Cheops and a Contest \(Easy Version\)](#) · [Tutorial](#)

Quality: 229 global accepts · Rating: 2900 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy

[Aotsuki's solution](#)

355.

1630E

[Expected Components](#) · [Tutorial](#)

Quality: 554 global accepts · Rating: 2900 · first AC: 2022-08-10 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math, number theory, probabilities

[Aotsuki's solution](#)

356.

1687D

[Cute number](#) · [Tutorial](#)

Quality: 734 global accepts · Rating: 2900 · first AC: 2022-08-09 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, data structures, dsu, implementation, math

[Aotsuki's solution](#)

357.

2096F

[Wonderful Impostors](#) · [Tutorial](#)

Quality: 460 global accepts · Rating: 3100 · first AC: 2025-04-19 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, implementation, two pointers

[Aotsuki's solution](#)

358.

2178H

[Create or Duplicate](#) · [Tutorial](#)

Quality: 311 global accepts · Rating: 3300 · first AC: 2026-01-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, graphs, number theory, shortest paths

[Aotsuki's solution](#)

359.

1965F

[Conference](#) · [Tutorial](#)

Quality: 279 global accepts · Rating: 3300 · first AC: 2025-02-05 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, flows

[Aotsuki's solution](#)

360.

2219C

[Coloring a Red Black Tree](#) · [Tutorial](#)

Quality: 1,216 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dfs and similar, dp, greedy, math, probabilities, trees

[Aotsuki's solution](#)

361.

2219A

[Grid L](#) · [Tutorial](#)

Quality: 9,009 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, math, number theory

[Aotsuki's solution](#)

362.

2219B2

[Unique Values \(Hard version\)](#) · [Tutorial](#)

Quality: 3,214 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, bitmasks, constructive algorithms, interactive

[Aotsuki's solution](#)

363.

2219B1

[Unique Values \(Easy version\)](#) · [Tutorial](#)

Quality: 3,610 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, constructive algorithms, divide and conquer, interactive, math

[Aotsuki's solution](#)

364.

105259C

[Parcel Post](#) · [Tutorial](#)

Rating: — · first AC: 2025-06-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: —

[Aotsuki's solution](#)

365.

105259D

[Double Agents](#) · [Tutorial](#)

Rating: — · first AC: 2025-06-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: —

[Aotsuki's solution](#)

366.

105259B

[Mazes](#) · [Tutorial](#)

Rating: — · first AC: 2025-05-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: —

[Aotsuki's solution](#)

367.

105259A

[Make All Equal](#) · [Tutorial](#)

Rating: — · first AC: 2025-05-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: —

[Aotsuki's solution](#)