

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — BossBobster

Links: [problem](#) ([problemset](#)), [Tutorial](#), [submission](#) (first AC).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 390

- 1.**
1942A
[Farmer John's Challenge](#) · [Tutorial](#)
Quality: 18,506 global accepts · Rating: 800 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: [constructive algorithms](#), [math](#)
[BossBobster's solution](#)
- 2.**
1879A
[Rigged!](#) · [Tutorial](#)
Quality: 24,518 global accepts · Rating: 800 · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: [greedy](#)
[BossBobster's solution](#)
- 3.**
1838A
[Blackboard List](#) · [Tutorial](#)
Quality: 22,689 global accepts · Rating: 800 · first AC: 2023-06-04 · C++20 (GCC 11-64) (first AC) · Tags: [constructive algorithms](#), [math](#)
[BossBobster's solution](#)
- 4.**
1839A
[The Good Array](#) · [Tutorial](#)
Quality: 18,331 global accepts · Rating: 800 · first AC: 2023-06-03 · C++20 (GCC 11-64) (first AC) · Tags: [greedy](#), [implementation](#), [math](#)
[BossBobster's solution](#)
- 5.**
1814A
[Coins](#) · [Tutorial](#)
Quality: 51,453 global accepts · Rating: 800 · first AC: 2023-04-06 · C++20 (GCC 11-64) (first AC) · Tags: [implementation](#), [math](#)
[BossBobster's solution](#)
- 6.**
1794A
[Prefix and Suffix Array](#) · [Tutorial](#)
Quality: 18,824 global accepts · Rating: 800 · first AC: 2023-03-04 · C++20 (GCC 11-64) (first AC) · Tags: [strings](#)
[BossBobster's solution](#)
- 7.**
1790B
[Taisia and Dice](#) · [Tutorial](#)
Quality: 28,995 global accepts · Rating: 800 · first AC: 2023-02-16 · C++20 (GCC 11-64) (first AC) · Tags: [greedy](#), [math](#)
[BossBobster's solution](#)
- 8.**
1795A
[Two Towers](#) · [Tutorial](#)
Quality: 24,651 global accepts · Rating: 800 · first AC: 2023-02-16 · C++20 (GCC 11-64) (first AC) · Tags: [brute force](#), [implementation](#), [strings](#)
[BossBobster's solution](#)
- 9.**
1777A
[Everybody Likes Good Arrays!](#) · [Tutorial](#)
Quality: 44,016 global accepts · Rating: 800 · first AC: 2023-01-21 · C++20 (GCC 11-64) (first AC) · Tags: [greedy](#), [math](#)
[BossBobster's solution](#)
- 10.**
1731A
[Joey Takes Money](#) · [Tutorial](#)

Quality: 23,668 global accepts · Rating: 800 · first AC: 2022-12-27 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

11.

1763A

[Absolute Maximization](#) · [Tutorial](#)

Quality: 17,000 global accepts · Rating: 800 · first AC: 2022-12-19 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms, greedy, math

[BossBobster's solution](#)

12.

1758A

[SSeeeeiinngg DDoouubbllee](#) · [Tutorial](#)

Quality: 27,048 global accepts · Rating: 800 · first AC: 2022-11-25 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, strings

[BossBobster's solution](#)

13.

1746B

[Rebellion](#) · [Tutorial](#)

Quality: 18,637 global accepts · Rating: 800 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, two pointers

[BossBobster's solution](#)

14.

1746A

[Maxmina](#) · [Tutorial](#)

Quality: 21,066 global accepts · Rating: 800 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[BossBobster's solution](#)

15.

1735A

[Working Week](#) · [Tutorial](#)

Quality: 21,056 global accepts · Rating: 800 · first AC: 2022-10-02 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math

[BossBobster's solution](#)

16.

1730A

[Planets](#) · [Tutorial](#)

Quality: 24,815 global accepts · Rating: 800 · first AC: 2022-09-25 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, sortings

[BossBobster's solution](#)

17.

1721A

[Image](#) · [Tutorial](#)

Quality: 28,310 global accepts · Rating: 800 · first AC: 2022-08-27 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[BossBobster's solution](#)

18.

1716B

[Permutation Chain](#) · [Tutorial](#)

Quality: 21,953 global accepts · Rating: 800 · first AC: 2022-08-04 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[BossBobster's solution](#)

19.

1716A

[2-3 Moves](#) · [Tutorial](#)

Quality: 35,845 global accepts · Rating: 800 · first AC: 2022-08-04 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

20.

1700A

[Optimal Path](#) · [Tutorial](#)

Quality: 23,680 global accepts · Rating: 800 · first AC: 2022-06-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[BossBobster's solution](#)

21.

1695A

[Subrectangle Guess](#) · [Tutorial](#)

Quality: 16,798 global accepts · Rating: 800 · first AC: 2022-06-18 · C++17 (GCC 7-32) (first AC) · Tags: games

[BossBobster's solution](#)

22.

1688A

[Cirno's Perfect Bitmasks Classroom](#) · [Tutorial](#)

Quality: 23,492 global accepts · Rating: 800 · first AC: 2022-06-04 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force

[BossBobster's solution](#)

23.

1682A

[Palindromic Indices](#) · [Tutorial](#)

Quality: 19,966 global accepts · Rating: 800 · first AC: 2022-05-22 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings

[BossBobster's solution](#)

24.

1673A

[Subtle Substring Subtraction](#) · [Tutorial](#)

Quality: 19,141 global accepts · Rating: 800 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, strings

[BossBobster's solution](#)

25.

1672B

[I love AAAB](#) · [Tutorial](#)

Quality: 16,468 global accepts · Rating: 800 · first AC: 2022-04-23 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation

[BossBobster's solution](#)

26.

1672A

[Log Chopping](#) · [Tutorial](#)

Quality: 16,818 global accepts · Rating: 800 · first AC: 2022-04-23 · C++17 (GCC 7-32) (first AC) · Tags: games, implementation, math

[BossBobster's solution](#)

27.

1671A

[String Building](#) · [Tutorial](#)

Quality: 21,387 global accepts · Rating: 800 · first AC: 2022-04-22 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[BossBobster's solution](#)

28.

1668A

[Direction Change](#) · [Tutorial](#)

Quality: 16,784 global accepts · Rating: 800 · first AC: 2022-04-20 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math

[BossBobster's solution](#)

29.

1661A

[Array Balancing](#) · [Tutorial](#)

Quality: 19,370 global accepts · Rating: 800 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

30.

1665A

[GCD vs LCM](#) · [Tutorial](#)

Quality: 26,207 global accepts · Rating: 800 · first AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[BossBobster's solution](#)

31.

1656A

[Good Pairs](#) · [Tutorial](#)

Quality: 20,454 global accepts · Rating: 800 · first AC: 2022-03-24 · C++17 (GCC 7-32) (first AC) · Tags: math, sortings

[BossBobster's solution](#)

32.

1657B

[XY Sequence](#) · [Tutorial](#)

Quality: 23,609 global accepts · Rating: 800 · first AC: 2022-03-22 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[BossBobster's solution](#)

33.

1657A

[Integer Moves](#) · [Tutorial](#)

Quality: 24,899 global accepts · Rating: 800 · first AC: 2022-03-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math

[BossBobster's solution](#)

34.

1651B

[Prove Him Wrong](#) · [Tutorial](#)

Quality: 20,480 global accepts · Rating: 800 · first AC: 2022-03-10 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[BossBobster's solution](#)

35.

1651A

[Playoff](#) · [Tutorial](#)

Quality: 26,661 global accepts · Rating: 800 · first AC: 2022-03-10 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[BossBobster's solution](#)

36.

1638A

[Reverse](#) · [Tutorial](#)

Quality: 22,146 global accepts · Rating: 800 · first AC: 2022-02-14 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[BossBobster's solution](#)

37.

1637A

[Sorting Parts](#) · [Tutorial](#)

Quality: 24,135 global accepts · Rating: 800 · first AC: 2022-02-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, sortings

[BossBobster's solution](#)

38.

1634A

[Reverse and Concatenate](#) · [Tutorial](#)

Quality: 24,653 global accepts · Rating: 800 · first AC: 2022-02-06 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings

[BossBobster's solution](#)

39.

1631A

[Min Max Swap](#) · [Tutorial](#)

Quality: 31,305 global accepts · Rating: 800 · first AC: 2022-01-27 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[BossBobster's solution](#)

40.

1629B

[GCD Arrays](#) · [Tutorial](#)

Quality: 25,283 global accepts · Rating: 800 · first AC: 2022-01-22 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, number theory

[BossBobster's solution](#)

41.

1629A

[Download More RAM](#) · [Tutorial](#)

Quality: 30,925 global accepts · Rating: 800 · first AC: 2022-01-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, sortings

[BossBobster's solution](#)

42.

1626A

[Equidistant Letters](#) · [Tutorial](#)

Quality: 30,877 global accepts · Rating: 800 · first AC: 2022-01-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, sortings

[BossBobster's solution](#)

- 43.**
1623A
[Robot Cleaner](#) · [Tutorial](#)
Quality: 20,720 global accepts · Rating: 800 · first AC: 2021-12-28 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, math
[BossBobster's solution](#)
- 44.**
1622A
[Construct a Rectangle](#) · [Tutorial](#)
Quality: 32,035 global accepts · Rating: 800 · first AC: 2021-12-27 · C++17 (GCC 7-32) (first AC) · Tags: geometry, math
[BossBobster's solution](#)
- 45.**
1615A
[Closing The Gap](#) · [Tutorial](#)
Quality: 21,579 global accepts · Rating: 800 · first AC: 2021-12-24 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math
[BossBobster's solution](#)
- 46.**
1608A
[Find Array](#) · [Tutorial](#)
Quality: 20,263 global accepts · Rating: 800 · first AC: 2021-12-13 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
[BossBobster's solution](#)
- 47.**
1591A
[Life of a Flower](#) · [Tutorial](#)
Rating: 800 · first AC: 2021-12-12 · C++17 (GCC 7-32) (first AC) · Tags: implementation
[BossBobster's solution](#)
- 48.**
1602A
[Two Subsequences](#) · [Tutorial](#)
Quality: 19,723 global accepts · Rating: 800 · first AC: 2021-10-26 · C++17 (GCC 7-32) (first AC) · Tags: implementation
[BossBobster's solution](#)
- 49.**
1592A
[Gamer Hemose](#) · [Tutorial](#)
Quality: 23,791 global accepts · Rating: 800 · first AC: 2021-10-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, math, sortings
[BossBobster's solution](#)
- 50.**
1574A
[Regular Bracket Sequences](#) · [Tutorial](#)
Quality: 23,066 global accepts · Rating: 800 · first AC: 2021-09-20 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms
[BossBobster's solution](#)
- 51.**
1566B
[MIN-MEX Cut](#) · [Tutorial](#)
Quality: 21,212 global accepts · Rating: 800 · first AC: 2021-09-12 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy
[BossBobster's solution](#)
- 52.**
1566A
[Median Maximization](#) · [Tutorial](#)
Quality: 25,376 global accepts · Rating: 800 · first AC: 2021-09-12 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, math
[BossBobster's solution](#)
- 53.**
1569A
[Balanced Substring](#) · [Tutorial](#)
Quality: 26,553 global accepts · Rating: 800 · first AC: 2021-09-08 · C++17 (GCC 7-32) (first AC) · Tags: implementation
[BossBobster's solution](#)

54.

1567A

[Domino Disaster](#) · [Tutorial](#)

Quality: 31,718 global accepts · Rating: 800 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: implementation, strings
[BossBobster's solution](#)

55.

1530A

[Binary Decimal](#) · [Tutorial](#)

Quality: 21,925 global accepts · Rating: 800 · first AC: 2021-09-01 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math
[BossBobster's solution](#)

56.

1556A

[A Variety of Operations](#) · [Tutorial](#)

Quality: 18,543 global accepts · Rating: 800 · first AC: 2021-08-29 · C++17 (GCC 7-32) (first AC) · Tags: math
[BossBobster's solution](#)

57.

1562A

[The Miracle and the Sleeper](#) · [Tutorial](#)

Quality: 26,366 global accepts · Rating: 800 · first AC: 2021-08-26 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math
[BossBobster's solution](#)

58.

1561A

[Simply Strange Sort](#) · [Tutorial](#)

Quality: 17,168 global accepts · Rating: 800 · first AC: 2021-08-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, sortings
[BossBobster's solution](#)

59.

1557A

[Ezzat and Two Subsequences](#) · [Tutorial](#)

Quality: 29,147 global accepts · Rating: 800 · first AC: 2021-08-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, sortings
[BossBobster's solution](#)

60.

1549B

[Gregor and the Pawn Game](#) · [Tutorial](#)

Quality: 26,827 global accepts · Rating: 800 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, flows, graph matchings, graphs, greedy, implementation
[BossBobster's solution](#)

61.

1549A

[Gregor and Cryptography](#) · [Tutorial](#)

Quality: 35,564 global accepts · Rating: 800 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
[BossBobster's solution](#)

62.

282A

[Bit++](#) · [Tutorial](#)

Quality: 358,298 global accepts · Rating: 800 · first AC: 2021-07-29 · C++17 (GCC 7-32) (first AC) · Tags: implementation
[BossBobster's solution](#)

63.

1554A

[Cherry](#) · [Tutorial](#)

Quality: 31,389 global accepts · Rating: 800 · first AC: 2021-07-29 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[BossBobster's solution](#)

64.

1552A

[Subsequence Permutation](#) · [Tutorial](#)

Quality: 25,341 global accepts · Rating: 800 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: sortings, strings
[BossBobster's solution](#)

65.

1551A

[Polycarp and Coins](#) · [Tutorial](#)

Quality: 58,356 global accepts · Rating: 800 · first AC: 2021-07-23 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

66.

1553A

[Digits Sum](#) · [Tutorial](#)

Quality: 34,264 global accepts · Rating: 800 · first AC: 2021-07-22 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory

[BossBobster's solution](#)

67.

1550A

[Find The Array](#) · [Tutorial](#)

Quality: 29,462 global accepts · Rating: 800 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

68.

1535A

[Fair Playoff](#) · [Tutorial](#)

Quality: 57,156 global accepts · Rating: 800 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation

[BossBobster's solution](#)

69.

1541A

[Pretty Permutations](#) · [Tutorial](#)

Quality: 30,716 global accepts · Rating: 800 · first AC: 2021-06-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation

[BossBobster's solution](#)

70.

1534A

[Colour the Flag](#) · [Tutorial](#)

Quality: 13,175 global accepts · Rating: 800 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation

[BossBobster's solution](#)

71.

1538B

[Friends and Candies](#) · [Tutorial](#)

Quality: 33,537 global accepts · Rating: 800 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

72.

1538A

[Stone Game](#) · [Tutorial](#)

Quality: 40,401 global accepts · Rating: 800 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy

[BossBobster's solution](#)

73.

1515A

[Phoenix and Gold](#) · [Tutorial](#)

Quality: 21,125 global accepts · Rating: 800 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math

[BossBobster's solution](#)

74.

1519B

[The Cake Is a Lie](#) · [Tutorial](#)

Quality: 33,398 global accepts · Rating: 800 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: dp, math

[BossBobster's solution](#)

75.

1519A

[Red and Blue Beans](#) · [Tutorial](#)

Quality: 30,560 global accepts · Rating: 800 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: math

[BossBobster's solution](#)

76.

1517A

[Sum of 2050](#) · [Tutorial](#)

Quality: 26,881 global accepts · Rating: 800 · first AC: 2021-04-23 · GNU C++11 (first AC) · Tags: greedy, math

[BossBobster's solution](#)

77.

1516A

[Tit for Tat](#) · [Tutorial](#)

Quality: 24,655 global accepts · Rating: 800 · first AC: 2021-04-21 · GNU C++11 (first AC) · Tags: greedy

[BossBobster's solution](#)

78.

1499A

[Domino on Windowsill](#) · [Tutorial](#)

Quality: 21,968 global accepts · Rating: 800 · first AC: 2021-04-20 · GNU C++11 (first AC) · Tags: combinatorics, constructive algorithms, math

[BossBobster's solution](#)

79.

1514A

[Perfectly Imperfect Array](#) · [Tutorial](#)

Quality: 25,368 global accepts · Rating: 800 · first AC: 2021-04-19 · GNU C++11 (first AC) · Tags: math, number theory

[BossBobster's solution](#)

80.

1511A

[Review Site](#) · [Tutorial](#)

Quality: 28,826 global accepts · Rating: 800 · first AC: 2021-04-13 · GNU C++11 (first AC) · Tags: greedy

[BossBobster's solution](#)

81.

1513A

[Array and Peaks](#) · [Tutorial](#)

Quality: 20,017 global accepts · Rating: 800 · first AC: 2021-04-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation

[BossBobster's solution](#)

82.

1504A

[Déjà Vu](#) · [Tutorial](#)

Quality: 22,802 global accepts · Rating: 800 · first AC: 2021-04-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, strings

[BossBobster's solution](#)

83.

1484A

[Prison Break](#) · [Tutorial](#)

Rating: 800 · first AC: 2021-03-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[BossBobster's solution](#)

84.

1493A

[Anti-knapsack](#) · [Tutorial](#)

Quality: 19,773 global accepts · Rating: 800 · first AC: 2021-03-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[BossBobster's solution](#)

85.

1490A

[Dense Array](#) · [Tutorial](#)

Quality: 32,974 global accepts · Rating: 800 · first AC: 2021-02-16 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

86.

1487A

[Arena](#) · [Tutorial](#)

Quality: 27,530 global accepts · Rating: 800 · first AC: 2021-02-15 · C++17 (GCC 7-32) (first AC) · Tags: implementation, sortings

[BossBobster's solution](#)

87.

1480A

[Yet Another String Game](#) · [Tutorial](#)

Quality: 27,147 global accepts · Rating: 800 · first AC: 2021-02-07 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, strings
[BossBobster's solution](#)

88.

1481A

[Space Navigation](#) · [Tutorial](#)

Quality: 25,736 global accepts · Rating: 800 · first AC: 2021-02-05 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings
[BossBobster's solution](#)

89.

1478A

[Nezzar and Colorful Balls](#) · [Tutorial](#)

Quality: 28,013 global accepts · Rating: 800 · first AC: 2021-01-28 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy
[BossBobster's solution](#)

90.

1371A

[Magical Sticks](#) · [Tutorial](#)

Quality: 51,261 global accepts · Rating: 800 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: math
[BossBobster's solution](#)

91.

1951A

[Dual Trigger](#) · [Tutorial](#)

Quality: 22,572 global accepts · Rating: 900 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math
[BossBobster's solution](#)

92.

1879B

[Chips on the Board](#) · [Tutorial](#)

Quality: 25,077 global accepts · Rating: 900 · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy
[BossBobster's solution](#)

93.

1794B

[Not Dividing](#) · [Tutorial](#)

Quality: 39,873 global accepts · Rating: 900 · first AC: 2023-03-04 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math
[BossBobster's solution](#)

94.

1795B

[Ideal Point](#) · [Tutorial](#)

Quality: 24,093 global accepts · Rating: 900 · first AC: 2023-02-16 · C++20 (GCC 11-64) (first AC) · Tags: brute force, geometry, greedy
[BossBobster's solution](#)

95.

1777B

[Emordnilap](#) · [Tutorial](#)

Quality: 19,195 global accepts · Rating: 900 · first AC: 2023-01-21 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, greedy, math
[BossBobster's solution](#)

96.

1771A

[Hossam and Combinatorics](#) · [Tutorial](#)

Quality: 25,302 global accepts · Rating: 900 · first AC: 2022-12-11 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math, sortings
[BossBobster's solution](#)

97.

1758B

[XOR = Average](#) · [Tutorial](#)

Quality: 23,892 global accepts · Rating: 900 · first AC: 2022-11-25 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms
[BossBobster's solution](#)

98.

1735B

[Tea with Tangerines](#) · [Tutorial](#)

Quality: 19,318 global accepts · Rating: 900 · first AC: 2022-10-02 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

99.

1720A

[Burenka Plays with Fractions](#) · [Tutorial](#)

Quality: 24,364 global accepts · Rating: 900 · first AC: 2022-08-22 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory

[BossBobster's solution](#)

100.

1668B

[Social Distance](#) · [Tutorial](#)

Quality: 17,924 global accepts · Rating: 900 · first AC: 2022-04-20 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings

[BossBobster's solution](#)

101.

1665B

[Array Cloning Technique](#) · [Tutorial](#)

Quality: 32,900 global accepts · Rating: 900 · first AC: 2022-04-08 · last AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, sortings

[BossBobster's solution](#)

102.

1591B

[Array Eversion](#) · [Tutorial](#)

Rating: 900 · first AC: 2021-12-12 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[BossBobster's solution](#)

103.

1613A

[Long Comparison](#) · [Tutorial](#)

Quality: 26,628 global accepts · Rating: 900 · first AC: 2021-12-03 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math

[BossBobster's solution](#)

104.

1610A

[Anti Light's Cell Guessing](#) · [Tutorial](#)

Quality: 17,072 global accepts · Rating: 900 · first AC: 2021-11-24 · C++17 (GCC 7-32) (first AC) · Tags: math

[BossBobster's solution](#)

105.

1559B

[Mocha and Red and Blue](#) · [Tutorial](#)

Quality: 24,137 global accepts · Rating: 900 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy

[BossBobster's solution](#)

106.

1559A

[Mocha and Math](#) · [Tutorial](#)

Quality: 45,588 global accepts · Rating: 900 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, math

[BossBobster's solution](#)

107.

1555A

[PizzaForces](#) · [Tutorial](#)

Quality: 30,345 global accepts · Rating: 900 · first AC: 2021-07-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math

[BossBobster's solution](#)

108.

1535B

[Array Reodering](#) · [Tutorial](#)

Quality: 34,203 global accepts · Rating: 900 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory, sortings

[BossBobster's solution](#)

109.

1505A

[Is it rated - 2](#) · [Tutorial](#)

Quality: 16,089 global accepts · Rating: 900 · first AC: 2021-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special, implementation, interactive

[BossBobster's solution](#)

110.

1496A

[Split it!](#) · [Tutorial](#)

Quality: 22,244 global accepts · Rating: 900 · first AC: 2021-03-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy, strings

[BossBobster's solution](#)

111.

1494A

[ABC String](#) · [Tutorial](#)

Quality: 22,812 global accepts · Rating: 900 · first AC: 2021-03-02 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, implementation

[BossBobster's solution](#)

112.

1486A

[Shifting Stacks](#) · [Tutorial](#)

Quality: 27,063 global accepts · Rating: 900 · first AC: 2021-02-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[BossBobster's solution](#)

113.

1480B

[The Great Hero](#) · [Tutorial](#)

Quality: 17,932 global accepts · Rating: 900 · first AC: 2021-02-07 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, sortings

[BossBobster's solution](#)

114.

1321A

[Contest for Robots](#) · [Tutorial](#)

Quality: 14,990 global accepts · Rating: 900 · first AC: 2020-03-07 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[BossBobster's solution](#)

115.

2005B1

[The Strict Teacher \(Easy Version\)](#) · [Tutorial](#)

Quality: 24,748 global accepts · Rating: 1000 · first AC: 2024-12-31 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings

[BossBobster's solution](#)

116.

1913B

[Swap and Delete](#) · [Tutorial](#)

Quality: 51,259 global accepts · Rating: 1000 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: strings

[BossBobster's solution](#)

117.

1906A

[Easy As ABC](#) · [Tutorial](#)

Quality: 6,049 global accepts · Rating: 1000 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force

[BossBobster's solution](#)

118.

1770B

[Koxia and Permutation](#) · [Tutorial](#)

Quality: 20,851 global accepts · Rating: 1000 · first AC: 2022-12-30 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms

[BossBobster's solution](#)

119.

1770A

[Koxia and Whiteboards](#) · [Tutorial](#)

Quality: 25,246 global accepts · Rating: 1000 · first AC: 2022-12-30 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy

[BossBobster's solution](#)

120.

1721B

[Deadly Laser](#) · [Tutorial](#)

Quality: 23,879 global accepts · Rating: 1000 · first AC: 2022-08-27 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[BossBobster's solution](#)

121.

1695B

[Circle Game](#) · [Tutorial](#)

Quality: 19,973 global accepts · Rating: 1000 · first AC: 2022-06-18 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy

[BossBobster's solution](#)

122.

1671B

[Consecutive Points Segment](#) · [Tutorial](#)

Quality: 19,737 global accepts · Rating: 1000 · first AC: 2022-04-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, sortings

[BossBobster's solution](#)

123.

1634C

[OKEA](#) · [Tutorial](#)

Quality: 19,087 global accepts · Rating: 1000 · first AC: 2022-02-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[BossBobster's solution](#)

124.

1622B

[Berland Music](#) · [Tutorial](#)

Quality: 22,318 global accepts · Rating: 1000 · first AC: 2021-12-27 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, math, sortings

[BossBobster's solution](#)

125.

1613B

[Absent Remainder](#) · [Tutorial](#)

Quality: 23,314 global accepts · Rating: 1000 · first AC: 2021-12-03 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, sortings

[BossBobster's solution](#)

126.

1566C

[MAX-MEX Cut](#) · [Tutorial](#)

Quality: 19,035 global accepts · Rating: 1000 · first AC: 2021-09-12 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy

[BossBobster's solution](#)

127.

1569B

[Chess Tournament](#) · [Tutorial](#)

Quality: 19,862 global accepts · Rating: 1000 · first AC: 2021-09-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[BossBobster's solution](#)

128.

1567B

[MEXor Mixup](#) · [Tutorial](#)

Quality: 32,940 global accepts · Rating: 1000 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy

[BossBobster's solution](#)

129.

1562B

[Scenes From a Memory](#) · [Tutorial](#)

Quality: 20,543 global accepts · Rating: 1000 · first AC: 2021-08-26 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, implementation, math, number theory

[BossBobster's solution](#)

130.

1550B

[Maximum Cost Deletion](#) · [Tutorial](#)

Quality: 28,553 global accepts · Rating: 1000 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

131.

1520C

[Not Adjacent Matrix](#) · [Tutorial](#)

Quality: 34,541 global accepts · Rating: 1000 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[BossBobster's solution](#)

132.

1521A

[Nastia and Nearly Good Numbers](#) · [Tutorial](#)

Quality: 42,044 global accepts · Rating: 1000 · first AC: 2021-05-20 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory

[BossBobster's solution](#)

133.

1515B

[Phoenix and Puzzle](#) · [Tutorial](#)

Quality: 27,067 global accepts · Rating: 1000 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: brute force, geometry, math, number theory

[BossBobster's solution](#)

134.

1499B

[Binary Removals](#) · [Tutorial](#)

Quality: 22,009 global accepts · Rating: 1000 · first AC: 2021-04-20 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, implementation

[BossBobster's solution](#)

135.

1490B

[Balanced Remainders](#) · [Tutorial](#)

Quality: 27,900 global accepts · Rating: 1000 · first AC: 2021-02-16 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, math

[BossBobster's solution](#)

136.

1485A

[Add and Divide](#) · [Tutorial](#)

Quality: 33,144 global accepts · Rating: 1000 · first AC: 2021-02-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory

[BossBobster's solution](#)

137.

1476A

[K-divisible Sum](#) · [Tutorial](#)

Quality: 44,885 global accepts · Rating: 1000 · first AC: 2021-01-29 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, greedy, math

[BossBobster's solution](#)

138.

1A

[Theatre Square](#) · [Tutorial](#)

Quality: 320,228 global accepts · Rating: 1000 · first AC: 2020-06-30 · C++17 (GCC 7-32) (first AC) · Tags: math

[BossBobster's solution](#)

139.

1942B

[Bessie and MEX](#) · [Tutorial](#)

Quality: 15,499 global accepts · Rating: 1100 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[BossBobster's solution](#)

140.

1811C

[Restore the Array](#) · [Tutorial](#)

Quality: 22,227 global accepts · Rating: 1100 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy
[BossBobster's solution](#)

141.

1703D

[Double Strings](#) · [Tutorial](#)

Quality: 29,206 global accepts · Rating: 1100 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, strings
[BossBobster's solution](#)

142.

1838B

[Minimize Permutation Subarrays](#) · [Tutorial](#)

Quality: 17,807 global accepts · Rating: 1100 · first AC: 2023-06-04 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math
[BossBobster's solution](#)

143.

1839B

[Lamps](#) · [Tutorial](#)

Quality: 16,549 global accepts · Rating: 1100 · first AC: 2023-06-03 · C++20 (GCC 11-64) (first AC) · Tags: greedy, sortings
[BossBobster's solution](#)

144.

1731B

[Kill Demodogs](#) · [Tutorial](#)

Quality: 26,799 global accepts · Rating: 1100 · first AC: 2022-12-27 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math
[BossBobster's solution](#)

145.

1700B

[Palindromic Numbers](#) · [Tutorial](#)

Quality: 19,899 global accepts · Rating: 1100 · first AC: 2022-06-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, math
[BossBobster's solution](#)

146.

1682B

[AND Sorting](#) · [Tutorial](#)

Quality: 26,407 global accepts · Rating: 1100 · first AC: 2022-05-22 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, sortings
[BossBobster's solution](#)

147.

1673B

[A Perfectly Balanced String?](#) · [Tutorial](#)

Quality: 21,776 global accepts · Rating: 1100 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, strings
[BossBobster's solution](#)

148.

1672C

[Unequal Array](#) · [Tutorial](#)

Quality: 14,035 global accepts · Rating: 1100 · first AC: 2022-04-23 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation
[BossBobster's solution](#)

149.

1656B

[Subtract Operation](#) · [Tutorial](#)

Quality: 26,809 global accepts · Rating: 1100 · first AC: 2022-03-24 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, math, two pointers
[BossBobster's solution](#)

150.

1638B

[Odd Swap Sort](#) · [Tutorial](#)

Quality: 22,546 global accepts · Rating: 1100 · first AC: 2022-02-14 · C++17 (GCC 7-32) (first AC) · Tags: data structures, math, sortings
[BossBobster's solution](#)

151.

1637B

[MEX and Array](#) · [Tutorial](#)

Quality: 15,457 global accepts · Rating: 1100 · first AC: 2022-02-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, math
[BossBobster's solution](#)

152.

1631B

[Fun with Even Subarrays](#) · [Tutorial](#)

Quality: 26,897 global accepts · Rating: 1100 · first AC: 2022-01-27 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy
[BossBobster's solution](#)

153.

1626B

[Minor Reduction](#) · [Tutorial](#)

Quality: 23,935 global accepts · Rating: 1100 · first AC: 2022-01-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings
[BossBobster's solution](#)

154.

1623B

[Game on Ranges](#) · [Tutorial](#)

Quality: 14,665 global accepts · Rating: 1100 · first AC: 2021-12-28 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dfs and similar, implementation, sortings
[BossBobster's solution](#)

155.

1602B

[Divine Array](#) · [Tutorial](#)

Quality: 14,746 global accepts · Rating: 1100 · first AC: 2021-10-26 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation
[BossBobster's solution](#)

156.

1593D1

[All are Same](#) · [Tutorial](#)

Quality: 21,803 global accepts · Rating: 1100 · first AC: 2021-10-14 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
[BossBobster's solution](#)

157.

1574B

[Combinatorics Homework](#) · [Tutorial](#)

Quality: 18,221 global accepts · Rating: 1100 · first AC: 2021-09-20 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, greedy, math
[BossBobster's solution](#)

158.

1566D1

[Seating Arrangements \(easy version\)](#) · [Tutorial](#)

Quality: 14,713 global accepts · Rating: 1100 · first AC: 2021-09-12 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, sortings
[BossBobster's solution](#)

159.

1557B

[Moamen and k-subarrays](#) · [Tutorial](#)

Quality: 24,611 global accepts · Rating: 1100 · first AC: 2021-08-09 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings
[BossBobster's solution](#)

160.

1534B

[Histogram Ugliness](#) · [Tutorial](#)

Quality: 12,873 global accepts · Rating: 1100 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, math

[BossBobster's solution](#)

161.

1511C

[Yet Another Card Deck](#) · [Tutorial](#)

Quality: 32,810 global accepts · Rating: 1100 · first AC: 2021-04-13 · GNU C++11 (first AC) · Tags: brute force, data structures, implementation, trees

[BossBobster's solution](#)

162.

1511B

[GCD Length](#) · [Tutorial](#)

Quality: 24,678 global accepts · Rating: 1100 · first AC: 2021-04-12 · GNU C++11 (first AC) · Tags: constructive algorithms, math, number theory

[BossBobster's solution](#)

163.

1496B

[Max and Mex](#) · [Tutorial](#)

Quality: 18,279 global accepts · Rating: 1100 · first AC: 2021-03-10 · C++17 (GCC 7-32) (first AC) · Tags: math

[BossBobster's solution](#)

164.

1490C

[Sum of Cubes](#) · [Tutorial](#)

Quality: 38,824 global accepts · Rating: 1100 · first AC: 2021-02-16 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, math

[BossBobster's solution](#)

165.

1481B

[New Colony](#) · [Tutorial](#)

Quality: 19,907 global accepts · Rating: 1100 · first AC: 2021-02-05 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation

[BossBobster's solution](#)

166.

1478B

[Nezzar and Lucky Number](#) · [Tutorial](#)

Quality: 19,004 global accepts · Rating: 1100 · first AC: 2021-01-28 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, math

[BossBobster's solution](#)

167.

1951B

[Battle Cows](#) · [Tutorial](#)

Quality: 16,849 global accepts · Rating: 1200 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, greedy

[BossBobster's solution](#)

168.

1720C

[Corners](#) · [Tutorial](#)

Quality: 18,230 global accepts · Rating: 1200 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: greedy, implementation

[BossBobster's solution](#)

169.

1355A

[Sequence with Digits](#) · [Tutorial](#)

Quality: 28,801 global accepts · Rating: 1200 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, implementation, math

[BossBobster's solution](#)

170.

1647B

[Madoka and the Elegant Gift](#) · [Tutorial](#)

Quality: 17,124 global accepts · Rating: 1200 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, graphs, implementation

[BossBobster's solution](#)

171.

1909B

[Make Almost Equal With Mod](#) · [Tutorial](#)

Quality: 30,967 global accepts · Rating: 1200 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms, math, number theory

[BossBobster's solution](#)

172.

1763B

[Incinerate](#) · [Tutorial](#)

Quality: 16,407 global accepts · Rating: 1200 · first AC: 2022-12-19 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, implementation, math, sortings

[BossBobster's solution](#)

173.

1730C

[Minimum Notation](#) · [Tutorial](#)

Quality: 17,937 global accepts · Rating: 1200 · first AC: 2022-09-25 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy, math, sortings

[BossBobster's solution](#)

174.

1671C

[Dolce Vita](#) · [Tutorial](#)

Quality: 25,389 global accepts · Rating: 1200 · first AC: 2022-04-22 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, greedy, math

[BossBobster's solution](#)

175.

1656C

[Make Equal With Mod](#) · [Tutorial](#)

Quality: 21,005 global accepts · Rating: 1200 · first AC: 2022-03-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory, sortings

[BossBobster's solution](#)

176.

1657C

[Bracket Sequence Deletion](#) · [Tutorial](#)

Quality: 17,683 global accepts · Rating: 1200 · first AC: 2022-03-22 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[BossBobster's solution](#)

177.

1637C

[Andrew and Stones](#) · [Tutorial](#)

Quality: 18,744 global accepts · Rating: 1200 · first AC: 2022-02-12 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[BossBobster's solution](#)

178.

1613C

[Poisoned Dagger](#) · [Tutorial](#)

Quality: 29,714 global accepts · Rating: 1200 · first AC: 2021-12-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search

[BossBobster's solution](#)

179.

1592B

[Hemose Shopping](#) · [Tutorial](#)

Quality: 17,161 global accepts · Rating: 1200 · first AC: 2021-10-03 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dsu, math, sortings

[BossBobster's solution](#)

180.

1559C

[Mocha and Hiking](#) · [Tutorial](#)

Quality: 22,811 global accepts · Rating: 1200 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs

[BossBobster's solution](#)

181.

1553C

[Penalty](#) · [Tutorial](#)

Quality: 19,803 global accepts · Rating: 1200 · first AC: 2021-07-22 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dp, greedy
[BossBobster's solution](#)

182.

1546B

[AquaMoon and Stolen String](#) · [Tutorial](#)

Quality: 13,953 global accepts · Rating: 1200 · first AC: 2021-07-11 · C++17 (GCC 7-32) (first AC) · Tags: interactive, math
[BossBobster's solution](#)

183.

1541B

[Pleasant Pairs](#) · [Tutorial](#)

Quality: 38,483 global accepts · Rating: 1200 · first AC: 2021-06-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, math, number theory
[BossBobster's solution](#)

184.

1520D

[Same Differences](#) · [Tutorial](#)

Quality: 64,485 global accepts · Rating: 1200 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: data structures, hashing, math
[BossBobster's solution](#)

185.

1514B

[AND 0, Sum Big](#) · [Tutorial](#)

Quality: 34,936 global accepts · Rating: 1200 · first AC: 2021-04-19 · GNU C++11 (first AC) · Tags: bitmasks, combinatorics, math
[BossBobster's solution](#)

186.

1496C

[Diamond Miner](#) · [Tutorial](#)

Rating: 1200 · first AC: 2021-03-10 · C++17 (GCC 7-32) (first AC) · Tags: geometry, greedy, sortings
[BossBobster's solution](#)

187.

1490D

[Permutation Transformation](#) · [Tutorial](#)

Quality: 21,675 global accepts · Rating: 1200 · first AC: 2021-02-16 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, divide and conquer, implementation
[BossBobster's solution](#)

188.

1487B

[Cat Cycle](#) · [Tutorial](#)

Quality: 28,690 global accepts · Rating: 1200 · first AC: 2021-02-15 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
[BossBobster's solution](#)

189.

1485B

[Replace and Keep Sorted](#) · [Tutorial](#)

Quality: 17,922 global accepts · Rating: 1200 · first AC: 2021-02-12 · last AC: 2021-02-12 · C++17 (GCC 7-32) (first AC) · Tags: dp, implementation, math
[BossBobster's solution](#)

190.

1942C1

[Bessie's Birthday Cake \(Easy Version\)](#) · [Tutorial](#)

Quality: 12,423 global accepts · Rating: 1300 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: geometry, greedy, math
[BossBobster's solution](#)

191.

1698C

[3SUM Closure](#) · [Tutorial](#)

Quality: 19,752 global accepts · Rating: 1300 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures

[BossBobster's solution](#)

192.

1879C

[Make it Alternating](#) · [Tutorial](#)

Quality: 27,115 global accepts · Rating: 1300 · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dp, greedy

[BossBobster's solution](#)

193.

1839C

[Insert Zero and Invert Prefix](#) · [Tutorial](#)

Quality: 13,443 global accepts · Rating: 1300 · first AC: 2023-06-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms

[BossBobster's solution](#)

194.

1794C

[Scoring Subsequences](#) · [Tutorial](#)

Quality: 22,084 global accepts · Rating: 1300 · first AC: 2023-03-04 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, math, two pointers

[BossBobster's solution](#)

195.

1746C

[Permutation Operations](#) · [Tutorial](#)

Quality: 14,100 global accepts · Rating: 1300 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[BossBobster's solution](#)

196.

1668C

[Make it Increasing](#) · [Tutorial](#)

Rating: 1300 · first AC: 2022-04-20 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math

[BossBobster's solution](#)

197.

1661B

[Getting Zero](#) · [Tutorial](#)

Quality: 20,687 global accepts · Rating: 1300 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp, graphs, greedy, shortest paths

[BossBobster's solution](#)

198.

1638C

[Inversion Graph](#) · [Tutorial](#)

Quality: 15,942 global accepts · Rating: 1300 · first AC: 2022-02-14 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dsu, graphs, math

[BossBobster's solution](#)

199.

1615B

[And It's Non-Zero](#) · [Tutorial](#)

Quality: 17,917 global accepts · Rating: 1300 · first AC: 2021-12-24 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy, math

[BossBobster's solution](#)

200.

1591C

[Minimize Distance](#) · [Tutorial](#)

Rating: 1300 · first AC: 2021-12-12 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

201.

1604C

[Di-visible Confusion](#) · [Tutorial](#)

Rating: 1300 · first AC: 2021-12-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory

[BossBobster's solution](#)

202.

1602C

[Array Elimination](#) · [Tutorial](#)

Rating: 1300 · first AC: 2021-10-26 · last AC: 2021-10-26 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, math, number theory

[BossBobster's solution](#)

203.

1574C

[Slay the Dragon](#) · [Tutorial](#)

Quality: 18,569 global accepts · Rating: 1300 · first AC: 2021-09-20 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, sortings, ternary search

[BossBobster's solution](#)

204.

1556B

[Take Your Places!](#) · [Tutorial](#)

Quality: 13,276 global accepts · Rating: 1300 · first AC: 2021-08-29 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[BossBobster's solution](#)

205.

1561C

[Deep Down Below](#) · [Tutorial](#)

Quality: 21,415 global accepts · Rating: 1300 · first AC: 2021-08-24 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, sortings

[BossBobster's solution](#)

206.

1561B

[Charmed by the Game](#) · [Tutorial](#)

Rating: 1300 · first AC: 2021-08-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math

[BossBobster's solution](#)

207.

1560D

[Make a Power of Two](#) · [Tutorial](#)

Quality: 19,458 global accepts · Rating: 1300 · first AC: 2021-08-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, strings

[BossBobster's solution](#)

208.

1555C

[Coin Rows](#) · [Tutorial](#)

Quality: 24,085 global accepts · Rating: 1300 · first AC: 2021-07-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dp, implementation

[BossBobster's solution](#)

209.

1555B

[Two Tables](#) · [Tutorial](#)

Quality: 17,249 global accepts · Rating: 1300 · first AC: 2021-07-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force

[BossBobster's solution](#)

210.

1553B

[Reverse String](#) · [Tutorial](#)

Quality: 15,481 global accepts · Rating: 1300 · first AC: 2021-07-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, hashing, implementation, strings

[BossBobster's solution](#)

211.

1534C

[Little Alawn's Puzzle](#) · [Tutorial](#)

Quality: 13,811 global accepts · Rating: 1300 · first AC: 2021-06-13 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, dsu, graphs, math

[BossBobster's solution](#)

212.

1538C

[Number of Pairs](#) · [Tutorial](#)

Quality: 34,401 global accepts · Rating: 1300 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, math, two pointers

[BossBobster's solution](#)

213.

1493B

[Planet Lapituletti](#) · [Tutorial](#)

Quality: 12,568 global accepts · Rating: 1300 · first AC: 2021-03-06 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation

[BossBobster's solution](#)

214.

1476B

[Inflation](#) · [Tutorial](#)

Quality: 21,637 global accepts · Rating: 1300 · first AC: 2021-01-29 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, greedy, math

[BossBobster's solution](#)

215.

1951C

[Ticket Hoarding](#) · [Tutorial](#)

Quality: 13,772 global accepts · Rating: 1400 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings

[BossBobster's solution](#)

216.

1800E1

[Unforgivable Curse \(easy version\)](#) · [Tutorial](#)

Quality: 15,587 global accepts · Rating: 1400 · first AC: 2024-02-14 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, dsu, graphs, greedy, strings

[BossBobster's solution](#)

217.

1909C

[Heavy Intervals](#) · [Tutorial](#)

Quality: 13,163 global accepts · Rating: 1400 · first AC: 2024-02-14 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, data structures, dsu, greedy, math, sortings

[BossBobster's solution](#)

218.

1919C

[Grouping Increases](#) · [Tutorial](#)

Quality: 28,581 global accepts · Rating: 1400 · first AC: 2024-02-14 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp, greedy

[BossBobster's solution](#)

219.

1705C

[Mark and His Unfinished Essay](#) · [Tutorial](#)

Quality: 14,581 global accepts · Rating: 1400 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, implementation

[BossBobster's solution](#)

220.

1903C

[Theofanis' Nightmare](#) · [Tutorial](#)

Quality: 14,480 global accepts · Rating: 1400 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[BossBobster's solution](#)

221.

1914E2

[Game with Marbles \(Hard Version\)](#) · [Tutorial](#)

Quality: 14,751 global accepts · Rating: 1400 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: games, greedy, sortings

[BossBobster's solution](#)

222.

1901C

[Add, Divide and Floor](#) · [Tutorial](#)

Quality: 14,239 global accepts · Rating: 1400 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, math

[BossBobster's solution](#)

223.

296C

[Greg and Array](#) · [Tutorial](#)

Rating: 1400 · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp, implementation

[BossBobster's solution](#)

224.

1838C

[No Prime Differences](#) · [Tutorial](#)

Quality: 17,320 global accepts · Rating: 1400 · first AC: 2023-06-04 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, math, number theory

[BossBobster's solution](#)

225.

1830A

[Copil Copac Draws Trees](#) · [Tutorial](#)

Quality: 20,321 global accepts · Rating: 1400 · first AC: 2023-05-28 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, graphs, trees

[BossBobster's solution](#)

226.

1771B

[Hossam and Friends](#) · [Tutorial](#)

Quality: 21,333 global accepts · Rating: 1400 · first AC: 2022-12-11 · C++20 (GCC 11-64) (first AC) · Tags: binary search, constructive algorithms, dp, two pointers

[BossBobster's solution](#)

227.

1758C

[Almost All Multiples](#) · [Tutorial](#)

Quality: 15,261 global accepts · Rating: 1400 · first AC: 2022-11-25 · C++20 (GCC 11-64) (first AC) · Tags: greedy, number theory

[BossBobster's solution](#)

228.

1735C

[Phase Shift](#) · [Tutorial](#)

Quality: 10,933 global accepts · Rating: 1400 · first AC: 2022-10-02 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dsu, graphs, greedy, implementation, strings

[BossBobster's solution](#)

229.

1721C

[Min-Max Array Transformation](#) · [Tutorial](#)

Quality: 14,557 global accepts · Rating: 1400 · first AC: 2022-08-27 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, two pointers

[BossBobster's solution](#)

230.

1682C

[LIS or Reverse LIS?](#) · [Tutorial](#)

Quality: 16,471 global accepts · Rating: 1400 · first AC: 2022-05-22 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[BossBobster's solution](#)

231.

1629C

[Meximum Array](#) · [Tutorial](#)

Rating: 1400 · first AC: 2022-01-22 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, greedy, math, two pointers

[BossBobster's solution](#)

232.

1559D1

[Mocha and Diana \(Easy Version\)](#) · [Tutorial](#)

Quality: 16,031 global accepts · Rating: 1400 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dsu, graphs, greedy, trees

[BossBobster's solution](#)

233.

1549C

[Web of Lies](#) · [Tutorial](#)

Rating: 1400 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: graphs, greedy

[BossBobster's solution](#)

234.

1535C

[Unstable String](#) · [Tutorial](#)

Quality: 17,725 global accepts · Rating: 1400 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dp, greedy, implementation, strings, two pointers

[BossBobster's solution](#)

235.

1541C

[Great Graphs](#) · [Tutorial](#)

Rating: 1400 · first AC: 2021-06-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs, greedy, shortest paths, sortings

[BossBobster's solution](#)

236.

1520E

[Arranging The Sheep](#) · [Tutorial](#)

Quality: 28,612 global accepts · Rating: 1400 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[BossBobster's solution](#)

237.

1515C

[Phoenix and Towers](#) · [Tutorial](#)

Quality: 18,751 global accepts · Rating: 1400 · first AC: 2021-05-02 · last AC: 2021-05-02 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy

[BossBobster's solution](#)

238.

1519C

[Berland Regional](#) · [Tutorial](#)

Quality: 22,467 global accepts · Rating: 1400 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: brute force, data structures, greedy, number theory, sortings

[BossBobster's solution](#)

239.

1513B

[AND Sequences](#) · [Tutorial](#)

Quality: 20,107 global accepts · Rating: 1400 · first AC: 2021-04-11 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, constructive algorithms, math

[BossBobster's solution](#)

240.

1505C

[Fibonacci Words](#) · [Tutorial](#)

Quality: 6,704 global accepts · Rating: 1400 · first AC: 2021-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special, implementation

[BossBobster's solution](#)

241.

1494B

[Berland Crossword](#) · [Tutorial](#)

Quality: 15,317 global accepts · Rating: 1400 · first AC: 2021-03-02 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, greedy, implementation

[BossBobster's solution](#)

242.

1213D1

[Equalizing by Division \(easy version\)](#) · [Tutorial](#)

Quality: 12,080 global accepts · Rating: 1500 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, implementation

[BossBobster's solution](#)

243.

278B

[New Problem](#) · [Tutorial](#)

Quality: 3,639 global accepts · Rating: 1500 · first AC: 2024-02-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, strings

[BossBobster's solution](#)

244.

1814C

[Search in Parallel](#) · [Tutorial](#)

Quality: 12,470 global accepts · Rating: 1500 · first AC: 2023-04-06 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy, sortings

[BossBobster's solution](#)

245.

1795C

[Tea Tasting](#) · [Tutorial](#)

Quality: 18,016 global accepts · Rating: 1500 · first AC: 2023-02-16 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, implementation

[BossBobster's solution](#)

246.

1673C

[Palindrome Basis](#) · [Tutorial](#)

Quality: 18,011 global accepts · Rating: 1500 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, math, number theory

[BossBobster's solution](#)

247.

1651C

[Fault-tolerant Network](#) · [Tutorial](#)

Quality: 11,583 global accepts · Rating: 1500 · first AC: 2022-03-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, implementation

[BossBobster's solution](#)

248.

1631C

[And Matching](#) · [Tutorial](#)

Rating: 1500 · first AC: 2022-01-27 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms

[BossBobster's solution](#)

249.

1553D

[Backspace](#) · [Tutorial](#)

Quality: 15,086 global accepts · Rating: 1500 · first AC: 2021-07-22 · last AC: 2021-11-07 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, strings, two pointers

[BossBobster's solution](#)

250.

1569C

[Jury Meeting](#) · [Tutorial](#)

Quality: 13,353 global accepts · Rating: 1500 · first AC: 2021-09-08 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math

[BossBobster's solution](#)

251.

1562C

[Rings](#) · [Tutorial](#)

Quality: 14,310 global accepts · Rating: 1500 · first AC: 2021-08-26 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[BossBobster's solution](#)

252.

1552B

[Running for Gold](#) · [Tutorial](#)

Quality: 16,931 global accepts · Rating: 1500 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, graphs, greedy, sortings

[BossBobster's solution](#)

253.

1538F

[Interesting Function](#) · [Tutorial](#)

Quality: 22,215 global accepts · Rating: 1500 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dp, math, number theory

[BossBobster's solution](#)

254.

1516B

[AGAGA XOOORRR](#) · [Tutorial](#)

Quality: 25,536 global accepts · Rating: 1500 · first AC: 2021-04-22 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, greedy

[BossBobster's solution](#)

255.

1499C

[Minimum Grid Path](#) · [Tutorial](#)

Quality: 13,420 global accepts · Rating: 1500 · first AC: 2021-04-20 · GNU C++11 (first AC) · Tags: brute force, data structures, greedy, math

[BossBobster's solution](#)

256.

1484B

[Restore Modulo](#) · [Tutorial](#)

Rating: 1500 · first AC: 2021-03-21 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math

[BossBobster's solution](#)

257.

1272D

[Remove One Element](#) · [Tutorial](#)

Quality: 19,286 global accepts · Rating: 1500 · first AC: 2021-03-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp

[BossBobster's solution](#)

258.

1486B

[Eastern Exhibition](#) · [Tutorial](#)

Quality: 20,483 global accepts · Rating: 1500 · first AC: 2021-02-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, geometry, shortest paths, sortings

[BossBobster's solution](#)

259.

1487C

[Minimum Ties](#) · [Tutorial](#)

Quality: 15,400 global accepts · Rating: 1500 · first AC: 2021-02-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graphs, greedy, implementation, math

[BossBobster's solution](#)

260.

1487D

[Pythagorean Triples](#) · [Tutorial](#)

Quality: 20,591 global accepts · Rating: 1500 · first AC: 2021-02-15 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, math, number theory

[BossBobster's solution](#)

261.

2A

[Winner](#) · [Tutorial](#)

Quality: 31,230 global accepts · Rating: 1500 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: hashing, implementation

[BossBobster's solution](#)

262.

1904D1

[Set To Max \(Easy Version\)](#) · [Tutorial](#)

Quality: 8,621 global accepts · Rating: 1600 · first AC: 2023-12-10 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, greedy

[BossBobster's solution](#)

263.

1795D

[Triangle Coloring](#) · [Tutorial](#)

Quality: 13,071 global accepts · Rating: 1600 · first AC: 2023-02-16 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, math
[BossBobster's solution](#)

264.

1771C

[Hossam and Trainees](#) · [Tutorial](#)

Quality: 11,597 global accepts · Rating: 1600 · first AC: 2022-12-11 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, number theory
[BossBobster's solution](#)

265.

1730B

[Meeting on the Line](#) · [Tutorial](#)

Quality: 17,261 global accepts · Rating: 1600 · first AC: 2022-09-25 · C++20 (GCC 11-64) (first AC) · Tags: binary search, geometry, greedy, implementation, math, ternary search
[BossBobster's solution](#)

266.

1671D

[Insert a Progression](#) · [Tutorial](#)

Quality: 8,459 global accepts · Rating: 1600 · first AC: 2022-04-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy
[BossBobster's solution](#)

267.

1665C

[Tree Infection](#) · [Tutorial](#)

Quality: 9,862 global accepts · Rating: 1600 · first AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, sortings, trees
[BossBobster's solution](#)

268.

1623C

[Balanced Stone Heaps](#) · [Tutorial](#)

Quality: 14,313 global accepts · Rating: 1600 · first AC: 2021-12-28 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy
[BossBobster's solution](#)

269.

1622C

[Set or Decrease](#) · [Tutorial](#)

Quality: 15,541 global accepts · Rating: 1600 · first AC: 2021-12-27 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, greedy, sortings
[BossBobster's solution](#)

270.

1615C

[Menorah](#) · [Tutorial](#)

Quality: 9,195 global accepts · Rating: 1600 · first AC: 2021-12-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, graphs, greedy, math
[BossBobster's solution](#)

271.

1604D

[Moderate Modular Mode](#) · [Tutorial](#)

Rating: 1600 · first AC: 2021-12-09 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
[BossBobster's solution](#)

272.

1609D

[Social Network](#) · [Tutorial](#)

Quality: 8,399 global accepts · Rating: 1600 · first AC: 2021-11-29 · C++17 (GCC 7-32) (first AC) · Tags: dsu, graphs, greedy, implementation, trees
[BossBobster's solution](#)

273.

1566D2

[Seating Arrangements \(hard version\) · Tutorial](#)

Quality: 8,335 global accepts · Rating: 1600 · first AC: 2021-09-12 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation, sortings, two pointers

[BossBobster's solution](#)

274.

1567C

[Carrying Conundrum · Tutorial](#)

Quality: 13,155 global accepts · Rating: 1600 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, dp, math

[BossBobster's solution](#)

275.

1555D

[Say No to Palindromes · Tutorial](#)

Quality: 15,469 global accepts · Rating: 1600 · first AC: 2021-07-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dp, strings

[BossBobster's solution](#)

276.

1519D

[Maximum Sum of Products · Tutorial](#)

Quality: 17,631 global accepts · Rating: 1600 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: brute force, dp, implementation, math, two pointers

[BossBobster's solution](#)

277.

1514C

[Product 1 Modulo N · Tutorial](#)

Quality: 18,290 global accepts · Rating: 1600 · first AC: 2021-04-19 · GNU C++11 (first AC) · Tags: greedy, number theory

[BossBobster's solution](#)

278.

1511D

[Min Cost String · Tutorial](#)

Quality: 12,451 global accepts · Rating: 1600 · first AC: 2021-04-13 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, graphs, greedy, strings

[BossBobster's solution](#)

279.

1513C

[Add One · Tutorial](#)

Quality: 16,503 global accepts · Rating: 1600 · first AC: 2021-04-11 · GNU C++11 (first AC) · Tags: dp, matrices

[BossBobster's solution](#)

280.

1505B

[DMCA · Tutorial](#)

Quality: 6,523 global accepts · Rating: 1600 · first AC: 2021-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special, implementation, number theory

[BossBobster's solution](#)

281.

1486C1

[Guessing the Greatest \(easy version\) · Tutorial](#)

Quality: 14,244 global accepts · Rating: 1600 · first AC: 2021-02-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, interactive

[BossBobster's solution](#)

282.

1481C

[Fence Painting · Tutorial](#)

Quality: 12,401 global accepts · Rating: 1600 · first AC: 2021-02-06 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy

[BossBobster's solution](#)

283.

1B

[Spreadsheet](#) · [Tutorial](#)

Quality: 26,316 global accepts · Rating: 1600 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math

[BossBobster's solution](#)

284.

1321C

[Remove Adjacent](#) · [Tutorial](#)

Quality: 10,525 global accepts · Rating: 1600 · first AC: 2020-03-07 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy, strings

[BossBobster's solution](#)

285.

1942C2

[Bessie's Birthday Cake \(Hard Version\)](#) · [Tutorial](#)

Quality: 6,874 global accepts · Rating: 1700 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: geometry, greedy, math

[BossBobster's solution](#)

286.

1879D

[Sum of XOR Functions](#) · [Tutorial](#)

Quality: 10,491 global accepts · Rating: 1700 · first AC: 2023-09-24 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, combinatorics, divide and conquer, dp, math

[BossBobster's solution](#)

287.

1814B

[Long Legs](#) · [Tutorial](#)

Quality: 11,565 global accepts · Rating: 1700 · first AC: 2023-04-06 · C++20 (GCC 11-64) (first AC) · Tags: brute force, math

[BossBobster's solution](#)

288.

1777C

[Quiz Master](#) · [Tutorial](#)

Quality: 12,297 global accepts · Rating: 1700 · first AC: 2023-01-21 · C++20 (GCC 11-64) (first AC) · Tags: binary search, math, number theory, sortings, two pointers

[BossBobster's solution](#)

289.

1770C

[Koxia and Number Theory](#) · [Tutorial](#)

Quality: 9,665 global accepts · Rating: 1700 · first AC: 2022-12-30 · C++20 (GCC 11-64) (first AC) · Tags: brute force, chinese remainder theorem, math, number theory

[BossBobster's solution](#)

290.

1731C

[Even Subarrays](#) · [Tutorial](#)

Quality: 12,136 global accepts · Rating: 1700 · first AC: 2022-12-27 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, brute force, hashing, math, number theory

[BossBobster's solution](#)

291.

1731D

[Valiant's New Map](#) · [Tutorial](#)

Quality: 8,499 global accepts · Rating: 1700 · first AC: 2022-12-27 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, dp, two pointers

[BossBobster's solution](#)

292.

1735D

[Meta-set](#) · [Tutorial](#)

Quality: 6,773 global accepts · Rating: 1700 · first AC: 2022-10-02 · C++20 (GCC 11-64) (first AC) · Tags: brute force, combinatorics, data structures, hashing, math

[BossBobster's solution](#)

293.

1700C

[Helping the Nature](#) · [Tutorial](#)

Quality: 12,164 global accepts · Rating: 1700 · first AC: 2022-06-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, greedy

[BossBobster's solution](#)

294.

1695C

[Zero Path](#) · [Tutorial](#)

Quality: 14,054 global accepts · Rating: 1700 · first AC: 2022-06-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dp, graphs, greedy, shortest paths

[BossBobster's solution](#)

295.

1629D

[Peculiar Movie Preferences](#) · [Tutorial](#)

Rating: 1700 · first AC: 2022-01-22 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings

[BossBobster's solution](#)

296.

1626C

[Monsters And Spells](#) · [Tutorial](#)

Quality: 11,810 global accepts · Rating: 1700 · first AC: 2022-01-19 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp, greedy, implementation, math, two pointers

[BossBobster's solution](#)

297.

1592C

[Bakry and Partitioning](#) · [Tutorial](#)

Quality: 9,134 global accepts · Rating: 1700 · first AC: 2021-10-03 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, dfs and similar, dp, graphs, trees

[BossBobster's solution](#)

298.

1562D1

[Two Hundred Twenty One \(easy version\)](#) · [Tutorial](#)

Quality: 6,650 global accepts · Rating: 1700 · first AC: 2021-08-26 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, math

[BossBobster's solution](#)

299.

1561D1

[Up the Strip \(simplified version\)](#) · [Tutorial](#)

Quality: 6,113 global accepts · Rating: 1700 · first AC: 2021-08-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dp, math, number theory

[BossBobster's solution](#)

300.

1557C

[Moamen and XOR](#) · [Tutorial](#)

Quality: 10,501 global accepts · Rating: 1700 · first AC: 2021-08-09 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, dp, math, matrices

[BossBobster's solution](#)

301.

1550C

[Manhattan Subarrays](#) · [Tutorial](#)

Quality: 10,847 global accepts · Rating: 1700 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: brute force, geometry, greedy, implementation

[BossBobster's solution](#)

302.

1216C

[White Sheet](#) · [Tutorial](#)

Quality: 10,362 global accepts · Rating: 1700 · first AC: 2021-06-27 · C++17 (GCC 7-32) (first AC) · Tags: geometry, math

[BossBobster's solution](#)

303.

1538D

[Another Problem About Dividing Numbers](#) · [Tutorial](#)

Quality: 15,269 global accepts · Rating: 1700 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory

[BossBobster's solution](#)

304.

1516C

[Baby Ehab Partitions Again](#) · [Tutorial](#)

Quality: 14,111 global accepts · Rating: 1700 · first AC: 2021-04-22 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, dp, math

[BossBobster's solution](#)

305.

1480C

[Searching Local Minimum](#) · [Tutorial](#)

Rating: 1700 · first AC: 2021-02-07 · C++17 (GCC 7-32) (first AC) · Tags: binary search, interactive, math, ternary search

[BossBobster's solution](#)

306.

1476D

[Journey](#) · [Tutorial](#)

Quality: 9,238 global accepts · Rating: 1700 · first AC: 2021-01-30 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, dsu, implementation

[BossBobster's solution](#)

307.

1758D

[Range = " Sum](#) [Tutorial](#)

Quality: 8,475 global accepts · Rating: 1800 · first AC: 2022-11-25 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, constructive algorithms, math, two pointers

[BossBobster's solution](#)

308.

1396B

[Stoned Game](#) · [Tutorial](#)

Quality: 12,936 global accepts · Rating: 1800 · first AC: 2022-09-17 · C++20 (GCC 11-64) (first AC) · Tags: brute force, constructive algorithms, games, greedy

[BossBobster's solution](#)

309.

1718A1

[Burenka and Traditions \(easy version\)](#) · [Tutorial](#)

Quality: 6,418 global accepts · Rating: 1800 · first AC: 2022-08-16 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy

[BossBobster's solution](#)

310.

1637D

[Yet Another Minimization Problem](#) · [Tutorial](#)

Quality: 8,921 global accepts · Rating: 1800 · first AC: 2022-02-12 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, math

[BossBobster's solution](#)

311.

1631D

[Range and Partition](#) · [Tutorial](#)

Rating: 1800 · first AC: 2022-01-27 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, greedy, two pointers

[BossBobster's solution](#)

312.

1556D

[Take a Guess](#) · [Tutorial](#)

Quality: 8,595 global accepts · Rating: 1800 · first AC: 2021-08-30 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, interactive, math

[BossBobster's solution](#)

313.

1556C

[Compressed Bracket Sequence](#) · [Tutorial](#)

Quality: 6,216 global accepts · Rating: 1800 · first AC: 2021-08-29 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation

[BossBobster's solution](#)

314.

1549D

[Integers Have Friends](#) · [Tutorial](#)

Rating: 1800 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, math, two pointers

[BossBobster's solution](#)

315.

1552D

[Array Differentiation](#) · [Tutorial](#)

Quality: 7,888 global accepts · Rating: 1800 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, constructive algorithms, dfs and similar, dp, graphs, math

[BossBobster's solution](#)

316.

1552C

[Maximize the Intersections](#) · [Tutorial](#)

Quality: 6,286 global accepts · Rating: 1800 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, constructive algorithms, geometry, greedy, sortings

[BossBobster's solution](#)

317.

1535D

[Playoff Tournament](#) · [Tutorial](#)

Quality: 8,494 global accepts · Rating: 1800 · first AC: 2021-07-14 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dfs and similar, dp, implementation, trees

[BossBobster's solution](#)

318.

1505E

[Cakewalk](#) · [Tutorial](#)

Quality: 1,923 global accepts · Rating: 1800 · first AC: 2021-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special, greedy, implementation, shortest paths

[BossBobster's solution](#)

319.

1777D

[Score of a Tree](#) · [Tutorial](#)

Quality: 4,689 global accepts · Rating: 1900 · first AC: 2023-01-21 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, combinatorics, dfs and similar, dp, math, probabilities, trees

[BossBobster's solution](#)

320.

1746D

[Paths on the Tree](#) · [Tutorial](#)

Quality: 5,115 global accepts · Rating: 1900 · first AC: 2022-10-15 · C++20 (GCC 11-64) (first AC) · Tags: dfs and similar, dp, greedy, sortings, trees

[BossBobster's solution](#)

321.

1718A2

[Burenka and Traditions \(hard version\)](#) · [Tutorial](#)

Quality: 5,911 global accepts · Rating: 1900 · first AC: 2022-08-16 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, greedy

[BossBobster's solution](#)

322.

1673D

[Lost Arithmetic Progression](#) · [Tutorial](#)

Quality: 3,625 global accepts · Rating: 1900 · first AC: 2022-04-30 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math, number theory

[BossBobster's solution](#)

323.

1661D

[Progressions Covering](#) · [Tutorial](#)

Quality: 5,397 global accepts · Rating: 1900 · first AC: 2022-04-10 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy

[BossBobster's solution](#)

324.

1656D

[K-good](#) · [Tutorial](#)

Quality: 7,558 global accepts · Rating: 1900 · first AC: 2022-03-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory

[BossBobster's solution](#)

325.

1651D

[Nearest Excluded Points](#) · [Tutorial](#)

Quality: 6,506 global accepts · Rating: 1900 · first AC: 2022-03-10 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dfs and similar, graphs, shortest paths

[BossBobster's solution](#)

326.

1591D

[Yet Another Sorting Problem](#) · [Tutorial](#)

Rating: 1900 · first AC: 2021-12-12 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, math, sortings

[BossBobster's solution](#)

327.

1613D

[MEX Sequences](#) · [Tutorial](#)

Quality: 5,305 global accepts · Rating: 1900 · first AC: 2021-12-03 · C++17 (GCC 7-32) (first AC) · Tags: dp, math

[BossBobster's solution](#)

328.

1602D

[Frog Traveler](#) · [Tutorial](#)

Rating: 1900 · first AC: 2021-10-26 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, graphs, greedy, shortest paths

[BossBobster's solution](#)

329.

1569D

[Inconvenient Pairs](#) · [Tutorial](#)

Quality: 4,602 global accepts · Rating: 1900 · first AC: 2021-09-08 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, implementation, sortings, two pointers

[BossBobster's solution](#)

330.

1561D2

[Up the Strip](#) · [Tutorial](#)

Rating: 1900 · first AC: 2021-08-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, math, number theory

[BossBobster's solution](#)

331.

1484D

[Playlist](#) · [Tutorial](#)

Rating: 1900 · first AC: 2021-03-21 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dsu, implementation

[BossBobster's solution](#)

332.

1496D

[Let's Go Hiking](#) · [Tutorial](#)

Rating: 1900 · first AC: 2021-03-10 · C++17 (GCC 7-32) (first AC) · Tags: games

[BossBobster's solution](#)

333.

1486C2

[Guessing the Greatest \(hard version\)](#) · [Tutorial](#)

Quality: 9,972 global accepts · Rating: 1900 · first AC: 2021-02-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, interactive

[BossBobster's solution](#)

334.

1951E

[No Palindromes](#) · [Tutorial](#)

Quality: 4,477 global accepts · Rating: 2000 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, divide and conquer, greedy, hashing, implementation, math, strings

[BossBobster's solution](#)

335.

1951D

[Buying Jewels](#) · [Tutorial](#)

Quality: 6,299 global accepts · Rating: 2000 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[BossBobster's solution](#)

336.

1830B

[The BOSS Can Count Pairs](#) · [Tutorial](#)

Quality: 5,853 global accepts · Rating: 2000 · first AC: 2023-05-28 · C++20 (GCC 11-64) (first AC) · Tags: brute force, math

[BossBobster's solution](#)

337.

1731E

[Graph Cost](#) · [Tutorial](#)

Quality: 3,484 global accepts · Rating: 2000 · first AC: 2022-12-27 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy, math, number theory

[BossBobster's solution](#)

338.

1718B

[Fibonacci Strings](#) · [Tutorial](#)

Quality: 3,467 global accepts · Rating: 2000 · first AC: 2022-08-16 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, math, number theory

[BossBobster's solution](#)

339.

1716D

[Chip Move](#) · [Tutorial](#)

Quality: 6,136 global accepts · Rating: 2000 · first AC: 2022-08-04 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, math

[BossBobster's solution](#)

340.

1716C

[Robot in a Hallway](#) · [Tutorial](#)

Quality: 4,593 global accepts · Rating: 2000 · first AC: 2022-08-04 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, greedy, implementation, ternary search

[BossBobster's solution](#)

341.

1672F1

[Array Shuffling](#) · [Tutorial](#)

Quality: 3,539 global accepts · Rating: 2000 · first AC: 2022-04-23 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs, greedy

[BossBobster's solution](#)

342.

1665D

[GCD Guess](#) · [Tutorial](#)

Quality: 4,658 global accepts · Rating: 2000 · first AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, chinese remainder theorem, constructive algorithms, games, interactive, math, number theory

[BossBobster's solution](#)

343.

1657D

[For Gamers. By Gamers.](#) · [Tutorial](#)

Quality: 5,292 global accepts · Rating: 2000 · first AC: 2022-03-23 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, greedy, math, sortings

[BossBobster's solution](#)

344.

1638D

[Big Brush](#) · [Tutorial](#)

Quality: 4,736 global accepts · Rating: 2000 · first AC: 2022-02-14 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, greedy, implementation

[BossBobster's solution](#)

345.

1634D

[Finding Zero](#) · [Tutorial](#)

Quality: 4,738 global accepts · Rating: 2000 · first AC: 2022-02-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, interactive, math

[BossBobster's solution](#)

346.

1622D

[Shuffle](#) · [Tutorial](#)

Quality: 4,646 global accepts · Rating: 2000 · first AC: 2021-12-28 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math, two pointers

[BossBobster's solution](#)

347.

1613E

[Crazy Robot](#) · [Tutorial](#)

Quality: 5,889 global accepts · Rating: 2000 · first AC: 2021-12-03 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs

[BossBobster's solution](#)

348.

1566E

[Buds Re-hanging](#) · [Tutorial](#)

Quality: 4,447 global accepts · Rating: 2000 · first AC: 2021-09-12 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, dp, greedy, trees

[BossBobster's solution](#)

349.

1567D

[Expression Evaluation Error](#) · [Tutorial](#)

Quality: 4,853 global accepts · Rating: 2000 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[BossBobster's solution](#)

350.

1561E

[Bottom-Tier Reversals](#) · [Tutorial](#)

Rating: 2000 · first AC: 2021-08-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[BossBobster's solution](#)

351.

1514D

[Cut and Stick](#) · [Tutorial](#)

Quality: 4,818 global accepts · Rating: 2000 · first AC: 2021-04-20 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, implementation, sortings

[BossBobster's solution](#)

352.

1493C

[K-beautiful Strings](#) · [Tutorial](#)

Quality: 4,948 global accepts · Rating: 2000 · first AC: 2021-03-06 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, constructive algorithms, greedy, strings

[BossBobster's solution](#)

353.

1487E

[Cheap Dinner](#) · [Tutorial](#)

Quality: 5,128 global accepts · Rating: 2000 · first AC: 2021-02-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, graphs,

greedy, implementation, sortings, two pointers

[BossBobster's solution](#)

354.

1942D

[Learning to Paint](#) · [Tutorial](#)

Quality: 3,347 global accepts · Rating: 2100 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dfs and similar, dp, greedy, implementation, sortings

[BossBobster's solution](#)

355.

1839D

[Ball Sorting](#) · [Tutorial](#)

Quality: 2,698 global accepts · Rating: 2100 · first AC: 2023-06-03 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp, sortings

[BossBobster's solution](#)

356.

1771D

[Hossam and \(sub-\)palindromic tree](#) · [Tutorial](#)

Quality: 3,215 global accepts · Rating: 2100 · first AC: 2022-12-11 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, dfs and similar, dp, strings, trees

[BossBobster's solution](#)

357.

1671E

[Preorder](#) · [Tutorial](#)

Quality: 3,170 global accepts · Rating: 2100 · first AC: 2022-04-22 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, divide and conquer, dp, dsu, hashing, sortings, trees

[BossBobster's solution](#)

358.

321C

[Ciel the Commander](#) · [Tutorial](#)

Quality: 9,393 global accepts · Rating: 2100 · first AC: 2021-12-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, divide and conquer, greedy, trees

[BossBobster's solution](#)

359.

1553E

[Permutation Shift](#) · [Tutorial](#)

Quality: 3,773 global accepts · Rating: 2100 · first AC: 2021-07-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, combinatorics, constructive algorithms, dfs and similar, dsu, graphs, math

[BossBobster's solution](#)

360.

1510D

[Digits](#) · [Tutorial](#)

Quality: 2,117 global accepts · Rating: 2100 · first AC: 2021-07-01 · C++17 (GCC 7-32) (first AC) · Tags: dp, math, number theory

[BossBobster's solution](#)

361.

1538E

[Funny Substrings](#) · [Tutorial](#)

Quality: 3,222 global accepts · Rating: 2100 · first AC: 2021-06-10 · C++17 (GCC 7-32) (first AC) · Tags: data structures, hashing, implementation, matrices, strings

[BossBobster's solution](#)

362.

1516D

[Cut](#) · [Tutorial](#)

Quality: 5,173 global accepts · Rating: 2100 · first AC: 2021-04-22 · last AC: 2021-04-23 · GNU C++11 (first AC) · Tags: binary search, data structures, dp, graphs, number theory, two pointers

[BossBobster's solution](#)

363.

1795E

[Explosions?](#) · [Tutorial](#)

Quality: 2,382 global accepts · Rating: 2200 · first AC: 2023-02-16 · C++20 (GCC 11-64) (first AC) · Tags: binary search, data structures, dp, greedy, math

[BossBobster's solution](#)

364.

1631E

[Paint the Middle](#) · [Tutorial](#)

Rating: 2200 · first AC: 2022-01-27 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings, two pointers

[BossBobster's solution](#)

365.

1567E

[Non-Decreasing Dilemma](#) · [Tutorial](#)

Quality: 4,135 global accepts · Rating: 2200 · first AC: 2021-09-05 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, math

[BossBobster's solution](#)

366.

1557D

[Ezzat and Grid](#) · [Tutorial](#)

Quality: 3,002 global accepts · Rating: 2200 · first AC: 2021-09-01 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, greedy

[BossBobster's solution](#)

367.

1556E

[Equilibrium](#) · [Tutorial](#)

Quality: 2,989 global accepts · Rating: 2200 · first AC: 2021-08-29 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, greedy

[BossBobster's solution](#)

368.

786B

[Legacy](#) · [Tutorial](#)

Quality: 8,021 global accepts · Rating: 2300 · first AC: 2024-06-30 · C++17 (GCC 7-32) (first AC) · Tags: data structures, graphs, shortest paths

[BossBobster's solution](#)

369.

1942E

[Farm Game](#) · [Tutorial](#)

Quality: 1,957 global accepts · Rating: 2300 · first AC: 2024-03-30 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, games

[BossBobster's solution](#)

370.

1718C

[Tonya and Burenka-179](#) · [Tutorial](#)

Quality: 1,860 global accepts · Rating: 2400 · first AC: 2022-08-16 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, math, number theory

[BossBobster's solution](#)

371.

1083E

[The Fair Nut and Rectangles](#) · [Tutorial](#)

Quality: 5,614 global accepts · Rating: 2400 · first AC: 2022-03-28 · last AC: 2022-03-28 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, geometry

[BossBobster's solution](#)

372.

342E

[Xenia and Tree](#) · [Tutorial](#)

Quality: 10,836 global accepts · Rating: 2400 · first AC: 2021-12-21 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, trees

[BossBobster's solution](#)

373.

1838E

[Count Supersequences](#) · [Tutorial](#)

Quality: 1,851 global accepts · Rating: 2500 · first AC: 2023-06-04 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dp, math

[BossBobster's solution](#)

374.

1661E

[Narrow Components](#) · [Tutorial](#)

Quality: 1,122 global accepts · Rating: 2500 · first AC: 2022-04-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dp, dsu, math, trees

[BossBobster's solution](#)

375.

1559D2

[Mocha and Diana \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,066 global accepts · Rating: 2500 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, dsu, graphs, greedy, trees, two pointers

[BossBobster's solution](#)

376.

1945H

[GCD is Greater](#) · [Tutorial](#)

Quality: 853 global accepts · Rating: 2600 · first AC: 2024-03-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, math, number theory

[BossBobster's solution](#)

377.

1363F

[Rotating Substrings](#) · [Tutorial](#)

Quality: 1,736 global accepts · Rating: 2600 · first AC: 2022-11-14 · C++20 (GCC 11-64) (first AC) · Tags: dp, strings

[BossBobster's solution](#)

378.

1428G1

[Lucky Numbers \(Easy Version\)](#) · [Tutorial](#)

Quality: 644 global accepts · Rating: 2900 · first AC: 2022-11-21 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy

[BossBobster's solution](#)

379.

1428G2

[Lucky Numbers \(Hard Version\)](#) · [Tutorial](#)

Quality: 728 global accepts · Rating: 3000 · first AC: 2022-11-21 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy

[BossBobster's solution](#)

380.

771E

[Bear and Rectangle Strips](#) · [Tutorial](#)

Quality: 621 global accepts · Rating: 3000 · first AC: 2022-11-08 · last AC: 2022-11-08 · C++20 (GCC 11-64) (first AC) · Tags: dp, greedy

[BossBobster's solution](#)

381.

739E

[Gosha is hunting](#) · [Tutorial](#)

Quality: 2,628 global accepts · Rating: 3000 · first AC: 2022-09-26 · last AC: 2022-09-27 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, dp, flows, math, probabilities, sortings

[BossBobster's solution](#)

382.

1523F

[Favorite Game](#) · [Tutorial](#)

Quality: 483 global accepts · Rating: 3300 · first AC: 2022-11-26 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, dp

[BossBobster's solution](#)

383.

718E

[Matvey's Birthday](#) · [Tutorial](#)

Quality: 430 global accepts · Rating: 3300 · first AC: 2022-11-20 · last AC: 2022-11-21 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, graphs

[BossBobster's solution](#)

384.

1952G

[Mathematician Takeover](#) · [Tutorial](#)

Quality: 1,224 global accepts · Rating: — · first AC: 2024-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special, binary search, dfs and similar, math

[BossBobster's solution](#)

385.

1952B

[Is it stated?](#) · [Tutorial](#)

Quality: 12,333 global accepts · Rating: — · first AC: 2024-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special, strings

[BossBobster's solution](#)

386.

1952A

[Are You a Robot, Again?](#) · [Tutorial](#)

Quality: 14,101 global accepts · Rating: — · first AC: 2024-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special, strings

[BossBobster's solution](#)

387.

100551A

[Connect and Disconnect](#) · [Tutorial](#)

Rating: — · first AC: 2023-03-09 · C++20 (GCC 11-64) (first AC) · Tags: —

[BossBobster's solution](#)

388.

103241P

[Abc's \(Hard Version\)](#) · [Tutorial](#)

Rating: — · first AC: 2022-08-02 · C++17 (GCC 7-32) (first AC) · Tags: —

[BossBobster's solution](#)

389.

103241T

[Vivy's Singularity Project](#) · [Tutorial](#)

Rating: — · first AC: 2022-08-01 · C++17 (GCC 7-32) (first AC) · Tags: —

[BossBobster's solution](#)

390.

1331A

[Is it rated?](#) · [Tutorial](#)

Quality: 17,507 global accepts · Rating: — · first AC: 2021-04-01 · C++17 (GCC 7-32) (first AC) · Tags: *special

[BossBobster's solution](#)