

## [CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

# Unique solved — Ha-runo

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 69

1.

2092A

[Kamilka and the Sheep](#) · [Tutorial](#)

Quality: 28,316 global accepts · Rating: 800 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, math, number theory, sortings

[Ha-runo's solution](#)

2.

2075A

[To Zero](#) · [Tutorial](#)

Quality: 27,908 global accepts · Rating: 800 · first AC: 2025-03-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, math

[Ha-runo's solution](#)

3.

2042A

[Greedy Monocarp](#) · [Tutorial](#)

Quality: 20,855 global accepts · Rating: 800 · first AC: 2024-12-02 · C++20 (GCC 13-64) (first AC) · Tags: greedy, sortings

[Ha-runo's solution](#)

4.

2038J

[Waiting for...](#) · [Tutorial](#)

Quality: 8,776 global accepts · Rating: 800 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[Ha-runo's solution](#)

5.

2038N

[Fixing the Expression](#) · [Tutorial](#)

Quality: 11,341 global accepts · Rating: 800 · first AC: 2024-11-18 · C++20 (GCC 13-64) (first AC) · Tags: implementation

[Ha-runo's solution](#)

6.

2030B

[Minimise Oneness](#) · [Tutorial](#)

Quality: 23,687 global accepts · Rating: 800 · first AC: 2024-10-19 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, constructive algorithms, games, math

[Ha-runo's solution](#)

7.

2030A

[A Gift From Orangutan](#) · [Tutorial](#)

Quality: 27,584 global accepts · Rating: 800 · first AC: 2024-10-19 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Ha-runo's solution](#)

8.

2025A

[Two Screens](#) · [Tutorial](#)

Quality: 28,571 global accepts · Rating: 800 · first AC: 2024-10-14 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, greedy, strings, two pointers

[Ha-runo's solution](#)

9.

2020A

[Find Minimum Operations](#) · [Tutorial](#)

Quality: 25,942 global accepts · Rating: 800 · first AC: 2024-09-29 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, greedy, math,

number theory

[Ha-runo's solution](#)

**10.**

1974B

[Symmetric Encoding](#) · [Tutorial](#)

Quality: 34,487 global accepts · Rating: 800 · first AC: 2024-05-20 · C++20 (GCC 13-64) (first AC) · Tags: implementation, sortings, strings

[Ha-runo's solution](#)

**11.**

1974A

[Phone Desktop](#) · [Tutorial](#)

Quality: 37,914 global accepts · Rating: 800 · first AC: 2024-05-20 · C++20 (GCC 13-64) (first AC) · Tags: greedy, math

[Ha-runo's solution](#)

**12.**

1968B

[Prefiquence](#) · [Tutorial](#)

Quality: 31,435 global accepts · Rating: 800 · first AC: 2024-05-02 · C++20 (GCC 13-64) (first AC) · Tags: greedy, two pointers

[Ha-runo's solution](#)

**13.**

1968A

[Maximize?](#) · [Tutorial](#)

Quality: 39,455 global accepts · Rating: 800 · first AC: 2024-05-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, math, number theory

[Ha-runo's solution](#)

**14.**

1955A

[Yogurt Sale](#) · [Tutorial](#)

Quality: 52,727 global accepts · Rating: 800 · first AC: 2024-04-08 · C++17 (GCC 7-32) (first AC) · Tags: math

[Ha-runo's solution](#)

**15.**

1950C

[Clock Conversion](#) · [Tutorial](#)

Quality: 46,902 global accepts · Rating: 800 · first AC: 2024-03-28 · PyPy 3-64 (first AC) · Tags: implementation, math

[Ha-runo's solution](#)

**16.**

1950B

[Upscaling](#) · [Tutorial](#)

Quality: 44,211 global accepts · Rating: 800 · first AC: 2024-03-28 · C++20 (GCC 13-64) (first AC) · Tags: implementation

[Ha-runo's solution](#)

**17.**

1950A

[Stair, Peak, or Neither?](#) · [Tutorial](#)

Quality: 69,443 global accepts · Rating: 800 · first AC: 2024-03-28 · C++20 (GCC 13-64) (first AC) · Tags: implementation

[Ha-runo's solution](#)

**18.**

1945A

[Setting up Camp](#) · [Tutorial](#)

Quality: 30,319 global accepts · Rating: 800 · first AC: 2024-03-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[Ha-runo's solution](#)

**19.**

2042B

[Game with Colored Marbles](#) · [Tutorial](#)

Quality: 19,486 global accepts · Rating: 900 · first AC: 2024-12-02 · C++20 (GCC 13-64) (first AC) · Tags: games, greedy

[Ha-runo's solution](#)

**20.**

2026A

[Perpendicular Segments](#) · [Tutorial](#)

Quality: 20,263 global accepts · Rating: 900 · first AC: 2024-10-28 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, geometry,

greedy, math

[Ha-runo's solution](#)

**21.**

1945B

[Fireworks](#) · [Tutorial](#)

Quality: 26,208 global accepts · Rating: 900 · first AC: 2024-03-19 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory

[Ha-runo's solution](#)

**22.**

2092B

[Lady Bug](#) · [Tutorial](#)

Quality: 24,818 global accepts · Rating: 1000 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, implementation, math

[Ha-runo's solution](#)

**23.**

1968C

[Assembly via Remainders](#) · [Tutorial](#)

Quality: 29,262 global accepts · Rating: 1000 · first AC: 2024-05-02 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, number theory

[Ha-runo's solution](#)

**24.**

1955B

[Progressive Square](#) · [Tutorial](#)

Quality: 32,264 global accepts · Rating: 1000 · first AC: 2024-04-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, implementation, sortings

[Ha-runo's solution](#)

**25.**

2030C

[A TRUE Battle](#) · [Tutorial](#)

Quality: 19,811 global accepts · Rating: 1100 · first AC: 2024-10-19 · C++20 (GCC 13-64) (first AC) · Tags: brute force, games, greedy

[Ha-runo's solution](#)

**26.**

2025B

[Binomial Coefficients, Kind Of](#) · [Tutorial](#)

Quality: 19,615 global accepts · Rating: 1100 · first AC: 2024-10-14 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, math

[Ha-runo's solution](#)

**27.**

1950D

[Product of Binary Decimals](#) · [Tutorial](#)

Quality: 26,495 global accepts · Rating: 1100 · first AC: 2024-03-28 · C++20 (GCC 13-64) (first AC) · Tags: brute force, dp, implementation, number theory

[Ha-runo's solution](#)

**28.**

2092C

[Asuna and the Mosquitoes](#) · [Tutorial](#)

Quality: 22,580 global accepts · Rating: 1200 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy, math

[Ha-runo's solution](#)

**29.**

2020B

[Brightness Begins](#) · [Tutorial](#)

Quality: 21,665 global accepts · Rating: 1200 · first AC: 2024-09-29 · C++20 (GCC 13-64) (first AC) · Tags: binary search, math

[Ha-runo's solution](#)

**30.**

1945C

[Left and Right Houses](#) · [Tutorial](#)

Quality: 17,394 global accepts · Rating: 1200 · first AC: 2024-03-19 · C++17 (GCC 7-32) (first AC) · Tags: brute force

[Ha-runo's solution](#)

**31.**

2075B

[Array Recoloring](#) · [Tutorial](#)

Quality: 18,833 global accepts · Rating: 1300 · first AC: 2025-03-17 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy

[Ha-runo's solution](#)

**32.**

2026B

[Black Cells](#) · [Tutorial](#)

Quality: 16,502 global accepts · Rating: 1300 · first AC: 2024-10-28 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, constructive algorithms, greedy

[Ha-runo's solution](#)

**33.**

2025C

[New Game](#) · [Tutorial](#)

Quality: 19,037 global accepts · Rating: 1300 · first AC: 2024-10-14 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, greedy, implementation, sortings, two pointers

[Ha-runo's solution](#)

**34.**

1968D

[Permutation Game](#) · [Tutorial](#)

Quality: 17,425 global accepts · Rating: 1300 · first AC: 2024-05-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, dfs and similar, games, graphs, greedy, math

[Ha-runo's solution](#)

**35.**

1955C

[Inhabitant of the Deep Sea](#) · [Tutorial](#)

Quality: 24,499 global accepts · Rating: 1300 · first AC: 2024-04-08 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, math

[Ha-runo's solution](#)

**36.**

2038L

[Bridge Renovation](#) · [Tutorial](#)

Quality: 7,985 global accepts · Rating: 1400 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, math, two pointers

[Ha-runo's solution](#)

**37.**

2038A

[Bonus Project](#) · [Tutorial](#)

Quality: 5,434 global accepts · Rating: 1400 · first AC: 2024-11-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: games, greedy

[Ha-runo's solution](#)

**38.**

2038C

[DIY](#) · [Tutorial](#)

Quality: 6,923 global accepts · Rating: 1400 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: data structures, geometry, greedy, sortings

[Ha-runo's solution](#)

**39.**

2020C

[Bitwise Balancing](#) · [Tutorial](#)

Quality: 18,297 global accepts · Rating: 1400 · first AC: 2024-09-29 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, hashing, implementation, math, schedules, ternary search

[Ha-runo's solution](#)

**40.**

1974D

[Ingenuity-2](#) · [Tutorial](#)

Quality: 17,794 global accepts · Rating: 1400 · first AC: 2024-05-20 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy,

implementation

[Ha-runo's solution](#)

**41.**

1974C

[Beautiful Triple Pairs](#) · [Tutorial](#)

Quality: 19,040 global accepts · Rating: 1400 · first AC: 2024-05-20 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, data structures

[Ha-runo's solution](#)

**42.**

1955D

[Inaccurate Subsequence Search](#) · [Tutorial](#)

Quality: 18,579 global accepts · Rating: 1400 · first AC: 2024-04-08 · C++17 (GCC 7-32) (first AC) · Tags: data structures, two pointers

[Ha-runo's solution](#)

**43.**

2075C

[Two Colors](#) · [Tutorial](#)

Quality: 14,368 global accepts · Rating: 1500 · first AC: 2025-03-17 · C++20 (GCC 13-64) (first AC) · Tags: binary search, combinatorics, math

[Ha-runo's solution](#)

**44.**

2026C

[Action Figures](#) · [Tutorial](#)

Quality: 12,629 global accepts · Rating: 1500 · first AC: 2024-10-28 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, constructive algorithms, data structures, greedy, implementation

[Ha-runo's solution](#)

**45.**

1950E

[Nearly Shortest Repeating Substring](#) · [Tutorial](#)

Quality: 17,427 global accepts · Rating: 1500 · first AC: 2024-03-28 · C++20 (GCC 13-64) (first AC) · Tags: brute force, implementation, number theory, strings

[Ha-runo's solution](#)

**46.**

1968E

[Cells Arrangement](#) · [Tutorial](#)

Quality: 12,638 global accepts · Rating: 1600 · first AC: 2024-05-02 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms

[Ha-runo's solution](#)

**47.**

1955E

[Long Inversions](#) · [Tutorial](#)

Quality: 10,549 global accepts · Rating: 1700 · first AC: 2024-04-08 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation, sortings

[Ha-runo's solution](#)

**48.**

1945E

[Binary Search](#) · [Tutorial](#)

Quality: 9,715 global accepts · Rating: 1700 · first AC: 2024-03-19 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, greedy

[Ha-runo's solution](#)

**49.**

2092D

[Mishkin Energizer](#) · [Tutorial](#)

Quality: 6,880 global accepts · Rating: 1800 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, strings

[Ha-runo's solution](#)

**50.**

2042C

[Competitive Fishing](#) · [Tutorial](#)

Quality: 8,643 global accepts · Rating: 1800 · first AC: 2024-12-02 · C++20 (GCC 13-64) (first AC) · Tags: greedy

[Ha-runo's solution](#)

**51.**

2025D

[Attribute Checks](#) · [Tutorial](#)

Quality: 7,879 global accepts · Rating: 1800 · first AC: 2024-10-14 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, data structures, dp, implementation, math, two pointers

[Ha-runo's solution](#)

**52.**

2020D

[Connect the Dots](#) · [Tutorial](#)

Quality: 7,423 global accepts · Rating: 1800 · first AC: 2024-09-29 · C++20 (GCC 13-64) (first AC) · Tags: brute force, dp, dsu, graphs, math, trees

[Ha-runo's solution](#)

**53.**

1974E

[Money Buys Happiness](#) · [Tutorial](#)

Quality: 11,318 global accepts · Rating: 1800 · first AC: 2024-05-20 · C++20 (GCC 13-64) (first AC) · Tags: dp

[Ha-runo's solution](#)

**54.**

1968F

[Equal XOR Segments](#) · [Tutorial](#)

Quality: 6,928 global accepts · Rating: 1800 · first AC: 2024-05-02 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures

[Ha-runo's solution](#)

**55.**

1955F

[Unfair Game](#) · [Tutorial](#)

Quality: 8,713 global accepts · Rating: 1800 · first AC: 2024-04-08 · C++17 (GCC 7-32) (first AC) · Tags: dp, games, greedy, math, schedules

[Ha-runo's solution](#)

**56.**

2042D

[Recommendations](#) · [Tutorial](#)

Quality: 5,237 global accepts · Rating: 1900 · first AC: 2024-12-02 · C++20 (GCC 13-64) (first AC) · Tags: data structures, implementation, sortings, two pointers

[Ha-runo's solution](#)

**57.**

2038G

[Guess One Character](#) · [Tutorial](#)

Quality: 2,956 global accepts · Rating: 1900 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, interactive

[Ha-runo's solution](#)

**58.**

1974F

[Cutting Game](#) · [Tutorial](#)

Quality: 4,403 global accepts · Rating: 1900 · first AC: 2024-05-20 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, data structures, implementation, sortings, two pointers

[Ha-runo's solution](#)

**59.**

1968G1

[Division + LCP \(easy version\)](#) · [Tutorial](#)

Quality: 5,298 global accepts · Rating: 1900 · first AC: 2024-05-02 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, dp, hashing, string suffix structures, strings

[Ha-runo's solution](#)

**60.**

2075D

[Equalization](#) · [Tutorial](#)

Quality: 5,826 global accepts · Rating: 2000 · first AC: 2025-03-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, brute force, dp,

graphs, math

[Ha-runo's solution](#)

**61.**

2020E

[Expected Power](#) · [Tutorial](#)

Quality: 3,985 global accepts · Rating: 2000 · first AC: 2024-09-29 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, dp, math, probabilities

[Ha-runo's solution](#)

**62.**

1974G

[Money Buys Less Happiness Now](#) · [Tutorial](#)

Quality: 5,894 global accepts · Rating: 2000 · first AC: 2024-05-20 · C++20 (GCC 13-64) (first AC) · Tags: data structures, greedy, sortings

[Ha-runo's solution](#)

**63.**

2092E

[She knows...](#) · [Tutorial](#)

Quality: 3,843 global accepts · Rating: 2100 · first AC: 2025-03-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, constructive algorithms, graphs, math

[Ha-runo's solution](#)

**64.**

2038B

[Make It Equal](#) · [Tutorial](#)

Quality: 1,908 global accepts · Rating: 2100 · first AC: 2024-11-18 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, greedy, math

[Ha-runo's solution](#)

**65.**

2038K

[Grid Walk](#) · [Tutorial](#)

Quality: 1,777 global accepts · Rating: 2100 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, math, number theory

[Ha-runo's solution](#)

**66.**

2038D

[Divide OR Conquer](#) · [Tutorial](#)

Quality: 856 global accepts · Rating: 2400 · first AC: 2024-11-18 · C++20 (GCC 13-64) (first AC) · Tags: binary search, bitmasks, data structures, dp, implementation

[Ha-runo's solution](#)

**67.**

2075E

[XOR Matrix](#) · [Tutorial](#)

Quality: 1,185 global accepts · Rating: 2500 · first AC: 2025-03-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, combinatorics, dp, implementation, math

[Ha-runo's solution](#)

**68.**

2038I

[Polyathlon](#) · [Tutorial](#)

Quality: 747 global accepts · Rating: 2500 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, hashing, string suffix structures, strings

[Ha-runo's solution](#)

**69.**

2026E

[Best Subsequence](#) · [Tutorial](#)

Quality: 2,013 global accepts · Rating: 2500 · first AC: 2024-10-28 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, dfs and similar, flows, graph matchings, graphs

[Ha-runo's solution](#)