

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — HaPpY__1

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 26

- 1.**
1884A
[Simple Design](#) · [Tutorial](#)
Quality: 19,156 global accepts · Rating: 800 · first AC: 2023-10-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math
[HaPpY__1's solution](#)
- 2.**
1882A
[Increasing Sequence](#) · [Tutorial](#)
Quality: 27,338 global accepts · Rating: 800 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[HaPpY__1's solution](#)
- 3.**
1879A
[Rigged!](#) · [Tutorial](#)
Quality: 24,522 global accepts · Rating: 800 · first AC: 2023-09-24 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[HaPpY__1's solution](#)
- 4.**
1873D
[1D Eraser](#) · [Tutorial](#)
Quality: 43,016 global accepts · Rating: 800 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, two pointers
[HaPpY__1's solution](#)
- 5.**
1873C
[Target Practice](#) · [Tutorial](#)
Quality: 70,038 global accepts · Rating: 800 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math
[HaPpY__1's solution](#)
- 6.**
1873B
[Good Kid](#) · [Tutorial](#)
Quality: 62,710 global accepts · Rating: 800 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math
[HaPpY__1's solution](#)
- 7.**
1873A
[Short Sort](#) · [Tutorial](#)
Quality: 71,417 global accepts · Rating: 800 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation
[HaPpY__1's solution](#)
- 8.**
1870A
[MEXanized Array](#) · [Tutorial](#)
Quality: 20,232 global accepts · Rating: 800 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math
[HaPpY__1's solution](#)
- 9.**
1879B
[Chips on the Board](#) · [Tutorial](#)
Quality: 25,079 global accepts · Rating: 900 · first AC: 2023-09-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy
[HaPpY__1's solution](#)
- 10.**
1884B
[Haunted House](#) · [Tutorial](#)

Quality: 14,704 global accepts · Rating: 1100 · first AC: 2023-10-22 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, math, two pointers

[HaPpY__1's solution](#)

11.

1873E

[Building an Aquarium](#) · [Tutorial](#)

Quality: 43,475 global accepts · Rating: 1100 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: binary search, sortings

[HaPpY__1's solution](#)

12.

1870B

[Friendly Arrays](#) · [Tutorial](#)

Quality: 16,109 global accepts · Rating: 1200 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy, math

[HaPpY__1's solution](#)

13.

1882B

[Sets and Union](#) · [Tutorial](#)

Quality: 17,417 global accepts · Rating: 1300 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, constructive algorithms, greedy

[HaPpY__1's solution](#)

14.

1879C

[Make it Alternating](#) · [Tutorial](#)

Quality: 27,118 global accepts · Rating: 1300 · first AC: 2023-09-24 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, greedy

[HaPpY__1's solution](#)

15.

1873F

[Money Trees](#) · [Tutorial](#)

Quality: 19,705 global accepts · Rating: 1300 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, math, two pointers

[HaPpY__1's solution](#)

16.

1870C

[Colorful Table](#) · [Tutorial](#)

Quality: 13,114 global accepts · Rating: 1300 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp, implementation, math, two pointers

[HaPpY__1's solution](#)

17.

1882C

[Card Game](#) · [Tutorial](#)

Quality: 14,463 global accepts · Rating: 1500 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy

[HaPpY__1's solution](#)

18.

1873G

[ABBC or BACB](#) · [Tutorial](#)

Quality: 16,846 global accepts · Rating: 1500 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[HaPpY__1's solution](#)

19.

1884C

[Medium Design](#) · [Tutorial](#)

Quality: 7,350 global accepts · Rating: 1700 · first AC: 2023-10-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dp, greedy, sortings

[HaPpY__1's solution](#)

20.

1879D

[Sum of XOR Functions](#) · [Tutorial](#)

Quality: 10,499 global accepts · Rating: 1700 · first AC: 2023-09-24 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, divide and

conquer, dp, math

[HaPpY__1's solution](#)

21.

1873H

[Mad City](#) · [Tutorial](#)

Quality: 9,525 global accepts · Rating: 1700 · first AC: 2023-09-21 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dsu, games, graphs, shortest paths, trees

[HaPpY__1's solution](#)

22.

1870D

[Prefix Purchase](#) · [Tutorial](#)

Quality: 8,031 global accepts · Rating: 1800 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, sortings

[HaPpY__1's solution](#)

23.

1882D

[Tree XOR](#) · [Tutorial](#)

Quality: 7,097 global accepts · Rating: 1900 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, dfs and similar, dp, greedy, trees

[HaPpY__1's solution](#)

24.

1884D

[Counting Rhyme](#) · [Tutorial](#)

Quality: 4,059 global accepts · Rating: 2100 · first AC: 2023-10-22 · C++17 (GCC 7-32) (first AC) · Tags: dp, math, number theory

[HaPpY__1's solution](#)

25.

1870E

[Another MEX Problem](#) · [Tutorial](#)

Quality: 2,964 global accepts · Rating: 2300 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dp, shortest paths

[HaPpY__1's solution](#)

26.

1879E

[Interactive Game with Coloring](#) · [Tutorial](#)

Quality: 1,577 global accepts · Rating: 2400 · first AC: 2023-09-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graphs, implementation, interactive, trees

[HaPpY__1's solution](#)