

## [CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

# Unique solved — How to solve problem B

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 73

1.

1895B

[Points and Minimum Distance](#) · [Tutorial](#)

Quality: 21,589 global accepts · Rating: 800 · first AC: 2023-11-03 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math, sortings

[How to solve problem B's solution](#)

2.

1895A

[Treasure Chest](#) · [Tutorial](#)

Quality: 25,921 global accepts · Rating: 800 · first AC: 2023-11-03 · C++20 (GCC 11-64) (first AC) · Tags: math

[How to solve problem B's solution](#)

3.

1799A

[Recent Actions](#) · [Tutorial](#)

Quality: 12,318 global accepts · Rating: 800 · first AC: 2023-02-27 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, implementation, math

[How to solve problem B's solution](#)

4.

1782A

[Parallel Projection](#) · [Tutorial](#)

Rating: 800 · first AC: 2023-01-15 · C++14 (GCC 6-32) (first AC) · Tags: geometry, greedy, math

[How to solve problem B's solution](#)

5.

1736A

[Make A Equal to B](#) · [Tutorial](#)

Quality: 24,154 global accepts · Rating: 800 · first AC: 2022-10-10 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, sortings

[How to solve problem B's solution](#)

6.

1738A

[Glory Addicts](#) · [Tutorial](#)

Quality: 14,193 global accepts · Rating: 800 · first AC: 2022-09-30 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, sortings

[How to solve problem B's solution](#)

7.

1644B

[Anti-Fibonacci Permutation](#) · [Tutorial](#)

Quality: 21,321 global accepts · Rating: 800 · first AC: 2022-02-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, implementation

[How to solve problem B's solution](#)

8.

1644A

[Doors and Keys](#) · [Tutorial](#)

Quality: 28,640 global accepts · Rating: 800 · first AC: 2022-02-22 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[How to solve problem B's solution](#)

9.

1637A

[Sorting Parts](#) · [Tutorial](#)

Quality: 24,135 global accepts · Rating: 800 · first AC: 2022-02-12 · C++14 (GCC 6-32) (first AC) · Tags: brute force, sortings

[How to solve problem B's solution](#)

**10.**

1631A

[Min Max Swap](#) · [Tutorial](#)

Quality: 31,305 global accepts · Rating: 800 · first AC: 2022-01-27 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[How to solve problem B's solution](#)

**11.**

1629B

[GCD Arrays](#) · [Tutorial](#)

Quality: 25,285 global accepts · Rating: 800 · first AC: 2022-01-22 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, number theory

[How to solve problem B's solution](#)

**12.**

1629A

[Download More RAM](#) · [Tutorial](#)

Quality: 30,927 global accepts · Rating: 800 · first AC: 2022-01-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, sortings

[How to solve problem B's solution](#)

**13.**

1624A

[Plus One on the Subset](#) · [Tutorial](#)

Quality: 60,282 global accepts · Rating: 800 · first AC: 2022-01-11 · last AC: 2022-01-12 · C++17 (GCC 7-32) (first AC) · Tags: math

[How to solve problem B's solution](#)

**14.**

1621A

[Stable Arrangement of Rooks](#) · [Tutorial](#)

Quality: 24,767 global accepts · Rating: 800 · first AC: 2022-01-10 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[How to solve problem B's solution](#)

**15.**

1515A

[Phoenix and Gold](#) · [Tutorial](#)

Quality: 21,128 global accepts · Rating: 800 · first AC: 2021-12-21 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[How to solve problem B's solution](#)

**16.**

1619B

[Squares and Cubes](#) · [Tutorial](#)

Quality: 32,947 global accepts · Rating: 800 · first AC: 2021-12-20 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math

[How to solve problem B's solution](#)

**17.**

1619A

[Square String?](#) · [Tutorial](#)

Quality: 62,825 global accepts · Rating: 800 · first AC: 2021-12-20 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings

[How to solve problem B's solution](#)

**18.**

1808A

[Lucky Numbers](#) · [Tutorial](#)

Quality: 20,614 global accepts · Rating: 900 · first AC: 2023-03-29 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation

[How to solve problem B's solution](#)

**19.**

1876A

[Helmets in Night Light](#) · [Tutorial](#)

Quality: 34,928 global accepts · Rating: 1000 · first AC: 2023-10-08 · C++20 (GCC 11-64) (first AC) · Tags: greedy, sortings

[How to solve problem B's solution](#)

**20.**

1785A

[Monsters \(easy version\)](#) · [Tutorial](#)

Rating: 1000 · first AC: 2023-02-05 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings

[How to solve problem B's solution](#)

**21.**

1782B

[Going to the Cinema](#) · [Tutorial](#)

Rating: 1000 · first AC: 2023-01-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, sortings

[How to solve problem B's solution](#)

**22.**

1637B

[MEX and Array](#) · [Tutorial](#)

Quality: 15,458 global accepts · Rating: 1100 · first AC: 2022-02-12 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, greedy, math

[How to solve problem B's solution](#)

**23.**

1631B

[Fun with Even Subarrays](#) · [Tutorial](#)

Quality: 26,897 global accepts · Rating: 1100 · first AC: 2022-01-27 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy

[How to solve problem B's solution](#)

**24.**

1609B

[William the Vigilant](#) · [Tutorial](#)

Quality: 12,147 global accepts · Rating: 1100 · first AC: 2021-12-24 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings

[How to solve problem B's solution](#)

**25.**

1808B

[Playing in a Casino](#) · [Tutorial](#)

Quality: 29,672 global accepts · Rating: 1200 · first AC: 2023-03-29 · C++14 (GCC 6-32) (first AC) · Tags: math, sortings

[How to solve problem B's solution](#)

**26.**

1799B

[Equalize by Divide](#) · [Tutorial](#)

Quality: 12,740 global accepts · Rating: 1200 · first AC: 2023-02-27 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, greedy, math

[How to solve problem B's solution](#)

**27.**

1736B

[Playing with GCD](#) · [Tutorial](#)

Quality: 20,260 global accepts · Rating: 1200 · first AC: 2022-10-10 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory

[How to solve problem B's solution](#)

**28.**

1738B

[Prefix Sum Addicts](#) · [Tutorial](#)

Quality: 18,795 global accepts · Rating: 1200 · first AC: 2022-09-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[How to solve problem B's solution](#)

**29.**

1637C

[Andrew and Stones](#) · [Tutorial](#)

Quality: 18,745 global accepts · Rating: 1200 · first AC: 2022-02-12 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[How to solve problem B's solution](#)

**30.**

1619C

[Wrong Addition](#) · [Tutorial](#)

Quality: 22,663 global accepts · Rating: 1200 · first AC: 2021-12-20 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[How to solve problem B's solution](#)

**31.**

1736C1

[Good Subarrays \(Easy Version\)](#) · [Tutorial](#)

Quality: 16,529 global accepts · Rating: 1300 · first AC: 2022-10-10 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures,

schedules, two pointers

[How to solve problem B's solution](#)

**32.**

1895C

[Torn Lucky Ticket](#) · [Tutorial](#)

Quality: 13,033 global accepts · Rating: 1400 · first AC: 2023-11-03 · C++20 (GCC 11-64) (first AC) · Tags: brute force, dp, hashing, implementation, math

[How to solve problem B's solution](#)

**33.**

1887A1

[Dances \(Easy version\)](#) · [Tutorial](#)

Rating: 1400 · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, sortings

[How to solve problem B's solution](#)

**34.**

1701C

[Schedule Management](#) · [Tutorial](#)

Quality: 23,844 global accepts · Rating: 1400 · first AC: 2022-07-09 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, implementation, two pointers

[How to solve problem B's solution](#)

**35.**

1644C

[Increase Subarray Sums](#) · [Tutorial](#)

Quality: 15,002 global accepts · Rating: 1400 · first AC: 2022-02-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, greedy, implementation

[How to solve problem B's solution](#)

**36.**

1629C

[Meximum Array](#) · [Tutorial](#)

Rating: 1400 · first AC: 2022-01-22 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, greedy, math, two pointers

[How to solve problem B's solution](#)

**37.**

1876B

[Effects of Anti Pimples](#) · [Tutorial](#)

Quality: 10,028 global accepts · Rating: 1500 · first AC: 2023-10-08 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, number theory, sortings

[How to solve problem B's solution](#)

**38.**

1738C

[Even Number Addicts](#) · [Tutorial](#)

Quality: 12,778 global accepts · Rating: 1500 · first AC: 2022-09-30 · C++14 (GCC 6-32) (first AC) · Tags: dp, games, greedy, math

[How to solve problem B's solution](#)

**39.**

1710A

[Color the Picture](#) · [Tutorial](#)

Quality: 11,910 global accepts · Rating: 1500 · first AC: 2022-07-24 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[How to solve problem B's solution](#)

**40.**

1631C

[And Matching](#) · [Tutorial](#)

Rating: 1500 · first AC: 2022-01-27 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms

[How to solve problem B's solution](#)

**41.**

1621B

[Integers Shop](#) · [Tutorial](#)

Quality: 14,552 global accepts · Rating: 1500 · first AC: 2022-01-10 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation

[How to solve problem B's solution](#)

**42.**

1782C

[Equal Frequencies](#) · [Tutorial](#)

Rating: 1600 · first AC: 2023-01-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, sortings, strings

[How to solve problem B's solution](#)

**43.**

1644D

[Cross Coloring](#) · [Tutorial](#)

Quality: 7,878 global accepts · Rating: 1700 · first AC: 2022-02-22 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation, math

[How to solve problem B's solution](#)

**44.**

1629D

[Peculiar Movie Preferences](#) · [Tutorial](#)

Rating: 1700 · first AC: 2022-01-22 · C++14 (GCC 6-32) (first AC) · Tags: greedy, strings

[How to solve problem B's solution](#)

**45.**

1619E

[MEX and Increments](#) · [Tutorial](#)

Quality: 10,207 global accepts · Rating: 1700 · first AC: 2021-12-20 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dp, greedy, implementation, math, sortings

[How to solve problem B's solution](#)

**46.**

1782D

[Many Perfect Squares](#) · [Tutorial](#)

Rating: 1800 · first AC: 2023-01-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, math, number theory

[How to solve problem B's solution](#)

**47.**

1637D

[Yet Another Minimization Problem](#) · [Tutorial](#)

Quality: 8,921 global accepts · Rating: 1800 · first AC: 2022-02-12 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, math

[How to solve problem B's solution](#)

**48.**

1631D

[Range and Partition](#) · [Tutorial](#)

Rating: 1800 · first AC: 2022-01-27 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, greedy, two pointers

[How to solve problem B's solution](#)

**49.**

1619D

[New Year's Problem](#) · [Tutorial](#)

Quality: 8,461 global accepts · Rating: 1800 · first AC: 2021-12-20 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, sortings

[How to solve problem B's solution](#)

**50.**

1895D

[XOR Construction](#) · [Tutorial](#)

Quality: 7,132 global accepts · Rating: 1900 · first AC: 2023-11-03 · C++20 (GCC 11-64) (first AC) · Tags: bitmasks, constructive algorithms, data structures, math, string suffix structures, trees

[How to solve problem B's solution](#)

**51.**

1887A2

[Dances \(Hard Version\)](#) · [Tutorial](#)

Rating: 1900 · first AC: 2023-10-22 · C++20 (GCC 11-64) (first AC) · Tags: binary search, greedy, implementation, sortings

[How to solve problem B's solution](#)

**52.**

1808C

[Unlucky Numbers](#) · [Tutorial](#)

Quality: 4,333 global accepts · Rating: 1900 · first AC: 2023-03-29 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, greedy, implementation

[How to solve problem B's solution](#)

**53.**

1799D1

[Hot Start Up \(easy version\)](#) · [Tutorial](#)

Quality: 5,804 global accepts · Rating: 1900 · first AC: 2023-02-27 · C++14 (GCC 6-32) (first AC) · Tags: dp

[How to solve problem B's solution](#)

**54.**

1785B

[Letter Exchange](#) · [Tutorial](#)

Rating: 1900 · first AC: 2023-02-05 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, graphs, greedy, implementation

[How to solve problem B's solution](#)

**55.**

1738D

[Permutation Addicts](#) · [Tutorial](#)

Quality: 3,746 global accepts · Rating: 1900 · first AC: 2022-09-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, dsu, graphs, trees

[How to solve problem B's solution](#)

**56.**

1644E

[Expand the Path](#) · [Tutorial](#)

Quality: 3,490 global accepts · Rating: 1900 · first AC: 2022-02-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics, data structures, implementation, math

[How to solve problem B's solution](#)

**57.**

1619G

[Unusual Minesweeper](#) · [Tutorial](#)

Quality: 2,736 global accepts · Rating: 2000 · first AC: 2021-12-20 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dfs and similar, dsu, greedy, sortings

[How to solve problem B's solution](#)

**58.**

1876C

[Autosynthesis](#) · [Tutorial](#)

Quality: 2,719 global accepts · Rating: 2100 · first AC: 2023-10-08 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, sortings

[How to solve problem B's solution](#)

**59.**

1808D

[Petya, Petya, Petr, and Palindromes](#) · [Tutorial](#)

Quality: 2,709 global accepts · Rating: 2100 · first AC: 2023-03-29 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, data structures, two pointers

[How to solve problem B's solution](#)

**60.**

1799D2

[Hot Start Up \(hard version\)](#) · [Tutorial](#)

Quality: 3,063 global accepts · Rating: 2100 · first AC: 2023-02-27 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp

[How to solve problem B's solution](#)

**61.**

1710B

[Rain](#) · [Tutorial](#)

Quality: 2,793 global accepts · Rating: 2100 · first AC: 2022-07-24 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, data structures, geometry, greedy, implementation, math

[How to solve problem B's solution](#)

**62.**

1637E

[Best Pair](#) · [Tutorial](#)

Quality: 3,795 global accepts · Rating: 2100 · first AC: 2022-02-12 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, implementation

[How to solve problem B's solution](#)

**63.**

1808E1

[Minibuses on Venus \(easy version\)](#) · [Tutorial](#)

Quality: 1,599 global accepts · Rating: 2200 · first AC: 2023-03-29 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, divide and conquer, dp

[How to solve problem B's solution](#)

**64.**

1785C

[Monsters \(hard version\)](#) · [Tutorial](#)

Rating: 2200 · first AC: 2023-02-05 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, implementation

[How to solve problem B's solution](#)

**65.**

1736D

[Equal Binary Subsequences](#) · [Tutorial](#)

Quality: 2,780 global accepts · Rating: 2200 · first AC: 2022-10-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, geometry, greedy, implementation, strings

[How to solve problem B's solution](#)

**66.**

1895E

[Infinite Card Game](#) · [Tutorial](#)

Quality: 1,863 global accepts · Rating: 2300 · first AC: 2023-11-03 · C++20 (GCC 11-64) (first AC) · Tags: binary search, brute force, data structures, dfs and similar, dp, dsu, games, graphs, greedy, sortings, two pointers

[How to solve problem B's solution](#)

**67.**

1782E

[Rectangle Shrinking](#) · [Tutorial](#)

Rating: 2300 · first AC: 2023-01-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, greedy, implementation, sortings

[How to solve problem B's solution](#)

**68.**

1785D

[Wooden Spoon](#) · [Tutorial](#)

Rating: 2400 · first AC: 2023-02-06 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, fft, math

[How to solve problem B's solution](#)

**69.**

1701F

[Points](#) · [Tutorial](#)

Quality: 1,132 global accepts · Rating: 2500 · first AC: 2022-07-09 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, implementation, math, matrices

[How to solve problem B's solution](#)

**70.**

1100F

[Ivan and Burgers](#) · [Tutorial](#)

Quality: 3,692 global accepts · Rating: 2500 · first AC: 2022-02-13 · C++14 (GCC 6-32) (first AC) · Tags: data structures, divide and conquer, greedy, math

[How to solve problem B's solution](#)

**71.**

1895F

[Fancy Arrays](#) · [Tutorial](#)

Quality: 1,044 global accepts · Rating: 2600 · first AC: 2023-11-03 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, dp, math, matrices

[How to solve problem B's solution](#)

## 72.

1567F

### [One-Four Overload](#) · [Tutorial](#)

Quality: 880 global accepts · Rating: 2700 · first AC: 2022-04-06 · C++14 (GCC 6-32) (first AC) · Tags: 2-sat, constructive algorithms, dfs and similar, dsu, graphs, implementation

[How to solve problem B's solution](#)

## 73.

573E

### [Bear and Bowling](#) · [Tutorial](#)

Quality: 2,046 global accepts · Rating: 3200 · first AC: 2023-07-08 · last AC: 2023-07-08 · C++20 (GCC 11-64) (first AC) · Tags: data structures, greedy

[How to solve problem B's solution](#)