

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — Imdie

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 1,093

1.

1608A

[Find Array](#) · [Tutorial](#)

Quality: 20,263 global accepts · Rating: 800 · first AC: 2026-05-03 · C++23 (GCC 14-64, msys2) (first AC) · Tags: [constructive algorithms](#), [math](#)

[Imdie's solution](#)

2.

2183A

[Binary Array Game](#) · [Tutorial](#)

Quality: 23,673 global accepts · Rating: 800 · first AC: 2026-01-07 · C++20 (GCC 13-64) (first AC) · Tags: [games](#)

[Imdie's solution](#)

3.

2178A

[Yes or Yes](#) · [Tutorial](#)

Quality: 25,737 global accepts · Rating: 800 · first AC: 2025-12-27 · C++20 (GCC 13-64) (first AC) · Tags: [greedy](#), [strings](#)

[Imdie's solution](#)

4.

2147A

[Shortest Increasing Path](#) · [Tutorial](#)

Quality: 18,639 global accepts · Rating: 800 · first AC: 2025-09-20 · C++20 (GCC 13-64) (first AC) · Tags: [constructive algorithms](#), [greedy](#)

[Imdie's solution](#)

5.

2124A

[Deranged Deletions](#) · [Tutorial](#)

Quality: 19,211 global accepts · Rating: 800 · first AC: 2025-07-06 · C++20 (GCC 13-64) (first AC) · Tags: [greedy](#), [sortings](#)

[Imdie's solution](#)

6.

1552A

[Subsequence Permutation](#) · [Tutorial](#)

Quality: 25,341 global accepts · Rating: 800 · first AC: 2021-07-25 · last AC: 2025-04-25 · GNU C++11 (first AC) · Tags: [sortings](#), [strings](#)

[Imdie's solution](#)

7.

2096A

[Wonderful Sticks](#) · [Tutorial](#)

Quality: 20,576 global accepts · Rating: 800 · first AC: 2025-04-19 · C++20 (GCC 13-64) (first AC) · Tags: [constructive algorithms](#), [greedy](#)

[Imdie's solution](#)

8.

2084A

[Max and Mod](#) · [Tutorial](#)

Quality: 17,433 global accepts · Rating: 800 · first AC: 2025-04-05 · C++20 (GCC 13-64) (first AC) · Tags: [constructive algorithms](#), [math](#)

[Imdie's solution](#)

9.

2059A

[Milya and Two Arrays](#) · [Tutorial](#)

Quality: 29,192 global accepts · Rating: 800 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: [constructive algorithms](#), [greedy](#), [sortings](#)

[Imdie's solution](#)

10.

2061A

[Kevin and Arithmetic](#) · [Tutorial](#)

Quality: 22,354 global accepts · Rating: 800 · first AC: 2025-01-20 · C++20 (GCC 13-64) (first AC) · Tags: math

[Imdie's solution](#)

11.

2057A

[MEX Table](#) · [Tutorial](#)

Quality: 27,512 global accepts · Rating: 800 · first AC: 2025-01-04 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

12.

2039A

[Shohag Loves Mod](#) · [Tutorial](#)

Quality: 18,124 global accepts · Rating: 800 · first AC: 2024-11-23 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, number theory

[Imdie's solution](#)

13.

2038J

[Waiting for...](#) · [Tutorial](#)

Quality: 8,776 global accepts · Rating: 800 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

14.

2038N

[Fixing the Expression](#) · [Tutorial](#)

Quality: 11,341 global accepts · Rating: 800 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[Imdie's solution](#)

15.

2035A

[Sliding](#) · [Tutorial](#)

Quality: 17,847 global accepts · Rating: 800 · first AC: 2024-10-27 · C++20 (GCC 13-64) (first AC) · Tags: implementation, math

[Imdie's solution](#)

16.

59A

[Word](#) · [Tutorial](#)

Quality: 227,963 global accepts · Rating: 800 · first AC: 2024-10-17 · C++20 (GCC 13-64) (first AC) · Tags: implementation, strings

[Imdie's solution](#)

17.

1006A

[Adjacent Replacements](#) · [Tutorial](#)

Quality: 22,874 global accepts · Rating: 800 · first AC: 2024-10-16 · C++20 (GCC 13-64) (first AC) · Tags: implementation

[Imdie's solution](#)

18.

1661A

[Array Balancing](#) · [Tutorial](#)

Quality: 19,370 global accepts · Rating: 800 · first AC: 2024-10-15 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, math

[Imdie's solution](#)

19.

1725A

[Accumulation of Dominoes](#) · [Tutorial](#)

Quality: 10,135 global accepts · Rating: 800 · first AC: 2024-10-15 · C++23 (GCC 14-64, msys2) (first AC) · Tags: math

[Imdie's solution](#)

20.

1764A

[Doremy's Paint](#) · [Tutorial](#)

Quality: 17,455 global accepts · Rating: 800 · first AC: 2024-09-30 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy

[Imdie's solution](#)

21.

1857A

[Array Coloring](#) · [Tutorial](#)

Quality: 78,933 global accepts · Rating: 800 · first AC: 2024-09-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, math
[Imdie's solution](#)

22.

2002A

[Distanced Coloring](#) · [Tutorial](#)

Quality: 21,314 global accepts · Rating: 800 · first AC: 2024-08-11 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation, math
[Imdie's solution](#)

23.

1991A

[Maximize the Last Element](#) · [Tutorial](#)

Quality: 24,426 global accepts · Rating: 800 · first AC: 2024-07-28 · last AC: 2024-07-29 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
[Imdie's solution](#)

24.

1987A

[Upload More RAM](#) · [Tutorial](#)

Quality: 28,993 global accepts · Rating: 800 · first AC: 2024-06-30 · last AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math
[Imdie's solution](#)

25.

1982A

[Soccer](#) · [Tutorial](#)

Quality: 27,507 global accepts · Rating: 800 · first AC: 2024-06-25 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, math, sortings
[Imdie's solution](#)

26.

1178A

[Prime Minister](#) · [Tutorial](#)

Quality: 11,290 global accepts · Rating: 800 · first AC: 2024-06-19 · C++14 (GCC 6-32) (first AC) · Tags: greedy
[Imdie's solution](#)

27.

1984A

[Strange Splitting](#) · [Tutorial](#)

Quality: 22,866 global accepts · Rating: 800 · first AC: 2024-06-09 · last AC: 2024-06-12 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms
[Imdie's solution](#)

28.

1981A

[Turtle and Piggy Are Playing a Game](#) · [Tutorial](#)

Quality: 24,250 global accepts · Rating: 800 · first AC: 2024-05-31 · C++20 (GCC 13-64) (first AC) · Tags: brute force, greedy, math
[Imdie's solution](#)

29.

1975A

[Bazoka and Mocha's Array](#) · [Tutorial](#)

Quality: 20,714 global accepts · Rating: 800 · first AC: 2024-05-25 · C++20 (GCC 13-64) (first AC) · Tags: brute force, greedy, implementation, sortings
[Imdie's solution](#)

30.

1786A1

[Non-alternating Deck \(easy version\)](#) · [Tutorial](#)

Quality: 14,820 global accepts · Rating: 800 · first AC: 2024-04-20 · C++14 (GCC 6-32) (first AC) · Tags: implementation
[Imdie's solution](#)

31.

1720B

[Interesting Sum](#) · [Tutorial](#)

Quality: 22,415 global accepts · Rating: 800 · first AC: 2024-04-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, greedy, math, sortings

[Imdie's solution](#)

32.

1847A

[The Man who became a God](#) · [Tutorial](#)

Quality: 22,905 global accepts · Rating: 800 · first AC: 2024-04-20 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings

[Imdie's solution](#)

33.

1942A

[Farmer John's Challenge](#) · [Tutorial](#)

Quality: 18,506 global accepts · Rating: 800 · first AC: 2024-03-30 · last AC: 2024-04-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

34.

1945A

[Setting up Camp](#) · [Tutorial](#)

Quality: 30,319 global accepts · Rating: 800 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math

[Imdie's solution](#)

35.

1937A

[Shuffle Party](#) · [Tutorial](#)

Quality: 24,656 global accepts · Rating: 800 · first AC: 2024-03-05 · C++17 (GCC 9-64) (first AC) · Tags: implementation, math

[Imdie's solution](#)

36.

1918A

[Brick Wall](#) · [Tutorial](#)

Quality: 32,373 global accepts · Rating: 800 · first AC: 2024-02-02 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

37.

1919B

[Plus-Minus Split](#) · [Tutorial](#)

Quality: 31,652 global accepts · Rating: 800 · first AC: 2024-01-06 · C++17 (GCC 9-64) (first AC) · Tags: greedy

[Imdie's solution](#)

38.

1919A

[Wallet Exchange](#) · [Tutorial](#)

Quality: 36,195 global accepts · Rating: 800 · first AC: 2024-01-06 · C++14 (GCC 6-32) (first AC) · Tags: games, math

[Imdie's solution](#)

39.

1916A

[2023](#) · [Tutorial](#)

Quality: 28,313 global accepts · Rating: 800 · first AC: 2023-12-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation, math, number theory

[Imdie's solution](#)

40.

1917A

[Least Product](#) · [Tutorial](#)

Quality: 27,246 global accepts · Rating: 800 · first AC: 2023-12-27 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

41.

1909A

[Distinct Buttons](#) · [Tutorial](#)

Quality: 18,929 global accepts · Rating: 800 · first AC: 2023-12-23 · last AC: 2023-12-25 · C++17 (GCC 9-64) (first AC) · Tags: implementation, math

[Imdie's solution](#)

42.

1913A

[Rating Increase](#) · [Tutorial](#)

Quality: 27,262 global accepts · Rating: 800 · first AC: 2023-12-20 · last AC: 2023-12-20 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

43.

1902A

[Binary Imbalance](#) · [Tutorial](#)

Quality: 23,256 global accepts · Rating: 800 · first AC: 2023-12-13 · last AC: 2023-12-13 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

44.

1863A

[Channel](#) · [Tutorial](#)

Quality: 18,873 global accepts · Rating: 800 · first AC: 2023-08-30 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

45.

1864A

[Increasing and Decreasing](#) · [Tutorial](#)

Quality: 21,420 global accepts · Rating: 800 · first AC: 2023-08-26 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

46.

1849A

[Morning Sandwich](#) · [Tutorial](#)

Quality: 32,115 global accepts · Rating: 800 · first AC: 2023-07-28 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math

[Imdie's solution](#)

47.

1844A

[Subtraction Game](#) · [Tutorial](#)

Quality: 25,954 global accepts · Rating: 800 · first AC: 2023-07-11 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, games

[Imdie's solution](#)

48.

1845A

[Forbidden Integer](#) · [Tutorial](#)

Quality: 47,363 global accepts · Rating: 800 · first AC: 2023-06-29 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation, math, number theory

[Imdie's solution](#)

49.

1842A

[Tenzing and Tsondu](#) · [Tutorial](#)

Quality: 20,797 global accepts · Rating: 800 · first AC: 2023-06-24 · C++14 (GCC 6-32) (first AC) · Tags: games, math

[Imdie's solution](#)

50.

1834A

[Unit Array](#) · [Tutorial](#)

Quality: 45,661 global accepts · Rating: 800 · first AC: 2023-06-18 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math

[Imdie's solution](#)

51.

1832A

[New Palindrome](#) · [Tutorial](#)

Quality: 28,974 global accepts · Rating: 800 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: strings

[Imdie's solution](#)

52.

629A

[Far Relative's Birthday Cake](#) · [Tutorial](#)

Quality: 14,848 global accepts · Rating: 800 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics, constructive algorithms, implementation

[Imdie's solution](#)

53.

1816A

[Ian Visits Mary](#) · [Tutorial](#)

Quality: 18,864 global accepts · Rating: 800 · first AC: 2023-04-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, geometry, number theory

[Imdie's solution](#)

54.

702A

[Maximum Increase](#) · [Tutorial](#)

Quality: 55,024 global accepts · Rating: 800 · first AC: 2023-04-16 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, implementation

[Imdie's solution](#)

55.

1797A

[Li Hua and Maze](#) · [Tutorial](#)

Quality: 19,486 global accepts · Rating: 800 · first AC: 2023-04-08 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, flows, graphs, greedy, implementation

[Imdie's solution](#)

56.

1811A

[Insert Digit](#) · [Tutorial](#)

Quality: 34,627 global accepts · Rating: 800 · first AC: 2023-04-06 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, strings

[Imdie's solution](#)

57.

617A

[Elephant](#) · [Tutorial](#)

Quality: 249,169 global accepts · Rating: 800 · first AC: 2023-03-24 · C++14 (GCC 6-32) (first AC) · Tags: math

[Imdie's solution](#)

58.

1806A

[Walking Master](#) · [Tutorial](#)

Quality: 43,474 global accepts · Rating: 800 · first AC: 2023-03-18 · C++14 (GCC 6-32) (first AC) · Tags: geometry, greedy, math

[Imdie's solution](#)

59.

1796A

[Typical Interview Problem](#) · [Tutorial](#)

Quality: 19,686 global accepts · Rating: 800 · first AC: 2023-03-02 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, strings

[Imdie's solution](#)

60.

1789B

[Serval and Inversion Magic](#) · [Tutorial](#)

Quality: 17,586 global accepts · Rating: 800 · first AC: 2023-02-25 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, strings, two pointers

[Imdie's solution](#)

61.

1789A

[Serval and Mocha's Array](#) · [Tutorial](#)

Quality: 32,988 global accepts · Rating: 800 · first AC: 2023-02-25 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math, number theory
[Imdie's solution](#)

62.

609A

[USB Flash Drives](#) · [Tutorial](#)

Quality: 19,427 global accepts · Rating: 800 · first AC: 2023-02-23 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, sortings
[Imdie's solution](#)

63.

1793A

[Yet Another Promotion](#) · [Tutorial](#)

Quality: 18,825 global accepts · Rating: 800 · first AC: 2023-02-12 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math
[Imdie's solution](#)

64.

448A

[Rewards](#) · [Tutorial](#)

Quality: 25,914 global accepts · Rating: 800 · first AC: 2023-02-10 · C++14 (GCC 6-32) (first AC) · Tags: implementation
[Imdie's solution](#)

65.

1780A

[Hayato and School](#) · [Tutorial](#)

Quality: 22,703 global accepts · Rating: 800 · first AC: 2023-01-25 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)

66.

1775A1

[Gardener and the Capybaras \(easy version\)](#) · [Tutorial](#)

Quality: 20,415 global accepts · Rating: 800 · first AC: 2023-01-10 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, implementation
[Imdie's solution](#)

67.

1774A

[Add Plus Minus Sign](#) · [Tutorial](#)

Quality: 23,531 global accepts · Rating: 800 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math
[Imdie's solution](#)

68.

1767B

[Block Towers](#) · [Tutorial](#)

Quality: 21,935 global accepts · Rating: 800 · first AC: 2022-12-16 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, sortings
[Imdie's solution](#)

69.

1767A

[Cut the Triangle](#) · [Tutorial](#)

Quality: 21,558 global accepts · Rating: 800 · first AC: 2022-12-16 · C++14 (GCC 6-32) (first AC) · Tags: implementation
[Imdie's solution](#)

70.

1765B

[Broken Keyboard](#) · [Tutorial](#)

Quality: 9,878 global accepts · Rating: 800 · first AC: 2022-11-27 · C++17 (GCC 9-64) (first AC) · Tags: greedy
[Imdie's solution](#)

71.

1747A

[Two Groups](#) · [Tutorial](#)

Quality: 26,484 global accepts · Rating: 800 · first AC: 2022-11-04 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)

72.

1749A

[Cowardly Rooks](#) · [Tutorial](#)

Quality: 23,304 global accepts · Rating: 800 · first AC: 2022-10-20 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

73.

1746B

[Rebellion](#) · [Tutorial](#)

Quality: 18,637 global accepts · Rating: 800 · first AC: 2022-10-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, two pointers

[Imdie's solution](#)

74.

1746A

[Maxmina](#) · [Tutorial](#)

Quality: 21,066 global accepts · Rating: 800 · first AC: 2022-10-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy

[Imdie's solution](#)

75.

1738A

[Glory Addicts](#) · [Tutorial](#)

Quality: 14,193 global accepts · Rating: 800 · first AC: 2022-09-30 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, sortings

[Imdie's solution](#)

76.

1734B

[Bright, Nice, Brilliant](#) · [Tutorial](#)

Quality: 16,404 global accepts · Rating: 800 · first AC: 2022-09-23 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

77.

1734A

[Select Three Sticks](#) · [Tutorial](#)

Quality: 22,407 global accepts · Rating: 800 · first AC: 2022-09-23 · C++20 (GCC 11-64) (first AC) · Tags: brute force, greedy, sortings

[Imdie's solution](#)

78.

1717A

[Madoka and Strange Thoughts](#) · [Tutorial](#)

Quality: 20,957 global accepts · Rating: 800 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: math, number theory

[Imdie's solution](#)

79.

1703C

[Cypher](#) · [Tutorial](#)

Quality: 40,842 global accepts · Rating: 800 · first AC: 2022-08-30 · C++20 (GCC 11-64) (first AC) · Tags: brute force, implementation, strings

[Imdie's solution](#)

80.

1703B

[ICPC Balloons](#) · [Tutorial](#)

Quality: 66,182 global accepts · Rating: 800 · first AC: 2022-08-30 · C++20 (GCC 11-64) (first AC) · Tags: data structures, implementation

[Imdie's solution](#)

81.

1703A

[YES or YES?](#) · [Tutorial](#)

Quality: 97,250 global accepts · Rating: 800 · first AC: 2022-08-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, strings

[Imdie's solution](#)

82.

1721A

[Image](#) · [Tutorial](#)

Quality: 28,312 global accepts · Rating: 800 · first AC: 2022-08-27 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

- 83.**
1715A
[Crossmarket](#) · [Tutorial](#)
Quality: 24,376 global accepts · Rating: 800 · first AC: 2022-08-20 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math
[Imdie's solution](#)
- 84.**
1712B
[Woeful Permutation](#) · [Tutorial](#)
Quality: 22,399 global accepts · Rating: 800 · first AC: 2022-08-13 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, number theory
[Imdie's solution](#)
- 85.**
1712A
[Wonderful Permutation](#) · [Tutorial](#)
Quality: 25,057 global accepts · Rating: 800 · first AC: 2022-08-13 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
[Imdie's solution](#)
- 86.**
1713A
[Traveling Salesman Problem](#) · [Tutorial](#)
Quality: 22,813 global accepts · Rating: 800 · first AC: 2022-08-06 · C++14 (GCC 6-32) (first AC) · Tags: geometry, greedy, implementation
[Imdie's solution](#)
- 87.**
1716B
[Permutation Chain](#) · [Tutorial](#)
Quality: 21,953 global accepts · Rating: 800 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math
[Imdie's solution](#)
- 88.**
1716A
[2-3 Moves](#) · [Tutorial](#)
Quality: 35,846 global accepts · Rating: 800 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math
[Imdie's solution](#)
- 89.**
1709A
[Three Doors](#) · [Tutorial](#)
Quality: 31,596 global accepts · Rating: 800 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, implementation, math
[Imdie's solution](#)
- 90.**
1704A
[Two 0-1 Sequences](#) · [Tutorial](#)
Quality: 16,651 global accepts · Rating: 800 · first AC: 2022-07-31 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)
- 91.**
1711A
[Perfect Permutation](#) · [Tutorial](#)
Quality: 26,502 global accepts · Rating: 800 · first AC: 2022-07-24 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms
[Imdie's solution](#)
- 92.**
1706A
[Another String Minimization Problem](#) · [Tutorial](#)
Quality: 24,255 global accepts · Rating: 800 · first AC: 2022-07-18 · C++14 (GCC 6-32) (first AC) · Tags: 2-sat, constructive algorithms, greedy, string suffix structures, strings
[Imdie's solution](#)
- 93.**
1705A
[Mark the Photographer](#) · [Tutorial](#)

Quality: 26,583 global accepts · Rating: 800 · first AC: 2022-07-15 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings

[Imdie's solution](#)

94.

1702B

[Polycarp Writes a String from Memory](#) · [Tutorial](#)

Quality: 29,306 global accepts · Rating: 800 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

95.

1702A

[Round Down the Price](#) · [Tutorial](#)

Quality: 38,180 global accepts · Rating: 800 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

96.

1699A

[The Third Three Number Problem](#) · [Tutorial](#)

Quality: 24,780 global accepts · Rating: 800 · first AC: 2022-07-04 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

97.

1696A

[NIT orz!](#) · [Tutorial](#)

Quality: 20,260 global accepts · Rating: 800 · first AC: 2022-06-25 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, greedy

[Imdie's solution](#)

98.

1690C

[Restoring the Duration of Tasks](#) · [Tutorial](#)

Quality: 28,093 global accepts · Rating: 800 · first AC: 2022-06-07 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, implementation

[Imdie's solution](#)

99.

1690B

[Array Decrements](#) · [Tutorial](#)

Quality: 26,934 global accepts · Rating: 800 · first AC: 2022-06-07 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

100.

1690A

[Print a Pedestal \(Codeforces logo?\)](#) · [Tutorial](#)

Quality: 35,633 global accepts · Rating: 800 · first AC: 2022-06-07 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy

[Imdie's solution](#)

101.

1673A

[Subtle Substring Subtraction](#) · [Tutorial](#)

Quality: 19,141 global accepts · Rating: 800 · first AC: 2022-04-30 · C++14 (GCC 6-32) (first AC) · Tags: games, greedy, strings

[Imdie's solution](#)

102.

1647A

[Madoka and Math Dad](#) · [Tutorial](#)

Quality: 23,492 global accepts · Rating: 800 · first AC: 2022-03-13 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math

[Imdie's solution](#)

103.

1649A

[Game](#) · [Tutorial](#)

Quality: 16,049 global accepts · Rating: 800 · first AC: 2022-03-06 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

104.

1642A

[Hard Way](#) · [Tutorial](#)

Quality: 16,732 global accepts · Rating: 800 · first AC: 2022-02-23 · C++14 (GCC 6-32) (first AC) · Tags: geometry

[Imdie's solution](#)

105.

1634A

[Reverse and Concatenate](#) · [Tutorial](#)

Quality: 24,653 global accepts · Rating: 800 · first AC: 2022-02-06 · last AC: 2022-02-09 · C++14 (GCC 6-32) (first AC) · Tags: greedy, strings

[Imdie's solution](#)

106.

1633B

[Minority](#) · [Tutorial](#)

Quality: 29,402 global accepts · Rating: 800 · first AC: 2022-01-31 · last AC: 2022-02-07 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

107.

1633A

[Div. 7](#) · [Tutorial](#)

Quality: 36,022 global accepts · Rating: 800 · first AC: 2022-01-31 · C++14 (GCC 6-32) (first AC) · Tags: brute force

[Imdie's solution](#)

108.

1632A

[ABC](#) · [Tutorial](#)

Quality: 31,067 global accepts · Rating: 800 · first AC: 2022-01-30 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

109.

1631A

[Min Max Swap](#) · [Tutorial](#)

Quality: 31,305 global accepts · Rating: 800 · first AC: 2022-01-27 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

110.

1627A

[Not Shading](#) · [Tutorial](#)

Quality: 24,897 global accepts · Rating: 800 · first AC: 2022-01-16 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation

[Imdie's solution](#)

111.

1589A

[Mathematical Addition](#) · [Tutorial](#)

Rating: 800 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: math

[Imdie's solution](#)

112.

1604A

[Era](#) · [Tutorial](#)

Quality: 22,638 global accepts · Rating: 800 · first AC: 2021-10-30 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[Imdie's solution](#)

113.

1582A

[Luntik and Concerts](#) · [Tutorial](#)

Quality: 19,751 global accepts · Rating: 800 · first AC: 2021-10-24 · C++17 (GCC 7-32) (first AC) · Tags: math

[Imdie's solution](#)

114.

1598A

[Computer Game](#) · [Tutorial](#)

Quality: 25,643 global accepts · Rating: 800 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dfs and similar, dp, implementation

[Imdie's solution](#)

115.

1592A

[Gamer Hemose](#) · [Tutorial](#)

Quality: 23,791 global accepts · Rating: 800 · first AC: 2021-10-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, math, sortings
[Imdie's solution](#)

116.

1561A

[Simply Strange Sort](#) · [Tutorial](#)

Quality: 17,168 global accepts · Rating: 800 · first AC: 2021-08-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, sortings
[Imdie's solution](#)

117.

1551B1

[Wonderful Coloring - 1](#) · [Tutorial](#)

Quality: 31,326 global accepts · Rating: 800 · first AC: 2021-07-23 · GNU C++11 (first AC) · Tags: greedy, strings
[Imdie's solution](#)

118.

1551A

[Polycarp and Coins](#) · [Tutorial](#)

Quality: 58,360 global accepts · Rating: 800 · first AC: 2021-07-23 · GNU C++11 (first AC) · Tags: greedy, math
[Imdie's solution](#)

119.

1553A

[Digits Sum](#) · [Tutorial](#)

Quality: 34,267 global accepts · Rating: 800 · first AC: 2021-07-22 · GNU C++11 (first AC) · Tags: math, number theory
[Imdie's solution](#)

120.

1530B

[Putting Plates](#) · [Tutorial](#)

Quality: 16,287 global accepts · Rating: 800 · first AC: 2021-07-17 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation
[Imdie's solution](#)

121.

1530A

[Binary Decimal](#) · [Tutorial](#)

Quality: 21,925 global accepts · Rating: 800 · first AC: 2021-07-17 · GNU C++11 (first AC) · Tags: greedy, math
[Imdie's solution](#)

122.

1542A

[Odd Set](#) · [Tutorial](#)

Quality: 51,637 global accepts · Rating: 800 · first AC: 2021-07-03 · GNU C++11 (first AC) · Tags: math
[Imdie's solution](#)

123.

1535A

[Fair Playoff](#) · [Tutorial](#)

Quality: 57,159 global accepts · Rating: 800 · first AC: 2021-06-04 · GNU C++11 (first AC) · Tags: brute force, implementation
[Imdie's solution](#)

124.

1520B

[Ordinary Numbers](#) · [Tutorial](#)

Quality: 49,634 global accepts · Rating: 800 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: brute force, math, number theory
[Imdie's solution](#)

125.

1520A

[Do Not Be Distracted!](#) · [Tutorial](#)

Quality: 58,462 global accepts · Rating: 800 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: brute force, implementation
[Imdie's solution](#)

126.

1515A

[Phoenix and Gold](#) · [Tutorial](#)

Quality: 21,128 global accepts · Rating: 800 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

127.

1504A

[Déjà Vu](#) · [Tutorial](#)

Quality: 22,802 global accepts · Rating: 800 · first AC: 2021-04-03 · GNU C++11 (first AC) · Tags: constructive algorithms, strings

[Imdie's solution](#)

128.

1498A

[GCD Sum](#) · [Tutorial](#)

Quality: 24,713 global accepts · Rating: 800 · first AC: 2021-03-30 · last AC: 2021-03-30 · GNU C++11 (first AC) · Tags: brute force, math

[Imdie's solution](#)

129.

1465A

[In-game Chat](#) · [Tutorial](#)

Rating: 800 · first AC: 2021-02-25 · GNU C++11 (first AC) · Tags: implementation, strings

[Imdie's solution](#)

130.

1490A

[Dense Array](#) · [Tutorial](#)

Quality: 32,974 global accepts · Rating: 800 · first AC: 2021-02-16 · GNU C++11 (first AC) · Tags: greedy, math

[Imdie's solution](#)

131.

1487A

[Arena](#) · [Tutorial](#)

Quality: 27,530 global accepts · Rating: 800 · first AC: 2021-02-15 · GNU C++11 (first AC) · Tags: implementation, sortings

[Imdie's solution](#)

132.

4A

[Watermelon](#) · [Tutorial](#)

Quality: 687,958 global accepts · Rating: 800 · first AC: 2021-02-13 · GNU C++11 (first AC) · Tags: brute force, math

[Imdie's solution](#)

133.

1480A

[Yet Another String Game](#) · [Tutorial](#)

Quality: 27,148 global accepts · Rating: 800 · first AC: 2021-02-07 · GNU C++11 (first AC) · Tags: games, greedy, strings

[Imdie's solution](#)

134.

1478A

[Nezzar and Colorful Balls](#) · [Tutorial](#)

Quality: 28,013 global accepts · Rating: 800 · first AC: 2021-02-02 · GNU C++11 (first AC) · Tags: brute force, greedy

[Imdie's solution](#)

135.

1468E

[Four Segments](#) · [Tutorial](#)

Quality: 9,818 global accepts · Rating: 800 · first AC: 2021-02-01 · GNU C++11 (first AC) · Tags: greedy

[Imdie's solution](#)

136.

112A

[Petya and Strings](#) · [Tutorial](#)

Quality: 287,288 global accepts · Rating: 800 · first AC: 2021-01-26 · GNU C++11 (first AC) · Tags: implementation, strings

[Imdie's solution](#)

137.

1451A

[Subtract or Divide](#) · [Tutorial](#)

Quality: 25,281 global accepts · Rating: 800 · first AC: 2020-11-21 · GNU C++11 (first AC) · Tags: greedy, math

[Imdie's solution](#)

138.

1428A

[Box is Pull](#) · [Tutorial](#)

Quality: 17,006 global accepts · Rating: 800 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: math

[Imdie's solution](#)

139.

1426A

[Floor Number](#) · [Tutorial](#)

Quality: 54,962 global accepts · Rating: 800 · first AC: 2020-09-28 · GNU C++11 (first AC) · Tags: implementation, math

[Imdie's solution](#)

140.

1352A

[Sum of Round Numbers](#) · [Tutorial](#)

Quality: 104,141 global accepts · Rating: 800 · first AC: 2020-05-09 · last AC: 2020-05-09 · GNU C++11 (first AC) · Tags: implementation, math

[Imdie's solution](#)

141.

1351A

[A+B \(Trial Problem\)](#) · [Tutorial](#)

Quality: 26,941 global accepts · Rating: 800 · first AC: 2020-05-07 · GNU C++11 (first AC) · Tags: implementation

[Imdie's solution](#)

142.

1315A

[Dead Pixel](#) · [Tutorial](#)

Quality: 12,928 global accepts · Rating: 800 · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: implementation

[Imdie's solution](#)

143.

1343B

[Balanced Array](#) · [Tutorial](#)

Quality: 65,146 global accepts · Rating: 800 · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

144.

1328A

[Divisibility Problem](#) · [Tutorial](#)

Quality: 131,917 global accepts · Rating: 800 · first AC: 2020-03-26 · GNU C++11 (first AC) · Tags: math

[Imdie's solution](#)

145.

1325B

[CopyCopyCopyCopyCopy](#) · [Tutorial](#)

Quality: 38,826 global accepts · Rating: 800 · first AC: 2020-03-14 · GNU C++11 (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

146.

1325A

[EhAb AnD gCd](#) · [Tutorial](#)

Quality: 46,207 global accepts · Rating: 800 · first AC: 2020-03-14 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, number theory

[Imdie's solution](#)

147.

1312A

[Two Regular Polygons](#) · [Tutorial](#)

Quality: 27,543 global accepts · Rating: 800 · first AC: 2020-03-09 · GNU C++11 (first AC) · Tags: geometry, greedy, math, number theory

[Imdie's solution](#)

148.

1323A

[Even Subset Sum Problem](#) · [Tutorial](#)

Quality: 20,891 global accepts · Rating: 800 · first AC: 2020-03-07 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, implementation

[Imdie's solution](#)

149.

1305A

[Kuroni and the Gifts](#) · [Tutorial](#)

Quality: 14,644 global accepts · Rating: 800 · first AC: 2020-03-03 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, sortings

[Imdie's solution](#)

150.

1311A

[Add Odd or Subtract Even](#) · [Tutorial](#)

Quality: 46,274 global accepts · Rating: 800 · first AC: 2020-02-24 · GNU C++11 (first AC) · Tags: greedy, implementation, math

[Imdie's solution](#)

151.

2178B

[Impost or Sus](#) · [Tutorial](#)

Quality: 21,587 global accepts · Rating: 900 · first AC: 2025-12-27 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy, implementation, strings

[Imdie's solution](#)

152.

2035B

[Everyone Loves Tres](#) · [Tutorial](#)

Quality: 20,572 global accepts · Rating: 900 · first AC: 2024-10-27 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math, number theory

[Imdie's solution](#)

153.

1951A

[Dual Trigger](#) · [Tutorial](#)

Quality: 22,573 global accepts · Rating: 900 · first AC: 2024-04-06 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

154.

1945B

[Fireworks](#) · [Tutorial](#)

Quality: 26,208 global accepts · Rating: 900 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory

[Imdie's solution](#)

155.

1918B

[Minimize Inversions](#) · [Tutorial](#)

Quality: 27,026 global accepts · Rating: 900 · first AC: 2024-02-02 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, data structures, greedy, implementation, sortings

[Imdie's solution](#)

156.

1860A

[Not a Substring](#) · [Tutorial](#)

Quality: 23,576 global accepts · Rating: 900 · first AC: 2023-09-02 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, strings

[Imdie's solution](#)

157.

1845B

[Come Together](#) · [Tutorial](#)

Quality: 23,706 global accepts · Rating: 900 · first AC: 2023-06-29 · C++14 (GCC 6-32) (first AC) · Tags: geometry, implementation, math

[Imdie's solution](#)

158.

621A

[Wet Shark and Odd and Even](#) · [Tutorial](#)

Quality: 22,678 global accepts · Rating: 900 · first AC: 2023-04-07 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

159.

1806B

[Mex Master](#) · [Tutorial](#)

Quality: 19,738 global accepts · Rating: 900 · first AC: 2023-03-18 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)

160.

598A

[Tricky Sum](#) · [Tutorial](#)

Quality: 32,220 global accepts · Rating: 900 · first AC: 2023-02-20 · C++14 (GCC 6-32) (first AC) · Tags: math
[Imdie's solution](#)

161.

1494A

[ABC String](#) · [Tutorial](#)

Quality: 22,813 global accepts · Rating: 900 · first AC: 2023-02-14 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, implementation
[Imdie's solution](#)

162.

1775A2

[Gardener and the Capybaras \(hard version\)](#) · [Tutorial](#)

Quality: 19,947 global accepts · Rating: 900 · first AC: 2023-01-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)

163.

1747B

[BAN BAN](#) · [Tutorial](#)

Quality: 25,958 global accepts · Rating: 900 · first AC: 2022-11-04 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms
[Imdie's solution](#)

164.

1732B

[Ugu](#) · [Tutorial](#)

Quality: 17,265 global accepts · Rating: 900 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, greedy, implementation
[Imdie's solution](#)

165.

1749B

[Death's Blessing](#) · [Tutorial](#)

Quality: 22,583 global accepts · Rating: 900 · first AC: 2022-10-20 · C++14 (GCC 6-32) (first AC) · Tags: greedy
[Imdie's solution](#)

166.

1709B

[Also Try Minecraft](#) · [Tutorial](#)

Quality: 25,844 global accepts · Rating: 900 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, implementation
[Imdie's solution](#)

167.

1705B

[Mark the Dust Sweeper](#) · [Tutorial](#)

Quality: 25,452 global accepts · Rating: 900 · first AC: 2022-07-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation
[Imdie's solution](#)

168.

1699B

[Almost Ternary Matrix](#) · [Tutorial](#)

Quality: 21,693 global accepts · Rating: 900 · first AC: 2022-07-04 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, matrices
[Imdie's solution](#)

169.

1696B

[NIT Destroys the Universe](#) · [Tutorial](#)

Quality: 36,333 global accepts · Rating: 900 · first AC: 2022-06-25 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

170.

1679A

[AvtoBus](#) · [Tutorial](#)

Quality: 40,179 global accepts · Rating: 900 · first AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, math, number theory

[Imdie's solution](#)

171.

1642B

[Power Walking](#) · [Tutorial](#)

Quality: 18,246 global accepts · Rating: 900 · first AC: 2022-02-23 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

172.

1589C

[Two Arrays](#) · [Tutorial](#)

Rating: 900 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings

[Imdie's solution](#)

173.

1582B

[Luntik and Subsequences](#) · [Tutorial](#)

Quality: 33,369 global accepts · Rating: 900 · first AC: 2021-10-24 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math

[Imdie's solution](#)

174.

1535B

[Array Reodering](#) · [Tutorial](#)

Quality: 34,203 global accepts · Rating: 900 · first AC: 2021-06-04 · GNU C++11 (first AC) · Tags: brute force, greedy, math, number theory, sortings

[Imdie's solution](#)

175.

1505A

[Is it rated - 2](#) · [Tutorial](#)

Quality: 16,090 global accepts · Rating: 900 · first AC: 2021-04-01 · GNU C++11 (first AC) · Tags: *special, implementation, interactive

[Imdie's solution](#)

176.

1486A

[Shifting Stacks](#) · [Tutorial](#)

Quality: 27,063 global accepts · Rating: 900 · first AC: 2021-02-18 · GNU C++11 (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

177.

1480B

[The Great Hero](#) · [Tutorial](#)

Quality: 17,932 global accepts · Rating: 900 · first AC: 2021-02-07 · GNU C++11 (first AC) · Tags: greedy, implementation, sortings

[Imdie's solution](#)

178.

1468N

[Waste Sorting](#) · [Tutorial](#)

Quality: 9,119 global accepts · Rating: 900 · first AC: 2021-02-01 · GNU C++11 (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

179.

1475B

[New Year's Number](#) · [Tutorial](#)

Quality: 57,260 global accepts · Rating: 900 · first AC: 2021-01-25 · GNU C++11 (first AC) · Tags: brute force, dp, math

[Imdie's solution](#)

180.

1475A

[Odd Divisor](#) · [Tutorial](#)

Quality: 86,833 global accepts · Rating: 900 · first AC: 2021-01-25 · GNU C++11 (first AC) · Tags: math, number theory

[Imdie's solution](#)

181.

1426B

[Symmetric Matrix](#) · [Tutorial](#)

Quality: 21,803 global accepts · Rating: 900 · first AC: 2020-09-28 · GNU C++11 (first AC) · Tags: implementation

[Imdie's solution](#)

182.

1406A

[Subset Mex](#) · [Tutorial](#)

Quality: 22,997 global accepts · Rating: 900 · first AC: 2020-09-12 · GNU C++11 (first AC) · Tags: greedy, implementation, math

[Imdie's solution](#)

183.

1354A

[Alarm Clock](#) · [Tutorial](#)

Quality: 24,891 global accepts · Rating: 900 · first AC: 2020-05-17 · GNU C++11 (first AC) · Tags: math

[Imdie's solution](#)

184.

1351B

[Square?](#) · [Tutorial](#)

Quality: 18,539 global accepts · Rating: 900 · first AC: 2020-05-07 · GNU C++11 (first AC) · Tags: brute force, implementation, math

[Imdie's solution](#)

185.

1339A

[Filling Diamonds](#) · [Tutorial](#)

Quality: 34,210 global accepts · Rating: 900 · first AC: 2020-04-12 · GNU C++11 (first AC) · Tags: brute force, dp, implementation, math

[Imdie's solution](#)

186.

1330A

[Dreamoon and Ranking Collection](#) · [Tutorial](#)

Quality: 19,461 global accepts · Rating: 900 · first AC: 2020-04-03 · GNU C++11 (first AC) · Tags: implementation

[Imdie's solution](#)

187.

1326B

[Maximums](#) · [Tutorial](#)

Quality: 25,273 global accepts · Rating: 900 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: implementation, math

[Imdie's solution](#)

188.

1324A

[Yet Another Tetris Problem](#) · [Tutorial](#)

Quality: 27,314 global accepts · Rating: 900 · first AC: 2020-03-12 · GNU C++11 (first AC) · Tags: implementation, number theory

[Imdie's solution](#)

189.

1321A

[Contest for Robots](#) · [Tutorial](#)

Quality: 14,990 global accepts · Rating: 900 · first AC: 2020-03-01 · GNU C++11 (first AC) · Tags: greedy

[Imdie's solution](#)

190.

1313A

[Fast Food Restaurant](#) · [Tutorial](#)

Quality: 16,232 global accepts · Rating: 900 · first AC: 2020-02-23 · GNU C++11 (first AC) · Tags: brute force, greedy, implementation

[Imdie's solution](#)

191.

1A

[Theatre Square](#) · [Tutorial](#)

Quality: 320,260 global accepts · Rating: 1000 · first AC: 2025-11-06 · C++20 (GCC 13-64) (first AC) · Tags: math

[Imdie's solution](#)

192.

2147B

[Multiple Construction](#) · [Tutorial](#)

Quality: 16,976 global accepts · Rating: 1000 · first AC: 2025-09-20 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

193.

2124B

[Minimise Sum](#) · [Tutorial](#)

Quality: 20,285 global accepts · Rating: 1000 · first AC: 2025-07-06 · C++20 (GCC 13-64) (first AC) · Tags: greedy

[Imdie's solution](#)

194.

2057B

[Gorilla and the Exam](#) · [Tutorial](#)

Quality: 23,277 global accepts · Rating: 1000 · first AC: 2025-01-04 · C++20 (GCC 13-64) (first AC) · Tags: greedy, sortings

[Imdie's solution](#)

195.

2039B

[Shohag Loves Strings](#) · [Tutorial](#)

Quality: 17,298 global accepts · Rating: 1000 · first AC: 2024-11-23 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, strings

[Imdie's solution](#)

196.

2002B

[Removals Game](#) · [Tutorial](#)

Quality: 22,991 global accepts · Rating: 1000 · first AC: 2024-08-11 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, games

[Imdie's solution](#)

197.

1987B

[K-Sort](#) · [Tutorial](#)

Quality: 23,914 global accepts · Rating: 1000 · first AC: 2024-06-30 · last AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

198.

1975B

[378QAQ and Mocha's Array](#) · [Tutorial](#)

Quality: 21,073 global accepts · Rating: 1000 · first AC: 2024-05-25 · C++20 (GCC 13-64) (first AC) · Tags: brute force, greedy, math, sortings

[Imdie's solution](#)

199.

1916B

[Two Divisors](#) · [Tutorial](#)

Quality: 31,914 global accepts · Rating: 1000 · first AC: 2023-12-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math, number theory

[Imdie's solution](#)

200.

1913B

[Swap and Delete](#) · [Tutorial](#)

Quality: 51,268 global accepts · Rating: 1000 · first AC: 2023-12-20 · last AC: 2023-12-20 · C++14 (GCC 6-32) (first AC) · Tags: strings

[Imdie's solution](#)

201.

1906A

[Easy As ABC](#) · [Tutorial](#)

Quality: 6,049 global accepts · Rating: 1000 · first AC: 2023-12-03 · C++17 (GCC 9-64) (first AC) · Tags: brute force

[Imdie's solution](#)

202.

1849B

[Monsters](#) · [Tutorial](#)

Quality: 44,382 global accepts · Rating: 1000 · first AC: 2023-07-28 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, sortings
[Imdie's solution](#)

203.

1844B

[Permutations & Primes](#) · [Tutorial](#)

Quality: 20,247 global accepts · Rating: 1000 · first AC: 2023-07-11 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math
[Imdie's solution](#)

204.

1834B

[Maximum Strength](#) · [Tutorial](#)

Quality: 17,014 global accepts · Rating: 1000 · first AC: 2023-06-18 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math
[Imdie's solution](#)

205.

1816B

[Grid Reconstruction](#) · [Tutorial](#)

Quality: 16,690 global accepts · Rating: 1000 · first AC: 2023-04-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)

206.

1811B

[Conveyor Belts](#) · [Tutorial](#)

Quality: 22,332 global accepts · Rating: 1000 · first AC: 2023-04-06 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math
[Imdie's solution](#)

207.

584A

[Olesya and Rodion](#) · [Tutorial](#)

Quality: 52,613 global accepts · Rating: 1000 · first AC: 2023-03-17 · C++14 (GCC 6-32) (first AC) · Tags: math
[Imdie's solution](#)

208.

1796B

[Asterisk-Minor Template](#) · [Tutorial](#)

Quality: 18,315 global accepts · Rating: 1000 · first AC: 2023-03-02 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings
[Imdie's solution](#)

209.

1770B

[Koxia and Permutation](#) · [Tutorial](#)

Quality: 20,851 global accepts · Rating: 1000 · first AC: 2022-12-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms
[Imdie's solution](#)

210.

1770A

[Koxia and Whiteboards](#) · [Tutorial](#)

Quality: 25,246 global accepts · Rating: 1000 · first AC: 2022-12-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy
[Imdie's solution](#)

211.

1765M

[Minimum LCM](#) · [Tutorial](#)

Quality: 31,894 global accepts · Rating: 1000 · first AC: 2022-11-27 · C++17 (GCC 9-64) (first AC) · Tags: math, number theory
[Imdie's solution](#)

212.

1765E

[Exchange](#) · [Tutorial](#)

Quality: 11,821 global accepts · Rating: 1000 · first AC: 2022-11-27 · C++17 (GCC 9-64) (first AC) · Tags: brute force, math
[Imdie's solution](#)

213.

1732A

[Bestie](#) · [Tutorial](#)

Quality: 17,542 global accepts · Rating: 1000 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics,

constructive algorithms, implementation, math, number theory

[Imdie's solution](#)

214.

1721B

[Deadly Laser](#) · [Tutorial](#)

Quality: 23,880 global accepts · Rating: 1000 · first AC: 2022-08-27 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

215.

1715B

[Beautiful Array](#) · [Tutorial](#)

Quality: 33,612 global accepts · Rating: 1000 · first AC: 2022-08-20 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

216.

1713B

[Optimal Reduction](#) · [Tutorial](#)

Quality: 22,689 global accepts · Rating: 1000 · first AC: 2022-08-06 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, sortings

[Imdie's solution](#)

217.

1704B

[Luke is a Foodie](#) · [Tutorial](#)

Quality: 29,925 global accepts · Rating: 1000 · first AC: 2022-07-31 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, implementation

[Imdie's solution](#)

218.

1702D

[Not a Cheap String](#) · [Tutorial](#)

Quality: 25,936 global accepts · Rating: 1000 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

219.

1690D

[Black and White Stripe](#) · [Tutorial](#)

Quality: 47,042 global accepts · Rating: 1000 · first AC: 2022-06-07 · C++14 (GCC 6-32) (first AC) · Tags: implementation, two pointers

[Imdie's solution](#)

220.

1634C

[OKEA](#) · [Tutorial](#)

Quality: 19,088 global accepts · Rating: 1000 · first AC: 2022-02-06 · last AC: 2022-02-09 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

221.

1632B

[Roof Construction](#) · [Tutorial](#)

Quality: 31,541 global accepts · Rating: 1000 · first AC: 2022-01-30 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms

[Imdie's solution](#)

222.

1589B

[Coloring Rectangles](#) · [Tutorial](#)

Rating: 1000 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[Imdie's solution](#)

223.

1598B

[Groups](#) · [Tutorial](#)

Quality: 16,939 global accepts · Rating: 1000 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation

[Imdie's solution](#)

224.

1520C

[Not Adjacent Matrix](#) · [Tutorial](#)

Quality: 34,543 global accepts · Rating: 1000 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

225.

1515B

[Phoenix and Puzzle](#) · [Tutorial](#)

Quality: 27,068 global accepts · Rating: 1000 · first AC: 2021-05-02 · GNU C++11 (first AC) · Tags: brute force, geometry, math, number theory

[Imdie's solution](#)

226.

1465B

[Fair Numbers](#) · [Tutorial](#)

Rating: 1000 · first AC: 2021-02-25 · GNU C++11 (first AC) · Tags: brute force, math, number theory

[Imdie's solution](#)

227.

1490B

[Balanced Remainders](#) · [Tutorial](#)

Quality: 27,900 global accepts · Rating: 1000 · first AC: 2021-02-16 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, math

[Imdie's solution](#)

228.

1485A

[Add and Divide](#) · [Tutorial](#)

Quality: 33,147 global accepts · Rating: 1000 · first AC: 2021-02-12 · GNU C++11 (first AC) · Tags: brute force, greedy, math, number theory

[Imdie's solution](#)

229.

1476A

[K-divisible Sum](#) · [Tutorial](#)

Quality: 44,886 global accepts · Rating: 1000 · first AC: 2021-01-29 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, greedy, math

[Imdie's solution](#)

230.

822B

[Crossword solving](#) · [Tutorial](#)

Quality: 10,200 global accepts · Rating: 1000 · first AC: 2020-04-12 · last AC: 2020-04-12 · GNU C++11 (first AC) · Tags: brute force, implementation, strings

[Imdie's solution](#)

231.

1333A

[Little Artem](#) · [Tutorial](#)

Quality: 25,929 global accepts · Rating: 1000 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

232.

886B

[Vlad and Cafes](#) · [Tutorial](#)

Quality: 8,413 global accepts · Rating: 1000 · first AC: 2020-03-29 · GNU C++11 (first AC) · Tags: —

[Imdie's solution](#)

233.

1326A

[Bad Ugly Numbers](#) · [Tutorial](#)

Quality: 32,680 global accepts · Rating: 1000 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: constructive algorithms, number theory

[Imdie's solution](#)

234.

1312B

[Bogosort](#) · [Tutorial](#)

Quality: 39,055 global accepts · Rating: 1000 · first AC: 2020-03-09 · GNU C++11 (first AC) · Tags: constructive algorithms, sortings

[Imdie's solution](#)

235.

2183B

[Yet Another MEX Problem](#) · [Tutorial](#)

Quality: 16,179 global accepts · Rating: 1100 · first AC: 2026-01-07 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)

236.

2096B

[Wonderful Gloves](#) · [Tutorial](#)

Quality: 16,573 global accepts · Rating: 1100 · first AC: 2025-04-19 · C++20 (GCC 13-64) (first AC) · Tags: greedy, math, sortings
[Imdie's solution](#)

237.

2084B

[MIN = GCD](#) · [Tutorial](#)

Quality: 16,618 global accepts · Rating: 1100 · first AC: 2025-04-05 · C++20 (GCC 13-64) (first AC) · Tags: greedy, math, number theory
[Imdie's solution](#)

238.

2061B

[Kevin and Geometry](#) · [Tutorial](#)

Quality: 14,692 global accepts · Rating: 1100 · first AC: 2025-01-20 · C++20 (GCC 13-64) (first AC) · Tags: binary search, geometry
[Imdie's solution](#)

239.

1991B

[AND Reconstruction](#) · [Tutorial](#)

Quality: 18,904 global accepts · Rating: 1100 · first AC: 2024-07-28 · last AC: 2024-07-29 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, greedy
[Imdie's solution](#)

240.

1984B

[Large Addition](#) · [Tutorial](#)

Quality: 20,954 global accepts · Rating: 1100 · first AC: 2024-06-09 · last AC: 2024-06-12 · C++20 (GCC 13-64) (first AC) · Tags: implementation, math
[Imdie's solution](#)

241.

1942B

[Bessie and MEX](#) · [Tutorial](#)

Quality: 15,500 global accepts · Rating: 1100 · first AC: 2024-03-30 · last AC: 2024-04-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math
[Imdie's solution](#)

242.

1917B

[Erase First or Second Letter](#) · [Tutorial](#)

Quality: 36,360 global accepts · Rating: 1100 · first AC: 2023-12-27 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics, data structures, dp, strings
[Imdie's solution](#)

243.

1902B

[Getting Points](#) · [Tutorial](#)

Quality: 16,450 global accepts · Rating: 1100 · first AC: 2023-12-13 · last AC: 2023-12-13 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, greedy
[Imdie's solution](#)

244.

1863C

[MEX Repetition](#) · [Tutorial](#)

Quality: 15,534 global accepts · Rating: 1100 · first AC: 2023-08-30 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math
[Imdie's solution](#)

245.

1863B

[Split Sort](#) · [Tutorial](#)

Quality: 16,812 global accepts · Rating: 1100 · first AC: 2023-08-30 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, sortings

[Imdie's solution](#)

246.

1864B

[Swap and Reverse](#) · [Tutorial](#)

Quality: 16,616 global accepts · Rating: 1100 · first AC: 2023-08-26 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, sortings, strings

[Imdie's solution](#)

247.

1842B

[Tenzing and Books](#) · [Tutorial](#)

Quality: 25,542 global accepts · Rating: 1100 · first AC: 2023-06-24 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, greedy, math

[Imdie's solution](#)

248.

1827A

[Counting Orders](#) · [Tutorial](#)

Quality: 28,814 global accepts · Rating: 1100 · first AC: 2023-05-14 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math, sortings, two pointers

[Imdie's solution](#)

249.

1832B

[Maximum Sum](#) · [Tutorial](#)

Quality: 35,502 global accepts · Rating: 1100 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: brute force, sortings, two pointers

[Imdie's solution](#)

250.

629B

[Far Relative's Problem](#) · [Tutorial](#)

Quality: 8,338 global accepts · Rating: 1100 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: brute force

[Imdie's solution](#)

251.

797A

[k-Factorization](#) · [Tutorial](#)

Quality: 19,888 global accepts · Rating: 1100 · first AC: 2023-04-27 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math, number theory

[Imdie's solution](#)

252.

792A

[New Bus Route](#) · [Tutorial](#)

Quality: 9,709 global accepts · Rating: 1100 · first AC: 2023-04-25 · C++14 (GCC 6-32) (first AC) · Tags: implementation, sortings

[Imdie's solution](#)

253.

1797B

[Li Hua and Pattern](#) · [Tutorial](#)

Quality: 24,619 global accepts · Rating: 1100 · first AC: 2023-04-08 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy

[Imdie's solution](#)

254.

1811C

[Restore the Array](#) · [Tutorial](#)

Quality: 22,230 global accepts · Rating: 1100 · first AC: 2023-04-06 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy

[Imdie's solution](#)

255.

570A

[Elections](#) · [Tutorial](#)

Quality: 14,332 global accepts · Rating: 1100 · first AC: 2023-03-10 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

256.

609B

[The Best Gift](#) · [Tutorial](#)

Quality: 10,090 global accepts · Rating: 1100 · first AC: 2023-02-23 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation

[Imdie's solution](#)

257.

483A

[Counterexample](#) · [Tutorial](#)

Quality: 24,887 global accepts · Rating: 1100 · first AC: 2023-02-17 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, math, number theory

[Imdie's solution](#)

258.

1793B

[Fedya and Array](#) · [Tutorial](#)

Quality: 17,097 global accepts · Rating: 1100 · first AC: 2023-02-12 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

259.

1780B

[GCD Partition](#) · [Tutorial](#)

Quality: 25,978 global accepts · Rating: 1100 · first AC: 2023-01-25 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, math, number theory

[Imdie's solution](#)

260.

1717B

[Madoka and Underground Competitions](#) · [Tutorial](#)

Quality: 15,636 global accepts · Rating: 1100 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, implementation

[Imdie's solution](#)

261.

1703D

[Double Strings](#) · [Tutorial](#)

Quality: 29,209 global accepts · Rating: 1100 · first AC: 2022-08-30 · C++20 (GCC 11-64) (first AC) · Tags: brute force, data structures, strings

[Imdie's solution](#)

262.

1712C

[Sort Zero](#) · [Tutorial](#)

Quality: 21,268 global accepts · Rating: 1100 · first AC: 2022-08-13 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings

[Imdie's solution](#)

263.

1706B

[Making Towers](#) · [Tutorial](#)

Quality: 17,485 global accepts · Rating: 1100 · first AC: 2022-07-18 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, math

[Imdie's solution](#)

264.

1702C

[Train and Queries](#) · [Tutorial](#)

Quality: 25,123 global accepts · Rating: 1100 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy

[Imdie's solution](#)

265.

1673B

[A Perfectly Balanced String?](#) · [Tutorial](#)

Quality: 21,779 global accepts · Rating: 1100 · first AC: 2022-04-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, strings

[Imdie's solution](#)

266.

1633C

[Kill the Monster](#) · [Tutorial](#)

Quality: 21,255 global accepts · Rating: 1100 · first AC: 2022-01-31 · last AC: 2022-02-07 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math

[Imdie's solution](#)

267.

1631B

[Fun with Even Subarrays](#) · [Tutorial](#)

Quality: 26,897 global accepts · Rating: 1100 · first AC: 2022-01-27 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy

[Imdie's solution](#)

268.

1604B

[XOR Specia-LIS-t](#) · [Tutorial](#)

Quality: 16,335 global accepts · Rating: 1100 · first AC: 2021-10-30 · C++17 (GCC 7-32) (first AC) · Tags: —

[Imdie's solution](#)

269.

1490C

[Sum of Cubes](#) · [Tutorial](#)

Quality: 38,829 global accepts · Rating: 1100 · first AC: 2021-02-16 · GNU C++11 (first AC) · Tags: binary search, brute force, math

[Imdie's solution](#)

270.

1426C

[Increase and Copy](#) · [Tutorial](#)

Quality: 20,544 global accepts · Rating: 1100 · first AC: 2020-09-28 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, math

[Imdie's solution](#)

271.

1334B

[Middle Class](#) · [Tutorial](#)

Quality: 27,620 global accepts · Rating: 1100 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: greedy, sortings

[Imdie's solution](#)

272.

1333B

[Kind Anton](#) · [Tutorial](#)

Quality: 22,229 global accepts · Rating: 1100 · first AC: 2020-04-08 · GNU C++11 (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

273.

1332A

[Exercising Walk](#) · [Tutorial](#)

Quality: 19,865 global accepts · Rating: 1100 · first AC: 2020-03-31 · GNU C++11 (first AC) · Tags: greedy, implementation, math

[Imdie's solution](#)

274.

1327A

[Sum of Odd Integers](#) · [Tutorial](#)

Quality: 45,735 global accepts · Rating: 1100 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: math

[Imdie's solution](#)

275.

1324C

[Frog Jumps](#) · [Tutorial](#)

Quality: 30,515 global accepts · Rating: 1100 · first AC: 2020-03-12 · GNU C++11 (first AC) · Tags: binary search, data structures, dfs and similar, greedy, implementation

[Imdie's solution](#)

276.

1324B

[Yet Another Palindrome Problem](#) · [Tutorial](#)

Quality: 30,795 global accepts · Rating: 1100 · first AC: 2020-03-12 · GNU C++11 (first AC) · Tags: brute force, strings

[Imdie's solution](#)

277.

1608B

[Build the Permutation](#) · [Tutorial](#)

Quality: 12,487 global accepts · Rating: 1200 · first AC: 2026-05-03 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy

[Imdie's solution](#)

278.

2178C

[First or Second](#) · [Tutorial](#)

Quality: 15,703 global accepts · Rating: 1200 · first AC: 2025-12-27 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy, implementation

[Imdie's solution](#)

279.

2039C1

[Shohag Loves XOR \(Easy Version\)](#) · [Tutorial](#)

Quality: 13,520 global accepts · Rating: 1200 · first AC: 2024-11-23 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, math, number theory

[Imdie's solution](#)

280.

2002C

[Black Circles](#) · [Tutorial](#)

Quality: 17,706 global accepts · Rating: 1200 · first AC: 2024-08-11 · C++14 (GCC 6-32) (first AC) · Tags: brute force, geometry, greedy, math

[Imdie's solution](#)

281.

1987C

[Basil's Garden](#) · [Tutorial](#)

Quality: 20,765 global accepts · Rating: 1200 · first AC: 2024-06-30 · last AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy

[Imdie's solution](#)

282.

1982C

[Boring Day](#) · [Tutorial](#)

Quality: 21,902 global accepts · Rating: 1200 · first AC: 2024-06-25 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dp, greedy, two pointers

[Imdie's solution](#)

283.

1982B

[Collatz Conjecture](#) · [Tutorial](#)

Quality: 19,757 global accepts · Rating: 1200 · first AC: 2024-06-25 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, math, number theory

[Imdie's solution](#)

284.

1975C

[Chamo and Mocha's Array](#) · [Tutorial](#)

Quality: 17,166 global accepts · Rating: 1200 · first AC: 2024-05-25 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, greedy

[Imdie's solution](#)

285.

1951B

[Battle Cows](#) · [Tutorial](#)

Quality: 16,849 global accepts · Rating: 1200 · first AC: 2024-04-06 · last AC: 2024-04-09 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, greedy

[Imdie's solution](#)

286.

1945C

[Left and Right Houses](#) · [Tutorial](#)

Quality: 17,396 global accepts · Rating: 1200 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++17 (GCC 7-32) (first AC) · Tags: brute force

[Imdie's solution](#)

287.

1916C

[Training Before the Olympiad](#) · [Tutorial](#)

Quality: 19,883 global accepts · Rating: 1200 · first AC: 2023-12-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, games, greedy, implementation, math

[Imdie's solution](#)

288.

1909B

[Make Almost Equal With Mod](#) · [Tutorial](#)

Quality: 30,972 global accepts · Rating: 1200 · first AC: 2023-12-23 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, constructive algorithms, math, number theory

[Imdie's solution](#)

289.

1874A

[Jellyfish and Game](#) · [Tutorial](#)

Quality: 19,388 global accepts · Rating: 1200 · first AC: 2023-09-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, games, greedy, implementation

[Imdie's solution](#)

290.

1860B

[Fancy Coins](#) · [Tutorial](#)

Quality: 18,890 global accepts · Rating: 1200 · first AC: 2023-09-02 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, greedy, math

[Imdie's solution](#)

291.

1834C

[Game with Reversing](#) · [Tutorial](#)

Quality: 15,044 global accepts · Rating: 1200 · first AC: 2023-06-18 · C++14 (GCC 6-32) (first AC) · Tags: games, greedy, math, strings

[Imdie's solution](#)

292.

803B

[Distances to Zero](#) · [Tutorial](#)

Quality: 7,579 global accepts · Rating: 1200 · first AC: 2023-05-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

293.

1832C

[Contrast Value](#) · [Tutorial](#)

Quality: 34,401 global accepts · Rating: 1200 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

294.

625B

[War of the Corporations](#) · [Tutorial](#)

Quality: 11,452 global accepts · Rating: 1200 · first AC: 2023-04-21 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, strings

[Imdie's solution](#)

295.

483C

[Diverse Permutation](#) · [Tutorial](#)

Rating: 1200 · first AC: 2023-02-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation

[Imdie's solution](#)

296.

1793C

[Dora and Search](#) · [Tutorial](#)

Quality: 33,109 global accepts · Rating: 1200 · first AC: 2023-02-12 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, two pointers

[Imdie's solution](#)

297.

1747C

[Swap Game](#) · [Tutorial](#)

Quality: 23,537 global accepts · Rating: 1200 · first AC: 2022-11-04 · C++14 (GCC 6-32) (first AC) · Tags: games

[Imdie's solution](#)

298.

1738B

[Prefix Sum Addicts](#) · [Tutorial](#)

Quality: 18,795 global accepts · Rating: 1200 · first AC: 2022-10-01 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Imdie's solution](#)

299.

1734C

[Removing Smallest Multiples](#) · [Tutorial](#)

Quality: 28,638 global accepts · Rating: 1200 · first AC: 2022-09-23 · C++20 (GCC 11-64) (first AC) · Tags: greedy, math

[Imdie's solution](#)

300.

1713C

[Build Permutation](#) · [Tutorial](#)

Quality: 18,874 global accepts · Rating: 1200 · first AC: 2022-08-06 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, math

[Imdie's solution](#)

301.

1704C

[Virus](#) · [Tutorial](#)

Quality: 24,799 global accepts · Rating: 1200 · first AC: 2022-07-31 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, sortings

[Imdie's solution](#)

302.

1703E

[Mirror Grid](#) · [Tutorial](#)

Quality: 27,589 global accepts · Rating: 1200 · first AC: 2022-07-12 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

303.

1679B

[Stone Age Problem](#) · [Tutorial](#)

Quality: 27,437 global accepts · Rating: 1200 · first AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation

[Imdie's solution](#)

304.

1647B

[Madoka and the Elegant Gift](#) · [Tutorial](#)

Quality: 17,124 global accepts · Rating: 1200 · first AC: 2022-03-13 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, graphs, implementation

[Imdie's solution](#)

305.

1641A

[Great Sequence](#) · [Tutorial](#)

Quality: 18,983 global accepts · Rating: 1200 · first AC: 2022-03-07 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, sortings

[Imdie's solution](#)

306.

1582C

[Grandma Capa Knits a Scarf](#) · [Tutorial](#)

Quality: 23,656 global accepts · Rating: 1200 · first AC: 2021-10-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, greedy, strings, two pointers

[Imdie's solution](#)

307.

1598C

[Delete Two Elements](#) · [Tutorial](#)

Quality: 23,655 global accepts · Rating: 1200 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, implementation, math, two pointers

[Imdie's solution](#)

308.

1592B

[Hemose Shopping](#) · [Tutorial](#)

Quality: 17,161 global accepts · Rating: 1200 · first AC: 2021-10-03 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dsu, math, sortings

[Imdie's solution](#)

309.

1553C

[Penalty](#) · [Tutorial](#)

Quality: 19,805 global accepts · Rating: 1200 · first AC: 2021-07-22 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp, greedy

[Imdie's solution](#)

310.

1530C

[Pursuit](#) · [Tutorial](#)

Quality: 15,578 global accepts · Rating: 1200 · first AC: 2021-07-17 · GNU C++11 (first AC) · Tags: binary search, brute force, greedy, sortings

[Imdie's solution](#)

311.

1520D

[Same Differences](#) · [Tutorial](#)

Quality: 64,493 global accepts · Rating: 1200 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: data structures, hashing, math

[Imdie's solution](#)

312.

1504B

[Flip the Bits](#) · [Tutorial](#)

Quality: 25,720 global accepts · Rating: 1200 · first AC: 2021-04-03 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

313.

1490D

[Permutation Transformation](#) · [Tutorial](#)

Quality: 21,675 global accepts · Rating: 1200 · first AC: 2021-02-16 · GNU C++11 (first AC) · Tags: dfs and similar, divide and conquer, implementation

[Imdie's solution](#)

314.

1487B

[Cat Cycle](#) · [Tutorial](#)

Quality: 28,698 global accepts · Rating: 1200 · first AC: 2021-02-15 · GNU C++11 (first AC) · Tags: math, number theory

[Imdie's solution](#)

315.

1485B

[Replace and Keep Sorted](#) · [Tutorial](#)

Quality: 17,922 global accepts · Rating: 1200 · first AC: 2021-02-12 · GNU C++11 (first AC) · Tags: dp, implementation, math

[Imdie's solution](#)

316.

1428B

[Belted Rooms](#) · [Tutorial](#)

Quality: 15,184 global accepts · Rating: 1200 · first AC: 2020-10-17 · GNU C++11 (first AC) · Tags: graphs, implementation

[Imdie's solution](#)

317.

1406B

[Maximum Product](#) · [Tutorial](#)

Quality: 24,462 global accepts · Rating: 1200 · first AC: 2020-09-12 · GNU C++11 (first AC) · Tags: brute force, dp, greedy, implementation, sortings

[Imdie's solution](#)

318.

1364A

[XXXXX](#) · [Tutorial](#)

Quality: 31,362 global accepts · Rating: 1200 · first AC: 2020-06-13 · GNU C++11 (first AC) · Tags: brute force, data structures, number theory, two pointers

[Imdie's solution](#)

319.

1352B

[Same Parity Summands](#) · [Tutorial](#)

Quality: 44,826 global accepts · Rating: 1200 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

320.

1352C

[K-th Not Divisible by n](#) · [Tutorial](#)

Quality: 69,779 global accepts · Rating: 1200 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: binary search, math

[Imdie's solution](#)

321.

1339B

[Sorted Adjacent Differences](#) · [Tutorial](#)

Quality: 28,346 global accepts · Rating: 1200 · first AC: 2020-04-12 · GNU C++11 (first AC) · Tags: constructive algorithms, sortings

[Imdie's solution](#)

322.

1334A

[Level Statistics](#) · [Tutorial](#)

Quality: 24,367 global accepts · Rating: 1200 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: implementation, math

[Imdie's solution](#)

323.

1328C

[Ternary XOR](#) · [Tutorial](#)

Quality: 33,085 global accepts · Rating: 1200 · first AC: 2020-03-26 · GNU C++11 (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

324.

1327B

[Princesses and Princes](#) · [Tutorial](#)

Quality: 19,495 global accepts · Rating: 1200 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: brute force, graphs, greedy

[Imdie's solution](#)

325.

1305B

[Kuron and Simple Strings](#) · [Tutorial](#)

Quality: 12,442 global accepts · Rating: 1200 · first AC: 2020-03-03 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, strings, two pointers

[Imdie's solution](#)

326.

1311B

[WeirdSort](#) · [Tutorial](#)

Quality: 20,035 global accepts · Rating: 1200 · first AC: 2020-02-24 · GNU C++11 (first AC) · Tags: dfs and similar, sortings

[Imdie's solution](#)

327.

2150A

[Incremental Path](#) · [Tutorial](#)

Quality: 11,703 global accepts · Rating: 1300 · first AC: 2025-09-24 · C++20 (GCC 13-64) (first AC) · Tags: data structures, hashing, implementation

[Imdie's solution](#)

328.

2129A

[Double Perspective](#) · [Tutorial](#)

Quality: 16,652 global accepts · Rating: 1300 · first AC: 2025-07-31 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dp, dsu, graphs, greedy, sortings

[Imdie's solution](#)

329.

2124C

[Subset Multiplication](#) · [Tutorial](#)

Quality: 14,607 global accepts · Rating: 1300 · first AC: 2025-07-06 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math, number theory

[Imdie's solution](#)

330.

2101A

[Mex in the Grid](#) · [Tutorial](#)

Quality: 13,434 global accepts · Rating: 1300 · first AC: 2025-05-11 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, implementation

[Imdie's solution](#)

331.

2059B

[Cost of the Array](#) · [Tutorial](#)

Quality: 18,789 global accepts · Rating: 1300 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, greedy, math

[Imdie's solution](#)

332.

2023A

[Concatenation of Arrays](#) · [Tutorial](#)

Quality: 16,570 global accepts · Rating: 1300 · first AC: 2024-10-20 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Imdie's solution](#)

333.

1991C

[Absolute Zero](#) · [Tutorial](#)

Quality: 17,706 global accepts · Rating: 1300 · first AC: 2024-07-28 · last AC: 2024-08-07 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

334.

1984C1

[Magnitude \(Easy Version\)](#) · [Tutorial](#)

Quality: 20,153 global accepts · Rating: 1300 · first AC: 2024-06-09 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy, math

[Imdie's solution](#)

335.

1981B

[Turtle and an Infinite Sequence](#) · [Tutorial](#)

Quality: 16,440 global accepts · Rating: 1300 · first AC: 2024-05-31 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, math

[Imdie's solution](#)

336.

1942C1

[Bessie's Birthday Cake \(Easy Version\)](#) · [Tutorial](#)

Quality: 12,423 global accepts · Rating: 1300 · first AC: 2024-03-30 · last AC: 2024-04-15 · C++20 (GCC 13-64) (first AC) · Tags: geometry, greedy, math

[Imdie's solution](#)

337.

1945D

[Seraphim the Owl](#) · [Tutorial](#)

Quality: 17,165 global accepts · Rating: 1300 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy

[Imdie's solution](#)

338.

1943A

[MEX Game 1](#) · [Tutorial](#)

Quality: 21,481 global accepts · Rating: 1300 · first AC: 2024-03-16 · last AC: 2024-03-20 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy
[Imdie's solution](#)

339.

1937B

[Binary Path](#) · [Tutorial](#)

Quality: 17,331 global accepts · Rating: 1300 · first AC: 2024-03-05 · C++17 (GCC 9-64) (first AC) · Tags: dp, greedy, implementation
[Imdie's solution](#)

340.

1913C

[Game with Multiset](#) · [Tutorial](#)

Quality: 17,491 global accepts · Rating: 1300 · first AC: 2023-12-20 · last AC: 2023-12-20 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, brute force, greedy
[Imdie's solution](#)

341.

1902C

[Insert and Equalize](#) · [Tutorial](#)

Quality: 16,978 global accepts · Rating: 1300 · first AC: 2023-12-13 · last AC: 2023-12-13 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, greedy, math, number theory
[Imdie's solution](#)

342.

1889A

[Qingshan Loves Strings 2](#) · [Tutorial](#)

Quality: 15,322 global accepts · Rating: 1300 · first AC: 2023-10-28 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation
[Imdie's solution](#)

343.

1864C

[Divisor Chain](#) · [Tutorial](#)

Quality: 15,283 global accepts · Rating: 1300 · first AC: 2023-08-26 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, math, number theory
[Imdie's solution](#)

344.

1844C

[Particles](#) · [Tutorial](#)

Quality: 17,862 global accepts · Rating: 1300 · first AC: 2023-07-11 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, implementation, math
[Imdie's solution](#)

345.

792B

[Counting-out Rhyme](#) · [Tutorial](#)

Quality: 6,554 global accepts · Rating: 1300 · first AC: 2023-04-25 · C++14 (GCC 6-32) (first AC) · Tags: implementation
[Imdie's solution](#)

346.

625C

[K-special Tables](#) · [Tutorial](#)

Quality: 7,170 global accepts · Rating: 1300 · first AC: 2023-04-21 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation
[Imdie's solution](#)

347.

1819A

[Constructive Problem](#) · [Tutorial](#)

Quality: 14,593 global accepts · Rating: 1300 · first AC: 2023-04-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy
[Imdie's solution](#)

348.

1815A

[Ian and Array Sorting](#) · [Tutorial](#)

Quality: 15,975 global accepts · Rating: 1300 · first AC: 2023-04-09 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math

[Imdie's solution](#)

349.

621B

[Wet Shark and Bishops](#) · [Tutorial](#)

Quality: 11,615 global accepts · Rating: 1300 · first AC: 2023-04-07 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, implementation

[Imdie's solution](#)

350.

617B

[Chocolate](#) · [Tutorial](#)

Quality: 20,018 global accepts · Rating: 1300 · first AC: 2023-03-24 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics

[Imdie's solution](#)

351.

570B

[Simple Game](#) · [Tutorial](#)

Quality: 16,879 global accepts · Rating: 1300 · first AC: 2023-03-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, games, greedy, implementation, math

[Imdie's solution](#)

352.

598B

[Queries on a String](#) · [Tutorial](#)

Quality: 12,206 global accepts · Rating: 1300 · first AC: 2023-02-20 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings

[Imdie's solution](#)

353.

1775B

[Gardener and the Array](#) · [Tutorial](#)

Quality: 20,739 global accepts · Rating: 1300 · first AC: 2023-01-10 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms

[Imdie's solution](#)

354.

1774C

[Ice and Fire](#) · [Tutorial](#)

Quality: 13,276 global accepts · Rating: 1300 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, greedy

[Imdie's solution](#)

355.

1753A1

[Make Nonzero Sum \(easy version\)](#) · [Tutorial](#)

Quality: 16,453 global accepts · Rating: 1300 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, greedy

[Imdie's solution](#)

356.

1746C

[Permutation Operations](#) · [Tutorial](#)

Quality: 14,101 global accepts · Rating: 1300 · first AC: 2022-10-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

357.

1717C

[Madoka and Formal Statement](#) · [Tutorial](#)

Quality: 15,899 global accepts · Rating: 1300 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: greedy

[Imdie's solution](#)

358.

1711B

[Party](#) · [Tutorial](#)

Quality: 14,375 global accepts · Rating: 1300 · first AC: 2022-07-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, graphs

[Imdie's solution](#)

359.

1703F

[Yet Another Problem About Pairs Satisfying an Inequality](#) · [Tutorial](#)

Quality: 30,055 global accepts · Rating: 1300 · first AC: 2022-07-12 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dp, greedy, sortings

[Imdie's solution](#)

360.

185A

[Plant](#) · [Tutorial](#)

Quality: 6,521 global accepts · Rating: 1300 · first AC: 2022-07-06 · last AC: 2022-07-06 · C++14 (GCC 6-32) (first AC) · Tags: math

[Imdie's solution](#)

361.

1647C

[Madoka and Childish Pranks](#) · [Tutorial](#)

Quality: 13,332 global accepts · Rating: 1300 · first AC: 2022-03-13 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy

[Imdie's solution](#)

362.

1649B

[Game of Ball Passing](#) · [Tutorial](#)

Quality: 13,959 global accepts · Rating: 1300 · first AC: 2022-03-06 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

363.

1627B

[Not Sitting](#) · [Tutorial](#)

Quality: 17,565 global accepts · Rating: 1300 · first AC: 2022-01-16 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, sortings

[Imdie's solution](#)

364.

1604C

[Di-visible Confusion](#) · [Tutorial](#)

Rating: 1300 · first AC: 2021-10-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory

[Imdie's solution](#)

365.

1553B

[Reverse String](#) · [Tutorial](#)

Quality: 15,481 global accepts · Rating: 1300 · first AC: 2021-07-22 · GNU C++11 (first AC) · Tags: brute force, dp, hashing, implementation, strings

[Imdie's solution](#)

366.

1498B

[Box Fitting](#) · [Tutorial](#)

Quality: 23,350 global accepts · Rating: 1300 · first AC: 2021-03-30 · last AC: 2021-03-30 · GNU C++11 (first AC) · Tags: binary search, bitmasks, data structures, greedy

[Imdie's solution](#)

367.

1476B

[Inflation](#) · [Tutorial](#)

Quality: 21,637 global accepts · Rating: 1300 · first AC: 2021-01-29 · GNU C++11 (first AC) · Tags: binary search, brute force, greedy, math

[Imdie's solution](#)

368.

4C

[Registration System](#) · [Tutorial](#)

Quality: 108,169 global accepts · Rating: 1300 · first AC: 2020-12-15 · GNU C++11 (first AC) · Tags: data structures, hashing, implementation

[Imdie's solution](#)

369.

1424G

[Years](#) · [Tutorial](#)

Quality: 6,687 global accepts · Rating: 1300 · first AC: 2020-10-05 · GNU C++11 (first AC) · Tags: data structures, sortings

[Imdie's solution](#)

370.

1364B

[Most socially-distanced subsequence](#) · [Tutorial](#)

Quality: 26,186 global accepts · Rating: 1300 · first AC: 2020-06-13 · GNU C++11 (first AC) · Tags: greedy, two pointers

[Imdie's solution](#)

371.

1352D

[Alice, Bob and Candies](#) · [Tutorial](#)

Quality: 29,858 global accepts · Rating: 1300 · first AC: 2020-05-09 · GNU C++11 (first AC) · Tags: implementation

[Imdie's solution](#)

372.

828B

[Black Square](#) · [Tutorial](#)

Quality: 6,124 global accepts · Rating: 1300 · first AC: 2020-05-04 · GNU C++11 (first AC) · Tags: implementation

[Imdie's solution](#)

373.

716B

[Complete the Word](#) · [Tutorial](#)

Quality: 13,004 global accepts · Rating: 1300 · first AC: 2020-04-17 · GNU C++11 (first AC) · Tags: greedy, two pointers

[Imdie's solution](#)

374.

1157B

[Long Number](#) · [Tutorial](#)

Quality: 15,637 global accepts · Rating: 1300 · first AC: 2020-04-12 · GNU C++11 (first AC) · Tags: greedy

[Imdie's solution](#)

375.

1037C

[Equalize](#) · [Tutorial](#)

Quality: 20,112 global accepts · Rating: 1300 · first AC: 2020-04-05 · GNU C++11 (first AC) · Tags: dp, greedy, strings

[Imdie's solution](#)

376.

1040B

[Shashlik Cooking](#) · [Tutorial](#)

Quality: 7,486 global accepts · Rating: 1300 · first AC: 2020-04-05 · GNU C++11 (first AC) · Tags: dp, greedy, math

[Imdie's solution](#)

377.

1077C

[Good Array](#) · [Tutorial](#)

Quality: 25,608 global accepts · Rating: 1300 · first AC: 2020-03-27 · GNU C++11 (first AC) · Tags: —

[Imdie's solution](#)

378.

1101B

[Accordion](#) · [Tutorial](#)

Quality: 11,117 global accepts · Rating: 1300 · first AC: 2020-03-27 · GNU C++11 (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

379.

1328B

[K-th Beautiful String](#) · [Tutorial](#)

Quality: 32,047 global accepts · Rating: 1300 · first AC: 2020-03-26 · GNU C++11 (first AC) · Tags: binary search, brute force, combinatorics, implementation, math

[Imdie's solution](#)

380.

1326C

[Permutation Partitions](#) · [Tutorial](#)

Quality: 16,401 global accepts · Rating: 1300 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: combinatorics, greedy, math

[Imdie's solution](#)

381.

1323C

[Unusual Competitions](#) · [Tutorial](#)

Rating: 1300 · first AC: 2020-03-07 · GNU C++11 (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

382.

1311C

[Perform the Combo](#) · [Tutorial](#)

Quality: 16,823 global accepts · Rating: 1300 · first AC: 2020-02-24 · GNU C++11 (first AC) · Tags: brute force

[Imdie's solution](#)

383.

2097A

[Sports Betting](#) · [Tutorial](#)

Quality: 8,588 global accepts · Rating: 1400 · first AC: 2025-04-26 · C++20 (GCC 13-64) (first AC) · Tags: 2-sat, brute force, math, sortings

[Imdie's solution](#)

384.

2084C

[You Soared Afar With Grace](#) · [Tutorial](#)

Quality: 11,712 global accepts · Rating: 1400 · first AC: 2025-04-05 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, data structures, greedy, implementation

[Imdie's solution](#)

385.

2066A

[Object Identification](#) · [Tutorial](#)

Quality: 7,173 global accepts · Rating: 1400 · first AC: 2025-02-11 · C++20 (GCC 13-64) (first AC) · Tags: graphs, greedy, implementation, interactive

[Imdie's solution](#)

386.

2038L

[Bridge Renovation](#) · [Tutorial](#)

Quality: 7,986 global accepts · Rating: 1400 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, math, two pointers

[Imdie's solution](#)

387.

2038A

[Bonus Project](#) · [Tutorial](#)

Quality: 5,434 global accepts · Rating: 1400 · first AC: 2024-11-18 · C++20 (GCC 13-64) (first AC) · Tags: games, greedy

[Imdie's solution](#)

388.

2038C

[DIY](#) · [Tutorial](#)

Quality: 6,925 global accepts · Rating: 1400 · first AC: 2024-11-18 · C++20 (GCC 13-64) (first AC) · Tags: data structures, geometry, greedy, sortings

[Imdie's solution](#)

389.

2035C

[Alya and Permutation](#) · [Tutorial](#)

Quality: 11,532 global accepts · Rating: 1400 · first AC: 2024-10-27 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, constructive algorithms, math

[Imdie's solution](#)

390.

1559D1

[Mocha and Diana \(Easy Version\)](#) · [Tutorial](#)

Quality: 16,031 global accepts · Rating: 1400 · first AC: 2024-09-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, dsu, graphs, greedy, trees

[Imdie's solution](#)

391.

1918C

[XOR-distance](#) · [Tutorial](#)

Quality: 16,669 global accepts · Rating: 1400 · first AC: 2024-02-02 · last AC: 2024-07-29 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, greedy, implementation, math

[Imdie's solution](#)

392.

1967B1

[Reverse Card \(Easy Version\)](#) · [Tutorial](#)

Quality: 16,059 global accepts · Rating: 1400 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory

[Imdie's solution](#)

393.

1967A

[Permutation Counting](#) · [Tutorial](#)

Quality: 14,940 global accepts · Rating: 1400 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, implementation, math, sortings

[Imdie's solution](#)

394.

1965A

[Everything Nim](#) · [Tutorial](#)

Quality: 16,708 global accepts · Rating: 1400 · first AC: 2024-04-27 · C++20 (GCC 13-64) (first AC) · Tags: games, greedy, math, sortings

[Imdie's solution](#)

395.

1951C

[Ticket Hoarding](#) · [Tutorial](#)

Quality: 13,772 global accepts · Rating: 1400 · first AC: 2024-04-06 · last AC: 2024-04-09 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, sortings

[Imdie's solution](#)

396.

1919C

[Grouping Increases](#) · [Tutorial](#)

Quality: 28,588 global accepts · Rating: 1400 · first AC: 2024-01-06 · C++17 (GCC 9-64) (first AC) · Tags: data structures, dp, greedy

[Imdie's solution](#)

397.

1909C

[Heavy Intervals](#) · [Tutorial](#)

Quality: 13,165 global accepts · Rating: 1400 · first AC: 2023-12-23 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, data structures, dsu, greedy, math, sortings

[Imdie's solution](#)

398.

1863D

[Two-Colored Dominoes](#) · [Tutorial](#)

Quality: 10,766 global accepts · Rating: 1400 · first AC: 2023-08-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy

[Imdie's solution](#)

399.

1854A1

[Dual \(Easy Version\)](#) · [Tutorial](#)

Quality: 15,890 global accepts · Rating: 1400 · first AC: 2023-07-29 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

400.

1844D

[Row Major](#) · [Tutorial](#)

Quality: 13,838 global accepts · Rating: 1400 · first AC: 2023-07-11 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, number theory, strings

[Imdie's solution](#)

401.

1845C

[Strong Password](#) · [Tutorial](#)

Quality: 16,791 global accepts · Rating: 1400 · first AC: 2023-06-29 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dp, greedy, strings

[Imdie's solution](#)

402.

1830A

[Copil Copac Draws Trees](#) · [Tutorial](#)

Quality: 20,326 global accepts · Rating: 1400 · first AC: 2023-05-28 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, graphs, trees

[Imdie's solution](#)

403.

803A

[Maximal Binary Matrix](#) · [Tutorial](#)

Quality: 5,359 global accepts · Rating: 1400 · first AC: 2023-05-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

404.

1824A

[LuoTianyi and the Show](#) · [Tutorial](#)

Quality: 12,526 global accepts · Rating: 1400 · first AC: 2023-05-08 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

405.

797B

[Odd sum](#) · [Tutorial](#)

Quality: 11,518 global accepts · Rating: 1400 · first AC: 2023-04-27 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, implementation

[Imdie's solution](#)

406.

550B

[Preparing Olympiad](#) · [Tutorial](#)

Quality: 27,457 global accepts · Rating: 1400 · first AC: 2023-03-03 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force

[Imdie's solution](#)

407.

1494B

[Berland Crossword](#) · [Tutorial](#)

Quality: 15,317 global accepts · Rating: 1400 · first AC: 2023-02-14 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, greedy, implementation

[Imdie's solution](#)

408.

448B

[Suffix Structures](#) · [Tutorial](#)

Quality: 17,315 global accepts · Rating: 1400 · first AC: 2023-02-10 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings

[Imdie's solution](#)

409.

1749C

[Number Game](#) · [Tutorial](#)

Quality: 15,735 global accepts · Rating: 1400 · first AC: 2022-10-20 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, games, greedy, implementation

[Imdie's solution](#)

410.

1721C

[Min-Max Array Transformation](#) · [Tutorial](#)

Quality: 14,557 global accepts · Rating: 1400 · first AC: 2022-08-27 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, two pointers
[Imdie's solution](#)

411.

1706C

[Qpwoeirut And The City](#) · [Tutorial](#)

Quality: 16,144 global accepts · Rating: 1400 · first AC: 2022-07-18 · C++14 (GCC 6-32) (first AC) · Tags: dp, flows, greedy, implementation
[Imdie's solution](#)

412.

1705C

[Mark and His Unfinished Essay](#) · [Tutorial](#)

Quality: 14,581 global accepts · Rating: 1400 · first AC: 2022-07-15 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation
[Imdie's solution](#)

413.

1696C

[Fishingprince Plays With Array](#) · [Tutorial](#)

Quality: 12,585 global accepts · Rating: 1400 · first AC: 2022-06-25 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math
[Imdie's solution](#)

414.

1679C

[Rooks Defenders](#) · [Tutorial](#)

Quality: 11,732 global accepts · Rating: 1400 · first AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
[Imdie's solution](#)

415.

1649C

[Weird Sum](#) · [Tutorial](#)

Rating: 1400 · first AC: 2022-03-06 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, math, matrices
[Imdie's solution](#)

416.

1634B

[Fortune Telling](#) · [Tutorial](#)

Quality: 22,303 global accepts · Rating: 1400 · first AC: 2022-02-06 · last AC: 2022-02-09 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, math
[Imdie's solution](#)

417.

1627C

[Not Assigning](#) · [Tutorial](#)

Quality: 16,241 global accepts · Rating: 1400 · first AC: 2022-01-16 · last AC: 2022-01-29 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, number theory, trees
[Imdie's solution](#)

418.

816B

[Karen and Coffee](#) · [Tutorial](#)

Quality: 27,393 global accepts · Rating: 1400 · first AC: 2022-01-29 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, implementation
[Imdie's solution](#)

419.

1551B2

[Wonderful Coloring - 2](#) · [Tutorial](#)

Quality: 16,666 global accepts · Rating: 1400 · first AC: 2021-07-23 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, data structures, greedy
[Imdie's solution](#)

420.

1535C

[Unstable String](#) · [Tutorial](#)

Quality: 17,725 global accepts · Rating: 1400 · first AC: 2021-06-05 · GNU C++11 (first AC) · Tags: binary search, dp, greedy, implementation, strings, two pointers

[Imdie's solution](#)

421.

1520E

[Arranging The Sheep](#) · [Tutorial](#)

Quality: 28,614 global accepts · Rating: 1400 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: greedy, math

[Imdie's solution](#)

422.

1515C

[Phoenix and Towers](#) · [Tutorial](#)

Quality: 18,751 global accepts · Rating: 1400 · first AC: 2021-05-03 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy

[Imdie's solution](#)

423.

1490E

[Accidental Victory](#) · [Tutorial](#)

Quality: 20,995 global accepts · Rating: 1400 · first AC: 2021-02-16 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy

[Imdie's solution](#)

424.

1468C

[Berpizza](#) · [Tutorial](#)

Quality: 10,501 global accepts · Rating: 1400 · first AC: 2021-02-02 · GNU C++11 (first AC) · Tags: data structures, implementation

[Imdie's solution](#)

425.

1475C

[Ball in Berland](#) · [Tutorial](#)

Quality: 27,212 global accepts · Rating: 1400 · first AC: 2021-01-26 · GNU C++11 (first AC) · Tags: combinatorics, graphs, math

[Imdie's solution](#)

426.

1332B

[Composite Coloring](#) · [Tutorial](#)

Quality: 18,955 global accepts · Rating: 1400 · first AC: 2020-03-31 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, math, number theory

[Imdie's solution](#)

427.

1312C

[Adding Powers](#) · [Tutorial](#)

Quality: 18,348 global accepts · Rating: 1400 · first AC: 2020-03-09 · GNU C++11 (first AC) · Tags: bitmasks, greedy, implementation, math, number theory, ternary search

[Imdie's solution](#)

428.

1321B

[Journey Planning](#) · [Tutorial](#)

Rating: 1400 · first AC: 2020-03-01 · GNU C++11 (first AC) · Tags: data structures, sortings

[Imdie's solution](#)

429.

2183D1

[Tree Coloring \(Easy Version\)](#) · [Tutorial](#)

Quality: 8,857 global accepts · Rating: 1500 · first AC: 2026-01-07 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees

[Imdie's solution](#)

430.

2183C

[War Strategy](#) · [Tutorial](#)

Quality: 10,671 global accepts · Rating: 1500 · first AC: 2026-01-07 · C++20 (GCC 13-64) (first AC) · Tags: binary search, greedy, math, two pointers

[Imdie's solution](#)

431.

2147C

[Rabbits](#) · [Tutorial](#)

Quality: 9,751 global accepts · Rating: 1500 · first AC: 2025-09-20 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dp, greedy, implementation

[Imdie's solution](#)

432.

2115A

[Gellyfish and Flaming Peony](#) · [Tutorial](#)

Quality: 14,960 global accepts · Rating: 1500 · first AC: 2025-05-31 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dp, math, number theory

[Imdie's solution](#)

433.

1552B

[Running for Gold](#) · [Tutorial](#)

Quality: 16,931 global accepts · Rating: 1500 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, graphs, greedy, sortings

[Imdie's solution](#)

434.

2077A

[Breach of Faith](#) · [Tutorial](#)

Quality: 14,582 global accepts · Rating: 1500 · first AC: 2025-03-10 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Imdie's solution](#)

435.

2057C

[Trip to the Olympiad](#) · [Tutorial](#)

Quality: 13,801 global accepts · Rating: 1500 · first AC: 2025-01-04 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, constructive algorithms, greedy, math

[Imdie's solution](#)

436.

1842C

[Tenzing and Balls](#) · [Tutorial](#)

Quality: 16,496 global accepts · Rating: 1500 · first AC: 2023-06-24 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

437.

1817A

[Almost Increasing Subsequence](#) · [Tutorial](#)

Quality: 12,757 global accepts · Rating: 1500 · first AC: 2023-04-29 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, greedy

[Imdie's solution](#)

438.

702C

[Cellular Network](#) · [Tutorial](#)

Quality: 22,895 global accepts · Rating: 1500 · first AC: 2023-04-16 · C++14 (GCC 6-32) (first AC) · Tags: binary search, implementation, two pointers

[Imdie's solution](#)

439.

702B

[Powers of Two](#) · [Tutorial](#)

Quality: 13,632 global accepts · Rating: 1500 · first AC: 2023-04-16 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, implementation, math

[Imdie's solution](#)

440.

1811E

[Living Sequence](#) · [Tutorial](#)

Quality: 14,408 global accepts · Rating: 1500 · first AC: 2023-04-06 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dp, math, number theory

[Imdie's solution](#)

441.

584B

[Kolya and Tanya](#) · [Tutorial](#)

Quality: 13,670 global accepts · Rating: 1500 · first AC: 2023-03-17 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics

[Imdie's solution](#)

442.

550A

[Two Substrings](#) · [Tutorial](#)

Quality: 43,649 global accepts · Rating: 1500 · first AC: 2023-03-03 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, greedy, implementation, strings

[Imdie's solution](#)

443.

550C

[Divisibility by Eight](#) · [Tutorial](#)

Quality: 32,141 global accepts · Rating: 1500 · first AC: 2023-03-03 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, math

[Imdie's solution](#)

444.

1789C

[Serval and Toxel's Arrays](#) · [Tutorial](#)

Quality: 9,936 global accepts · Rating: 1500 · first AC: 2023-02-25 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, implementation, math

[Imdie's solution](#)

445.

609C

[Load Balancing](#) · [Tutorial](#)

Quality: 7,398 global accepts · Rating: 1500 · first AC: 2023-02-23 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math

[Imdie's solution](#)

446.

1774B

[Coloring](#) · [Tutorial](#)

Quality: 13,992 global accepts · Rating: 1500 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

447.

1765K

[Torus Path](#) · [Tutorial](#)

Quality: 6,762 global accepts · Rating: 1500 · first AC: 2022-11-27 · C++17 (GCC 9-64) (first AC) · Tags: greedy, math

[Imdie's solution](#)

448.

1765N

[Number Reduction](#) · [Tutorial](#)

Quality: 5,980 global accepts · Rating: 1500 · first AC: 2022-11-27 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[Imdie's solution](#)

449.

1732D1

[Balance \(Easy version\)](#) · [Tutorial](#)

Quality: 9,902 global accepts · Rating: 1500 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, implementation, number theory

[Imdie's solution](#)

450.

1753A2

[Make Nonzero Sum \(hard version\)](#) · [Tutorial](#)

Quality: 11,608 global accepts · Rating: 1500 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, greedy

[Imdie's solution](#)

451.

1738C

[Even Number Addicts](#) · [Tutorial](#)

Quality: 12,778 global accepts · Rating: 1500 · first AC: 2022-09-30 · C++14 (GCC 6-32) (first AC) · Tags: dp, games, greedy, math
[Imdie's solution](#)

452.

1711C

[Color the Picture](#) · [Tutorial](#)

Rating: 1500 · first AC: 2022-07-24 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy
[Imdie's solution](#)

453.

1690E

[Price Maximization](#) · [Tutorial](#)

Quality: 16,989 global accepts · Rating: 1500 · first AC: 2022-06-07 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, math, two pointers
[Imdie's solution](#)

454.

1673C

[Palindrome Basis](#) · [Tutorial](#)

Quality: 18,013 global accepts · Rating: 1500 · first AC: 2022-04-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, math, number theory
[Imdie's solution](#)

455.

845C

[Two TVs](#) · [Tutorial](#)

Quality: 13,738 global accepts · Rating: 1500 · first AC: 2022-02-09 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, sortings
[Imdie's solution](#)

456.

1631C

[And Matching](#) · [Tutorial](#)

Rating: 1500 · first AC: 2022-01-28 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms
[Imdie's solution](#)

457.

1551C

[Interesting Story](#) · [Tutorial](#)

Quality: 14,544 global accepts · Rating: 1500 · first AC: 2021-07-23 · GNU C++11 (first AC) · Tags: greedy, sortings, strings
[Imdie's solution](#)

458.

1553D

[Backspace](#) · [Tutorial](#)

Quality: 15,086 global accepts · Rating: 1500 · first AC: 2021-07-22 · GNU C++11 (first AC) · Tags: dp, greedy, strings, two pointers
[Imdie's solution](#)

459.

1542B

[Plus and Multiply](#) · [Tutorial](#)

Quality: 26,541 global accepts · Rating: 1500 · first AC: 2021-07-03 · GNU C++11 (first AC) · Tags: constructive algorithms, math, number theory
[Imdie's solution](#)

460.

1515D

[Phoenix and Socks](#) · [Tutorial](#)

Quality: 12,822 global accepts · Rating: 1500 · first AC: 2021-05-04 · GNU C++11 (first AC) · Tags: greedy, sortings, two pointers
[Imdie's solution](#)

461.

1352F

[Binary String Reconstruction](#) · [Tutorial](#)

Quality: 19,404 global accepts · Rating: 1500 · first AC: 2021-02-24 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar,

math

[Imdie's solution](#)

462.

1352E

[Special Elements](#) · [Tutorial](#)

Quality: 24,018 global accepts · Rating: 1500 · first AC: 2021-02-23 · GNU C++11 (first AC) · Tags: brute force, implementation, two pointers

[Imdie's solution](#)

463.

1486B

[Eastern Exhibition](#) · [Tutorial](#)

Quality: 20,483 global accepts · Rating: 1500 · first AC: 2021-02-18 · GNU C++11 (first AC) · Tags: binary search, geometry, shortest paths, sortings

[Imdie's solution](#)

464.

1490F

[Equalize the Array](#) · [Tutorial](#)

Quality: 18,386 global accepts · Rating: 1500 · first AC: 2021-02-17 · GNU C++11 (first AC) · Tags: binary search, data structures, greedy, math, sortings

[Imdie's solution](#)

465.

1487D

[Pythagorean Triples](#) · [Tutorial](#)

Quality: 20,592 global accepts · Rating: 1500 · first AC: 2021-02-15 · GNU C++11 (first AC) · Tags: binary search, brute force, math, number theory

[Imdie's solution](#)

466.

1487C

[Minimum Ties](#) · [Tutorial](#)

Quality: 15,400 global accepts · Rating: 1500 · first AC: 2021-02-15 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graphs, greedy, implementation, math

[Imdie's solution](#)

467.

1466D

[13th Labour of Heracles](#) · [Tutorial](#)

Quality: 14,632 global accepts · Rating: 1500 · first AC: 2021-02-03 · GNU C++11 (first AC) · Tags: data structures, greedy, sortings, trees

[Imdie's solution](#)

468.

1339C

[Powered Addition](#) · [Tutorial](#)

Rating: 1500 · first AC: 2020-04-12 · GNU C++11 (first AC) · Tags: bitmasks, brute force, greedy

[Imdie's solution](#)

469.

1332C

[K-Complete Word](#) · [Tutorial](#)

Quality: 20,862 global accepts · Rating: 1500 · first AC: 2020-03-31 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, greedy, implementation, strings

[Imdie's solution](#)

470.

1326D1

[Prefix-Suffix Palindrome \(Easy version\)](#) · [Tutorial](#)

Quality: 13,295 global accepts · Rating: 1500 · first AC: 2020-03-19 · GNU C++11 (first AC) · Tags: hashing, string suffix structures, strings

[Imdie's solution](#)

471.

1325C

[Ehab and Path-etic MEXs](#) · [Tutorial](#)

Quality: 17,157 global accepts · Rating: 1500 · first AC: 2020-03-14 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar,

greedy, trees

[Imdie's solution](#)

472.

1323B

[Count Subrectangles](#) · [Tutorial](#)

Quality: 11,768 global accepts · Rating: 1500 · first AC: 2020-03-07 · GNU C++11 (first AC) · Tags: binary search, greedy, implementation

[Imdie's solution](#)

473.

1313C1

[Skyscrapers \(easy version\)](#) · [Tutorial](#)

Quality: 11,058 global accepts · Rating: 1500 · first AC: 2020-02-23 · GNU C++11 (first AC) · Tags: brute force, data structures, dp, greedy

[Imdie's solution](#)

474.

2129B

[Stay or Mirror](#) · [Tutorial](#)

Quality: 13,277 global accepts · Rating: 1600 · first AC: 2025-07-31 · C++20 (GCC 13-64) (first AC) · Tags: brute force, data structures, dp, greedy, sortings

[Imdie's solution](#)

475.

2084D

[Arcology On Permafrost](#) · [Tutorial](#)

Quality: 8,843 global accepts · Rating: 1600 · first AC: 2025-04-05 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, constructive algorithms, greedy, math

[Imdie's solution](#)

476.

2059C

[Customer Service](#) · [Tutorial](#)

Quality: 12,541 global accepts · Rating: 1600 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, graph matchings, greedy, math, sortings

[Imdie's solution](#)

477.

2061D

[Kevin and Numbers](#) · [Tutorial](#)

Quality: 10,785 global accepts · Rating: 1600 · first AC: 2025-01-20 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, data structures

[Imdie's solution](#)

478.

2061C

[Kevin and Puzzle](#) · [Tutorial](#)

Quality: 9,962 global accepts · Rating: 1600 · first AC: 2025-01-20 · C++20 (GCC 13-64) (first AC) · Tags: 2-sat, combinatorics, dp

[Imdie's solution](#)

479.

2052A

[Adrenaline Rush](#) · [Tutorial](#)

Quality: 4,241 global accepts · Rating: 1600 · first AC: 2024-12-25 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

480.

2018A

[Cards Partition](#) · [Tutorial](#)

Quality: 12,618 global accepts · Rating: 1600 · first AC: 2024-09-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: 2-sat, brute force, greedy, implementation, math

[Imdie's solution](#)

481.

1996E

[Decode](#) · [Tutorial](#)

Quality: 12,539 global accepts · Rating: 1600 · first AC: 2024-08-29 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, data structures, implementation, math

[Imdie's solution](#)

482.

1917C

[Watering an Array](#) · [Tutorial](#)

Quality: 12,389 global accepts · Rating: 1600 · first AC: 2023-12-27 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, implementation, math

[Imdie's solution](#)

483.

1849C

[Binary String Copying](#) · [Tutorial](#)

Quality: 12,533 global accepts · Rating: 1600 · first AC: 2023-07-28 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, data structures, hashing, strings

[Imdie's solution](#)

484.

1797C

[Li Hua and Chess](#) · [Tutorial](#)

Quality: 8,931 global accepts · Rating: 1600 · first AC: 2023-04-08 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, interactive

[Imdie's solution](#)

485.

1811D

[Umka and a Long Flight](#) · [Tutorial](#)

Quality: 8,640 global accepts · Rating: 1600 · first AC: 2023-04-06 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation, math

[Imdie's solution](#)

486.

617C

[Watering Flowers](#) · [Tutorial](#)

Quality: 5,236 global accepts · Rating: 1600 · first AC: 2023-03-24 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Imdie's solution](#)

487.

1806C

[Sequence Master](#) · [Tutorial](#)

Quality: 8,651 global accepts · Rating: 1600 · first AC: 2023-03-18 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, math

[Imdie's solution](#)

488.

570C

[Replacement](#) · [Tutorial](#)

Quality: 9,573 global accepts · Rating: 1600 · first AC: 2023-03-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, implementation

[Imdie's solution](#)

489.

1801A

[The Very Beautiful Blanket](#) · [Tutorial](#)

Quality: 9,748 global accepts · Rating: 1600 · first AC: 2023-03-09 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms

[Imdie's solution](#)

490.

1796C

[Maximum Set](#) · [Tutorial](#)

Quality: 12,175 global accepts · Rating: 1600 · first AC: 2023-03-02 · C++14 (GCC 6-32) (first AC) · Tags: binary search, math

[Imdie's solution](#)

491.

1775C

[Interesting Sequence](#) · [Tutorial](#)

Quality: 14,211 global accepts · Rating: 1600 · first AC: 2023-01-10 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, math

[Imdie's solution](#)

492.

1774D

[Same Count One](#) · [Tutorial](#)

Quality: 9,226 global accepts · Rating: 1600 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, two pointers

[Imdie's solution](#)

493.

1753B

[Factorial Divisibility](#) · [Tutorial](#)

Quality: 14,997 global accepts · Rating: 1600 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory

[Imdie's solution](#)

494.

1707A

[Doremy's IQ](#) · [Tutorial](#)

Quality: 15,446 global accepts · Rating: 1600 · first AC: 2022-07-16 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, greedy, implementation

[Imdie's solution](#)

495.

1703G

[Good Key, Bad Key](#) · [Tutorial](#)

Quality: 12,746 global accepts · Rating: 1600 · first AC: 2022-07-12 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, dp, greedy, math

[Imdie's solution](#)

496.

1702E

[Split Into Two Sets](#) · [Tutorial](#)

Quality: 17,846 global accepts · Rating: 1600 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dsu, graphs

[Imdie's solution](#)

497.

1632C

[Strange Test](#) · [Tutorial](#)

Quality: 14,073 global accepts · Rating: 1600 · first AC: 2022-02-08 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, brute force, dp, math

[Imdie's solution](#)

498.

1633D

[Make Them Equal](#) · [Tutorial](#)

Quality: 18,702 global accepts · Rating: 1600 · first AC: 2022-01-31 · last AC: 2022-02-07 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy

[Imdie's solution](#)

499.

1604D

[Moderate Modular Mode](#) · [Tutorial](#)

Rating: 1600 · first AC: 2021-10-31 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory

[Imdie's solution](#)

500.

1582D

[Vupsen, Pupsen and 0](#) · [Tutorial](#)

Quality: 11,590 global accepts · Rating: 1600 · first AC: 2021-10-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

501.

1542C

[Strange Function](#) · [Tutorial](#)

Quality: 16,183 global accepts · Rating: 1600 · first AC: 2021-07-03 · GNU C++11 (first AC) · Tags: math, number theory

[Imdie's solution](#)

502.

1520F1

[Guess the K-th Zero \(Easy version\) · Tutorial](#)

Quality: 14,395 global accepts · Rating: 1600 · first AC: 2021-05-06 · GNU C++11 (first AC) · Tags: binary search, interactive

[Imdie's solution](#)

503.

1504C

[Balance the Bits · Tutorial](#)

Rating: 1600 · first AC: 2021-04-03 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy

[Imdie's solution](#)

504.

1498C

[Planar Reflections · Tutorial](#)

Quality: 12,121 global accepts · Rating: 1600 · first AC: 2021-03-30 · last AC: 2021-03-30 · GNU C++11 (first AC) · Tags: brute force, data structures, dp

[Imdie's solution](#)

505.

1352G

[Special Permutation · Tutorial](#)

Quality: 24,805 global accepts · Rating: 1600 · first AC: 2021-02-23 · GNU C++11 (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

506.

1486C1

[Guessing the Greatest \(easy version\) · Tutorial](#)

Quality: 14,244 global accepts · Rating: 1600 · first AC: 2021-02-18 · GNU C++11 (first AC) · Tags: binary search, interactive

[Imdie's solution](#)

507.

1025B

[Weakened Common Divisor · Tutorial](#)

Quality: 8,509 global accepts · Rating: 1600 · first AC: 2021-02-07 · GNU C++11 (first AC) · Tags: brute force, greedy, number theory

[Imdie's solution](#)

508.

1461D

[Divide and Summarize · Tutorial](#)

Quality: 10,285 global accepts · Rating: 1600 · first AC: 2021-02-02 · GNU C++11 (first AC) · Tags: binary search, brute force, data structures, divide and conquer, implementation, sortings

[Imdie's solution](#)

509.

1468K

[The Robot · Tutorial](#)

Quality: 5,604 global accepts · Rating: 1600 · first AC: 2021-02-01 · GNU C++11 (first AC) · Tags: brute force, implementation

[Imdie's solution](#)

510.

1476C

[Longest Simple Cycle · Tutorial](#)

Quality: 12,301 global accepts · Rating: 1600 · first AC: 2021-01-30 · GNU C++11 (first AC) · Tags: dp, graphs, greedy

[Imdie's solution](#)

511.

1475E

[Advertising Agency · Tutorial](#)

Quality: 17,672 global accepts · Rating: 1600 · first AC: 2021-01-25 · GNU C++11 (first AC) · Tags: combinatorics, math, sortings

[Imdie's solution](#)

512.

837B

[Flag of Berland · Tutorial](#)

Quality: 4,365 global accepts · Rating: 1600 · first AC: 2020-04-24 · GNU C++11 (first AC) · Tags: brute force, implementation

[Imdie's solution](#)

513.

1334C

[Circle of Monsters](#) · [Tutorial](#)

Quality: 17,924 global accepts · Rating: 1600 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, math

[Imdie's solution](#)

514.

1327C

[Game with Chips](#) · [Tutorial](#)

Quality: 14,086 global accepts · Rating: 1600 · first AC: 2020-03-23 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation

[Imdie's solution](#)

515.

1305C

[Kuroni and Impossible Calculation](#) · [Tutorial](#)

Quality: 18,786 global accepts · Rating: 1600 · first AC: 2020-03-03 · GNU C++11 (first AC) · Tags: brute force, combinatorics, math, number theory

[Imdie's solution](#)

516.

1321C

[Remove Adjacent](#) · [Tutorial](#)

Quality: 10,525 global accepts · Rating: 1600 · first AC: 2020-03-01 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, strings

[Imdie's solution](#)

517.

1608C

[Game Master](#) · [Tutorial](#)

Quality: 7,370 global accepts · Rating: 1700 · first AC: 2026-05-03 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dfs and similar, dp, graphs, greedy, two pointers

[Imdie's solution](#)

518.

2178D

[Xmas or Hysteria](#) · [Tutorial](#)

Quality: 6,699 global accepts · Rating: 1700 · first AC: 2025-12-27 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

519.

2150B

[Grid Counting](#) · [Tutorial](#)

Quality: 6,051 global accepts · Rating: 1700 · first AC: 2025-09-24 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, implementation, math

[Imdie's solution](#)

520.

2147D

[Game on Array](#) · [Tutorial](#)

Quality: 7,490 global accepts · Rating: 1700 · first AC: 2025-09-20 · C++20 (GCC 13-64) (first AC) · Tags: games, greedy

[Imdie's solution](#)

521.

2124D

[Make a Palindrome](#) · [Tutorial](#)

Quality: 8,100 global accepts · Rating: 1700 · first AC: 2025-07-06 · C++20 (GCC 13-64) (first AC) · Tags: greedy, sortings, two pointers

[Imdie's solution](#)

522.

2096C

[Wonderful City](#) · [Tutorial](#)

Quality: 8,226 global accepts · Rating: 1700 · first AC: 2025-04-19 · C++20 (GCC 13-64) (first AC) · Tags: dp, implementation

[Imdie's solution](#)

523.

2052F

[Fix Flooded Floor](#) · [Tutorial](#)

Quality: 3,742 global accepts · Rating: 1700 · first AC: 2024-12-25 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dp, graphs
[Imdie's solution](#)

524.

2039D

[Shohag Loves GCD](#) · [Tutorial](#)

Quality: 6,969 global accepts · Rating: 1700 · first AC: 2024-11-23 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math, number theory
[Imdie's solution](#)

525.

66D

[Petya and His Friends](#) · [Tutorial](#)

Quality: 3,612 global accepts · Rating: 1700 · first AC: 2024-10-22 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, math, number theory
[Imdie's solution](#)

526.

2023B

[Skipping](#) · [Tutorial](#)

Quality: 7,081 global accepts · Rating: 1700 · first AC: 2024-10-20 · C++20 (GCC 13-64) (first AC) · Tags: binary search, dp, graphs, shortest paths
[Imdie's solution](#)

527.

2018C

[Tree Pruning](#) · [Tutorial](#)

Quality: 9,646 global accepts · Rating: 1700 · first AC: 2024-09-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dfs and similar, greedy, sortings, trees
[Imdie's solution](#)

528.

1982D

[Beauty of the mountains](#) · [Tutorial](#)

Quality: 9,770 global accepts · Rating: 1700 · first AC: 2024-06-25 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, implementation, math, number theory
[Imdie's solution](#)

529.

156A

[Message](#) · [Tutorial](#)

Quality: 3,271 global accepts · Rating: 1700 · first AC: 2024-06-17 · C++14 (GCC 6-32) (first AC) · Tags: brute force
[Imdie's solution](#)

530.

1984C2

[Magnitude \(Hard Version\)](#) · [Tutorial](#)

Quality: 8,691 global accepts · Rating: 1700 · first AC: 2024-06-09 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, greedy, math
[Imdie's solution](#)

531.

1975D

[Paint the Tree](#) · [Tutorial](#)

Quality: 7,499 global accepts · Rating: 1700 · first AC: 2024-05-25 · C++20 (GCC 13-64) (first AC) · Tags: brute force, dfs and similar, dp, greedy, shortest paths, trees
[Imdie's solution](#)

532.

1942C2

[Bessie's Birthday Cake \(Hard Version\)](#) · [Tutorial](#)

Quality: 6,874 global accepts · Rating: 1700 · first AC: 2024-03-30 · last AC: 2024-04-15 · C++14 (GCC 6-32) (first AC) · Tags: geometry, greedy, math
[Imdie's solution](#)

533.

1945E

[Binary Search](#) · [Tutorial](#)

Quality: 9,715 global accepts · Rating: 1700 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, greedy

[Imdie's solution](#)

534.

1937C

[Bitwise Operation Wizard](#) · [Tutorial](#)

Rating: 1700 · first AC: 2024-03-05 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, constructive algorithms, interactive

[Imdie's solution](#)

535.

1916D

[Mathematical Problem](#) · [Tutorial](#)

Quality: 9,774 global accepts · Rating: 1700 · first AC: 2023-12-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, geometry, math

[Imdie's solution](#)

536.

1906M

[Triangle Construction](#) · [Tutorial](#)

Quality: 3,457 global accepts · Rating: 1700 · first AC: 2023-12-03 · C++17 (GCC 9-64) (first AC) · Tags: greedy, math

[Imdie's solution](#)

537.

1889B

[Doremy's Connecting Plan](#) · [Tutorial](#)

Quality: 8,629 global accepts · Rating: 1700 · first AC: 2023-10-28 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Imdie's solution](#)

538.

1864D

[Matrix Cascade](#) · [Tutorial](#)

Quality: 7,640 global accepts · Rating: 1700 · first AC: 2023-08-26 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, data structures, dp, greedy, math

[Imdie's solution](#)

539.

1849D

[Array Painting](#) · [Tutorial](#)

Quality: 10,319 global accepts · Rating: 1700 · first AC: 2023-07-28 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, two pointers

[Imdie's solution](#)

540.

1835A

[k-th equality](#) · [Tutorial](#)

Quality: 8,735 global accepts · Rating: 1700 · first AC: 2023-06-18 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, math

[Imdie's solution](#)

541.

797C

[Minimal string](#) · [Tutorial](#)

Quality: 9,843 global accepts · Rating: 1700 · first AC: 2023-04-27 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, strings

[Imdie's solution](#)

542.

625A

[Guest From the Past](#) · [Tutorial](#)

Quality: 5,664 global accepts · Rating: 1700 · first AC: 2023-04-21 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math

[Imdie's solution](#)

543.

621C

[Wet Shark and Flowers](#) · [Tutorial](#)

Quality: 6,242 global accepts · Rating: 1700 · first AC: 2023-04-07 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math, number theory, probabilities

[Imdie's solution](#)

544.

617D

[Polyline](#) · [Tutorial](#)

Quality: 4,438 global accepts · Rating: 1700 · first AC: 2023-03-24 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation

[Imdie's solution](#)

545.

584C

[Marina and Vasya](#) · [Tutorial](#)

Quality: 6,530 global accepts · Rating: 1700 · first AC: 2023-03-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, strings

[Imdie's solution](#)

546.

598D

[Igor In the Museum](#) · [Tutorial](#)

Quality: 13,096 global accepts · Rating: 1700 · first AC: 2023-02-20 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, shortest paths

[Imdie's solution](#)

547.

1770C

[Koxia and Number Theory](#) · [Tutorial](#)

Quality: 9,666 global accepts · Rating: 1700 · first AC: 2022-12-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, chinese remainder theorem, math, number theory

[Imdie's solution](#)

548.

1765D

[Watch the Videos](#) · [Tutorial](#)

Quality: 4,863 global accepts · Rating: 1700 · first AC: 2022-11-27 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, two pointers

[Imdie's solution](#)

549.

632C

[The Smallest String Concatenation](#) · [Tutorial](#)

Quality: 10,435 global accepts · Rating: 1700 · first AC: 2022-10-01 · C++14 (GCC 6-32) (first AC) · Tags: sortings, strings

[Imdie's solution](#)

550.

1715C

[Monoblock](#) · [Tutorial](#)

Quality: 10,376 global accepts · Rating: 1700 · first AC: 2022-08-20 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, implementation, math

[Imdie's solution](#)

551.

1709D

[Rorororobot](#) · [Tutorial](#)

Quality: 10,211 global accepts · Rating: 1700 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, greedy, math

[Imdie's solution](#)

552.

1706D1

[Chopping Carrots \(Easy Version\)](#) · [Tutorial](#)

Quality: 7,717 global accepts · Rating: 1700 · first AC: 2022-07-18 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, constructive algorithms, greedy, number theory

[Imdie's solution](#)

553.

1702F

[Equate Multisets](#) · [Tutorial](#)

Quality: 9,450 global accepts · Rating: 1700 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, greedy, math, number theory

[Imdie's solution](#)

554.

1699C

[The Third Problem](#) · [Tutorial](#)

Quality: 10,723 global accepts · Rating: 1700 · first AC: 2022-07-04 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, constructive algorithms, math

[Imdie's solution](#)

555.

1690F

[Shifting String](#) · [Tutorial](#)

Quality: 8,881 global accepts · Rating: 1700 · first AC: 2022-06-07 · C++14 (GCC 6-32) (first AC) · Tags: graphs, math, number theory, strings

[Imdie's solution](#)

556.

1598D

[Training Session](#) · [Tutorial](#)

Quality: 10,485 global accepts · Rating: 1700 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, data structures, geometry, implementation, math

[Imdie's solution](#)

557.

1592C

[Bakry and Partitioning](#) · [Tutorial](#)

Quality: 9,134 global accepts · Rating: 1700 · first AC: 2021-10-04 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, dfs and similar, dp, graphs, trees

[Imdie's solution](#)

558.

1551D1

[Domino \(easy version\)](#) · [Tutorial](#)

Quality: 7,573 global accepts · Rating: 1700 · first AC: 2021-07-25 · GNU C++11 (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

559.

1485C

[Floor and Mod](#) · [Tutorial](#)

Quality: 11,007 global accepts · Rating: 1700 · first AC: 2021-02-12 · GNU C++11 (first AC) · Tags: binary search, brute force, math, number theory

[Imdie's solution](#)

560.

1480C

[Searching Local Minimum](#) · [Tutorial](#)

Rating: 1700 · first AC: 2021-02-07 · GNU C++11 (first AC) · Tags: binary search, interactive, math, ternary search

[Imdie's solution](#)

561.

1468F

[Full Turn](#) · [Tutorial](#)

Quality: 4,222 global accepts · Rating: 1700 · first AC: 2021-02-01 · GNU C++11 (first AC) · Tags: geometry, hashing, number theory

[Imdie's solution](#)

562.

1411C

[Peaceful Rooks](#) · [Tutorial](#)

Quality: 8,577 global accepts · Rating: 1700 · first AC: 2021-01-24 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs

[Imdie's solution](#)

563.

1406C

[Link Cut Centroids](#) · [Tutorial](#)

Quality: 11,779 global accepts · Rating: 1700 · first AC: 2020-09-12 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, trees

[Imdie's solution](#)

564.

1333C

[Eugene and an array](#) · [Tutorial](#)

Quality: 13,364 global accepts · Rating: 1700 · first AC: 2020-04-09 · GNU C++11 (first AC) · Tags: binary search, data structures, implementation, two pointers

[Imdie's solution](#)

565.

1332D

[Walk on Matrix](#) · [Tutorial](#)

Quality: 8,444 global accepts · Rating: 1700 · first AC: 2020-03-31 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, math

[Imdie's solution](#)

566.

1325D

[Ehab the Xorcist](#) · [Tutorial](#)

Quality: 13,589 global accepts · Rating: 1700 · first AC: 2020-03-14 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, greedy, number theory

[Imdie's solution](#)

567.

1442A

[Extreme Subtraction](#) · [Tutorial](#)

Quality: 9,721 global accepts · Rating: 1800 · first AC: 2025-09-11 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dp, greedy

[Imdie's solution](#)

568.

2101B

[Quartet Swapping](#) · [Tutorial](#)

Quality: 6,830 global accepts · Rating: 1800 · first AC: 2025-05-11 · C++20 (GCC 13-64) (first AC) · Tags: brute force, data structures, divide and conquer, greedy, sortings

[Imdie's solution](#)

569.

1552D

[Array Differentiation](#) · [Tutorial](#)

Quality: 7,888 global accepts · Rating: 1800 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, constructive algorithms, dfs and similar, dp, graphs, math

[Imdie's solution](#)

570.

1552C

[Maximize the Intersections](#) · [Tutorial](#)

Quality: 6,286 global accepts · Rating: 1800 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, constructive algorithms, geometry, greedy, sortings

[Imdie's solution](#)

571.

371D

[Vessels](#) · [Tutorial](#)

Quality: 6,477 global accepts · Rating: 1800 · first AC: 2025-01-09 · C++20 (GCC 13-64) (first AC) · Tags: data structures, dsu, implementation, trees

[Imdie's solution](#)

572.

2039C2

[Shohag Loves XOR \(Hard Version\)](#) · [Tutorial](#)

Quality: 4,969 global accepts · Rating: 1800 · first AC: 2024-11-23 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, math, number theory

[Imdie's solution](#)

573.

1805D

[A Wide, Wide Graph](#) · [Tutorial](#)

Quality: 9,005 global accepts · Rating: 1800 · first AC: 2024-11-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dfs and similar, dp, graphs, greedy, trees

[Imdie's solution](#)

574.

1177B

[Digits Sequence \(Hard Edition\)](#) · [Tutorial](#)

Quality: 2,944 global accepts · Rating: 1800 · first AC: 2024-08-08 · last AC: 2024-08-08 · C++14 (GCC 6-32) (first AC) · Tags: binary search, divide and conquer, implementation

[Imdie's solution](#)

575.

1987D

[World is Mine](#) · [Tutorial](#)

Quality: 8,700 global accepts · Rating: 1800 · first AC: 2024-06-30 · last AC: 2024-07-29 · C++14 (GCC 6-32) (first AC) · Tags: dp, games

[Imdie's solution](#)

576.

1981C

[Turtle and an Incomplete Sequence](#) · [Tutorial](#)

Quality: 6,341 global accepts · Rating: 1800 · first AC: 2024-05-31 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

577.

1965B

[Missing Subsequence Sum](#) · [Tutorial](#)

Quality: 8,124 global accepts · Rating: 1800 · first AC: 2024-04-27 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, constructive algorithms, greedy, number theory

[Imdie's solution](#)

578.

911D

[Inversion Counting](#) · [Tutorial](#)

Quality: 5,107 global accepts · Rating: 1800 · first AC: 2024-03-17 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math

[Imdie's solution](#)

579.

178F1

[Representative Sampling](#) · [Tutorial](#)

Quality: 459 global accepts · Rating: 1800 · first AC: 2024-02-28 · last AC: 2024-02-28 · C++17 (GCC 9-64) (first AC) · Tags: —

[Imdie's solution](#)

580.

1468J

[Road Reform](#) · [Tutorial](#)

Quality: 5,907 global accepts · Rating: 1800 · first AC: 2021-01-28 · last AC: 2023-09-12 · GNU C++11 (first AC) · Tags: dsu, graphs, greedy

[Imdie's solution](#)

581.

1852B

[Imbalanced Arrays](#) · [Tutorial](#)

Quality: 5,461 global accepts · Rating: 1800 · first AC: 2023-07-23 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, graphs, greedy, math, sortings, two pointers

[Imdie's solution](#)

582.

1852A

[Ntarsis' Set](#) · [Tutorial](#)

Quality: 9,241 global accepts · Rating: 1800 · first AC: 2023-07-23 · C++14 (GCC 6-32) (first AC) · Tags: binary search, math, number theory

[Imdie's solution](#)

583.

1845D

[Rating System](#) · [Tutorial](#)

Quality: 9,014 global accepts · Rating: 1800 · first AC: 2023-06-29 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, data structures, dp, dsu, greedy, math, two pointers

[Imdie's solution](#)

584.

1824B1

[LuoTianyi and the Floating Islands \(Easy Version\)](#) · [Tutorial](#)

Quality: 6,008 global accepts · Rating: 1800 · first AC: 2023-05-08 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math, probabilities, trees

[Imdie's solution](#)

585.

584D

[Dima and Lisa](#) · [Tutorial](#)

Quality: 11,121 global accepts · Rating: 1800 · first AC: 2023-03-17 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math, number theory

[Imdie's solution](#)

586.

1801B

[Buying gifts](#) · [Tutorial](#)

Quality: 7,548 global accepts · Rating: 1800 · first AC: 2023-03-09 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, sortings

[Imdie's solution](#)

587.

600C

[Make Palindrome](#) · [Tutorial](#)

Quality: 7,082 global accepts · Rating: 1800 · first AC: 2023-02-25 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, strings

[Imdie's solution](#)

588.

483D

[Interesting Array](#) · [Tutorial](#)

Rating: 1800 · first AC: 2023-02-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures

[Imdie's solution](#)

589.

483B

[Friends and Presents](#) · [Tutorial](#)

Quality: 4,354 global accepts · Rating: 1800 · first AC: 2023-02-17 · C++14 (GCC 6-32) (first AC) · Tags: binary search, math

[Imdie's solution](#)

590.

1793D

[Moscow Gorillas](#) · [Tutorial](#)

Quality: 7,135 global accepts · Rating: 1800 · first AC: 2023-02-12 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dp, greedy, implementation, math, two pointers

[Imdie's solution](#)

591.

448D

[Multiplication Table](#) · [Tutorial](#)

Quality: 16,667 global accepts · Rating: 1800 · first AC: 2023-02-10 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force

[Imdie's solution](#)

592.

1780D

[Bit Guessing Game](#) · [Tutorial](#)

Quality: 5,833 global accepts · Rating: 1800 · first AC: 2023-01-25 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, constructive algorithms, interactive

[Imdie's solution](#)

593.

1775D

[Friendly Spiders](#) · [Tutorial](#)

Quality: 8,475 global accepts · Rating: 1800 · first AC: 2023-01-10 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, math, number theory, shortest paths

[Imdie's solution](#)

594.

1732C1

[Sheikh \(Easy version\)](#) · [Tutorial](#)

Quality: 7,578 global accepts · Rating: 1800 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, greedy, two pointers

[Imdie's solution](#)

595.

1734D

[Slime Escape](#) · [Tutorial](#)

Quality: 7,051 global accepts · Rating: 1800 · first AC: 2022-09-23 · C++20 (GCC 11-64) (first AC) · Tags: data structures, dp, greedy, two pointers

[Imdie's solution](#)

596.

1721D

[Maximum AND](#) · [Tutorial](#)

Quality: 7,680 global accepts · Rating: 1800 · first AC: 2022-08-27 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dfs and similar, divide and conquer, greedy, sortings

[Imdie's solution](#)

597.

1718A1

[Burenka and Traditions \(easy version\)](#) · [Tutorial](#)

Quality: 6,418 global accepts · Rating: 1800 · first AC: 2022-08-17 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy

[Imdie's solution](#)

598.

1713D

[Tournament Countdown](#) · [Tutorial](#)

Quality: 6,231 global accepts · Rating: 1800 · first AC: 2022-08-06 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, interactive, number theory, probabilities

[Imdie's solution](#)

599.

1709C

[Recover an RBS](#) · [Tutorial](#)

Quality: 10,275 global accepts · Rating: 1800 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation, strings

[Imdie's solution](#)

600.

1705D

[Mark and Lightbulbs](#) · [Tutorial](#)

Quality: 7,156 global accepts · Rating: 1800 · first AC: 2022-07-15 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, constructive algorithms, greedy, math, sortings

[Imdie's solution](#)

601.

1213G

[Path Queries](#) · [Tutorial](#)

Quality: 9,534 global accepts · Rating: 1800 · first AC: 2022-03-09 · C++14 (GCC 6-32) (first AC) · Tags: divide and conquer, dsu, graphs, sortings, trees

[Imdie's solution](#)

602.

1649D

[Integral Array](#) · [Tutorial](#)

Rating: 1800 · first AC: 2022-03-06 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, math, sortings

[Imdie's solution](#)

603.

1631D

[Range and Partition](#) · [Tutorial](#)

Quality: 1800 · first AC: 2022-01-27 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, greedy, two pointers

[Imdie's solution](#)

604.

1187C

[Vasya And Array](#) · [Tutorial](#)

Quality: 6,764 global accepts · Rating: 1800 · first AC: 2021-04-03 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, implementation

[Imdie's solution](#)

605.

1466E

[Apollo versus Pan](#) · [Tutorial](#)

Quality: 8,363 global accepts · Rating: 1800 · first AC: 2021-02-03 · GNU C++11 (first AC) · Tags: bitmasks, brute force, math

[Imdie's solution](#)

606.

1463C

[Busy Robot](#) · [Tutorial](#)

Quality: 6,055 global accepts · Rating: 1800 · first AC: 2021-01-24 · GNU C++11 (first AC) · Tags: implementation

[Imdie's solution](#)

607.

1426E

[Rock, Paper, Scissors](#) · [Tutorial](#)

Quality: 8,138 global accepts · Rating: 1800 · first AC: 2020-09-28 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, flows, greedy, math

[Imdie's solution](#)

608.

1334D

[Minimum Euler Cycle](#) · [Tutorial](#)

Quality: 7,723 global accepts · Rating: 1800 · first AC: 2020-04-10 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, greedy, implementation

[Imdie's solution](#)

609.

2129C1

[Interactive RBS \(Easy Version\)](#) · [Tutorial](#)

Quality: 3,862 global accepts · Rating: 1900 · first AC: 2025-07-31 · C++20 (GCC 13-64) (first AC) · Tags: binary search, bitmasks, constructive algorithms, interactive

[Imdie's solution](#)

610.

2077B

[Finding OR Sum](#) · [Tutorial](#)

Quality: 3,657 global accepts · Rating: 1900 · first AC: 2025-03-10 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, constructive algorithms, implementation, interactive, math

[Imdie's solution](#)

611.

2066B

[White Magic](#) · [Tutorial](#)

Quality: 5,460 global accepts · Rating: 1900 · first AC: 2025-02-11 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, data structures, dp, greedy, implementation

[Imdie's solution](#)

612.

2059D

[Graph and Graph](#) · [Tutorial](#)

Quality: 6,565 global accepts · Rating: 1900 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: data structures, graphs, greedy,

shortest paths

[Imdie's solution](#)

613.

2052E

[Expression Correction](#) · [Tutorial](#)

Quality: 1,511 global accepts · Rating: 1900 · first AC: 2024-12-25 · C++20 (GCC 13-64) (first AC) · Tags: brute force, expression parsing, strings

[Imdie's solution](#)

614.

2038G

[Guess One Character](#) · [Tutorial](#)

Quality: 2,957 global accepts · Rating: 1900 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, interactive

[Imdie's solution](#)

615.

1043E

[Train Hard, Win Easy](#) · [Tutorial](#)

Quality: 3,461 global accepts · Rating: 1900 · first AC: 2024-10-22 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[Imdie's solution](#)

616.

2018B

[Speedbreaker](#) · [Tutorial](#)

Quality: 5,189 global accepts · Rating: 1900 · first AC: 2024-09-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, data structures, dp, greedy, implementation, two pointers

[Imdie's solution](#)

617.

2002D1

[DFS Checker \(Easy Version\)](#) · [Tutorial](#)

Quality: 5,089 global accepts · Rating: 1900 · first AC: 2024-08-11 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, dfs and similar, graphs, hashing, trees

[Imdie's solution](#)

618.

1991E

[Coloring Game](#) · [Tutorial](#)

Quality: 5,125 global accepts · Rating: 1900 · first AC: 2024-07-28 · last AC: 2024-08-08 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, games, graphs, greedy, interactive

[Imdie's solution](#)

619.

1991D

[Prime XOR Coloring](#) · [Tutorial](#)

Quality: 7,886 global accepts · Rating: 1900 · first AC: 2024-07-28 · last AC: 2024-08-08 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, graphs, greedy, math, number theory

[Imdie's solution](#)

620.

1854A2

[Dual \(Hard Version\)](#) · [Tutorial](#)

Quality: 7,865 global accepts · Rating: 1900 · first AC: 2023-07-29 · last AC: 2024-07-26 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

621.

1945F

[Kirill and Mushrooms](#) · [Tutorial](#)

Quality: 5,104 global accepts · Rating: 1900 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++17 (GCC 7-32) (first AC) · Tags: data structures, sortings

[Imdie's solution](#)

622.

1918D

[Blocking Elements](#) · [Tutorial](#)

Quality: 6,195 global accepts · Rating: 1900 · first AC: 2024-02-02 · C++17 (GCC 9-64) (first AC) · Tags: binary search, data structures, dp, implementation, two pointers

[Imdie's solution](#)

623.

1909D

[Split Plus K](#) · [Tutorial](#)

Quality: 5,124 global accepts · Rating: 1900 · first AC: 2023-12-23 · last AC: 2023-12-25 · C++17 (GCC 9-64) (first AC) · Tags: greedy, math, number theory

[Imdie's solution](#)

624.

1902E

[Collapsing Strings](#) · [Tutorial](#)

Quality: 5,618 global accepts · Rating: 1900 · first AC: 2023-12-13 · C++14 (GCC 6-32) (first AC) · Tags: data structures, strings, trees

[Imdie's solution](#)

625.

1902D

[Robot Queries](#) · [Tutorial](#)

Quality: 5,323 global accepts · Rating: 1900 · first AC: 2023-12-13 · last AC: 2023-12-13 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dp, implementation

[Imdie's solution](#)

626.

1906E

[Merge Not Sort](#) · [Tutorial](#)

Quality: 2,424 global accepts · Rating: 1900 · first AC: 2023-12-03 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dp

[Imdie's solution](#)

627.

1842D

[Tenzing and His Animal Friends](#) · [Tutorial](#)

Quality: 4,738 global accepts · Rating: 1900 · first AC: 2023-06-24 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, graphs, greedy

[Imdie's solution](#)

628.

1834D

[Survey in Class](#) · [Tutorial](#)

Quality: 5,560 global accepts · Rating: 1900 · first AC: 2023-06-18 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, greedy, implementation, sortings

[Imdie's solution](#)

629.

803D

[Magazine Ad](#) · [Tutorial](#)

Quality: 4,043 global accepts · Rating: 1900 · first AC: 2023-05-15 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy

[Imdie's solution](#)

630.

803C

[Maximal GCD](#) · [Tutorial](#)

Quality: 5,819 global accepts · Rating: 1900 · first AC: 2023-05-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

631.

1817B

[Fish Graph](#) · [Tutorial](#)

Quality: 5,101 global accepts · Rating: 1900 · first AC: 2023-04-29 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graphs

[Imdie's solution](#)

632.

792D

[Paths in a Complete Binary Tree](#) · [Tutorial](#)

Quality: 3,396 global accepts · Rating: 1900 · first AC: 2023-04-25 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, trees

[Imdie's solution](#)

633.

702D

[Road to Post Office](#) · [Tutorial](#)

Quality: 3,736 global accepts · Rating: 1900 · first AC: 2023-04-16 · C++14 (GCC 6-32) (first AC) · Tags: math

[Imdie's solution](#)

634.

1819B

[The Butcher](#) · [Tutorial](#)

Quality: 4,221 global accepts · Rating: 1900 · first AC: 2023-04-15 · C++14 (GCC 6-32) (first AC) · Tags: geometry, greedy, implementation, sortings, two pointers

[Imdie's solution](#)

635.

1797D

[Li Hua and Tree](#) · [Tutorial](#)

Quality: 4,640 global accepts · Rating: 1900 · first AC: 2023-04-08 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, dfs and similar, dp, implementation, trees

[Imdie's solution](#)

636.

1801C

[Music Festival](#) · [Tutorial](#)

Quality: 4,102 global accepts · Rating: 1900 · first AC: 2023-03-09 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dp, greedy, sortings

[Imdie's solution](#)

637.

550D

[Regular Bridge](#) · [Tutorial](#)

Quality: 3,781 global accepts · Rating: 1900 · first AC: 2023-03-03 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, graphs, implementation

[Imdie's solution](#)

638.

1494C

[1D Sokoban](#) · [Tutorial](#)

Quality: 5,729 global accepts · Rating: 1900 · first AC: 2023-02-14 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dp, greedy, implementation, two pointers

[Imdie's solution](#)

639.

448C

[Painting Fence](#) · [Tutorial](#)

Quality: 10,793 global accepts · Rating: 1900 · first AC: 2023-02-10 · C++14 (GCC 6-32) (first AC) · Tags: divide and conquer, dp, greedy

[Imdie's solution](#)

640.

1774E

[Two Chess Pieces](#) · [Tutorial](#)

Quality: 3,958 global accepts · Rating: 1900 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, greedy, trees

[Imdie's solution](#)

641.

1747D

[Yet Another Problem](#) · [Tutorial](#)

Quality: 5,560 global accepts · Rating: 1900 · first AC: 2022-11-04 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, constructive algorithms, data structures

[Imdie's solution](#)

642.

1749D

[Counting Arrays](#) · [Tutorial](#)

Quality: 6,367 global accepts · Rating: 1900 · first AC: 2022-10-20 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math, number theory

[Imdie's solution](#)

643.

1746D

[Paths on the Tree](#) · [Tutorial](#)

Quality: 5,115 global accepts · Rating: 1900 · first AC: 2022-10-16 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, greedy, sortings, trees

[Imdie's solution](#)

644.

1738D

[Permutation Addicts](#) · [Tutorial](#)

Quality: 3,746 global accepts · Rating: 1900 · first AC: 2022-09-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, dsu, graphs, trees

[Imdie's solution](#)

645.

1717D

[Madoka and The Corruption Scheme](#) · [Tutorial](#)

Quality: 4,864 global accepts · Rating: 1900 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: combinatorics, constructive algorithms, greedy, math

[Imdie's solution](#)

646.

1715D

[2+ doors](#) · [Tutorial](#)

Quality: 6,088 global accepts · Rating: 1900 · first AC: 2022-08-20 · C++14 (GCC 6-32) (first AC) · Tags: 2-sat, bitmasks, graphs, greedy

[Imdie's solution](#)

647.

1718A2

[Burenka and Traditions \(hard version\)](#) · [Tutorial](#)

Quality: 5,912 global accepts · Rating: 1900 · first AC: 2022-08-17 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, greedy

[Imdie's solution](#)

648.

1704D

[Magical Array](#) · [Tutorial](#)

Quality: 5,380 global accepts · Rating: 1900 · first AC: 2022-07-31 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, hashing, implementation, math

[Imdie's solution](#)

649.

1707B

[Difference Array](#) · [Tutorial](#)

Quality: 6,402 global accepts · Rating: 1900 · first AC: 2022-07-17 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, implementation, sortings

[Imdie's solution](#)

650.

1702G1

[Passable Paths \(easy version\)](#) · [Tutorial](#)

Quality: 6,341 global accepts · Rating: 1900 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, trees

[Imdie's solution](#)

651.

1696D

[Permutation Graph](#) · [Tutorial](#)

Quality: 6,014 global accepts · Rating: 1900 · first AC: 2022-06-25 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, data structures, divide and conquer, greedy, shortest paths

[Imdie's solution](#)

652.

1673D

[Lost Arithmetic Progression](#) · [Tutorial](#)

Quality: 3,625 global accepts · Rating: 1900 · first AC: 2022-04-30 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math, number theory
[Imdie's solution](#)

653.

1627D

[Not Adding](#) · [Tutorial](#)

Quality: 9,370 global accepts · Rating: 1900 · first AC: 2022-01-16 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, math, number theory
[Imdie's solution](#)

654.

1205B

[Shortest Cycle](#) · [Tutorial](#)

Quality: 7,452 global accepts · Rating: 1900 · first AC: 2021-07-06 · GNU C++11 (first AC) · Tags: bitmasks, brute force, graphs, shortest paths
[Imdie's solution](#)

655.

1490G

[Old Floppy Drive](#) · [Tutorial](#)

Quality: 6,186 global accepts · Rating: 1900 · first AC: 2021-02-17 · GNU C++11 (first AC) · Tags: binary search, data structures, math
[Imdie's solution](#)

656.

1480D1

[Painting the Array I](#) · [Tutorial](#)

Rating: 1900 · first AC: 2021-02-12 · GNU C++11 (first AC) · Tags: data structures, dp, greedy, implementation
[Imdie's solution](#)

657.

1463D

[Pairs](#) · [Tutorial](#)

Quality: 4,835 global accepts · Rating: 1900 · first AC: 2021-01-24 · GNU C++11 (first AC) · Tags: binary search, constructive algorithms, greedy, two pointers
[Imdie's solution](#)

658.

20C

[Dijkstra?](#) · [Tutorial](#)

Quality: 46,894 global accepts · Rating: 1900 · first AC: 2020-11-29 · GNU C++11 (first AC) · Tags: graphs, shortest paths
[Imdie's solution](#)

659.

1424B

[Valuable Paper](#) · [Tutorial](#)

Rating: 1900 · first AC: 2020-10-05 · C++14 (GCC 6-32) (first AC) · Tags: binary search, flows, graph matchings
[Imdie's solution](#)

660.

2178E

[Flatten or Concatenate](#) · [Tutorial](#)

Quality: 3,687 global accepts · Rating: 2000 · first AC: 2025-12-27 · C++20 (GCC 13-64) (first AC) · Tags: binary search, divide and conquer, interactive
[Imdie's solution](#)

661.

2129C2

[Interactive RBS \(Medium Version\)](#) · [Tutorial](#)

Quality: 2,503 global accepts · Rating: 2000 · first AC: 2025-07-31 · C++20 (GCC 13-64) (first AC) · Tags: binary search, bitmasks, constructive algorithms, interactive
[Imdie's solution](#)

662.

2096D

[Wonderful Lightbulbs](#) · [Tutorial](#)

Quality: 5,608 global accepts · Rating: 2000 · first AC: 2025-04-19 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, constructive algorithms, math

[Imdie's solution](#)

663.

2061E

[Kevin and And](#) · [Tutorial](#)

Quality: 3,993 global accepts · Rating: 2000 · first AC: 2025-01-20 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, dp, greedy, math, sortings

[Imdie's solution](#)

664.

196B

[Infinite Maze](#) · [Tutorial](#)

Quality: 2,378 global accepts · Rating: 2000 · first AC: 2025-01-09 · C++20 (GCC 13-64) (first AC) · Tags: dfs and similar, graphs

[Imdie's solution](#)

665.

382B

[Number Busters](#) · [Tutorial](#)

Quality: 1,505 global accepts · Rating: 2000 · first AC: 2025-01-09 · C++20 (GCC 13-64) (first AC) · Tags: binary search, math

[Imdie's solution](#)

666.

2057D

[Gifts Order](#) · [Tutorial](#)

Quality: 5,413 global accepts · Rating: 2000 · first AC: 2025-01-04 · C++20 (GCC 13-64) (first AC) · Tags: data structures, greedy, implementation, math, matrices

[Imdie's solution](#)

667.

2052J

[Judicious Watching](#) · [Tutorial](#)

Quality: 1,550 global accepts · Rating: 2000 · first AC: 2024-12-25 · C++20 (GCC 13-64) (first AC) · Tags: binary search, greedy, sortings

[Imdie's solution](#)

668.

1288E

[Messenger Simulator](#) · [Tutorial](#)

Quality: 4,017 global accepts · Rating: 2000 · first AC: 2024-10-23 · C++20 (GCC 13-64) (first AC) · Tags: data structures

[Imdie's solution](#)

669.

360B

[Levko and Array](#) · [Tutorial](#)

Quality: 3,494 global accepts · Rating: 2000 · first AC: 2024-10-18 · C++20 (GCC 13-64) (first AC) · Tags: binary search, dp

[Imdie's solution](#)

670.

1379C

[Choosing flowers](#) · [Tutorial](#)

Quality: 6,081 global accepts · Rating: 2000 · first AC: 2024-09-30 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, data structures, dfs and similar, dp, greedy, sortings, two pointers

[Imdie's solution](#)

671.

1804D

[Accommodation](#) · [Tutorial](#)

Quality: 5,269 global accepts · Rating: 2000 · first AC: 2024-09-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dp, greedy, implementation

[Imdie's solution](#)

672.

1987E

[Wonderful Tree!](#) · [Tutorial](#)

Quality: 4,069 global accepts · Rating: 2000 · first AC: 2024-06-30 · last AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data

structures, dfs and similar, dsu, greedy, trees

[Imdie's solution](#)

673.

1984D

["a" String Problem](#) · [Tutorial](#)

Quality: 3,881 global accepts · Rating: 2000 · first AC: 2024-06-09 · C++20 (GCC 13-64) (first AC) · Tags: brute force, hashing, implementation, math, string suffix structures, strings

[Imdie's solution](#)

674.

1951D

[Buying Jewels](#) · [Tutorial](#)

Quality: 6,300 global accepts · Rating: 2000 · first AC: 2024-04-06 · last AC: 2024-04-09 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

675.

1951E

[No Palindromes](#) · [Tutorial](#)

Quality: 4,477 global accepts · Rating: 2000 · first AC: 2024-04-06 · last AC: 2024-04-08 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, divide and conquer, greedy, hashing, implementation, math, strings

[Imdie's solution](#)

676.

1943B

[Non-Palindromic Substring](#) · [Tutorial](#)

Quality: 4,541 global accepts · Rating: 2000 · first AC: 2024-03-16 · last AC: 2024-03-20 · C++17 (GCC 7-32) (first AC) · Tags: hashing, implementation, math, strings

[Imdie's solution](#)

677.

662D

[International Olympiad](#) · [Tutorial](#)

Quality: 1,715 global accepts · Rating: 2000 · first AC: 2024-03-17 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

678.

1936B

[Pinball](#) · [Tutorial](#)

Quality: 3,564 global accepts · Rating: 2000 · first AC: 2024-03-05 · C++17 (GCC 9-64) (first AC) · Tags: binary search, data structures, implementation, math, two pointers

[Imdie's solution](#)

679.

1937D

[Pinball](#) · [Tutorial](#)

Rating: 2000 · first AC: 2024-03-05 · C++17 (GCC 9-64) (first AC) · Tags: binary search, data structures, implementation, two pointers

[Imdie's solution](#)

680.

1753C

[Wish I Knew How to Sort](#) · [Tutorial](#)

Quality: 5,283 global accepts · Rating: 2000 · first AC: 2022-10-24 · last AC: 2024-01-31 · C++14 (GCC 6-32) (first AC) · Tags: dp, math, probabilities

[Imdie's solution](#)

681.

1889C1

[Doremy's Drying Plan \(Easy Version\)](#) · [Tutorial](#)

Quality: 3,910 global accepts · Rating: 2000 · first AC: 2023-10-28 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, dp, greedy, sortings

[Imdie's solution](#)

682.

1830B

[The BOSS Can Count Pairs](#) · [Tutorial](#)

Quality: 5,854 global accepts · Rating: 2000 · first AC: 2023-05-28 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math

[Imdie's solution](#)

683.

803E

[Roma and Poker](#) · [Tutorial](#)

Quality: 2,655 global accepts · Rating: 2000 · first AC: 2023-05-16 · C++14 (GCC 6-32) (first AC) · Tags: dp, graphs

[Imdie's solution](#)

684.

1827B1

[Range Sorting \(Easy Version\)](#) · [Tutorial](#)

Quality: 4,539 global accepts · Rating: 2000 · first AC: 2023-05-14 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dp, dsu, greedy, trees, two pointers

[Imdie's solution](#)

685.

629C

[Famil Door and Brackets](#) · [Tutorial](#)

Quality: 3,023 global accepts · Rating: 2000 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: dp, strings

[Imdie's solution](#)

686.

629D

[Babaei and Birthday Cake](#) · [Tutorial](#)

Quality: 4,500 global accepts · Rating: 2000 · first AC: 2023-05-12 · last AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp

[Imdie's solution](#)

687.

797E

[Array Queries](#) · [Tutorial](#)

Quality: 5,609 global accepts · Rating: 2000 · first AC: 2023-04-27 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, dp

[Imdie's solution](#)

688.

792C

[Divide by Three](#) · [Tutorial](#)

Quality: 4,999 global accepts · Rating: 2000 · first AC: 2023-04-25 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, math, number theory

[Imdie's solution](#)

689.

1815B

[Sum Graph](#) · [Tutorial](#)

Quality: 3,601 global accepts · Rating: 2000 · first AC: 2023-04-09 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, graphs, implementation, interactive, shortest paths, trees

[Imdie's solution](#)

690.

621E

[Wet Shark and Blocks](#) · [Tutorial](#)

Quality: 3,245 global accepts · Rating: 2000 · first AC: 2023-04-07 · C++14 (GCC 6-32) (first AC) · Tags: dp, matrices

[Imdie's solution](#)

691.

1796D

[Maximum Subarray](#) · [Tutorial](#)

Quality: 5,451 global accepts · Rating: 2000 · first AC: 2023-03-03 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, greedy, two pointers

[Imdie's solution](#)

692.

598E

[Chocolate Bar](#) · [Tutorial](#)

Quality: 6,084 global accepts · Rating: 2000 · first AC: 2023-02-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp

[Imdie's solution](#)

693.

609D

[Gadgets for dollars and pounds](#) · [Tutorial](#)

Quality: 3,164 global accepts · Rating: 2000 · first AC: 2023-02-23 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, two pointers

[Imdie's solution](#)

694.

803F

[Coprime Subsequences](#) · [Tutorial](#)

Quality: 4,640 global accepts · Rating: 2000 · first AC: 2023-02-18 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, combinatorics, number theory

[Imdie's solution](#)

695.

1132F

[Clear the String](#) · [Tutorial](#)

Quality: 10,712 global accepts · Rating: 2000 · first AC: 2023-02-11 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

696.

1770D

[Koxia and Game](#) · [Tutorial](#)

Quality: 4,395 global accepts · Rating: 2000 · first AC: 2022-12-31 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, dsu, flows, games, graph matchings, graphs, implementation

[Imdie's solution](#)

697.

710E

[Generate a String](#) · [Tutorial](#)

Quality: 5,772 global accepts · Rating: 2000 · first AC: 2022-09-24 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp

[Imdie's solution](#)

698.

1712D

[Empty Graph](#) · [Tutorial](#)

Quality: 5,106 global accepts · Rating: 2000 · first AC: 2022-08-14 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, data structures, greedy, shortest paths

[Imdie's solution](#)

699.

1716D

[Chip Move](#) · [Tutorial](#)

Quality: 6,137 global accepts · Rating: 2000 · first AC: 2022-08-05 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, math

[Imdie's solution](#)

700.

1716C

[Robot in a Hallway](#) · [Tutorial](#)

Quality: 4,594 global accepts · Rating: 2000 · first AC: 2022-08-05 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, greedy, implementation, ternary search

[Imdie's solution](#)

701.

1702G2

[Passable Paths \(hard version\)](#) · [Tutorial](#)

Quality: 5,788 global accepts · Rating: 2000 · first AC: 2022-07-10 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dfs and similar, trees

[Imdie's solution](#)

702.

1696E

[Placing Jinas](#) · [Tutorial](#)

Quality: 4,908 global accepts · Rating: 2000 · first AC: 2022-06-28 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math

[Imdie's solution](#)

703.

999F

[Cards and Joy](#) · [Tutorial](#)

Quality: 3,266 global accepts · Rating: 2000 · first AC: 2022-02-14 · last AC: 2022-02-14 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

704.

1632D

[New Year Concert](#) · [Tutorial](#)

Quality: 5,334 global accepts · Rating: 2000 · first AC: 2022-02-09 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, greedy, math, number theory, two pointers

[Imdie's solution](#)

705.

1634D

[Finding Zero](#) · [Tutorial](#)

Quality: 4,738 global accepts · Rating: 2000 · first AC: 2022-02-07 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, interactive, math

[Imdie's solution](#)

706.

1589D

[Guess the Permutation](#) · [Tutorial](#)

Rating: 2000 · first AC: 2021-11-14 · C++17 (GCC 7-32) (first AC) · Tags: binary search, combinatorics, interactive, math

[Imdie's solution](#)

707.

1582E

[Pchelyonok and Segments](#) · [Tutorial](#)

Quality: 4,217 global accepts · Rating: 2000 · first AC: 2021-10-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp, greedy, math

[Imdie's solution](#)

708.

1487E

[Cheap Dinner](#) · [Tutorial](#)

Quality: 5,128 global accepts · Rating: 2000 · first AC: 2021-02-16 · GNU C++11 (first AC) · Tags: brute force, data structures, graphs, greedy, implementation, sortings, two pointers

[Imdie's solution](#)

709.

1426F

[Number of Subsequences](#) · [Tutorial](#)

Quality: 6,166 global accepts · Rating: 2000 · first AC: 2020-09-28 · GNU C++11 (first AC) · Tags: combinatorics, dp, strings

[Imdie's solution](#)

710.

2183E

[LCM is Legendary Counting Master](#) · [Tutorial](#)

Quality: 2,853 global accepts · Rating: 2100 · first AC: 2026-01-07 · C++20 (GCC 13-64) (first AC) · Tags: dp, math, number theory

[Imdie's solution](#)

711.

2183D2

[Tree Coloring \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,498 global accepts · Rating: 2100 · first AC: 2026-01-07 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, constructive algorithms, data structures, dfs and similar, greedy, implementation, trees

[Imdie's solution](#)

712.

2150C

[Limited Edition Shop](#) · [Tutorial](#)

Quality: 2,660 global accepts · Rating: 2100 · first AC: 2025-09-24 · C++20 (GCC 13-64) (first AC) · Tags: data structures, dp

[Imdie's solution](#)

713.

2124E

[Make it Zero](#) · [Tutorial](#)

Quality: 3,828 global accepts · Rating: 2100 · first AC: 2025-07-06 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

714.

2115B

[Gellyfish and Camellia Japonica](#) · [Tutorial](#)

Quality: 3,983 global accepts · Rating: 2100 · first AC: 2025-05-31 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, dp, graphs, greedy, trees

[Imdie's solution](#)

715.

2061F1

[Kevin and Binary String \(Easy Version\)](#) · [Tutorial](#)

Quality: 2,268 global accepts · Rating: 2100 · first AC: 2025-01-20 · C++20 (GCC 13-64) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

716.

2052D

[DAG Serialization](#) · [Tutorial](#)

Quality: 1,214 global accepts · Rating: 2100 · first AC: 2024-12-25 · C++20 (GCC 13-64) (first AC) · Tags: brute force, graphs

[Imdie's solution](#)

717.

2038B

[Make It Equal](#) · [Tutorial](#)

Quality: 1,909 global accepts · Rating: 2100 · first AC: 2024-11-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, greedy, math

[Imdie's solution](#)

718.

2038K

[Grid Walk](#) · [Tutorial](#)

Quality: 1,777 global accepts · Rating: 2100 · first AC: 2024-11-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dp, greedy, math, number theory

[Imdie's solution](#)

719.

1163D

[Mysterious Code](#) · [Tutorial](#)

Quality: 1,541 global accepts · Rating: 2100 · first AC: 2024-10-22 · C++20 (GCC 13-64) (first AC) · Tags: dp, strings

[Imdie's solution](#)

720.

1184A2

[Heidi Learns Hashing \(Medium\)](#) · [Tutorial](#)

Quality: 1,124 global accepts · Rating: 2100 · first AC: 2024-10-22 · C++20 (GCC 13-64) (first AC) · Tags: brute force, number theory

[Imdie's solution](#)

721.

1555E

[Boring Segments](#) · [Tutorial](#)

Quality: 4,529 global accepts · Rating: 2100 · first AC: 2024-08-29 · C++17 (GCC 7-32) (first AC) · Tags: data structures, sortings, trees, two pointers

[Imdie's solution](#)

722.

551D

[GukiZ and Binary Operations](#) · [Tutorial](#)

Quality: 2,111 global accepts · Rating: 2100 · first AC: 2024-06-17 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, implementation, math, matrices, number theory

[Imdie's solution](#)

723.

1975E

[Chain Queries](#) · [Tutorial](#)

Quality: 2,877 global accepts · Rating: 2100 · first AC: 2024-05-25 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, dfs and similar, implementation, trees

[Imdie's solution](#)

724.

1593F

[Red-Black Number](#) · [Tutorial](#)

Quality: 2,657 global accepts · Rating: 2100 · first AC: 2024-04-23 · C++20 (GCC 13-64) (first AC) · Tags: dfs and similar, dp, implementation, math, meet-in-the-middle

[Imdie's solution](#)

725.

1333D

[Challenges in school ! 41](#) [Tutorial](#)

Quality: 4,131 global accepts · Rating: 2100 · first AC: 2024-04-22 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, games, graphs, greedy, implementation, sortings

[Imdie's solution](#)

726.

336D

[Vasily the Bear and Beautiful Strings](#) · [Tutorial](#)

Quality: 1,213 global accepts · Rating: 2100 · first AC: 2024-04-20 · last AC: 2024-04-20 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math, number theory

[Imdie's solution](#)

727.

1942D

[Learning to Paint](#) · [Tutorial](#)

Quality: 3,347 global accepts · Rating: 2100 · first AC: 2024-03-30 · last AC: 2024-04-15 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, dfs and similar, dp, greedy, implementation, sortings

[Imdie's solution](#)

728.

1919D

[01 Tree](#) · [Tutorial](#)

Quality: 4,570 global accepts · Rating: 2100 · first AC: 2024-01-06 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, data structures, dsu, greedy, sortings, trees

[Imdie's solution](#)

729.

1913D

[Array Collapse](#) · [Tutorial](#)

Quality: 4,146 global accepts · Rating: 2100 · first AC: 2023-12-20 · last AC: 2023-12-20 · C++14 (GCC 6-32) (first AC) · Tags: data structures, divide and conquer, dp, trees

[Imdie's solution](#)

730.

1906F

[Maximize The Value](#) · [Tutorial](#)

Quality: 1,687 global accepts · Rating: 2100 · first AC: 2023-12-03 · C++14 (GCC 6-32) (first AC) · Tags: data structures, sortings

[Imdie's solution](#)

731.

1863E

[Speedrun](#) · [Tutorial](#)

Quality: 3,193 global accepts · Rating: 2100 · first AC: 2023-08-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dfs and similar, dp, graphs,

greedy, math, sortings, two pointers

[Imdie's solution](#)

732.

1864E

[Guess Game](#) · [Tutorial](#)

Quality: 3,054 global accepts · Rating: 2100 · first AC: 2023-08-26 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, data structures, games, math, probabilities, sortings, strings, trees

[Imdie's solution](#)

733.

1832D1

[Red-Blue Operations \(Easy Version\)](#) · [Tutorial](#)

Quality: 3,382 global accepts · Rating: 2100 · first AC: 2023-05-16 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, implementation, math

[Imdie's solution](#)

734.

797D

[Broken BST](#) · [Tutorial](#)

Quality: 2,185 global accepts · Rating: 2100 · first AC: 2023-04-27 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dfs and similar

[Imdie's solution](#)

735.

702E

[Analysis of Pathes in Functional Graph](#) · [Tutorial](#)

Quality: 3,109 global accepts · Rating: 2100 · first AC: 2023-04-16 · C++14 (GCC 6-32) (first AC) · Tags: data structures, graphs

[Imdie's solution](#)

736.

1811F

[Is It Flower?](#) · [Tutorial](#)

Quality: 2,168 global accepts · Rating: 2100 · first AC: 2023-04-08 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, implementation

[Imdie's solution](#)

737.

1811G1

[Vlad and the Nice Paths \(easy version\)](#) · [Tutorial](#)

Quality: 2,490 global accepts · Rating: 2100 · first AC: 2023-04-06 · last AC: 2023-04-06 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math

[Imdie's solution](#)

738.

1801D

[The way home](#) · [Tutorial](#)

Quality: 2,863 global accepts · Rating: 2100 · first AC: 2023-03-16 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dp, graphs, greedy, shortest paths, sortings

[Imdie's solution](#)

739.

498C

[Array and Operations](#) · [Tutorial](#)

Quality: 4,190 global accepts · Rating: 2100 · first AC: 2023-03-11 · C++14 (GCC 6-32) (first AC) · Tags: flows, graph matchings, number theory

[Imdie's solution](#)

740.

609E

[Minimum spanning tree for each edge](#) · [Tutorial](#)

Quality: 10,273 global accepts · Rating: 2100 · first AC: 2023-02-24 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dfs and similar, dsu, graphs, trees

[Imdie's solution](#)

741.

1775E

[The Human Equation](#) · [Tutorial](#)

Quality: 3,859 global accepts · Rating: 2100 · first AC: 2023-01-11 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Imdie's solution](#)

742.

1732C2

[Sheikh \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,067 global accepts · Rating: 2100 · first AC: 2022-10-23 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, brute force, greedy, implementation, two pointers

[Imdie's solution](#)

743.

620E

[New Year Tree](#) · [Tutorial](#)

Quality: 7,090 global accepts · Rating: 2100 · first AC: 2022-10-01 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, data structures, trees

[Imdie's solution](#)

744.

632D

[Longest Subsequence](#) · [Tutorial](#)

Quality: 4,588 global accepts · Rating: 2100 · first AC: 2022-10-01 · last AC: 2022-10-01 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math, number theory

[Imdie's solution](#)

745.

1711D

[Rain](#) · [Tutorial](#)

Rating: 2100 · first AC: 2022-08-09 · last AC: 2022-08-28 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, data structures, sortings

[Imdie's solution](#)

746.

455C

[Civilization](#) · [Tutorial](#)

Quality: 6,467 global accepts · Rating: 2100 · first AC: 2022-05-03 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, dsu, ternary search, trees

[Imdie's solution](#)

747.

1203F1

[Complete the Projects \(easy version\)](#) · [Tutorial](#)

Quality: 4,051 global accepts · Rating: 2100 · first AC: 2022-02-17 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Imdie's solution](#)

748.

39C

[Moon Craters](#) · [Tutorial](#)

Quality: 697 global accepts · Rating: 2100 · first AC: 2022-01-23 · C++14 (GCC 6-32) (first AC) · Tags: dp, sortings

[Imdie's solution](#)

749.

1465D

[Grime Zoo](#) · [Tutorial](#)

Rating: 2100 · first AC: 2021-02-25 · GNU C++11 (first AC) · Tags: dp, greedy, implementation, math, ternary search

[Imdie's solution](#)

750.

2178F

[Conquer or of Forest](#) · [Tutorial](#)

Quality: 1,824 global accepts · Rating: 2200 · first AC: 2025-12-27 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, math, trees

[Imdie's solution](#)

751.

2101C

[23 Kingdom](#) · [Tutorial](#)

Quality: 2,266 global accepts · Rating: 2200 · first AC: 2025-05-11 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, data structures, greedy, ternary search, two pointers

[Imdie's solution](#)

752.

1552F

[Telepanting](#) · [Tutorial](#)

Quality: 3,334 global accepts · Rating: 2200 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, dp, sortings

[Imdie's solution](#)

753.

2039E

[Shohag Loves Inversions](#) · [Tutorial](#)

Quality: 2,372 global accepts · Rating: 2200 · first AC: 2024-11-23 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, implementation, math

[Imdie's solution](#)

754.

1252E

[Songwriter](#) · [Tutorial](#)

Quality: 1,359 global accepts · Rating: 2200 · first AC: 2024-10-18 · C++20 (GCC 13-64) (first AC) · Tags: greedy, two pointers

[Imdie's solution](#)

755.

2018D

[Max Plus Min Plus Size](#) · [Tutorial](#)

Quality: 2,192 global accepts · Rating: 2200 · first AC: 2024-09-27 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dp, dsu, greedy, implementation, matrices, sortings

[Imdie's solution](#)

756.

1526D

[Kill Anton](#) · [Tutorial](#)

Quality: 2,799 global accepts · Rating: 2200 · first AC: 2024-09-19 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, data structures, math, strings

[Imdie's solution](#)

757.

1154G

[Minimum Possible LCM](#) · [Tutorial](#)

Quality: 3,258 global accepts · Rating: 2200 · first AC: 2024-09-05 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory

[Imdie's solution](#)

758.

1996G

[Penacony](#) · [Tutorial](#)

Quality: 2,278 global accepts · Rating: 2200 · first AC: 2024-08-29 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, graphs, greedy, hashing

[Imdie's solution](#)

759.

1991F

[Triangle Formation](#) · [Tutorial](#)

Quality: 2,778 global accepts · Rating: 2200 · first AC: 2024-07-28 · last AC: 2024-08-08 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, implementation, math, sortings

[Imdie's solution](#)

760.

1967B2

[Reverse Card \(Hard Version\)](#) · [Tutorial](#)

Quality: 4,859 global accepts · Rating: 2200 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory

[Imdie's solution](#)

761.

1615D

[X\(or\)-mas Tree](#) · [Tutorial](#)

Quality: 2,134 global accepts · Rating: 2200 · first AC: 2024-04-02 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dfs and similar, dsu, graphs, trees

[Imdie's solution](#)

762.

178F2

[Representative Sampling](#) · [Tutorial](#)

Quality: 384 global accepts · Rating: 2200 · first AC: 2024-02-28 · last AC: 2024-02-28 · C++17 (GCC 9-64) (first AC) · Tags: dp, sortings, strings

[Imdie's solution](#)

763.

1918E

[ace5 and Task Order](#) · [Tutorial](#)

Quality: 2,064 global accepts · Rating: 2200 · first AC: 2024-02-02 · last AC: 2024-02-02 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, divide and conquer, implementation, interactive, probabilities, sortings

[Imdie's solution](#)

764.

1909F1

[Small Permutation Problem \(Easy Version\)](#) · [Tutorial](#)

Quality: 2,257 global accepts · Rating: 2200 · first AC: 2023-12-23 · last AC: 2023-12-27 · C++17 (GCC 9-64) (first AC) · Tags: brute force, combinatorics, dp, math

[Imdie's solution](#)

765.

1854B

[Earn or Unlock](#) · [Tutorial](#)

Quality: 4,228 global accepts · Rating: 2200 · first AC: 2023-07-29 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, dp

[Imdie's solution](#)

766.

1832E

[Combinatorics Problem](#) · [Tutorial](#)

Quality: 2,537 global accepts · Rating: 2200 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics, dp

[Imdie's solution](#)

767.

1815C

[Between](#) · [Tutorial](#)

Quality: 2,355 global accepts · Rating: 2200 · first AC: 2023-04-09 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy

[Imdie's solution](#)

768.

1811G2

[Vlad and the Nice Paths \(hard version\)](#) · [Tutorial](#)

Quality: 2,124 global accepts · Rating: 2200 · first AC: 2023-04-06 · C++14 (GCC 6-32) (first AC) · Tags: binary search, combinatorics, data structures, dp, math, two pointers

[Imdie's solution](#)

769.

617E

[XOR and Favorite Number](#) · [Tutorial](#)

Quality: 10,615 global accepts · Rating: 2200 · first AC: 2023-03-24 · last AC: 2023-03-24 · C++14 (GCC 6-32) (first AC) · Tags: data structures

[Imdie's solution](#)

770.

1806E

[Tree Master](#) · [Tutorial](#)

Quality: 3,450 global accepts · Rating: 2200 · first AC: 2023-03-19 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, dfs and similar, trees

[Imdie's solution](#)

771.

570D

[Tree Requests](#) · [Tutorial](#)

Quality: 9,044 global accepts · Rating: 2200 · first AC: 2023-03-10 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, constructive algorithms, dfs and similar, graphs, trees

[Imdie's solution](#)

772.

550E

[Brackets in Implications](#) · [Tutorial](#)

Quality: 1,499 global accepts · Rating: 2200 · first AC: 2023-03-03 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

773.

448E

[Divisors](#) · [Tutorial](#)

Quality: 1,635 global accepts · Rating: 2200 · first AC: 2023-02-10 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dfs and similar, implementation, number theory

[Imdie's solution](#)

774.

1765H

[Hospital Queue](#) · [Tutorial](#)

Quality: 1,533 global accepts · Rating: 2200 · first AC: 2022-11-27 · C++20 (GCC 11-64) (first AC) · Tags: binary search, graphs, greedy, implementation

[Imdie's solution](#)

775.

1717E

[Madoka and The Best University](#) · [Tutorial](#)

Quality: 3,403 global accepts · Rating: 2200 · first AC: 2022-09-02 · C++20 (GCC 11-64) (first AC) · Tags: math, number theory

[Imdie's solution](#)

776.

1704E

[Count Seconds](#) · [Tutorial](#)

Quality: 2,679 global accepts · Rating: 2200 · first AC: 2022-08-11 · last AC: 2022-08-11 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, dp, graphs, implementation, math

[Imdie's solution](#)

777.

1249F

[Maximum Weight Subset](#) · [Tutorial](#)

Quality: 2,746 global accepts · Rating: 2200 · first AC: 2022-07-06 · last AC: 2022-07-06 · C++14 (GCC 6-32) (first AC) · Tags: dp, trees

[Imdie's solution](#)

778.

1631E

[Paint the Middle](#) · [Tutorial](#)

Rating: 2200 · first AC: 2022-01-29 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings, two pointers

[Imdie's solution](#)

779.

76A

[Gift](#) · [Tutorial](#)

Quality: 2,263 global accepts · Rating: 2200 · first AC: 2022-01-25 · C++14 (GCC 6-32) (first AC) · Tags: dsu, graphs, sortings, trees

[Imdie's solution](#)

780.

1627E

[Not Escaping](#) · [Tutorial](#)

Quality: 2,792 global accepts · Rating: 2200 · first AC: 2022-01-20 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, implementation, shortest paths, two pointers

[Imdie's solution](#)

781.

839D

[Winter is here](#) · [Tutorial](#)

Quality: 3,552 global accepts · Rating: 2200 · first AC: 2021-04-08 · GNU C++11 (first AC) · Tags: combinatorics, dp, math, number theory

[Imdie's solution](#)

782.

1498D

[Bananas in a Microwave](#) · [Tutorial](#)

Quality: 2,501 global accepts · Rating: 2200 · first AC: 2021-03-30 · GNU C++11 (first AC) · Tags: dfs and similar, dp, graphs, implementation

[Imdie's solution](#)

783.

514E

[Darth Vader and Tree](#) · [Tutorial](#)

Quality: 1,730 global accepts · Rating: 2200 · first AC: 2021-02-17 · GNU C++11 (first AC) · Tags: dp, matrices

[Imdie's solution](#)

784.

1485D

[Multiples and Power Differences](#) · [Tutorial](#)

Quality: 5,641 global accepts · Rating: 2200 · first AC: 2021-02-13 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, math, number theory

[Imdie's solution](#)

785.

1461E

[Water Level](#) · [Tutorial](#)

Quality: 2,215 global accepts · Rating: 2200 · first AC: 2021-02-03 · GNU C++11 (first AC) · Tags: brute force, graphs, greedy, implementation, math

[Imdie's solution](#)

786.

1468H

[K and Medians](#) · [Tutorial](#)

Quality: 1,996 global accepts · Rating: 2200 · first AC: 2021-01-31 · GNU C++11 (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

787.

1468A

[LaIS](#) · [Tutorial](#)

Quality: 1,946 global accepts · Rating: 2200 · first AC: 2021-01-31 · GNU C++11 (first AC) · Tags: data structures, dp, greedy

[Imdie's solution](#)

788.

1424M

[Ancient Language](#) · [Tutorial](#)

Quality: 616 global accepts · Rating: 2200 · first AC: 2020-10-05 · GNU C++11 (first AC) · Tags: graphs, sortings

[Imdie's solution](#)

789.

2147E

[Maximum OR Popcount](#) · [Tutorial](#)

Quality: 2,119 global accepts · Rating: 2300 · first AC: 2025-09-20 · C++20 (GCC 13-64) (first AC) · Tags: binary search, bitmasks, brute force, data structures, greedy

[Imdie's solution](#)

790.

2129C3

[Interactive RBS \(Hard Version\)](#) · [Tutorial](#)

Quality: 1,664 global accepts · Rating: 2300 · first AC: 2025-07-31 · C++20 (GCC 13-64) (first AC) · Tags: binary search, bitmasks, constructive algorithms, dp, interactive

[Imdie's solution](#)

791.

2124F1

[Appending Permutations \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,572 global accepts · Rating: 2300 · first AC: 2025-07-06 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp

[Imdie's solution](#)

792.

2097B

[Baggage Claim](#) · [Tutorial](#)

Quality: 1,932 global accepts · Rating: 2300 · first AC: 2025-04-26 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dfs and similar, dp, dsu, graphs, implementation, math, trees

[Imdie's solution](#)

793.

1552E

[Colors and Intervals](#) · [Tutorial](#)

Quality: 2,125 global accepts · Rating: 2300 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, data structures, greedy, sortings

[Imdie's solution](#)

794.

2077C

[Binary Subsequence Value Sum](#) · [Tutorial](#)

Quality: 2,379 global accepts · Rating: 2300 · first AC: 2025-03-10 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, data structures, dp, fft, math, matrices

[Imdie's solution](#)

795.

2066C

[Bitwise Slides](#) · [Tutorial](#)

Quality: 2,523 global accepts · Rating: 2300 · first AC: 2025-02-11 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, combinatorics, dp, math

[Imdie's solution](#)

796.

2057E1

[Another Exercise on Graphs \(Easy Version\)](#) · [Tutorial](#)

Quality: 2,637 global accepts · Rating: 2300 · first AC: 2025-01-04 · C++20 (GCC 13-64) (first AC) · Tags: binary search, brute force, dp, dsu, graphs, shortest paths, sortings

[Imdie's solution](#)

797.

1695D2

[Tree Queries \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,291 global accepts · Rating: 2300 · first AC: 2024-10-17 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dfs and similar, dp, greedy, trees

[Imdie's solution](#)

798.

1874C

[Jellyfish and EVA](#) · [Tutorial](#)

Quality: 2,195 global accepts · Rating: 2300 · first AC: 2024-09-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, graphs, greedy, math, probabilities

[Imdie's solution](#)

799.

1062E

[Company](#) · [Tutorial](#)

Quality: 2,073 global accepts · Rating: 2300 · first AC: 2024-09-04 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dfs and similar, greedy, trees

[Imdie's solution](#)

800.

718C

[Sasha and Array](#) · [Tutorial](#)

Quality: 4,620 global accepts · Rating: 2300 · first AC: 2024-08-29 · C++17 (GCC 7-32) (first AC) · Tags: data structures, math, matrices

[Imdie's solution](#)

801.

2002E

[Cosmic Rays](#) · [Tutorial](#)

Quality: 2,920 global accepts · Rating: 2300 · first AC: 2024-08-11 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, dp

[Imdie's solution](#)

802.

2002D2

[DFS Checker \(Hard Version\) · Tutorial](#)

Quality: 2,866 global accepts · Rating: 2300 · first AC: 2024-08-11 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dfs and similar, graphs, hashing, trees

[Imdie's solution](#)

803.

713C

[Sonya and Problem Without a Legend · Tutorial](#)

Quality: 6,535 global accepts · Rating: 2300 · first AC: 2024-08-09 · last AC: 2024-08-09 · C++14 (GCC 6-32) (first AC) · Tags: dp, sortings

[Imdie's solution](#)

804.

1982E

[Number of k-good subarrays · Tutorial](#)

Quality: 1,905 global accepts · Rating: 2300 · first AC: 2024-06-25 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, combinatorics, divide and conquer, dp, math, meet-in-the-middle

[Imdie's solution](#)

805.

1967C

[Fenwick Tree · Tutorial](#)

Quality: 2,238 global accepts · Rating: 2300 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, combinatorics, data structures, dp, math, trees

[Imdie's solution](#)

806.

1965C

[Folding Strip · Tutorial](#)

Quality: 2,353 global accepts · Rating: 2300 · first AC: 2024-04-27 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, greedy, strings

[Imdie's solution](#)

807.

1197E

[Culture Code · Tutorial](#)

Quality: 1,852 global accepts · Rating: 2300 · first AC: 2024-04-26 · C++20 (GCC 13-64) (first AC) · Tags: binary search, combinatorics, data structures, dp, shortest paths, sortings

[Imdie's solution](#)

808.

1204E

[Natasha, Sasha and the Prefix Sums · Tutorial](#)

Quality: 2,071 global accepts · Rating: 2300 · first AC: 2024-04-25 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, math, number theory

[Imdie's solution](#)

809.

1198D

[Rectangle Painting 1 · Tutorial](#)

Quality: 3,744 global accepts · Rating: 2300 · first AC: 2024-04-18 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

810.

1172C1

[Nauuo and Pictures \(easy version\) · Tutorial](#)

Quality: 1,225 global accepts · Rating: 2300 · first AC: 2024-04-17 · C++14 (GCC 6-32) (first AC) · Tags: dp, probabilities

[Imdie's solution](#)

811.

1942E

[Farm Game · Tutorial](#)

Quality: 1,957 global accepts · Rating: 2300 · first AC: 2024-03-30 · last AC: 2024-04-15 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, games

[Imdie's solution](#)

812.

938E

[Max History](#) · [Tutorial](#)

Quality: 1,557 global accepts · Rating: 2300 · first AC: 2024-03-22 · last AC: 2024-03-22 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math

[Imdie's solution](#)

813.

1943C

[Tree Compass](#) · [Tutorial](#)

Quality: 2,601 global accepts · Rating: 2300 · first AC: 2024-03-16 · last AC: 2024-03-20 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees

[Imdie's solution](#)

814.

1864F

[Exotic Queries](#) · [Tutorial](#)

Quality: 1,639 global accepts · Rating: 2300 · first AC: 2024-03-07 · C++20 (GCC 13-64) (first AC) · Tags: data structures, implementation, sortings

[Imdie's solution](#)

815.

1780F

[Three Chairs](#) · [Tutorial](#)

Quality: 1,906 global accepts · Rating: 2300 · first AC: 2024-03-05 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, brute force, combinatorics, data structures, dp, number theory, sortings

[Imdie's solution](#)

816.

1919F1

[Wine Factory \(Easy Version\)](#) · [Tutorial](#)

Quality: 2,581 global accepts · Rating: 2300 · first AC: 2024-01-07 · C++17 (GCC 9-64) (first AC) · Tags: data structures, greedy

[Imdie's solution](#)

817.

1916E

[Happy Life in University](#) · [Tutorial](#)

Quality: 2,638 global accepts · Rating: 2300 · first AC: 2023-12-30 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dfs and similar, greedy, trees

[Imdie's solution](#)

818.

1917D

[Yet Another Inversions Problem](#) · [Tutorial](#)

Quality: 2,071 global accepts · Rating: 2300 · first AC: 2023-12-27 · last AC: 2023-12-27 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, dp, implementation, math, number theory

[Imdie's solution](#)

819.

808G

[Anthem of Berland](#) · [Tutorial](#)

Quality: 3,769 global accepts · Rating: 2300 · first AC: 2023-10-31 · C++14 (GCC 6-32) (first AC) · Tags: dp, strings

[Imdie's solution](#)

820.

888G

[Xor-MST](#) · [Tutorial](#)

Quality: 5,862 global accepts · Rating: 2300 · first AC: 2023-07-11 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, data structures

[Imdie's solution](#)

821.

1834E

[MEX of LCM](#) · [Tutorial](#)

Quality: 2,773 global accepts · Rating: 2300 · first AC: 2023-06-18 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, implementation, math, number theory

[Imdie's solution](#)

822.

629E

[Famil Door and Roads](#) · [Tutorial](#)

Quality: 1,151 global accepts · Rating: 2300 · first AC: 2023-05-12 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, dfs and similar, dp, probabilities, trees

[Imdie's solution](#)

823.

1824B2

[LuoTianyi and the Floating Islands \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,362 global accepts · Rating: 2300 · first AC: 2023-05-09 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dfs and similar, math, probabilities, trees

[Imdie's solution](#)

824.

49E

[Common ancestor](#) · [Tutorial](#)

Quality: 798 global accepts · Rating: 2300 · first AC: 2022-01-22 · last AC: 2023-04-29 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

825.

1814E

[Chain Chips](#) · [Tutorial](#)

Quality: 1,718 global accepts · Rating: 2300 · first AC: 2023-04-28 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, matrices

[Imdie's solution](#)

826.

1797E

[Li Hua and Array](#) · [Tutorial](#)

Quality: 1,639 global accepts · Rating: 2300 · first AC: 2023-04-09 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, dsu, math, number theory, two pointers

[Imdie's solution](#)

827.

584E

[Anton and Ira](#) · [Tutorial](#)

Quality: 1,492 global accepts · Rating: 2300 · first AC: 2023-03-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Imdie's solution](#)

828.

570E

[Pig and Palindromes](#) · [Tutorial](#)

Quality: 2,106 global accepts · Rating: 2300 · first AC: 2023-03-10 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp

[Imdie's solution](#)

829.

598C

[Nearest vectors](#) · [Tutorial](#)

Quality: 5,405 global accepts · Rating: 2300 · first AC: 2023-02-21 · C++14 (GCC 6-32) (first AC) · Tags: geometry, sortings

[Imdie's solution](#)

830.

1705E

[Mark and Professor Koro](#) · [Tutorial](#)

Quality: 2,455 global accepts · Rating: 2300 · first AC: 2022-07-18 · C++14 (GCC 6-32) (first AC) · Tags: binary search, bitmasks, brute force, combinatorics, data structures, greedy

[Imdie's solution](#)

831.

1699D

[Almost Triple Deletions](#) · [Tutorial](#)

Quality: 3,516 global accepts · Rating: 2300 · first AC: 2022-07-05 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, greedy

[Imdie's solution](#)

832.

543D

[Road Improvement](#) · [Tutorial](#)

Quality: 3,255 global accepts · Rating: 2300 · first AC: 2021-02-14 · GNU C++11 (first AC) · Tags: dp, trees

[Imdie's solution](#)

833.

1468M

[Similar Sets](#) · [Tutorial](#)

Quality: 1,131 global accepts · Rating: 2300 · first AC: 2021-02-01 · last AC: 2021-02-02 · GNU C++11 (first AC) · Tags: data structures, graphs, implementation

[Imdie's solution](#)

834.

1608D

[Dominoes](#) · [Tutorial](#)

Quality: 1,558 global accepts · Rating: 2400 · first AC: 2026-05-03 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, fft, graphs, math, number theory

[Imdie's solution](#)

835.

1163E

[Magical Permutation](#) · [Tutorial](#)

Quality: 1,011 global accepts · Rating: 2400 · first AC: 2026-01-21 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, brute force, constructive algorithms, data structures, graphs, math

[Imdie's solution](#)

836.

2097C

[Bermuda Triangle](#) · [Tutorial](#)

Quality: 1,024 global accepts · Rating: 2400 · first AC: 2025-04-26 · C++20 (GCC 13-64) (first AC) · Tags: chinese remainder theorem, geometry, implementation, math, number theory

[Imdie's solution](#)

837.

2096E

[Wonderful Teddy Bears](#) · [Tutorial](#)

Quality: 2,047 global accepts · Rating: 2400 · first AC: 2025-04-19 · C++20 (GCC 13-64) (first AC) · Tags: greedy, implementation, sortings

[Imdie's solution](#)

838.

2084E

[Blossom](#) · [Tutorial](#)

Quality: 1,793 global accepts · Rating: 2400 · first AC: 2025-04-05 · C++20 (GCC 13-64) (first AC) · Tags: binary search, combinatorics, dp, implementation, math, two pointers

[Imdie's solution](#)

839.

2066D1

[Club of Young Aircraft Builders \(easy version\)](#) · [Tutorial](#)

Quality: 1,442 global accepts · Rating: 2400 · first AC: 2025-02-11 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, math

[Imdie's solution](#)

840.

755E

[PolandBall and White-Red graph](#) · [Tutorial](#)

Quality: 917 global accepts · Rating: 2400 · first AC: 2025-01-09 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, graphs, shortest paths

[Imdie's solution](#)

841.

1374F

[Cyclic Shifts Sorting](#) · [Tutorial](#)

Quality: 1,398 global accepts · Rating: 2400 · first AC: 2025-01-06 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, implementation, sortings

[Imdie's solution](#)

842.

2052B

[BitBitJump](#) · [Tutorial](#)

Quality: 449 global accepts · Rating: 2400 · first AC: 2024-12-25 · C++20 (GCC 13-64) (first AC) · Tags: —

[Imdie's solution](#)

843.

1202E

[You Are Given Some Strings...](#) · [Tutorial](#)

Quality: 2,766 global accepts · Rating: 2400 · first AC: 2024-12-23 · C++17 (GCC 7-32) (first AC) · Tags: brute force, string suffix structures, strings

[Imdie's solution](#)

844.

1886E

[I Wanna be the Team Leader](#) · [Tutorial](#)

Quality: 1,853 global accepts · Rating: 2400 · first AC: 2024-12-23 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy, math, sortings, two pointers

[Imdie's solution](#)

845.

2038D

[Divide OR Conquer](#) · [Tutorial](#)

Quality: 856 global accepts · Rating: 2400 · first AC: 2024-11-18 · C++20 (GCC 13-64) (first AC) · Tags: binary search, bitmasks, data structures, dp, implementation

[Imdie's solution](#)

846.

2023C

[C+K+S](#) · [Tutorial](#)

Quality: 1,376 global accepts · Rating: 2400 · first AC: 2024-10-21 · last AC: 2024-10-21 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, hashing, implementation, strings

[Imdie's solution](#)

847.

1358E

[Are You Fired?](#) · [Tutorial](#)

Quality: 2,451 global accepts · Rating: 2400 · first AC: 2024-10-16 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, data structures, greedy, implementation

[Imdie's solution](#)

848.

1370F1

[The Hidden Pair \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,784 global accepts · Rating: 2400 · first AC: 2024-09-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, dfs and similar, graphs, interactive, shortest paths, trees

[Imdie's solution](#)

849.

1114F

[Please, another Queries on Array?](#) · [Tutorial](#)

Quality: 2,438 global accepts · Rating: 2400 · first AC: 2024-09-02 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, data structures, divide and conquer, math, number theory

[Imdie's solution](#)

850.

97A

[Domino](#) · [Tutorial](#)

Quality: 335 global accepts · Rating: 2400 · first AC: 2024-07-03 · last AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation

[Imdie's solution](#)

851.

1984E

[Shuffle](#) · [Tutorial](#)

Quality: 1,814 global accepts · Rating: 2400 · first AC: 2024-06-09 · last AC: 2024-06-12 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy,

trees

[Imdie's solution](#)

852.

1981D

[Turtle and Multiplication](#) · [Tutorial](#)

Quality: 2,128 global accepts · Rating: 2400 · first AC: 2024-05-31 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, number theory

[Imdie's solution](#)

853.

883J

[Renovation](#) · [Tutorial](#)

Quality: 624 global accepts · Rating: 2400 · first AC: 2024-04-22 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, sortings

[Imdie's solution](#)

854.

1423J

[Bubble Cup hypothesis](#) · [Tutorial](#)

Quality: 888 global accepts · Rating: 2400 · first AC: 2024-04-19 · last AC: 2024-04-19 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, dp, math

[Imdie's solution](#)

855.

865D

[Buy Low Sell High](#) · [Tutorial](#)

Quality: 8,020 global accepts · Rating: 2400 · first AC: 2024-04-19 · last AC: 2024-04-19 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, greedy

[Imdie's solution](#)

856.

1765L

[Project Manager](#) · [Tutorial](#)

Quality: 666 global accepts · Rating: 2400 · first AC: 2024-04-07 · last AC: 2024-04-09 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, implementation

[Imdie's solution](#)

857.

1879E

[Interactive Game with Coloring](#) · [Tutorial](#)

Quality: 1,577 global accepts · Rating: 2400 · first AC: 2024-04-08 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, graphs, implementation, interactive, trees

[Imdie's solution](#)

858.

1340C

[Nastya and Unexpected Guest](#) · [Tutorial](#)

Quality: 2,416 global accepts · Rating: 2400 · first AC: 2024-04-02 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, graphs, shortest paths

[Imdie's solution](#)

859.

377D

[Developing Game](#) · [Tutorial](#)

Quality: 1,339 global accepts · Rating: 2400 · first AC: 2024-04-01 · C++14 (GCC 6-32) (first AC) · Tags: data structures

[Imdie's solution](#)

860.

5E

[Bindian Signalizing](#) · [Tutorial](#)

Quality: 2,487 global accepts · Rating: 2400 · first AC: 2024-03-26 · last AC: 2024-03-28 · C++20 (GCC 13-64) (first AC) · Tags: data structures

[Imdie's solution](#)

861.

1592E

[Bored Bakry](#) · [Tutorial](#)

Quality: 1,921 global accepts · Rating: 2400 · first AC: 2024-03-27 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, greedy, math, two pointers
[Imdie's solution](#)

862.

912E

[Prime Gift](#) · [Tutorial](#)

Quality: 2,045 global accepts · Rating: 2400 · first AC: 2024-03-20 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dfs and similar, math, meet-in-the-middle, number theory, two pointers

[Imdie's solution](#)

863.

1943D1

[Counting Is Fun \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,951 global accepts · Rating: 2400 · first AC: 2024-03-17 · last AC: 2024-03-20 · C++17 (GCC 7-32) (first AC) · Tags: brute force, combinatorics, dp, math

[Imdie's solution](#)

864.

449D

[Jzzhu and Numbers](#) · [Tutorial](#)

Quality: 6,140 global accepts · Rating: 2400 · first AC: 2024-03-19 · last AC: 2024-03-19 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, combinatorics, dp

[Imdie's solution](#)

865.

1738F

[Connectivity Addicts](#) · [Tutorial](#)

Quality: 1,381 global accepts · Rating: 2400 · first AC: 2024-03-19 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dsu, graphs, greedy, interactive, shortest paths, trees

[Imdie's solution](#)

866.

1032F

[Vasya and Maximum Matching](#) · [Tutorial](#)

Quality: 1,144 global accepts · Rating: 2400 · first AC: 2024-03-18 · C++14 (GCC 6-32) (first AC) · Tags: dp, trees

[Imdie's solution](#)

867.

1070B

[Berkomnadzor](#) · [Tutorial](#)

Quality: 678 global accepts · Rating: 2400 · first AC: 2024-03-18 · last AC: 2024-03-18 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy

[Imdie's solution](#)

868.

707E

[Garlands](#) · [Tutorial](#)

Quality: 1,342 global accepts · Rating: 2400 · first AC: 2024-03-18 · C++14 (GCC 6-32) (first AC) · Tags: data structures

[Imdie's solution](#)

869.

1638E

[Colorful Operations](#) · [Tutorial](#)

Quality: 2,364 global accepts · Rating: 2400 · first AC: 2024-03-18 · last AC: 2024-03-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, implementation

[Imdie's solution](#)

870.

1091E

[New Year and the Acquaintance Estimation](#) · [Tutorial](#)

Quality: 1,086 global accepts · Rating: 2400 · first AC: 2024-03-14 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, graphs, greedy, implementation, math, sortings

[Imdie's solution](#)

871.

375D

[Tree and Queries](#) · [Tutorial](#)

Quality: 8,918 global accepts · Rating: 2400 · first AC: 2024-03-05 · C++17 (GCC 9-64) (first AC) · Tags: data structures, dfs and similar, trees

[Imdie's solution](#)

872.

1753D

[The Beach](#) · [Tutorial](#)

Quality: 2,073 global accepts · Rating: 2400 · first AC: 2024-01-31 · last AC: 2024-01-31 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, shortest paths

[Imdie's solution](#)

873.

1909E

[Multiple Lamps](#) · [Tutorial](#)

Quality: 1,680 global accepts · Rating: 2400 · first AC: 2023-12-23 · last AC: 2023-12-25 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, brute force, constructive algorithms, math, number theory

[Imdie's solution](#)

874.

1913E

[Matrix Problem](#) · [Tutorial](#)

Quality: 1,335 global accepts · Rating: 2400 · first AC: 2023-12-20 · last AC: 2023-12-20 · C++14 (GCC 6-32) (first AC) · Tags: flows, graphs

[Imdie's solution](#)

875.

1874B

[Jellyfish and Math](#) · [Tutorial](#)

Quality: 1,392 global accepts · Rating: 2400 · first AC: 2023-09-30 · last AC: 2023-10-02 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp, graphs, shortest paths

[Imdie's solution](#)

876.

1844E

[Great Grids](#) · [Tutorial](#)

Quality: 2,155 global accepts · Rating: 2400 · first AC: 2023-07-12 · C++14 (GCC 6-32) (first AC) · Tags: 2-sat, constructive algorithms, dfs and similar, dsu, graphs

[Imdie's solution](#)

877.

1832D2

[Red-Blue Operations \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,345 global accepts · Rating: 2400 · first AC: 2023-05-16 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, greedy, implementation, math

[Imdie's solution](#)

878.

1827B2

[Range Sorting \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,316 global accepts · Rating: 2400 · first AC: 2023-05-14 · last AC: 2023-05-14 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, dp, greedy

[Imdie's solution](#)

879.

1817C

[Similar Polynomials](#) · [Tutorial](#)

Quality: 1,227 global accepts · Rating: 2400 · first AC: 2023-05-04 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, math

[Imdie's solution](#)

880.

625D

[Finals in arithmetic](#) · [Tutorial](#)

Quality: 679 global accepts · Rating: 2400 · first AC: 2023-04-21 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation, math

[Imdie's solution](#)

881.

1819C

[The Fox and the Complete Tree Traversal](#) · [Tutorial](#)

Quality: 1,736 global accepts · Rating: 2400 · first AC: 2023-04-18 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, implementation, math, trees

[Imdie's solution](#)

882.

808F

[Card Game](#) · [Tutorial](#)

Quality: 1,587 global accepts · Rating: 2400 · first AC: 2023-04-08 · C++14 (GCC 6-32) (first AC) · Tags: binary search, flows, graphs

[Imdie's solution](#)

883.

621D

[Rat Kwesh and Cheese](#) · [Tutorial](#)

Quality: 1,088 global accepts · Rating: 2400 · first AC: 2023-04-07 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, math

[Imdie's solution](#)

884.

1795F

[Blocking Chips](#) · [Tutorial](#)

Quality: 1,375 global accepts · Rating: 2400 · first AC: 2023-02-18 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, dfs and similar, greedy, trees

[Imdie's solution](#)

885.

1765A

[Access Levels](#) · [Tutorial](#)

Quality: 849 global accepts · Rating: 2400 · first AC: 2022-11-27 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dsu, flows, graph matchings

[Imdie's solution](#)

886.

1732D2

[Balance \(Hard version\)](#) · [Tutorial](#)

Quality: 1,591 global accepts · Rating: 2400 · first AC: 2022-10-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, number theory

[Imdie's solution](#)

887.

1749E

[Cactus Wall](#) · [Tutorial](#)

Quality: 2,074 global accepts · Rating: 2400 · first AC: 2022-10-21 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, shortest paths

[Imdie's solution](#)

888.

632F

[Magic Matrix](#) · [Tutorial](#)

Quality: 1,284 global accepts · Rating: 2400 · first AC: 2022-10-01 · C++14 (GCC 6-32) (first AC) · Tags: brute force, divide and conquer, graphs, matrices, trees

[Imdie's solution](#)

889.

632E

[Thief in a Shop](#) · [Tutorial](#)

Quality: 3,551 global accepts · Rating: 2400 · first AC: 2022-10-01 · last AC: 2022-10-01 · C++14 (GCC 6-32) (first AC) · Tags: divide and conquer, dp, fft, math

[Imdie's solution](#)

890.

1713E

[Cross Swapping](#) · [Tutorial](#)

Quality: 1,976 global accepts · Rating: 2400 · first AC: 2022-08-07 · C++14 (GCC 6-32) (first AC) · Tags: 2-sat, data structures, dsu, greedy, matrices

[Imdie's solution](#)

891.

1709E

[XOR Tree](#) · [Tutorial](#)

Quality: 3,957 global accepts · Rating: 2400 · first AC: 2022-07-23 · last AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, data structures, dfs and similar, dsu, greedy, trees

[Imdie's solution](#)

892.

1634E

[Fair Share](#) · [Tutorial](#)

Quality: 2,182 global accepts · Rating: 2400 · first AC: 2022-02-07 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, graph matchings, graphs

[Imdie's solution](#)

893.

1463E

[Plan of Lectures](#) · [Tutorial](#)

Quality: 1,733 global accepts · Rating: 2400 · first AC: 2021-01-26 · last AC: 2022-01-28 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, dsu, graphs, implementation, sortings, trees

[Imdie's solution](#)

894.

58E

[Expression](#) · [Tutorial](#)

Quality: 463 global accepts · Rating: 2400 · first AC: 2022-01-25 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

895.

38H

[The Great Marathon](#) · [Tutorial](#)

Quality: 445 global accepts · Rating: 2400 · first AC: 2022-01-25 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

896.

2183F

[Jumping Man](#) · [Tutorial](#)

Quality: 1,130 global accepts · Rating: 2500 · first AC: 2026-01-07 · C++20 (GCC 13-64) (first AC) · Tags: brute force, combinatorics, dfs and similar, dp, trees

[Imdie's solution](#)

897.

2101D

[Mani and Segments](#) · [Tutorial](#)

Quality: 1,023 global accepts · Rating: 2500 · first AC: 2025-05-11 · C++20 (GCC 13-64) (first AC) · Tags: data structures, implementation, sortings, two pointers

[Imdie's solution](#)

898.

1776J

[Italian Data Centers](#) · [Tutorial](#)

Quality: 881 global accepts · Rating: 2500 · first AC: 2025-02-17 · C++20 (GCC 13-64) (first AC) · Tags: graphs, shortest paths

[Imdie's solution](#)

899.

2059E1

[Stop Gaming \(Easy Version\)](#) · [Tutorial](#)

Quality: 886 global accepts · Rating: 2500 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, greedy, hashing, strings

[Imdie's solution](#)

900.

2057E2

[Another Exercise on Graphs \(hard version\)](#) · [Tutorial](#)

Quality: 1,928 global accepts · Rating: 2500 · first AC: 2025-01-04 · C++20 (GCC 13-64) (first AC) · Tags: binary search, dfs and similar, dp, dsu, graphs, shortest paths, sortings

[Imdie's solution](#)

901.

1764F

[Doremy's Experimental Tree](#) · [Tutorial](#)

Quality: 1,195 global accepts · Rating: 2500 · first AC: 2024-12-14 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, dsu, sortings, trees

[Imdie's solution](#)

902.

1842F

[Tenzing and Tree](#) · [Tutorial](#)

Quality: 1,809 global accepts · Rating: 2500 · first AC: 2024-12-08 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, greedy, shortest paths, sortings, trees

[Imdie's solution](#)

903.

2038F

[Alternative Platforms](#) · [Tutorial](#)

Quality: 483 global accepts · Rating: 2500 · first AC: 2024-11-18 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, data structures, fft, math, sortings

[Imdie's solution](#)

904.

2038I

[Polyathlon](#) · [Tutorial](#)

Quality: 747 global accepts · Rating: 2500 · first AC: 2024-11-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, hashing, string suffix structures, strings

[Imdie's solution](#)

905.

687D

[Dividing Kingdom II](#) · [Tutorial](#)

Quality: 1,051 global accepts · Rating: 2500 · first AC: 2024-09-26 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, data structures, dsu, graphs, sortings

[Imdie's solution](#)

906.

1559D2

[Mocha and Diana \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,068 global accepts · Rating: 2500 · first AC: 2024-09-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, dsu, graphs, greedy, trees, two pointers

[Imdie's solution](#)

907.

594D

[REQ](#) · [Tutorial](#)

Quality: 2,019 global accepts · Rating: 2500 · first AC: 2024-08-29 · C++17 (GCC 7-32) (first AC) · Tags: data structures, number theory

[Imdie's solution](#)

908.

1418G

[Three Occurrences](#) · [Tutorial](#)

Quality: 2,749 global accepts · Rating: 2500 · first AC: 2024-08-08 · C++14 (GCC 6-32) (first AC) · Tags: data structures, divide and conquer, hashing, two pointers

[Imdie's solution](#)

909.

1320D

[Reachable Strings](#) · [Tutorial](#)

Quality: 1,693 global accepts · Rating: 2500 · first AC: 2024-08-08 · C++14 (GCC 6-32) (first AC) · Tags: data structures, hashing, strings

[Imdie's solution](#)

910.

442C

[Artem and Array](#) · [Tutorial](#)

Quality: 1,950 global accepts · Rating: 2500 · first AC: 2024-07-05 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy

[Imdie's solution](#)

911.

348C

[Subset Sums](#) · [Tutorial](#)

Quality: 2,742 global accepts · Rating: 2500 · first AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures

[Imdie's solution](#)

912.

1527E

[Partition Game](#) · [Tutorial](#)

Quality: 2,906 global accepts · Rating: 2500 · first AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, divide and conquer, dp

[Imdie's solution](#)

913.

911G

[Mass Change Queries](#) · [Tutorial](#)

Quality: 3,782 global accepts · Rating: 2500 · first AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: data structures

[Imdie's solution](#)

914.

1987F1

[Interesting Problem \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,368 global accepts · Rating: 2500 · first AC: 2024-06-30 · last AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

915.

39I

[Tram](#) · [Tutorial](#)

Quality: 200 global accepts · Rating: 2500 · first AC: 2024-06-19 · last AC: 2024-06-19 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

916.

1984F

[Reconstruction](#) · [Tutorial](#)

Quality: 1,141 global accepts · Rating: 2500 · first AC: 2024-06-11 · last AC: 2024-06-12 · C++20 (GCC 13-64) (first AC) · Tags: brute force, dp, math

[Imdie's solution](#)

917.

1737E

[Ela Goes Hiking](#) · [Tutorial](#)

Quality: 1,075 global accepts · Rating: 2500 · first AC: 2024-04-23 · last AC: 2024-04-23 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, math, probabilities

[Imdie's solution](#)

918.

1534F1

[Falling Sand \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,400 global accepts · Rating: 2500 · first AC: 2024-04-23 · C++20 (GCC 13-64) (first AC) · Tags: dfs and similar, graphs, greedy

[Imdie's solution](#)

919.

449C

[Jzzhu and Apples](#) · [Tutorial](#)

Quality: 2,527 global accepts · Rating: 2500 · first AC: 2024-04-20 · last AC: 2024-04-20 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, number theory

[Imdie's solution](#)

920.

1117F

[Crisp String](#) · [Tutorial](#)

Quality: 674 global accepts · Rating: 2500 · first AC: 2024-04-16 · last AC: 2024-04-16 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dp

[Imdie's solution](#)

921.

1374E2

[Reading Books \(hard version\)](#) · [Tutorial](#)

Quality: 1,075 global accepts · Rating: 2500 · first AC: 2024-04-11 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy, implementation, sortings, ternary search, two pointers

[Imdie's solution](#)

922.

1951F

[Inversion Composition](#) · [Tutorial](#)

Quality: 963 global accepts · Rating: 2500 · first AC: 2024-04-06 · last AC: 2024-04-09 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, greedy

[Imdie's solution](#)

923.

1945G

[Cook and Porridge](#) · [Tutorial](#)

Quality: 907 global accepts · Rating: 2500 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, data structures, implementation

[Imdie's solution](#)

924.

178F3

[Representative Sampling](#) · [Tutorial](#)

Quality: 484 global accepts · Rating: 2500 · first AC: 2024-02-28 · last AC: 2024-02-28 · C++17 (GCC 9-64) (first AC) · Tags: —

[Imdie's solution](#)

925.

1918F

[Caterpillar on a Tree](#) · [Tutorial](#)

Quality: 1,107 global accepts · Rating: 2500 · first AC: 2024-02-02 · C++17 (GCC 9-64) (first AC) · Tags: dfs and similar, graphs, greedy, implementation, sortings, trees

[Imdie's solution](#)

926.

1917F

[Construct Tree](#) · [Tutorial](#)

Quality: 1,197 global accepts · Rating: 2500 · first AC: 2023-12-27 · last AC: 2023-12-27 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, dp, trees

[Imdie's solution](#)

927.

1917E

[Construct Matrix](#) · [Tutorial](#)

Quality: 1,629 global accepts · Rating: 2500 · first AC: 2023-12-27 · last AC: 2023-12-27 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Imdie's solution](#)

928.

1909F2

[Small Permutation Problem \(Hard Version\)](#) · [Tutorial](#)

Quality: 1,229 global accepts · Rating: 2500 · first AC: 2023-12-27 · last AC: 2023-12-27 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math

[Imdie's solution](#)

929.

792E

[Colored Balls](#) · [Tutorial](#)

Quality: 1,264 global accepts · Rating: 2500 · first AC: 2023-04-25 · last AC: 2023-04-25 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, number theory

[Imdie's solution](#)

930.

55D

[Beautiful numbers](#) · [Tutorial](#)

Quality: 4,620 global accepts · Rating: 2500 · first AC: 2022-09-03 · C++20 (GCC 11-64) (first AC) · Tags: dp, number theory

[Imdie's solution](#)

931.

1716E

[Swap and Maximum Block](#) · [Tutorial](#)

Quality: 1,318 global accepts · Rating: 2500 · first AC: 2022-08-13 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, data structures, dfs and similar, divide and conquer, dp

[Imdie's solution](#)

932.

1498F

[Christmas Game](#) · [Tutorial](#)

Quality: 1,058 global accepts · Rating: 2500 · first AC: 2021-04-03 · GNU C++11 (first AC) · Tags: bitmasks, data structures, dfs and similar, dp, games, math, trees

[Imdie's solution](#)

933.

710D

[Two Arithmetic Progressions](#) · [Tutorial](#)

Quality: 1,845 global accepts · Rating: 2500 · first AC: 2021-02-09 · GNU C++11 (first AC) · Tags: math, number theory

[Imdie's solution](#)

934.

2164F1

[Chain Prefix Rank \(Easy Version\)](#) · [Tutorial](#)

Quality: 650 global accepts · Rating: 2600 · first AC: 2025-12-19 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dfs and similar, dp, math, trees

[Imdie's solution](#)

935.

2150E1

[Hidden Single \(Version 1\)](#) · [Tutorial](#)

Quality: 1,027 global accepts · Rating: 2600 · first AC: 2025-09-24 · C++20 (GCC 13-64) (first AC) · Tags: divide and conquer, interactive, math, probabilities, sortings

[Imdie's solution](#)

936.

2129D

[Permutation Blackhole](#) · [Tutorial](#)

Quality: 951 global accepts · Rating: 2600 · first AC: 2025-07-31 · C++20 (GCC 13-64) (first AC) · Tags: brute force, combinatorics, dp, implementation, math

[Imdie's solution](#)

937.

2109C3

[Hacking Numbers \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,203 global accepts · Rating: 2600 · first AC: 2025-06-13 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, interactive, math, number theory

[Imdie's solution](#)

938.

1685C

[Bring Balance](#) · [Tutorial](#)

Quality: 1,339 global accepts · Rating: 2600 · first AC: 2025-04-22 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, greedy

[Imdie's solution](#)

939.

763C

[Timofey and remodeling](#) · [Tutorial](#)

Quality: 781 global accepts · Rating: 2600 · first AC: 2025-04-15 · C++20 (GCC 13-64) (first AC) · Tags: brute force, implementation, math, number theory

[Imdie's solution](#)

940.

2084G1

[Wish Upon a Satellite \(Easy Version\)](#) · [Tutorial](#)

Quality: 755 global accepts · Rating: 2600 · first AC: 2025-04-05 · C++20 (GCC 13-64) (first AC) · Tags: dp, games

[Imdie's solution](#)

941.

622F

[The Sum of the k-th Powers](#) · [Tutorial](#)

Quality: 4,943 global accepts · Rating: 2600 · first AC: 2025-03-10 · C++20 (GCC 13-64) (first AC) · Tags: math

[Imdie's solution](#)

942.

612F

[Simba on the Circle](#) · [Tutorial](#)

Quality: 466 global accepts · Rating: 2600 · first AC: 2024-12-23 · C++17 (GCC 7-32) (first AC) · Tags: dp

[Imdie's solution](#)

943.

1696F

[Tree Recovery](#) · [Tutorial](#)

Quality: 1,132 global accepts · Rating: 2600 · first AC: 2024-12-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, dsu, graphs, trees

[Imdie's solution](#)

944.

321E

[Ciel and Gondolas](#) · [Tutorial](#)

Quality: 6,273 global accepts · Rating: 2600 · first AC: 2024-10-10 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, divide and conquer, dp

[Imdie's solution](#)

945.

1140F

[Extending Set of Points](#) · [Tutorial](#)

Quality: 1,557 global accepts · Rating: 2600 · first AC: 2024-09-30 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, divide and conquer, dsu

[Imdie's solution](#)

946.

1793E

[Velepin and Marketing](#) · [Tutorial](#)

Quality: 1,334 global accepts · Rating: 2600 · first AC: 2024-09-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, data structures, dp, greedy, sortings, two pointers

[Imdie's solution](#)

947.

2002F1

[Court Blue \(Easy Version\)](#) · [Tutorial](#)

Quality: 1,004 global accepts · Rating: 2600 · first AC: 2024-08-20 · last AC: 2024-08-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dfs and similar, dp, math, number theory

[Imdie's solution](#)

948.

217C

[Formurosa](#) · [Tutorial](#)

Quality: 368 global accepts · Rating: 2600 · first AC: 2024-08-13 · C++14 (GCC 6-32) (first AC) · Tags: divide and conquer, dp, expression parsing

[Imdie's solution](#)

949.

1987F2

[Interesting Problem \(Hard Version\)](#) · [Tutorial](#)

Quality: 1,318 global accepts · Rating: 2600 · first AC: 2024-06-30 · last AC: 2024-07-04 · C++14 (GCC 6-32) (first AC) · Tags: dp

[Imdie's solution](#)

950.

1982F

[Sorting Problem Again](#) · [Tutorial](#)

Quality: 1,292 global accepts · Rating: 2600 · first AC: 2024-06-25 · C++14 (GCC 6-32) (first AC) · Tags: binary search, data structures, sortings
[Imdie's solution](#)

951.

633F

[The Chocolate Spree](#) · [Tutorial](#)

Quality: 1,386 global accepts · Rating: 2600 · first AC: 2024-06-12 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, graphs, trees
[Imdie's solution](#)

952.

1523E

[Crypto Lights](#) · [Tutorial](#)

Quality: 1,939 global accepts · Rating: 2600 · first AC: 2024-06-11 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math, probabilities
[Imdie's solution](#)

953.

1981E

[Turtle and Intersected Segments](#) · [Tutorial](#)

Quality: 1,224 global accepts · Rating: 2600 · first AC: 2024-05-31 · C++20 (GCC 13-64) (first AC) · Tags: data structures, dsu, graphs, greedy
[Imdie's solution](#)

954.

1208F

[Bits And Pieces](#) · [Tutorial](#)

Quality: 3,300 global accepts · Rating: 2600 · first AC: 2024-05-29 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, dfs and similar, dp, greedy
[Imdie's solution](#)

955.

1975F

[Set](#) · [Tutorial](#)

Quality: 1,038 global accepts · Rating: 2600 · first AC: 2024-05-27 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, combinatorics, dfs and similar, divide and conquer, dp, math
[Imdie's solution](#)

956.

115D

[Unambiguous Arithmetic Expression](#) · [Tutorial](#)

Quality: 454 global accepts · Rating: 2600 · first AC: 2024-04-25 · last AC: 2024-04-25 · C++20 (GCC 13-64) (first AC) · Tags: dp, expression parsing
[Imdie's solution](#)

957.

346D

[Robot Control](#) · [Tutorial](#)

Quality: 841 global accepts · Rating: 2600 · first AC: 2024-04-23 · last AC: 2024-04-23 · C++14 (GCC 6-32) (first AC) · Tags: dp, graphs, shortest paths
[Imdie's solution](#)

958.

925D

[Aztec Catacombs](#) · [Tutorial](#)

Quality: 565 global accepts · Rating: 2600 · first AC: 2024-04-22 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms
[Imdie's solution](#)

959.

1237F

[Balanced Domino Placements](#) · [Tutorial](#)

Quality: 1,092 global accepts · Rating: 2600 · first AC: 2024-04-18 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp
[Imdie's solution](#)

960.

1172C2

[Nauuo and Pictures \(hard version\)](#) · [Tutorial](#)

Quality: 995 global accepts · Rating: 2600 · first AC: 2024-04-17 · C++14 (GCC 6-32) (first AC) · Tags: dp, probabilities
[Imdie's solution](#)

961.

1740F

[Conditional Mix](#) · [Tutorial](#)

Quality: 1,068 global accepts · Rating: 2600 · first AC: 2024-04-10 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math

[Imdie's solution](#)

962.

1111D

[Destroy the Colony](#) · [Tutorial](#)

Quality: 1,154 global accepts · Rating: 2600 · first AC: 2024-04-09 · last AC: 2024-04-09 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, math

[Imdie's solution](#)

963.

848C

[Goodbye Souvenir](#) · [Tutorial](#)

Quality: 1,578 global accepts · Rating: 2600 · first AC: 2024-04-03 · C++14 (GCC 6-32) (first AC) · Tags: data structures, divide and conquer

[Imdie's solution](#)

964.

690B2

[Recover Polygon \(medium\)](#) · [Tutorial](#)

Quality: 232 global accepts · Rating: 2600 · first AC: 2024-04-02 · C++14 (GCC 6-32) (first AC) · Tags: geometry

[Imdie's solution](#)

965.

1945H

[GCD is Greater](#) · [Tutorial](#)

Quality: 853 global accepts · Rating: 2600 · first AC: 2024-03-19 · last AC: 2024-04-02 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, math, number theory

[Imdie's solution](#)

966.

690B3

[Recover Polygon \(hard\)](#) · [Tutorial](#)

Quality: 111 global accepts · Rating: 2600 · first AC: 2024-04-02 · last AC: 2024-04-02 · C++14 (GCC 6-32) (first AC) · Tags: data structures

[Imdie's solution](#)

967.

1793F

[Rebreeding](#) · [Tutorial](#)

Quality: 1,631 global accepts · Rating: 2600 · first AC: 2023-12-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, divide and conquer, implementation

[Imdie's solution](#)

968.

896C

[Willem, Chtholly and Seniorious](#) · [Tutorial](#)

Quality: 4,440 global accepts · Rating: 2600 · first AC: 2023-12-12 · last AC: 2023-12-12 · C++14 (GCC 6-32) (first AC) · Tags: data structures, probabilities

[Imdie's solution](#)

969.

1827C

[Palindrome Partition](#) · [Tutorial](#)

Quality: 1,658 global accepts · Rating: 2600 · first AC: 2023-05-18 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, data structures, dp, hashing, strings

[Imdie's solution](#)

970.

7E

[Defining Macros](#) · [Tutorial](#)

Quality: 777 global accepts · Rating: 2600 · first AC: 2023-04-29 · C++14 (GCC 6-32) (first AC) · Tags: dp, expression parsing, implementation

[Imdie's solution](#)

971.

8E

[Beads](#) · [Tutorial](#)

Quality: 758 global accepts · Rating: 2600 · first AC: 2023-04-29 · C++14 (GCC 6-32) (first AC) · Tags: dp, graphs

[Imdie's solution](#)

972.

1815D

[XOR Counting](#) · [Tutorial](#)

Quality: 1,496 global accepts · Rating: 2600 · first AC: 2023-04-10 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, combinatorics, dp, math

[Imdie's solution](#)

973.

813D

[Two Melodies](#) · [Tutorial](#)

Quality: 1,154 global accepts · Rating: 2600 · first AC: 2023-04-08 · C++14 (GCC 6-32) (first AC) · Tags: dp, flows

[Imdie's solution](#)

974.

483E

[Game with Strings](#) · [Tutorial](#)

Rating: 2600 · first AC: 2023-02-18 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, dp

[Imdie's solution](#)

975.

1699E

[Three Days Grace](#) · [Tutorial](#)

Quality: 1,374 global accepts · Rating: 2600 · first AC: 2022-07-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, greedy, math, number theory, two pointers

[Imdie's solution](#)

976.

2115C

[Gellyfish and Eternal Violet](#) · [Tutorial](#)

Quality: 915 global accepts · Rating: 2700 · first AC: 2025-05-31 · last AC: 2025-06-12 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, greedy, math, probabilities

[Imdie's solution](#)

977.

2077E

[Another Folding Strip](#) · [Tutorial](#)

Quality: 607 global accepts · Rating: 2700 · first AC: 2025-03-10 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, constructive algorithms, data structures, divide and conquer, dp, greedy, math

[Imdie's solution](#)

978.

2052M

[Managing Cluster](#) · [Tutorial](#)

Quality: 395 global accepts · Rating: 2700 · first AC: 2024-12-25 · C++20 (GCC 13-64) (first AC) · Tags: dp, graphs, math, trees

[Imdie's solution](#)

979.

1270G

[Subset with Zero Sum](#) · [Tutorial](#)

Quality: 2,960 global accepts · Rating: 2700 · first AC: 2024-09-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, math

[Imdie's solution](#)

980.

1370F2

[The Hidden Pair \(Hard Version\)](#) · [Tutorial](#)

Quality: 1,669 global accepts · Rating: 2700 · first AC: 2024-09-25 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, dfs and similar, graphs, interactive, shortest paths, trees

[Imdie's solution](#)

981.

773D

[Perishable Roads](#) · [Tutorial](#)

Quality: 801 global accepts · Rating: 2700 · first AC: 2024-09-04 · C++17 (GCC 7-32) (first AC) · Tags: dp, graphs, shortest paths

[Imdie's solution](#)

982.

1422F

[Boring Queries](#) · [Tutorial](#)

Quality: 1,272 global accepts · Rating: 2700 · first AC: 2024-09-02 · C++17 (GCC 7-32) (first AC) · Tags: data structures, math, number theory

[Imdie's solution](#)

983.

1733E

[Conveyor](#) · [Tutorial](#)

Quality: 1,486 global accepts · Rating: 2700 · first AC: 2024-08-10 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, math

[Imdie's solution](#)

984.

1991G

[Grid Reset](#) · [Tutorial](#)

Quality: 746 global accepts · Rating: 2700 · first AC: 2024-07-29 · last AC: 2024-08-08 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation

[Imdie's solution](#)

985.

383E

[Vowels](#) · [Tutorial](#)

Quality: 4,319 global accepts · Rating: 2700 · first AC: 2024-05-29 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, divide and conquer, dp

[Imdie's solution](#)

986.

1942F

[Farmer John's Favorite Function](#) · [Tutorial](#)

Quality: 973 global accepts · Rating: 2700 · first AC: 2024-03-30 · last AC: 2024-04-15 · C++20 (GCC 13-64) (first AC) · Tags: brute force, data structures, implementation, math

[Imdie's solution](#)

987.

113E

[Sleeping](#) · [Tutorial](#)

Quality: 142 global accepts · Rating: 2700 · first AC: 2024-04-02 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, implementation, math

[Imdie's solution](#)

988.

1750F

[Majority](#) · [Tutorial](#)

Quality: 1,211 global accepts · Rating: 2700 · first AC: 2024-01-31 · C++17 (GCC 9-64) (first AC) · Tags: combinatorics, dp, math, strings

[Imdie's solution](#)

989.

113D

[Museum](#) · [Tutorial](#)

Quality: 819 global accepts · Rating: 2700 · first AC: 2023-10-10 · C++14 (GCC 6-32) (first AC) · Tags: math, matrices, probabilities

[Imdie's solution](#)

990.

1634F

[Fibonacci Additions](#) · [Tutorial](#)

Quality: 1,904 global accepts · Rating: 2700 · first AC: 2022-02-07 · last AC: 2022-02-09 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, hashing, implementation, math

[Imdie's solution](#)

991.

1461F

[Mathematical Expression](#) · [Tutorial](#)

Quality: 601 global accepts · Rating: 2700 · first AC: 2021-03-26 · GNU C++11 (first AC) · Tags: constructive algorithms, dp, greedy

[Imdie's solution](#)

992.

1608E

[The Cells on the Paper](#) · [Tutorial](#)

Quality: 486 global accepts · Rating: 2800 · first AC: 2026-05-03 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, implementation, sortings

[Imdie's solution](#)

993.

2150E2

[Hidden Single \(Version 2\)](#) · [Tutorial](#)

Quality: 598 global accepts · Rating: 2800 · first AC: 2025-09-24 · C++20 (GCC 13-64) (first AC) · Tags: binary search, divide and conquer, interactive, math, probabilities

[Imdie's solution](#)

994.

2147F

[Exchange Queries](#) · [Tutorial](#)

Quality: 666 global accepts · Rating: 2800 · first AC: 2025-09-20 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, data structures, greedy

[Imdie's solution](#)

995.

2097D

[Homework](#) · [Tutorial](#)

Quality: 554 global accepts · Rating: 2800 · first AC: 2025-05-06 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, math, matrices

[Imdie's solution](#)

996.

2053I1

[Affectionate Arrays \(Easy Version\)](#) · [Tutorial](#)

Quality: 557 global accepts · Rating: 2800 · first AC: 2025-04-18 · C++20 (GCC 13-64) (first AC) · Tags: data structures, dp, greedy

[Imdie's solution](#)

997.

750F

[New Year and Finding Roots](#) · [Tutorial](#)

Quality: 595 global accepts · Rating: 2800 · first AC: 2025-04-01 · last AC: 2025-04-01 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, interactive, trees

[Imdie's solution](#)

998.

325E

[The Red Button](#) · [Tutorial](#)

Quality: 949 global accepts · Rating: 2800 · first AC: 2025-03-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dfs and similar, dsu, graphs, greedy

[Imdie's solution](#)

999.

1746F

[Kazaae](#) · [Tutorial](#)

Quality: 2,647 global accepts · Rating: 2800 · first AC: 2025-01-18 · C++20 (GCC 13-64) (first AC) · Tags: data structures, hashing, probabilities

[Imdie's solution](#)

1000.

549F

[Yura and Developers](#) · [Tutorial](#)

Quality: 1,034 global accepts · Rating: 2800 · first AC: 2024-11-23 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer

[Imdie's solution](#)

1001.

280D

[k-Maximum Subsequence Sum](#) · [Tutorial](#)

Quality: 1,653 global accepts · Rating: 2800 · first AC: 2024-10-08 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, flows, graphs, implementation

[Imdie's solution](#)

1002.

1635F

[Closest Pair](#) · [Tutorial](#)

Quality: 1,392 global accepts · Rating: 2800 · first AC: 2024-09-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, greedy

[Imdie's solution](#)

1003.

702F

[T-Shirts](#) · [Tutorial](#)

Quality: 1,922 global accepts · Rating: 2800 · first AC: 2024-09-04 · C++17 (GCC 7-32) (first AC) · Tags: data structures

[Imdie's solution](#)

1004.

2002F2

[Court Blue \(Hard Version\)](#) · [Tutorial](#)

Quality: 576 global accepts · Rating: 2800 · first AC: 2024-08-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, math, number theory

[Imdie's solution](#)

1005.

1942G

[Bessie and Cards](#) · [Tutorial](#)

Quality: 737 global accepts · Rating: 2800 · first AC: 2024-04-25 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, math

[Imdie's solution](#)

1006.

163E

[e-Government](#) · [Tutorial](#)

Quality: 2,186 global accepts · Rating: 2800 · first AC: 2023-08-21 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dfs and similar, dp, strings, trees

[Imdie's solution](#)

1007.

1098D

[Eels](#) · [Tutorial](#)

Quality: 882 global accepts · Rating: 2800 · first AC: 2023-07-15 · C++14 (GCC 6-32) (first AC) · Tags: data structures

[Imdie's solution](#)

1008.

51F

[Caterpillar](#) · [Tutorial](#)

Quality: 816 global accepts · Rating: 2800 · first AC: 2023-04-30 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, graphs, trees

[Imdie's solution](#)

1009.

2164F2

[Chain Prefix Rank \(Hard Version\)](#) · [Tutorial](#)

Quality: 423 global accepts · Rating: 2900 · first AC: 2025-12-19 · C++20 (GCC 13-64) (first AC) · Tags: binary search, combinatorics, data structures, dfs and similar, dp, graphs, math, trees

[Imdie's solution](#)

1010.

2115D

[Gellyfish and Forget-Me-Not](#) · [Tutorial](#)

Quality: 1,110 global accepts · Rating: 2900 · first AC: 2025-05-31 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, dp, games, greedy, math

[Imdie's solution](#)

1011.

2018F1

[Speedbreaker Counting \(Easy Version\)](#) · [Tutorial](#)

Quality: 329 global accepts · Rating: 2900 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, greedy, math

[Imdie's solution](#)

1012.

1768F

[Wonderful Jump](#) · [Tutorial](#)

Quality: 1,226 global accepts · Rating: 2900 · first AC: 2025-02-06 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy

[Imdie's solution](#)

1013.

2059E2

[Stop Gaming \(Hard Version\)](#) · [Tutorial](#)

Quality: 352 global accepts · Rating: 2900 · first AC: 2025-02-02 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, data structures, hashing, strings

[Imdie's solution](#)

1014.

1725D

[Deducing Sortability](#) · [Tutorial](#)

Quality: 232 global accepts · Rating: 2900 · first AC: 2025-01-03 · C++20 (GCC 13-64) (first AC) · Tags: binary search, bitmasks, math

[Imdie's solution](#)

1015.

1221G

[Graph And Numbers](#) · [Tutorial](#)

Quality: 876 global accepts · Rating: 2900 · first AC: 2024-11-04 · last AC: 2024-11-04 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, combinatorics, dp, meet-in-the-middle

[Imdie's solution](#)

1016.

1442E

[Black, White and Grey Tree](#) · [Tutorial](#)

Quality: 789 global accepts · Rating: 3000 · first AC: 2025-09-11 · C++20 (GCC 13-64) (first AC) · Tags: binary search, constructive algorithms, dfs and similar, dp, greedy, trees

[Imdie's solution](#)

1017.

2129E

[Induced Subgraph Queries](#) · [Tutorial](#)

Quality: 476 global accepts · Rating: 3000 · first AC: 2025-08-06 · C++20 (GCC 13-64) (first AC) · Tags: data structures, graphs, sortings

[Imdie's solution](#)

1018.

1552G

[A Serious Referee](#) · [Tutorial](#)

Quality: 670 global accepts · Rating: 3000 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, brute force, dfs and similar, sortings

[Imdie's solution](#)

1019.

2018F2

[Speedbreaker Counting \(Medium Version\)](#) · [Tutorial](#)

Quality: 287 global accepts · Rating: 3000 · first AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy, math

[Imdie's solution](#)

1020.

2057G

[Secret Message](#) · [Tutorial](#)

Quality: 728 global accepts · Rating: 3000 · first AC: 2025-01-05 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms, dfs and similar, math

[Imdie's solution](#)

1021.

603E

[Pastoral Oddities](#) · [Tutorial](#)

Quality: 1,544 global accepts · Rating: 3000 · first AC: 2024-11-21 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, dsu, math, trees

[Imdie's solution](#)

1022.

1178G

[The Awesomest Vertex](#) · [Tutorial](#)

Quality: 600 global accepts · Rating: 3000 · first AC: 2024-11-08 · C++20 (GCC 13-64) (first AC) · Tags: data structures, dfs and similar

[Imdie's solution](#)

1023.

1603D

[Artistic Partition](#) · [Tutorial](#)

Quality: 884 global accepts · Rating: 3000 · first AC: 2024-10-16 · C++23 (GCC 14-64, msys2) (first AC) · Tags: divide and conquer, dp, number theory

[Imdie's solution](#)

1024.

618F

[Double Knapsack](#) · [Tutorial](#)

Quality: 1,828 global accepts · Rating: 3000 · first AC: 2024-09-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, two pointers

[Imdie's solution](#)

1025.

1149D

[Abandoning Roads](#) · [Tutorial](#)

Quality: 967 global accepts · Rating: 3000 · first AC: 2024-09-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, dp, graphs, greedy

[Imdie's solution](#)

1026.

1076G

[Array Game](#) · [Tutorial](#)

Quality: 722 global accepts · Rating: 3000 · first AC: 2024-09-06 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, games

[Imdie's solution](#)

1027.

582E

[Boolean Function](#) · [Tutorial](#)

Quality: 547 global accepts · Rating: 3000 · first AC: 2024-05-30 · last AC: 2024-05-30 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, dp, expression parsing

[Imdie's solution](#)

1028.

1534F2

[Falling Sand \(Hard Version\)](#) · [Tutorial](#)

Quality: 705 global accepts · Rating: 3000 · first AC: 2024-04-23 · C++20 (GCC 13-64) (first AC) · Tags: dfs and similar, dp, graphs, greedy

[Imdie's solution](#)

1029.

1889D

[Game of Stacks](#) · [Tutorial](#)

Quality: 914 global accepts · Rating: 3000 · first AC: 2024-02-13 · C++17 (GCC 9-64) (first AC) · Tags: brute force, dfs and similar, graphs, implementation, trees

[Imdie's solution](#)

1030.

889E

[Mod Mod Mod](#) · [Tutorial](#)

Quality: 670 global accepts · Rating: 3000 · first AC: 2023-08-15 · last AC: 2023-08-15 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dp, math

[Imdie's solution](#)

1031.

2138E1

[Determinant Construction \(Easy Version\)](#) · [Tutorial](#)

Quality: 239 global accepts · Rating: 3100 · first AC: 2025-09-10 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, math, matrices, number theory

[Imdie's solution](#)

1032.

2138E2

[Determinant Construction \(Hard Version\)](#) · [Tutorial](#)

Quality: 184 global accepts · Rating: 3100 · first AC: 2025-09-10 · C++20 (GCC 13-64) (first AC) · Tags: brute force, constructive algorithms, math, matrices, number theory

[Imdie's solution](#)

1033.

1188D

[Make Equal](#) · [Tutorial](#)

Quality: 909 global accepts · Rating: 3100 · first AC: 2025-05-30 · C++20 (GCC 13-64) (first AC) · Tags: dp

[Imdie's solution](#)

1034.

2018F3

[Speedbreaker Counting \(Hard Version\)](#) · [Tutorial](#)

Quality: 310 global accepts · Rating: 3100 · first AC: 2025-04-25 · last AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: dp, greedy, math

[Imdie's solution](#)

1035.

2096F

[Wonderful Impostors](#) · [Tutorial](#)

Quality: 460 global accepts · Rating: 3100 · first AC: 2025-04-21 · C++20 (GCC 13-64) (first AC) · Tags: data structures, implementation, two pointers

[Imdie's solution](#)

1036.

1882E2

[Two Permutations \(Hard Version\)](#) · [Tutorial](#)

Quality: 356 global accepts · Rating: 3100 · first AC: 2025-03-18 · last AC: 2025-03-20 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

1037.

1329D

[Dreamoon Likes Strings](#) · [Tutorial](#)

Quality: 536 global accepts · Rating: 3100 · first AC: 2024-12-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures

[Imdie's solution](#)

1038.

715D

[Create a Maze](#) · [Tutorial](#)

Quality: 388 global accepts · Rating: 3100 · first AC: 2024-11-08 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

1039.

1628E

[Groceries in Meteor Town](#) · [Tutorial](#)

Quality: 1,216 global accepts · Rating: 3100 · first AC: 2024-09-04 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dsu, trees

[Imdie's solution](#)

1040.

765F

[Souvenirs](#) · [Tutorial](#)

Quality: 2,558 global accepts · Rating: 3100 · first AC: 2023-12-20 · C++14 (GCC 6-32) (first AC) · Tags: data structures

[Imdie's solution](#)

1041.

1608F

[MEX counting](#) · [Tutorial](#)

Quality: 840 global accepts · Rating: 3200 · first AC: 2026-05-03 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, implementation

[Imdie's solution](#)

1042.

1517F

[Reunion](#) · [Tutorial](#)

Quality: 592 global accepts · Rating: 3200 · first AC: 2025-09-12 · C++20 (GCC 13-64) (first AC) · Tags: combinatorics, dp, trees

[Imdie's solution](#)

1043.

1799H

[Tree Cutting](#) · [Tutorial](#)

Quality: 384 global accepts · Rating: 3200 · first AC: 2025-06-13 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, dfs and similar, dp

[Imdie's solution](#)

1044.

2096G

[Wonderful Guessing Game](#) · [Tutorial](#)

Quality: 423 global accepts · Rating: 3200 · first AC: 2025-04-21 · C++20 (GCC 13-64) (first AC) · Tags: bitmasks, constructive algorithms, interactive

[Imdie's solution](#)

1045.

1819E

[Roads in E City](#) · [Tutorial](#)

Quality: 379 global accepts · Rating: 3200 · first AC: 2025-04-18 · last AC: 2025-04-18 · C++20 (GCC 13-64) (first AC) · Tags: interactive, math, probabilities, trees

[Imdie's solution](#)

1046.

2089D

[Conditional Operators](#) · [Tutorial](#)

Quality: 188 global accepts · Rating: 3200 · first AC: 2025-04-08 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

1047.

1416E

[Split](#) · [Tutorial](#)

Quality: 432 global accepts · Rating: 3200 · first AC: 2024-11-04 · C++20 (GCC 13-64) (first AC) · Tags: binary search, data structures, dp, greedy

[Imdie's solution](#)

1048.

1610G

[AmShZ Wins a Bet](#) · [Tutorial](#)

Quality: 654 global accepts · Rating: 3300 · first AC: 2025-09-17 · C++20 (GCC 13-64) (first AC) · Tags: data structures, greedy, hashing

[Imdie's solution](#)

1049.

1368H1

[Breadboard Capacity \(easy version\)](#) · [Tutorial](#)

Quality: 457 global accepts · Rating: 3300 · first AC: 2025-06-13 · C++20 (GCC 13-64) (first AC) · Tags: dp, flows, greedy

[Imdie's solution](#)

1050.

1477E

[Nezzar and Tournaments](#) · [Tutorial](#)

Quality: 179 global accepts · Rating: 3300 · first AC: 2025-05-06 · last AC: 2025-05-06 · C++20 (GCC 13-64) (first AC) · Tags: data structures, greedy

[Imdie's solution](#)

1051.

1552H

[Guess the Perimeter](#) · [Tutorial](#)

Quality: 462 global accepts · Rating: 3300 · first AC: 2025-04-25 · last AC: 2025-04-25 · C++20 (GCC 13-64) (first AC) · Tags: binary search, interactive, number theory

[Imdie's solution](#)

1052.

1270H

[Number of Components](#) · [Tutorial](#)

Quality: 1,005 global accepts · Rating: 3300 · first AC: 2024-09-24 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures

[Imdie's solution](#)

1053.

1340F

[Nastya and CBS](#) · [Tutorial](#)

Quality: 716 global accepts · Rating: 3300 · first AC: 2024-03-20 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, hashing
[Imdie's solution](#)

1054.

1466I

[The Riddle of the Sphinx](#) · [Tutorial](#)

Quality: 234 global accepts · Rating: 3400 · first AC: 2026-04-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, data structures, interactive
[Imdie's solution](#)

1055.

1787I

[Treasure Hunt](#) · [Tutorial](#)

Quality: 360 global accepts · Rating: 3400 · first AC: 2024-09-30 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, divide and conquer, two pointers
[Imdie's solution](#)

1056.

1785F

[Minimums or Medians](#) · [Tutorial](#)

Rating: 3400 · first AC: 2024-09-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, two pointers
[Imdie's solution](#)

1057.

2157I

[Hyper Smawk Bros](#) · [Tutorial](#)

Quality: 171 global accepts · Rating: 3500 · first AC: 2025-12-17 · C++20 (GCC 13-64) (first AC) · Tags: dp, games
[Imdie's solution](#)

1058.

2161H

[Cycle Sort](#) · [Tutorial](#)

Quality: 64 global accepts · Rating: 3500 · first AC: 2025-12-10 · last AC: 2025-12-10 · C++20 (GCC 13-64) (first AC) · Tags: data structures
[Imdie's solution](#)

1059.

1338E

[JYPnation](#) · [Tutorial](#)

Quality: 408 global accepts · Rating: 3500 · first AC: 2025-05-09 · last AC: 2025-05-09 · C++20 (GCC 13-64) (first AC) · Tags: graphs
[Imdie's solution](#)

1060.

1290F

[Making Shapes](#) · [Tutorial](#)

Quality: 591 global accepts · Rating: 3500 · first AC: 2025-04-11 · C++20 (GCC 13-64) (first AC) · Tags: dp
[Imdie's solution](#)

1061.

1637H

[Minimize Inversions Number](#) · [Tutorial](#)

Quality: 572 global accepts · Rating: 3500 · first AC: 2025-02-04 · C++20 (GCC 13-64) (first AC) · Tags: data structures, greedy, math, sortings
[Imdie's solution](#)

1062.

1770H

[Koxia, Mahiru and Winter Festival](#) · [Tutorial](#)

Quality: 164 global accepts · Rating: 3500 · first AC: 2025-01-02 · C++20 (GCC 13-64) (first AC) · Tags: constructive algorithms
[Imdie's solution](#)

1063.

1523H

[Hopping Around the Array](#) · [Tutorial](#)

Quality: 445 global accepts · Rating: 3500 · first AC: 2024-12-08 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp

[Imdie's solution](#)

1064.

2095G

[Definitely a Geometry Problem](#) · [Tutorial](#)

Quality: 960 global accepts · Rating: — · first AC: 2025-04-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: *special, geometry

[Imdie's solution](#)

1065.

2095D

[Where Am I?](#) · [Tutorial](#)

Quality: 5,302 global accepts · Rating: — · first AC: 2025-04-01 · last AC: 2025-04-01 · C++23 (GCC 14-64, msys2) (first AC) · Tags: *special, geometry

[Imdie's solution](#)

1066.

2095I

[Mysterious Script](#) · [Tutorial](#)

Quality: 640 global accepts · Rating: — · first AC: 2025-04-01 · C++20 (GCC 13-64) (first AC) · Tags: *special, expression parsing, number theory

[Imdie's solution](#)

1067.

2095B

[Plinko](#) · [Tutorial](#)

Quality: 6,001 global accepts · Rating: — · first AC: 2025-04-01 · C++20 (GCC 13-64) (first AC) · Tags: *special, games, interactive

[Imdie's solution](#)

1068.

2095A

[Piecing It Together](#) · [Tutorial](#)

Quality: 13,818 global accepts · Rating: — · first AC: 2025-04-01 · C++20 (GCC 13-64) (first AC) · Tags: *special, string suffix structures

[Imdie's solution](#)

1069.

1812J

[Unmysterious Language](#) · [Tutorial](#)

Quality: 6,291 global accepts · Rating: — · first AC: 2024-01-04 · last AC: 2025-03-31 · Mysterious Language (first AC) · Tags: *special, constructive algorithms, strings

[Imdie's solution](#)

1070.

1952A

[Are You a Robot, Again?](#) · [Tutorial](#)

Quality: 14,102 global accepts · Rating: — · first AC: 2025-03-31 · PHP (first AC) · Tags: *special, strings

[Imdie's solution](#)

1071.

1952D

[Are You a Procrastinator?](#) · [Tutorial](#)

Quality: 5,360 global accepts · Rating: — · first AC: 2024-04-02 · C++20 (GCC 13-64) (first AC) · Tags: *special, implementation

[Imdie's solution](#)

1072.

1952J

[Help, what does it mean to be "Based"](#) · [Tutorial](#)

Quality: 903 global accepts · Rating: — · first AC: 2024-04-02 · last AC: 2024-04-02 · C++14 (GCC 6-32) (first AC) · Tags: *special, brute force, constructive algorithms, expression parsing, implementation, sortings

[Imdie's solution](#)

1073.

104802F

[Nafis and Mex](#) · [Tutorial](#)

Rating: — · first AC: 2023-11-16 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1074.

104802E

[Anuj's Longest Subarray](#) · [Tutorial](#)

Rating: — · first AC: 2023-11-16 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1075.

104802D

[Rudraksh's Sleepiness](#) · [Tutorial](#)

Rating: — · first AC: 2023-11-16 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1076.

104802C

[Nafis and Strings](#) · [Tutorial](#)

Rating: — · first AC: 2023-11-16 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1077.

104802B

[Snowy Bus](#) · [Tutorial](#)

Rating: — · first AC: 2023-11-16 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1078.

104802A

[Submission Bait](#) · [Tutorial](#)

Rating: — · first AC: 2023-11-16 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1079.

104724B

[game](#) · [Tutorial](#)

Rating: — · first AC: 2023-10-21 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1080.

104724A

[lock](#) · [Tutorial](#)

Rating: — · first AC: 2023-10-21 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1081.

100536C

[Chandelier](#) · [Tutorial](#)

Rating: — · first AC: 2022-07-11 · C++14 (GCC 6-32) (first AC) · Tags: —

[Imdie's solution](#)

1082.

1662L

[Il Derby della Madonnina](#) · [Tutorial](#)

Quality: 1,332 global accepts · Rating: — · first AC: 2022-04-24 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, math

[Imdie's solution](#)

1083.

1662D

[Evolution of Weasels](#) · [Tutorial](#)

Quality: 2,155 global accepts · Rating: — · first AC: 2022-04-24 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation, strings

[Imdie's solution](#)

1084.

1662O

[Circular Maze](#) · [Tutorial](#)

Quality: 1,592 global accepts · Rating: — · first AC: 2022-04-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dfs and similar, graphs, implementation

[Imdie's solution](#)

1085.

1662I

[Ice Cream Shop](#) · [Tutorial](#)

Quality: 2,468 global accepts · Rating: — · first AC: 2022-04-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation, sortings

[Imdie's solution](#)

1086.

1662H

[Boundary](#) · [Tutorial](#)

Quality: 3,368 global accepts · Rating: — · first AC: 2022-04-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, math

[Imdie's solution](#)

1087.

1662M

[Bottle Arrangements](#) · [Tutorial](#)

Quality: 3,877 global accepts · Rating: — · first AC: 2022-04-24 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms

[Imdie's solution](#)

1088.

1662A

[Organizing SWERC](#) · [Tutorial](#)

Quality: 4,841 global accepts · Rating: — · first AC: 2022-04-24 · C++14 (GCC 6-32) (first AC) · Tags: brute force, implementation

[Imdie's solution](#)

1089.

1663C

[P Ö! Verdon](#) [Tutorial](#)

Quality: 5,876 global accepts · Rating: — · first AC: 2022-04-01 · C++14 (GCC 6-32) (first AC) · Tags: *special, implementation, math

[Imdie's solution](#)

1090.

1663A

[Who Tested?](#) · [Tutorial](#)

Quality: 10,892 global accepts · Rating: — · first AC: 2022-04-01 · C++14 (GCC 6-32) (first AC) · Tags: *special, expression parsing, trees

[Imdie's solution](#)

1091.

1331B

[Limericks](#) · [Tutorial](#)

Quality: 7,160 global accepts · Rating: — · first AC: 2020-04-01 · GNU C++11 (first AC) · Tags: *special, math, number theory

[Imdie's solution](#)

1092.

1331D

[Again?](#) · [Tutorial](#)

Quality: 12,102 global accepts · Rating: — · first AC: 2020-04-01 · GNU C++11 (first AC) · Tags: *special, implementation

[Imdie's solution](#)

1093.

1331A

[Is it rated?](#) · [Tutorial](#)

Quality: 17,507 global accepts · Rating: — · first AC: 2020-04-01 · GNU C++11 (first AC) · Tags: *special

[Imdie's solution](#)