

## [CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

# Unique solved — Kratrissa

Links: [problem](#) ([problemset](#)), [Tutorial](#), [submission](#) (first AC).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 82

- 1.**  
1696A  
[NIT orz!](#) · [Tutorial](#)  
Quality: 20,260 global accepts · Rating: 800 · first AC: 2022-06-25 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, greedy  
[Kratrissa's solution](#)
- 2.**  
1684B  
[Z mod X = C](#) · [Tutorial](#)  
Quality: 21,845 global accepts · Rating: 800 · first AC: 2022-05-19 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, math  
[Kratrissa's solution](#)
- 3.**  
1684A  
[Digit Minimization](#) · [Tutorial](#)  
Quality: 24,936 global accepts · Rating: 800 · first AC: 2022-05-19 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, games, math, strings  
[Kratrissa's solution](#)
- 4.**  
1654B  
[Prefix Removals](#) · [Tutorial](#)  
Quality: 16,778 global accepts · Rating: 800 · first AC: 2022-04-27 · C++17 (GCC 9-64) (first AC) · Tags: strings  
[Kratrissa's solution](#)
- 5.**  
1654A  
[Maximum Cake Tastiness](#) · [Tutorial](#)  
Quality: 19,390 global accepts · Rating: 800 · first AC: 2022-04-27 · C++17 (GCC 9-64) (first AC) · Tags: brute force, greedy, implementation, sortings  
[Kratrissa's solution](#)
- 6.**  
1672B  
[I love AAAB](#) · [Tutorial](#)  
Quality: 16,468 global accepts · Rating: 800 · first AC: 2022-04-23 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, implementation  
[Kratrissa's solution](#)
- 7.**  
1672A  
[Log Chopping](#) · [Tutorial](#)  
Quality: 16,818 global accepts · Rating: 800 · first AC: 2022-04-23 · C++17 (GCC 9-64) (first AC) · Tags: games, implementation, math  
[Kratrissa's solution](#)
- 8.**  
1651B  
[Prove Him Wrong](#) · [Tutorial](#)  
Quality: 20,480 global accepts · Rating: 800 · first AC: 2022-04-10 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy  
[Kratrissa's solution](#)
- 9.**  
1651A  
[Playoff](#) · [Tutorial](#)  
Quality: 26,660 global accepts · Rating: 800 · first AC: 2022-04-10 · C++17 (GCC 9-64) (first AC) · Tags: implementation  
[Kratrissa's solution](#)

**10.**

1661A

[Array Balancing](#) · [Tutorial](#)

Quality: 19,370 global accepts · Rating: 800 · first AC: 2022-04-09 · C++17 (GCC 9-64) (first AC) · Tags: greedy, math

[Kratrissa's solution](#)

**11.**

1665A

[GCD vs LCM](#) · [Tutorial](#)

Quality: 26,207 global accepts · Rating: 800 · first AC: 2022-04-08 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, math

[Kratrissa's solution](#)

**12.**

1656A

[Good Pairs](#) · [Tutorial](#)

Quality: 20,454 global accepts · Rating: 800 · first AC: 2022-04-07 · C++17 (GCC 7-32) (first AC) · Tags: math, sortings

[Kratrissa's solution](#)

**13.**

1660B

[Vlad and Candies](#) · [Tutorial](#)

Quality: 29,754 global accepts · Rating: 800 · first AC: 2022-03-31 · C++17 (GCC 7-32) (first AC) · Tags: math

[Kratrissa's solution](#)

**14.**

1660A

[Vasya and Coins](#) · [Tutorial](#)

Quality: 39,204 global accepts · Rating: 800 · first AC: 2022-03-31 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[Kratrissa's solution](#)

**15.**

1696B

[NIT Destroys the Universe](#) · [Tutorial](#)

Quality: 36,322 global accepts · Rating: 900 · first AC: 2022-06-25 · C++17 (GCC 9-64) (first AC) · Tags: greedy

[Kratrissa's solution](#)

**16.**

1679A

[AvtoBus](#) · [Tutorial](#)

Quality: 40,167 global accepts · Rating: 900 · first AC: 2022-05-14 · C++17 (GCC 9-64) (first AC) · Tags: brute force, greedy, math, number theory

[Kratrissa's solution](#)

**17.**

1665B

[Array Cloning Technique](#) · [Tutorial](#)

Quality: 32,894 global accepts · Rating: 900 · first AC: 2022-04-08 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy, sortings

[Kratrissa's solution](#)

**18.**

1876A

[Helmets in Night Light](#) · [Tutorial](#)

Quality: 34,918 global accepts · Rating: 1000 · first AC: 2023-10-08 · C++17 (GCC 9-64) (first AC) · Tags: greedy, sortings

[Kratrissa's solution](#)

**19.**

1659A

[Red Versus Blue](#) · [Tutorial](#)

Quality: 30,953 global accepts · Rating: 1000 · first AC: 2022-04-17 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Kratrissa's solution](#)

**20.**

1672C

[Unequal Array](#) · [Tutorial](#)

Quality: 14,035 global accepts · Rating: 1100 · first AC: 2022-04-23 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy, implementation

[Kratrissa's solution](#)

**21.**

1656B

[Subtract Operation](#) · [Tutorial](#)

Quality: 26,805 global accepts · Rating: 1100 · first AC: 2022-04-07 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, math, two pointers

[Kratrissa's solution](#)

**22.**

1679B

[Stone Age Problem](#) · [Tutorial](#)

Quality: 27,431 global accepts · Rating: 1200 · first AC: 2022-05-14 · C++17 (GCC 9-64) (first AC) · Tags: data structures, implementation

[Kratrissa's solution](#)

**23.**

1656C

[Make Equal With Mod](#) · [Tutorial](#)

Quality: 21,005 global accepts · Rating: 1200 · first AC: 2022-04-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory, sortings

[Kratrissa's solution](#)

**24.**

1667A

[Make it Increasing](#) · [Tutorial](#)

Quality: 15,684 global accepts · Rating: 1300 · first AC: 2022-04-19 · C++17 (GCC 9-64) (first AC) · Tags: brute force, greedy, math

[Kratrissa's solution](#)

**25.**

1659B

[Bit Flipping](#) · [Tutorial](#)

Quality: 12,031 global accepts · Rating: 1300 · first AC: 2022-04-17 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, constructive algorithms, greedy, strings

[Kratrissa's solution](#)

**26.**

1661B

[Getting Zero](#) · [Tutorial](#)

Quality: 20,687 global accepts · Rating: 1300 · first AC: 2022-04-09 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp, graphs, greedy, shortest paths

[Kratrissa's solution](#)

**27.**

1660C

[Get an Even String](#) · [Tutorial](#)

Quality: 22,014 global accepts · Rating: 1300 · first AC: 2022-03-31 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, strings

[Kratrissa's solution](#)

**28.**

1887A1

[Dances \(Easy version\)](#) · [Tutorial](#)

Rating: 1400 · first AC: 2023-10-22 · C++17 (GCC 9-64) (first AC) · Tags: binary search, greedy, sortings

[Kratrissa's solution](#)

**29.**

1696C

[Fishingprince Plays With Array](#) · [Tutorial](#)

Quality: 12,585 global accepts · Rating: 1400 · first AC: 2022-06-25 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[Kratrissa's solution](#)

**30.**

1684C

[Column Swapping](#) · [Tutorial](#)

Quality: 13,270 global accepts · Rating: 1400 · first AC: 2022-05-19 · C++17 (GCC 9-64) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, sortings

[Kratrissa's solution](#)

**31.**

1679C

[Rooks Defenders](#) · [Tutorial](#)

Quality: 11,732 global accepts · Rating: 1400 · first AC: 2022-05-14 · C++17 (GCC 9-64) (first AC) · Tags: data structures, implementation

[Kratrissa's solution](#)

**32.**

1654C

[Alice and the Cake](#) · [Tutorial](#)

Quality: 14,527 global accepts · Rating: 1400 · first AC: 2022-04-27 · C++17 (GCC 9-64) (first AC) · Tags: data structures, greedy, implementation, sortings

[Kratrissa's solution](#)

**33.**

1876B

[Effects of Anti Pimples](#) · [Tutorial](#)

Quality: 10,028 global accepts · Rating: 1500 · first AC: 2023-10-08 · C++17 (GCC 9-64) (first AC) · Tags: combinatorics, number theory, sortings

[Kratrissa's solution](#)

**34.**

1659C

[Line Empire](#) · [Tutorial](#)

Quality: 15,055 global accepts · Rating: 1500 · first AC: 2022-04-17 · C++17 (GCC 9-64) (first AC) · Tags: binary search, brute force, dp, greedy, implementation, math

[Kratrissa's solution](#)

**35.**

1651C

[Fault-tolerant Network](#) · [Tutorial](#)

Quality: 11,583 global accepts · Rating: 1500 · first AC: 2022-04-10 · C++17 (GCC 9-64) (first AC) · Tags: brute force, data structures, implementation

[Kratrissa's solution](#)

**36.**

1707A

[Doremy's IQ](#) · [Tutorial](#)

Quality: 15,446 global accepts · Rating: 1600 · first AC: 2022-07-16 · C++17 (GCC 9-64) (first AC) · Tags: binary search, constructive algorithms, greedy, implementation

[Kratrissa's solution](#)

**37.**

1687A

[The Enchanted Forest](#) · [Tutorial](#)

Quality: 11,396 global accepts · Rating: 1600 · first AC: 2022-06-03 · C++17 (GCC 9-64) (first AC) · Tags: brute force, greedy

[Kratrissa's solution](#)

**38.**

1677A

[Tokitsukaze and Strange Inequality](#) · [Tutorial](#)

Quality: 9,355 global accepts · Rating: 1600 · first AC: 2022-05-08 · C++17 (GCC 9-64) (first AC) · Tags: brute force, data structures, dp

[Kratrissa's solution](#)

**39.**

1665C

[Tree Infection](#) · [Tutorial](#)

Quality: 9,862 global accepts · Rating: 1600 · first AC: 2022-04-08 · C++17 (GCC 9-64) (first AC) · Tags: binary search, greedy, sortings, trees

[Kratrissa's solution](#)

**40.**

1660E

[Matrix and Shifts](#) · [Tutorial](#)

Quality: 8,088 global accepts · Rating: 1600 · first AC: 2022-03-31 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation

[Kratrissa's solution](#)

**41.**

1660D

[Maximum Product Strikes Back](#) · [Tutorial](#)

Quality: 11,498 global accepts · Rating: 1600 · first AC: 2022-03-31 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, math, two pointers

[Kratrissa's solution](#)

**42.**

1687B

[Railway System](#) · [Tutorial](#)

Quality: 4,136 global accepts · Rating: 1700 · first AC: 2022-06-03 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, graphs, greedy, interactive, sortings

[Kratrissa's solution](#)

**43.**

1684D

[Traps](#) · [Tutorial](#)

Quality: 10,753 global accepts · Rating: 1700 · first AC: 2022-05-19 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy, sortings

[Kratrissa's solution](#)

**44.**

1677B

[Tokitsukaze and Meeting](#) · [Tutorial](#)

Quality: 4,550 global accepts · Rating: 1700 · first AC: 2022-05-08 · C++17 (GCC 9-64) (first AC) · Tags: data structures, implementation, math

[Kratrissa's solution](#)

**45.**

1672D

[Cyclic Rotation](#) · [Tutorial](#)

Quality: 6,939 global accepts · Rating: 1700 · first AC: 2022-04-23 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, greedy, implementation, two pointers

[Kratrissa's solution](#)

**46.**

1661C

[Water the Trees](#) · [Tutorial](#)

Quality: 10,539 global accepts · Rating: 1700 · first AC: 2022-04-09 · C++17 (GCC 9-64) (first AC) · Tags: binary search, greedy, math

[Kratrissa's solution](#)

**47.**

1660F1

[Promising String \(easy version\)](#) · [Tutorial](#)

Quality: 7,958 global accepts · Rating: 1700 · first AC: 2022-03-31 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, math, strings

[Kratrissa's solution](#)

**48.**

1887B

[Time Travel](#) · [Tutorial](#)

Quality: 3,903 global accepts · Rating: 1900 · first AC: 2023-10-22 · C++17 (GCC 9-64) (first AC) · Tags: binary search, graphs, shortest paths

[Kratrissa's solution](#)

**49.**

1887A2

[Dances \(Hard Version\)](#) · [Tutorial](#)

Rating: 1900 · first AC: 2023-10-22 · C++17 (GCC 9-64) (first AC) · Tags: binary search, greedy, implementation, sortings

[Kratrissa's solution](#)

**50.**

1707B

[Difference Array](#) · [Tutorial](#)

Quality: 6,401 global accepts · Rating: 1900 · first AC: 2022-07-16 · C++17 (GCC 9-64) (first AC) · Tags: brute force, data structures, implementation, sortings

[Kratrissa's solution](#)

**51.**

1696D

[Permutation Graph](#) · [Tutorial](#)

Quality: 6,014 global accepts · Rating: 1900 · first AC: 2022-06-25 · C++17 (GCC 9-64) (first AC) · Tags: binary search, constructive algorithms, data structures, divide and conquer, greedy, shortest paths

[Kratrissa's solution](#)

**52.**

1679D

[Toss a Coin to Your Graph...](#) · [Tutorial](#)

Quality: 5,814 global accepts · Rating: 1900 · first AC: 2022-05-14 · C++17 (GCC 9-64) (first AC) · Tags: binary search, dfs and similar, dp, graphs

[Kratrissa's solution](#)

**53.**

1677C

[Tokitsukaze and Two Colorful Tapes](#) · [Tutorial](#)

Quality: 4,083 global accepts · Rating: 1900 · first AC: 2022-05-08 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy

[Kratrissa's solution](#)

**54.**

1651D

[Nearest Excluded Points](#) · [Tutorial](#)

Quality: 6,504 global accepts · Rating: 1900 · first AC: 2022-04-10 · C++17 (GCC 9-64) (first AC) · Tags: binary search, data structures, dfs and similar, graphs, shortest paths

[Kratrissa's solution](#)

**55.**

1661D

[Progressions Covering](#) · [Tutorial](#)

Quality: 5,397 global accepts · Rating: 1900 · first AC: 2022-04-09 · C++17 (GCC 9-64) (first AC) · Tags: data structures, greedy

[Kratrissa's solution](#)

**56.**

1656D

[K-good](#) · [Tutorial](#)

Quality: 7,558 global accepts · Rating: 1900 · first AC: 2022-04-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory

[Kratrissa's solution](#)

**57.**

1696E

[Placing Jinas](#) · [Tutorial](#)

Quality: 4,908 global accepts · Rating: 2000 · first AC: 2022-06-25 · C++17 (GCC 9-64) (first AC) · Tags: combinatorics, math

[Kratrissa's solution](#)

**58.**

1672F1

[Array Shuffling](#) · [Tutorial](#)

Quality: 3,539 global accepts · Rating: 2000 · first AC: 2022-04-23 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, graphs, greedy

[Kratrissa's solution](#)

**59.**

1665D

[GCD Guess](#) · [Tutorial](#)

Quality: 4,658 global accepts · Rating: 2000 · first AC: 2022-04-08 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, chinese remainder theorem, constructive algorithms, games, interactive, math, number theory

[Kratrissa's solution](#)

**60.**

1876C

[Autosynthesis](#) · [Tutorial](#)

Quality: 2,719 global accepts · Rating: 2100 · first AC: 2023-10-08 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, sortings

[Kratrissa's solution](#)

**61.**

1684E

[MEX vs DIFF](#) · [Tutorial](#)

Quality: 3,629 global accepts · Rating: 2100 · first AC: 2022-05-19 · C++17 (GCC 9-64) (first AC) · Tags: binary search, brute force, constructive algorithms, data structures, greedy, two pointers

[Kratrissa's solution](#)

**62.**

1654D

[Potion Brewing Class](#) · [Tutorial](#)

Quality: 3,062 global accepts · Rating: 2100 · first AC: 2022-04-27 · C++17 (GCC 9-64) (first AC) · Tags: dfs and similar, math, number theory, trees

[Kratrissa's solution](#)

**63.**

1667B

[Optimal Partition](#) · [Tutorial](#)

Quality: 4,321 global accepts · Rating: 2100 · first AC: 2022-04-19 · C++17 (GCC 9-64) (first AC) · Tags: data structures, dp

[Kratrissa's solution](#)

**64.**

1660F2

[Promising String \(hard version\)](#) · [Tutorial](#)

Quality: 3,145 global accepts · Rating: 2100 · first AC: 2022-03-31 · C++17 (GCC 7-32) (first AC) · Tags: data structures, implementation, math, strings

[Kratrissa's solution](#)

**65.**

1672E

[notepad.exe](#) · [Tutorial](#)

Quality: 2,517 global accepts · Rating: 2200 · first AC: 2022-04-23 · C++17 (GCC 9-64) (first AC) · Tags: binary search, constructive algorithms, greedy, interactive

[Kratrissa's solution](#)

**66.**

1659E

[AND-MEX Walk](#) · [Tutorial](#)

Quality: 1,971 global accepts · Rating: 2200 · first AC: 2022-04-17 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, brute force, constructive algorithms, dfs and similar, dsu, graphs

[Kratrissa's solution](#)

**67.**

1656E

[Equal Tree Sums](#) · [Tutorial](#)

Quality: 3,861 global accepts · Rating: 2200 · first AC: 2022-04-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, math, trees

[Kratrissa's solution](#)

**68.**

1654E

[Arithmetic Operations](#) · [Tutorial](#)

Quality: 2,359 global accepts · Rating: 2300 · first AC: 2022-04-27 · C++17 (GCC 9-64) (first AC) · Tags: brute force, data structures, graphs, math

[Kratrissa's solution](#)

**69.**

1707C

[DFS Trees](#) · [Tutorial](#)

Quality: 1,905 global accepts · Rating: 2400 · first AC: 2022-07-16 · C++17 (GCC 9-64) (first AC) · Tags: dfs and similar, dsu, graphs, greedy, sortings, trees

[Kratrissa's solution](#)

**70.**

1679E

[Typical Party in Dorm](#) · [Tutorial](#)

Quality: 1,419 global accepts · Rating: 2400 · first AC: 2022-05-14 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, combinatorics, dp, strings  
[Kratrissa's solution](#)

**71.**

1876D

[Lexichromatography](#) · [Tutorial](#)

Quality: 1,049 global accepts · Rating: 2500 · first AC: 2023-10-08 · C++17 (GCC 9-64) (first AC) · Tags: combinatorics, dfs and similar, dsu, graphs, two pointers  
[Kratrissa's solution](#)

**72.**

1687C

[Sanae and Giant Robot](#) · [Tutorial](#)

Quality: 1,688 global accepts · Rating: 2500 · first AC: 2022-06-03 · C++17 (GCC 9-64) (first AC) · Tags: binary search, brute force, data structures, dsu, greedy, sortings  
[Kratrissa's solution](#)

**73.**

1677D

[Tokitsukaze and Permutations](#) · [Tutorial](#)

Quality: 1,459 global accepts · Rating: 2500 · first AC: 2022-05-08 · C++17 (GCC 9-64) (first AC) · Tags: dp, math  
[Kratrissa's solution](#)

**74.**

1665E

[MinimizOR](#) · [Tutorial](#)

Quality: 1,799 global accepts · Rating: 2500 · first AC: 2022-04-08 · C++17 (GCC 9-64) (first AC) · Tags: bitmasks, brute force, data structures, divide and conquer, greedy, implementation, two pointers  
[Kratrissa's solution](#)

**75.**

1684F

[Diverse Segments](#) · [Tutorial](#)

Quality: 1,123 global accepts · Rating: 2600 · first AC: 2022-05-19 · C++17 (GCC 9-64) (first AC) · Tags: data structures, two pointers  
[Kratrissa's solution](#)

**76.**

1651E

[Sum of Matchings](#) · [Tutorial](#)

Quality: 619 global accepts · Rating: 2600 · first AC: 2022-04-10 · C++17 (GCC 9-64) (first AC) · Tags: brute force, combinatorics, constructive algorithms, dfs and similar, graph matchings, greedy, math  
[Kratrissa's solution](#)

**77.**

1661F

[Teleporters](#) · [Tutorial](#)

Quality: 827 global accepts · Rating: 2600 · first AC: 2022-04-09 · C++17 (GCC 9-64) (first AC) · Tags: binary search, greedy  
[Kratrissa's solution](#)

**78.**

1656F

[Parametric MST](#) · [Tutorial](#)

Quality: 1,219 global accepts · Rating: 2600 · first AC: 2022-04-07 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, graphs, greedy, math, sortings  
[Kratrissa's solution](#)

**79.**

1672H

[Zigu Zagu](#) · [Tutorial](#)

Quality: 1,130 global accepts · Rating: 2700 · first AC: 2022-04-23 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, data structures, greedy  
[Kratrissa's solution](#)

**80.**

1651F

[Tower Defense](#) · [Tutorial](#)

Quality: 481 global accepts · Rating: 3000 · first AC: 2022-04-10 · C++17 (GCC 9-64) (first AC) · Tags: binary search, brute force, data structures

[Kratrissa's solution](#)

**81.**

1656H

[Equal LCM Subsets](#) · [Tutorial](#)

Quality: 796 global accepts · Rating: 3200 · first AC: 2022-04-07 · C++17 (GCC 9-64) (first AC) · Tags: data structures, math, number theory

[Kratrissa's solution](#)

**82.**

1684H

[Hard Cut](#) · [Tutorial](#)

Quality: 288 global accepts · Rating: 3400 · first AC: 2022-06-09 · C++17 (GCC 9-64) (first AC) · Tags: constructive algorithms, dfs and similar, divide and conquer, math

[Kratrissa's solution](#)