

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — LGMastre

Links: [problem](#) (problemset), [Tutorial](#), [submission](#) (first AC).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 66

- 1.**
1400A
[String Similarity](#) · [Tutorial](#)
Quality: 27,968 global accepts · Rating: 800 · first AC: 2020-08-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, strings
[LGMastre's solution](#)
- 2.**
1391B
[Fix You](#) · [Tutorial](#)
Quality: 29,786 global accepts · Rating: 800 · first AC: 2020-08-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation
[LGMastre's solution](#)
- 3.**
1391A
[Subarrays](#) · [Tutorial](#)
Quality: 25,064 global accepts · Rating: 800 · first AC: 2020-08-09 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
[LGMastre's solution](#)
- 4.**
1393A
[Rainbow Dash, Fluttershy and Chess Coloring](#) · [Tutorial](#)
Quality: 20,832 global accepts · Rating: 800 · first AC: 2020-08-07 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math
[LGMastre's solution](#)
- 5.**
1186A
[Vus the Cossack and a Contest](#) · [Tutorial](#)
Quality: 42,463 global accepts · Rating: 800 · first AC: 2020-07-02 · C++17 (GCC 7-32) (first AC) · Tags: implementation
[LGMastre's solution](#)
- 6.**
1371A
[Magical Sticks](#) · [Tutorial](#)
Quality: 51,264 global accepts · Rating: 800 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: math
[LGMastre's solution](#)
- 7.**
1369A
[FashionableLee](#) · [Tutorial](#)
Quality: 39,125 global accepts · Rating: 800 · first AC: 2020-06-23 · C++17 (GCC 7-32) (first AC) · Tags: geometry, math
[LGMastre's solution](#)
- 8.**
1368A
[C+=](#) · [Tutorial](#)
Quality: 46,261 global accepts · Rating: 800 · first AC: 2020-06-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation, math
[LGMastre's solution](#)
- 9.**
1325B
[CopyCopyCopyCopyCopy](#) · [Tutorial](#)
Quality: 38,826 global accepts · Rating: 800 · first AC: 2020-03-14 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation
[LGMastre's solution](#)

10.

1325A

[EhAb AnD gCd](#) · [Tutorial](#)

Quality: 46,210 global accepts · Rating: 800 · first AC: 2020-03-14 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, number theory

[LGMastre's solution](#)

11.

1312A

[Two Regular Polygons](#) · [Tutorial](#)

Quality: 27,543 global accepts · Rating: 800 · first AC: 2020-03-09 · C++17 (GCC 7-32) (first AC) · Tags: geometry, greedy, math, number theory

[LGMastre's solution](#)

12.

1373B

[01 Game](#) · [Tutorial](#)

Quality: 52,692 global accepts · Rating: 900 · first AC: 2020-06-25 · C++17 (GCC 7-32) (first AC) · Tags: games

[LGMastre's solution](#)

13.

1373A

[Donut Shops](#) · [Tutorial](#)

Quality: 29,482 global accepts · Rating: 1000 · first AC: 2020-06-25 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, math

[LGMastre's solution](#)

14.

1312B

[Bogosort](#) · [Tutorial](#)

Quality: 39,060 global accepts · Rating: 1000 · first AC: 2020-03-09 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, sortings

[LGMastre's solution](#)

15.

1407A

[Ahahahahahahaha](#) · [Tutorial](#)

Quality: 21,402 global accepts · Rating: 1100 · first AC: 2020-09-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[LGMastre's solution](#)

16.

1375A

[Sign Flipping](#) · [Tutorial](#)

Quality: 18,843 global accepts · Rating: 1100 · first AC: 2020-07-04 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[LGMastre's solution](#)

17.

1327A

[Sum of Odd Integers](#) · [Tutorial](#)

Quality: 45,739 global accepts · Rating: 1100 · first AC: 2020-03-23 · C++17 (GCC 7-32) (first AC) · Tags: math

[LGMastre's solution](#)

18.

1375B

[Neighbor Grid](#) · [Tutorial](#)

Quality: 17,850 global accepts · Rating: 1200 · first AC: 2020-07-04 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[LGMastre's solution](#)

19.

1371B

[Magical Calendar](#) · [Tutorial](#)

Quality: 19,609 global accepts · Rating: 1200 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: math

[LGMastre's solution](#)

20.

1369B

[AccurateLee](#) · [Tutorial](#)

Quality: 25,572 global accepts · Rating: 1200 · first AC: 2020-06-23 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, strings

[LGMastre's solution](#)

21.

1327B

[Princesses and Princes](#) · [Tutorial](#)

Quality: 19,496 global accepts · Rating: 1200 · first AC: 2020-03-23 · C++17 (GCC 7-32) (first AC) · Tags: brute force, graphs, greedy
[LGMastre's solution](#)

22.

1407B

[Big Vova](#) · [Tutorial](#)

Quality: 18,068 global accepts · Rating: 1300 · first AC: 2020-09-08 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory
[LGMastre's solution](#)

23.

1371C

[A Cookie for You](#) · [Tutorial](#)

Quality: 21,370 global accepts · Rating: 1300 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, math
[LGMastre's solution](#)

24.

1373C

[Pluses and Minuses](#) · [Tutorial](#)

Quality: 19,373 global accepts · Rating: 1300 · first AC: 2020-06-25 · C++17 (GCC 7-32) (first AC) · Tags: math
[LGMastre's solution](#)

25.

1393B

[Applejack and Storages](#) · [Tutorial](#)

Quality: 17,365 global accepts · Rating: 1400 · first AC: 2020-08-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, greedy, implementation
[LGMastre's solution](#)

26.

1375C

[Element Extermination](#) · [Tutorial](#)

Quality: 22,951 global accepts · Rating: 1400 · first AC: 2020-07-04 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, greedy
[LGMastre's solution](#)

27.

1369C

[RationalLee](#) · [Tutorial](#)

Quality: 20,873 global accepts · Rating: 1400 · first AC: 2020-06-23 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings, two pointers
[LGMastre's solution](#)

28.

1312C

[Adding Powers](#) · [Tutorial](#)

Quality: 18,348 global accepts · Rating: 1400 · first AC: 2020-03-09 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy, implementation, math, number theory, ternary search
[LGMastre's solution](#)

29.

1400C

[Binary String Reconstruction](#) · [Tutorial](#)

Quality: 18,506 global accepts · Rating: 1500 · first AC: 2020-08-25 · C++17 (GCC 7-32) (first AC) · Tags: 2-sat, brute force, constructive algorithms, greedy
[LGMastre's solution](#)

30.

1391C

[Cyclic Permutations](#) · [Tutorial](#)

Quality: 16,028 global accepts · Rating: 1500 · first AC: 2020-08-09 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, graphs, math
[LGMastre's solution](#)

31.

1379B

[Dubious Crypto](#) · [Tutorial](#)

Quality: 13,180 global accepts · Rating: 1500 · first AC: 2020-07-19 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, math, number theory

[LGMastre's solution](#)

32.

1379A

[Acacius and String](#) · [Tutorial](#)

Quality: 12,328 global accepts · Rating: 1500 · first AC: 2020-07-19 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation, strings

[LGMastre's solution](#)

33.

1186D

[Vus the Cossack and Numbers](#) · [Tutorial](#)

Quality: 9,323 global accepts · Rating: 1500 · first AC: 2020-07-02 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[LGMastre's solution](#)

34.

1368C

[Even Picture](#) · [Tutorial](#)

Quality: 14,032 global accepts · Rating: 1500 · first AC: 2020-06-18 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[LGMastre's solution](#)

35.

1368B

[Codeforces Subsequences](#) · [Tutorial](#)

Quality: 21,442 global accepts · Rating: 1500 · first AC: 2020-06-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy, math, strings

[LGMastre's solution](#)

36.

1325C

[Ehab and Path-etic MEXs](#) · [Tutorial](#)

Quality: 17,159 global accepts · Rating: 1500 · first AC: 2020-03-14 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees

[LGMastre's solution](#)

37.

1407C

[Chocolate Bunny](#) · [Tutorial](#)

Quality: 14,804 global accepts · Rating: 1600 · first AC: 2020-09-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, interactive, math, two pointers

[LGMastre's solution](#)

38.

1371D

[Grid-00100](#) · [Tutorial](#)

Quality: 13,708 global accepts · Rating: 1600 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation

[LGMastre's solution](#)

39.

1373D

[Maximum Sum on Even Positions](#) · [Tutorial](#)

Quality: 17,669 global accepts · Rating: 1600 · first AC: 2020-06-25 · C++17 (GCC 7-32) (first AC) · Tags: divide and conquer, dp, greedy, implementation

[LGMastre's solution](#)

40.

1327C

[Game with Chips](#) · [Tutorial](#)

Quality: 14,086 global accepts · Rating: 1600 · first AC: 2020-03-23 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation

[LGMastre's solution](#)

41.

1400B

[RPG Protagonist](#) · [Tutorial](#)

Quality: 11,697 global accepts · Rating: 1700 · first AC: 2020-08-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math

[LGMastre's solution](#)

42.

1393C

[Pinkie Pie Eats Patty-cakes](#) · [Tutorial](#)

Quality: 11,045 global accepts · Rating: 1700 · first AC: 2020-08-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[LGMastre's solution](#)

43.

1368D

[AND, OR and square sum](#) · [Tutorial](#)

Quality: 13,667 global accepts · Rating: 1700 · first AC: 2020-06-18 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy, math

[LGMastre's solution](#)

44.

1312D

[Count the Arrays](#) · [Tutorial](#)

Quality: 10,528 global accepts · Rating: 1700 · first AC: 2020-03-09 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math

[LGMastre's solution](#)

45.

1186C

[Vus the Cossack and Strings](#) · [Tutorial](#)

Quality: 6,547 global accepts · Rating: 1800 · first AC: 2020-07-02 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math

[LGMastre's solution](#)

46.

1400D

[Zigzags](#) · [Tutorial](#)

Quality: 11,392 global accepts · Rating: 1900 · first AC: 2020-08-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, combinatorics, data structures, math, two pointers

[LGMastre's solution](#)

47.

1375D

[Replace by MEX](#) · [Tutorial](#)

Quality: 10,142 global accepts · Rating: 1900 · first AC: 2020-07-04 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, sortings

[LGMastre's solution](#)

48.

1371E1

[Asterism \(Easy Version\)](#) · [Tutorial](#)

Quality: 5,529 global accepts · Rating: 1900 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, combinatorics, math, number theory, sortings

[LGMastre's solution](#)

49.

1369D

[TediousLee](#) · [Tutorial](#)

Quality: 9,230 global accepts · Rating: 1900 · first AC: 2020-06-23 · C++17 (GCC 7-32) (first AC) · Tags: dp, graphs, greedy, math, trees

[LGMastre's solution](#)

50.

1156C

[Match Points](#) · [Tutorial](#)

Quality: 6,670 global accepts · Rating: 2000 · first AC: 2021-07-13 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, sortings, ternary search, two pointers

[LGMastre's solution](#)

51.

1391D

[505](#) · [Tutorial](#)

Quality: 5,771 global accepts · Rating: 2000 · first AC: 2020-08-09 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, constructive algorithms, dp, greedy, implementation

[LGMastre's solution](#)

52.

1379C

[Choosing flowers](#) · [Tutorial](#)

Quality: 6,082 global accepts · Rating: 2000 · first AC: 2020-07-19 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, data structures, dfs and similar, dp, greedy, sortings, two pointers

[LGMastre's solution](#)

53.

1218I

[The Light Square](#) · [Tutorial](#)

Quality: 743 global accepts · Rating: 2100 · first AC: 2020-09-14 · last AC: 2020-09-14 · C++17 (GCC 7-32) (first AC) · Tags: 2-sat, dfs and similar, greedy

[LGMastre's solution](#)

54.

269C

[Flawed Flow](#) · [Tutorial](#)

Quality: 1,818 global accepts · Rating: 2100 · first AC: 2020-06-30 · last AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, flows, graphs, greedy

[LGMastre's solution](#)

55.

546E

[Soldier and Traveling](#) · [Tutorial](#)

Quality: 4,314 global accepts · Rating: 2100 · first AC: 2020-06-29 · C++17 (GCC 7-32) (first AC) · Tags: flows, graphs, math

[LGMastre's solution](#)

56.

498C

[Array and Operations](#) · [Tutorial](#)

Quality: 4,191 global accepts · Rating: 2100 · first AC: 2020-06-29 · C++17 (GCC 7-32) (first AC) · Tags: flows, graph matchings, number theory

[LGMastre's solution](#)

57.

1312E

[Array Shrinking](#) · [Tutorial](#)

Quality: 7,382 global accepts · Rating: 2100 · first AC: 2020-03-09 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy

[LGMastre's solution](#)

58.

723E

[One-Way Reform](#) · [Tutorial](#)

Quality: 2,260 global accepts · Rating: 2200 · first AC: 2020-07-03 · last AC: 2020-09-09 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, flows, graphs, greedy

[LGMastre's solution](#)

59.

1400E

[Clear the Multiset](#) · [Tutorial](#)

Quality: 6,312 global accepts · Rating: 2200 · first AC: 2020-08-25 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, dp, greedy

[LGMastre's solution](#)

60.

653D

[Delivery Bears](#) · [Tutorial](#)

Quality: 2,933 global accepts · Rating: 2200 · first AC: 2020-06-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, flows, graphs

[LGMastre's solution](#)

61.

1373E

[Sum of Digits](#) · [Tutorial](#)

Quality: 2,952 global accepts · Rating: 2200 · first AC: 2020-06-25 · last AC: 2020-06-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dp, greedy

[LGMastre's solution](#)

62.

1371E2

[Asterism \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,513 global accepts · Rating: 2300 · first AC: 2020-07-01 · C++17 (GCC 7-32) (first AC) · Tags: binary search, combinatorics, dp, math, number theory, sortings

[LGMastre's solution](#)

63.

1139E

[Maximize Mex](#) · [Tutorial](#)

Quality: 2,282 global accepts · Rating: 2400 · first AC: 2020-07-03 · C++17 (GCC 7-32) (first AC) · Tags: flows, graph matchings, graphs

[LGMastre's solution](#)

64.

1373F

[Network Coverage](#) · [Tutorial](#)

Quality: 1,878 global accepts · Rating: 2400 · first AC: 2020-06-28 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, data structures, greedy

[LGMastre's solution](#)

65.

1407E

[Egor in the Republic of Dagestan](#) · [Tutorial](#)

Quality: 1,907 global accepts · Rating: 2500 · first AC: 2020-09-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, dp, graphs, greedy, shortest paths

[LGMastre's solution](#)

66.

1375F

[Integer Game](#) · [Tutorial](#)

Quality: 2,510 global accepts · Rating: 2600 · first AC: 2020-07-04 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, games, interactive, math

[LGMastre's solution](#)