

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — RNS KWG

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 53

1.

1844A

[Subtraction Game](#) · [Tutorial](#)

Quality: 25,961 global accepts · Rating: 800 · first AC: 2023-07-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, games

[RNS_KWG's solution](#)

2.

1762A

[Divide and Conquer](#) · [Tutorial](#)

Quality: 20,589 global accepts · Rating: 800 · first AC: 2022-12-15 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, number theory

[RNS_KWG's solution](#)

3.

1743B

[Permutation Value](#) · [Tutorial](#)

Quality: 23,194 global accepts · Rating: 800 · first AC: 2022-10-17 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, greedy

[RNS_KWG's solution](#)

4.

1743A

[Password](#) · [Tutorial](#)

Quality: 29,547 global accepts · Rating: 800 · first AC: 2022-10-17 · C++20 (GCC 11-64) (first AC) · Tags: brute force, combinatorics, implementation, math

[RNS_KWG's solution](#)

5.

1661A

[Array Balancing](#) · [Tutorial](#)

Quality: 19,370 global accepts · Rating: 800 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[RNS_KWG's solution](#)

6.

1665A

[GCD vs LCM](#) · [Tutorial](#)

Quality: 26,207 global accepts · Rating: 800 · first AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[RNS_KWG's solution](#)

7.

1526A

[Mean Inequality](#) · [Tutorial](#)

Quality: 25,018 global accepts · Rating: 800 · first AC: 2021-05-28 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, sortings

[RNS_KWG's solution](#)

8.

1492A

[Three swimmers](#) · [Tutorial](#)

Quality: 23,383 global accepts · Rating: 800 · first AC: 2021-02-23 · C++17 (GCC 7-32) (first AC) · Tags: math

[RNS_KWG's solution](#)

9.

1388A

[Captain Flint and Crew Recruitment](#) · [Tutorial](#)

Quality: 25,954 global accepts · Rating: 800 · first AC: 2020-07-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory

[RNS_KWG's solution](#)

10.

1951A

[Dual Trigger](#) · [Tutorial](#)

Quality: 22,574 global accepts · Rating: 900 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math
[RNS_KWG's solution](#)

11.

1665B

[Array Cloning Technique](#) · [Tutorial](#)

Quality: 32,910 global accepts · Rating: 900 · first AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, sortings
[RNS_KWG's solution](#)

12.

1876A

[Helmets in Night Light](#) · [Tutorial](#)

Quality: 34,935 global accepts · Rating: 1000 · first AC: 2023-10-08 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings
[RNS_KWG's solution](#)

13.

1844B

[Permutations & Primes](#) · [Tutorial](#)

Quality: 20,248 global accepts · Rating: 1000 · first AC: 2023-07-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
[RNS_KWG's solution](#)

14.

1388B

[Captain Flint and a Long Voyage](#) · [Tutorial](#)

Quality: 22,822 global accepts · Rating: 1000 · first AC: 2020-07-30 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math
[RNS_KWG's solution](#)

15.

1762B

[Make Array Good](#) · [Tutorial](#)

Quality: 18,617 global accepts · Rating: 1100 · first AC: 2022-12-15 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, number theory, sortings
[RNS_KWG's solution](#)

16.

1743C

[Save the Magazines](#) · [Tutorial](#)

Quality: 20,640 global accepts · Rating: 1100 · first AC: 2022-10-17 · C++20 (GCC 11-64) (first AC) · Tags: constructive algorithms, dp, greedy
[RNS_KWG's solution](#)

17.

1492B

[Card Deck](#) · [Tutorial](#)

Quality: 20,420 global accepts · Rating: 1100 · first AC: 2021-02-23 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, math
[RNS_KWG's solution](#)

18.

1951B

[Battle Cows](#) · [Tutorial](#)

Quality: 16,849 global accepts · Rating: 1200 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, greedy
[RNS_KWG's solution](#)

19.

1844C

[Particles](#) · [Tutorial](#)

Quality: 17,862 global accepts · Rating: 1300 · first AC: 2023-07-11 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, implementation, math
[RNS_KWG's solution](#)

20.

1661B

[Getting Zero](#) · [Tutorial](#)

Quality: 20,689 global accepts · Rating: 1300 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dfs and similar,

dp, graphs, greedy, shortest paths

[RNS_KWG's solution](#)

21.

1967A

[Permutation Counting](#) · [Tutorial](#)

Quality: 14,941 global accepts · Rating: 1400 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, implementation, math, sortings

[RNS_KWG's solution](#)

22.

1967B1

[Reverse Card \(Easy Version\)](#) · [Tutorial](#)

Quality: 16,059 global accepts · Rating: 1400 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory

[RNS_KWG's solution](#)

23.

1951C

[Ticket Hoarding](#) · [Tutorial](#)

Quality: 13,773 global accepts · Rating: 1400 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings

[RNS_KWG's solution](#)

24.

1844D

[Row Major](#) · [Tutorial](#)

Quality: 13,838 global accepts · Rating: 1400 · first AC: 2023-07-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math, number theory, strings

[RNS_KWG's solution](#)

25.

1762C

[Binary Strings are Fun](#) · [Tutorial](#)

Quality: 10,166 global accepts · Rating: 1400 · first AC: 2022-12-15 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math

[RNS_KWG's solution](#)

26.

1526B

[I Hate 1111](#) · [Tutorial](#)

Quality: 36,738 global accepts · Rating: 1400 · first AC: 2021-05-28 · C++17 (GCC 7-32) (first AC) · Tags: dp, math, number theory

[RNS_KWG's solution](#)

27.

1876B

[Effects of Anti Pimples](#) · [Tutorial](#)

Quality: 10,028 global accepts · Rating: 1500 · first AC: 2023-10-08 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, number theory, sortings

[RNS_KWG's solution](#)

28.

1526C1

[Potions \(Easy Version\)](#) · [Tutorial](#)

Quality: 27,191 global accepts · Rating: 1500 · first AC: 2021-05-28 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dp, greedy

[RNS_KWG's solution](#)

29.

1938H

[Pho Restaurant](#) · [Tutorial](#)

Quality: 2,679 global accepts · Rating: 1600 · first AC: 2024-03-02 · C++20 (GCC 11-64) (first AC) · Tags: —

[RNS_KWG's solution](#)

30.

1665C

[Tree Infection](#) · [Tutorial](#)

Quality: 9,862 global accepts · Rating: 1600 · first AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, sortings, trees

[RNS_KWG's solution](#)

31.

1526C2

[Potions \(Hard Version\)](#) · [Tutorial](#)

Quality: 29,755 global accepts · Rating: 1600 · first AC: 2021-05-28 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy

[RNS_KWG's solution](#)

32.

598D

[Igor In the Museum](#) · [Tutorial](#)

Quality: 13,104 global accepts · Rating: 1700 · first AC: 2023-08-29 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, graphs, shortest paths

[RNS_KWG's solution](#)

33.

1743D

[Problem with Random Tests](#) · [Tutorial](#)

Quality: 8,369 global accepts · Rating: 1700 · first AC: 2022-10-17 · C++20 (GCC 11-64) (first AC) · Tags: brute force, dp, greedy, probabilities

[RNS_KWG's solution](#)

34.

1661C

[Water the Trees](#) · [Tutorial](#)

Quality: 10,540 global accepts · Rating: 1700 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, math

[RNS_KWG's solution](#)

35.

1938C

[Bit Counting Sequence](#) · [Tutorial](#)

Quality: 1,830 global accepts · Rating: 1900 · first AC: 2024-03-03 · C++17 (GCC 7-32) (first AC) · Tags: —

[RNS_KWG's solution](#)

36.

1661D

[Progressions Covering](#) · [Tutorial](#)

Quality: 5,397 global accepts · Rating: 1900 · first AC: 2022-04-09 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy

[RNS_KWG's solution](#)

37.

1492D

[Genius's Gambit](#) · [Tutorial](#)

Quality: 6,512 global accepts · Rating: 1900 · first AC: 2021-02-23 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, greedy, math

[RNS_KWG's solution](#)

38.

1951E

[No Palindromes](#) · [Tutorial](#)

Quality: 4,477 global accepts · Rating: 2000 · first AC: 2024-04-23 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, divide and conquer, greedy, hashing, implementation, math, strings

[RNS_KWG's solution](#)

39.

1951D

[Buying Jewels](#) · [Tutorial](#)

Quality: 6,300 global accepts · Rating: 2000 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math

[RNS_KWG's solution](#)

40.

1665D

[GCD Guess](#) · [Tutorial](#)

Quality: 4,659 global accepts · Rating: 2000 · first AC: 2022-04-08 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, chinese remainder theorem, constructive algorithms, games, interactive, math, number theory

[RNS_KWG's solution](#)

41.

1938J

[There and Back Again](#) · [Tutorial](#)

Quality: 1,598 global accepts · Rating: 2100 · first AC: 2024-03-02 · C++20 (GCC 11-64) (first AC) · Tags: —

[RNS_KWG's solution](#)

42.

1876C

[Autosynthesis](#) · [Tutorial](#)

Quality: 2,719 global accepts · Rating: 2100 · first AC: 2023-10-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, sortings

[RNS_KWG's solution](#)

43.

1967B2

[Reverse Card \(Hard Version\)](#) · [Tutorial](#)

Quality: 4,859 global accepts · Rating: 2200 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory

[RNS_KWG's solution](#)

44.

1938E

[Duplicates](#) · [Tutorial](#)

Quality: 1,275 global accepts · Rating: 2200 · first AC: 2024-03-02 · C++20 (GCC 11-64) (first AC) · Tags: —

[RNS_KWG's solution](#)

45.

1967C

[Fenwick Tree](#) · [Tutorial](#)

Quality: 2,238 global accepts · Rating: 2300 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, combinatorics, data structures, dp, math, trees

[RNS_KWG's solution](#)

46.

1938G

[Personality Test](#) · [Tutorial](#)

Quality: 1,290 global accepts · Rating: 2300 · first AC: 2024-03-02 · C++20 (GCC 11-64) (first AC) · Tags: —

[RNS_KWG's solution](#)

47.

1938F

[Forming Groups](#) · [Tutorial](#)

Quality: 932 global accepts · Rating: 2400 · first AC: 2024-03-02 · C++20 (GCC 11-64) (first AC) · Tags: —

[RNS_KWG's solution](#)

48.

1844E

[Great Grids](#) · [Tutorial](#)

Quality: 2,156 global accepts · Rating: 2400 · first AC: 2023-07-11 · last AC: 2023-07-11 · C++17 (GCC 7-32) (first AC) · Tags: 2-sat, constructive algorithms, dfs and similar, dsu, graphs

[RNS_KWG's solution](#)

49.

1951F

[Inversion Composition](#) · [Tutorial](#)

Quality: 963 global accepts · Rating: 2500 · first AC: 2024-04-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, greedy

[RNS_KWG's solution](#)

50.

1762E

[Tree Sum](#) · [Tutorial](#)

Quality: 848 global accepts · Rating: 2600 · first AC: 2022-12-15 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, math, trees

[RNS_KWG's solution](#)

51.

1967D

[Long Way to be Non-decreasing](#) · [Tutorial](#)

Quality: 978 global accepts · Rating: 2800 · first AC: 2024-04-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dfs and similar, graphs, implementation, shortest paths, two pointers

[RNS_KWG's solution](#)

52.

1938L

[XOR Operations](#) · [Tutorial](#)

Quality: 351 global accepts · Rating: 2800 · first AC: 2024-03-03 · C++17 (GCC 7-32) (first AC) · Tags: —

[RNS_KWG's solution](#)

53.

1548D2

[Gregor and the Odd Cows \(Hard\)](#) · [Tutorial](#)

Quality: 283 global accepts · Rating: 3300 · first AC: 2021-08-18 · C++17 (GCC 7-32) (first AC) · Tags: brute force, geometry, math, number theory

[RNS_KWG's solution](#)