

## [CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

# Unique solved — Toeto

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 42

1.

1148A

[Another One Bites The Dust](#) · [Tutorial](#)

Quality: 15,547 global accepts · Rating: 800 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Toeto's solution](#)

2.

1131A

[Sea Battle](#) · [Tutorial](#)

Quality: 12,807 global accepts · Rating: 800 · first AC: 2019-02-23 · C++14 (GCC 6-32) (first AC) · Tags: math

[Toeto's solution](#)

3.

1102A

[Integer Sequence Dividing](#) · [Tutorial](#)

Quality: 26,617 global accepts · Rating: 800 · first AC: 2019-01-09 · last AC: 2019-01-09 · C++14 (GCC 6-32) (first AC) · Tags: math

[Toeto's solution](#)

4.

1043A

[Elections](#) · [Tutorial](#)

Quality: 11,280 global accepts · Rating: 800 · first AC: 2018-10-28 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math

[Toeto's solution](#)

5.

1028A

[Find Square](#) · [Tutorial](#)

Quality: 11,522 global accepts · Rating: 800 · first AC: 2018-08-27 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Toeto's solution](#)

6.

1131C

[Birthday](#) · [Tutorial](#)

Quality: 15,659 global accepts · Rating: 1200 · first AC: 2019-02-23 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, sortings

[Toeto's solution](#)

7.

1043B

[Lost Array](#) · [Tutorial](#)

Quality: 6,551 global accepts · Rating: 1200 · first AC: 2018-10-28 · C++14 (GCC 6-32) (first AC) · Tags: implementation

[Toeto's solution](#)

8.

1028B

[Unnatural Conditions](#) · [Tutorial](#)

Quality: 10,242 global accepts · Rating: 1200 · first AC: 2018-08-27 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math

[Toeto's solution](#)

9.

1029B

[Creating the Contest](#) · [Tutorial](#)

Quality: 18,466 global accepts · Rating: 1200 · first AC: 2018-08-24 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, math

[Toeto's solution](#)

10.

1037C

[Equalize](#) · [Tutorial](#)

Quality: 20,112 global accepts · Rating: 1300 · first AC: 2018-09-02 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, strings

[Toeto's solution](#)

**11.**

1037B

[Reach Median](#) · [Tutorial](#)

Quality: 10,878 global accepts · Rating: 1300 · first AC: 2018-09-02 · C++14 (GCC 6-32) (first AC) · Tags: greedy

[Toeto's solution](#)

**12.**

1037A

[Packets](#) · [Tutorial](#)

Quality: 11,831 global accepts · Rating: 1300 · first AC: 2018-09-02 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math

[Toeto's solution](#)

**13.**

1029A

[Many Equal Substrings](#) · [Tutorial](#)

Quality: 13,436 global accepts · Rating: 1300 · first AC: 2018-08-24 · C++14 (GCC 6-32) (first AC) · Tags: implementation, strings

[Toeto's solution](#)

**14.**

1131B

[Draw!](#) · [Tutorial](#)

Quality: 10,390 global accepts · Rating: 1400 · first AC: 2019-02-23 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation

[Toeto's solution](#)

**15.**

1158A

[The Party and Sweets](#) · [Tutorial](#)

Quality: 8,340 global accepts · Rating: 1500 · first AC: 2019-05-12 · C++14 (GCC 6-32) (first AC) · Tags: binary search, constructive algorithms, greedy, implementation, math, sortings, two pointers

[Toeto's solution](#)

**16.**

1043C

[Smallest Word](#) · [Tutorial](#)

Quality: 7,224 global accepts · Rating: 1500 · first AC: 2018-10-28 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, implementation

[Toeto's solution](#)

**17.**

1148B

[Born This Way](#) · [Tutorial](#)

Quality: 7,941 global accepts · Rating: 1600 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, two pointers

[Toeto's solution](#)

**18.**

1098A

[Sum in the tree](#) · [Tutorial](#)

Quality: 9,547 global accepts · Rating: 1600 · first AC: 2019-01-05 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees

[Toeto's solution](#)

**19.**

1028C

[Rectangles](#) · [Tutorial](#)

Quality: 5,052 global accepts · Rating: 1600 · first AC: 2018-08-27 · C++14 (GCC 6-32) (first AC) · Tags: geometry, implementation, sortings

[Toeto's solution](#)

**20.**

1029C

[Maximal Intersection](#) · [Tutorial](#)

Quality: 8,276 global accepts · Rating: 1600 · first AC: 2018-08-24 · C++14 (GCC 6-32) (first AC) · Tags: greedy, math, sortings

[Toeto's solution](#)

**21.**

1148C

[Crazy Diamond](#) · [Tutorial](#)

Quality: 5,627 global accepts · Rating: 1700 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, sortings  
[Toeto's solution](#)

**22.**

1131F

[Asya And Kittens](#) · [Tutorial](#)

Quality: 7,754 global accepts · Rating: 1700 · first AC: 2019-02-23 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dsu  
[Toeto's solution](#)

**23.**

1043D

[Mysterious Crime](#) · [Tutorial](#)

Quality: 4,763 global accepts · Rating: 1700 · first AC: 2018-10-28 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics, math, meet-in-the-middle, two pointers  
[Toeto's solution](#)

**24.**

1037D

[Valid BFS?](#) · [Tutorial](#)

Quality: 19,105 global accepts · Rating: 1700 · first AC: 2018-09-02 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, graphs, shortest paths, trees  
[Toeto's solution](#)

**25.**

1148D

[Dirty Deeds Done Dirt Cheap](#) · [Tutorial](#)

Quality: 5,263 global accepts · Rating: 1800 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: greedy, sortings  
[Toeto's solution](#)

**26.**

1043E

[Train Hard, Win Easy](#) · [Tutorial](#)

Quality: 3,461 global accepts · Rating: 1900 · first AC: 2018-10-28 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings  
[Toeto's solution](#)

**27.**

1029D

[Concatenated Multiples](#) · [Tutorial](#)

Quality: 4,235 global accepts · Rating: 1900 · first AC: 2018-08-24 · C++14 (GCC 6-32) (first AC) · Tags: implementation, math  
[Toeto's solution](#)

**28.**

1131D

[Gourmet choice](#) · [Tutorial](#)

Quality: 3,636 global accepts · Rating: 2000 · first AC: 2019-02-23 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, dsu, graphs, greedy  
[Toeto's solution](#)

**29.**

1029F

[Multicolored Markers](#) · [Tutorial](#)

Quality: 2,754 global accepts · Rating: 2000 · first AC: 2018-08-24 · C++14 (GCC 6-32) (first AC) · Tags: binary search, brute force, math, number theory  
[Toeto's solution](#)

**30.**

1158C

[Permutation recovery](#) · [Tutorial](#)

Quality: 2,116 global accepts · Rating: 2100 · first AC: 2019-05-12 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, graphs, greedy, math, sortings  
[Toeto's solution](#)

- 31.**  
1028D  
[Order book](#) · [Tutorial](#)  
Quality: 1,823 global accepts · Rating: 2100 · first AC: 2018-08-27 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, greedy  
[Toeto's solution](#)
- 32.**  
1029E  
[Tree with Small Distances](#) · [Tutorial](#)  
Quality: 3,416 global accepts · Rating: 2100 · first AC: 2018-08-24 · C++14 (GCC 6-32) (first AC) · Tags: dp, graphs, greedy  
[Toeto's solution](#)
- 33.**  
1158B  
[The minimal unique substring](#) · [Tutorial](#)  
Quality: 2,383 global accepts · Rating: 2200 · first AC: 2019-05-12 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math, strings  
[Toeto's solution](#)
- 34.**  
1037E  
[Trips](#) · [Tutorial](#)  
Quality: 3,124 global accepts · Rating: 2200 · first AC: 2018-09-02 · C++14 (GCC 6-32) (first AC) · Tags: graphs  
[Toeto's solution](#)
- 35.**  
1148E  
[Earth Wind and Fire](#) · [Tutorial](#)  
Quality: 1,824 global accepts · Rating: 2300 · first AC: 2019-06-01 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings, two pointers  
[Toeto's solution](#)
- 36.**  
1131E  
[String Multiplication](#) · [Tutorial](#)  
Quality: 1,262 global accepts · Rating: 2300 · first AC: 2019-02-23 · C++14 (GCC 6-32) (first AC) · Tags: dp, greedy, strings  
[Toeto's solution](#)
- 37.**  
1028E  
[Restore Array](#) · [Tutorial](#)  
Quality: 1,202 global accepts · Rating: 2400 · first AC: 2018-08-27 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms  
[Toeto's solution](#)
- 38.**  
1037F  
[Maximum Reduction](#) · [Tutorial](#)  
Quality: 1,273 global accepts · Rating: 2500 · first AC: 2018-09-02 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, data structures, math  
[Toeto's solution](#)
- 39.**  
2222D  
[Permutation Construction](#) · [Tutorial](#)  
Quality: 3,195 global accepts · Rating: — · first AC: 2026-04-25 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, data structures, sortings  
[Toeto's solution](#)
- 40.**  
2222C  
[Median Partition](#) · [Tutorial](#)  
Quality: 4,790 global accepts · Rating: — · first AC: 2026-04-25 · C++17 (GCC 7-32) (first AC) · Tags: dp, math  
[Toeto's solution](#)
- 41.**  
2222B  
[Artistic Balance Tree](#) · [Tutorial](#)  
Quality: 7,290 global accepts · Rating: — · first AC: 2026-04-25 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings

[Toeto's solution](#)

**42.**

2222A

[A Wonderful Contest](#) · [Tutorial](#)

Quality: 10,023 global accepts · Rating: — · first AC: 2026-04-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, math

[Toeto's solution](#)