

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — themezzala

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 164

- 1.**
2211A
[Antimedian Deletion](#) · [Tutorial](#)
Quality: 16,098 global accepts · Rating: 800 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: implementation, math
[_themezzala's solution](#)
- 2.**
2207A
[1-1](#) · [Tutorial](#)
Quality: 13,693 global accepts · Rating: 800 · first AC: 2026-03-08 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, strings
[_themezzala's solution](#)
- 3.**
2183A
[Binary Array Game](#) · [Tutorial](#)
Quality: 23,675 global accepts · Rating: 800 · first AC: 2026-01-07 · C++23 (GCC 14-64, msys2) (first AC) · Tags: games
[_themezzala's solution](#)
- 4.**
2178A
[Yes or Yes](#) · [Tutorial](#)
Quality: 25,744 global accepts · Rating: 800 · first AC: 2025-12-27 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings
[_themezzala's solution](#)
- 5.**
2180A
[Carnival Wheel](#) · [Tutorial](#)
Quality: 25,876 global accepts · Rating: 800 · first AC: 2025-12-19 · C++17 (GCC 7-32) (first AC) · Tags: brute force, number theory
[_themezzala's solution](#)
- 6.**
2180B
[Ashmal](#) · [Tutorial](#)
Quality: 24,580 global accepts · Rating: 800 · first AC: 2025-12-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings
[_themezzala's solution](#)
- 7.**
2164A
[Sequence Game](#) · [Tutorial](#)
Quality: 20,840 global accepts · Rating: 800 · first AC: 2025-11-06 · C++17 (GCC 7-32) (first AC) · Tags: brute force, sortings
[_themezzala's solution](#)
- 8.**
2152A
[Increase or Smash](#) · [Tutorial](#)
Quality: 22,320 global accepts · Rating: 800 · first AC: 2025-10-03 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation
[_themezzala's solution](#)
- 9.**
2146A
[Equal Occurrences](#) · [Tutorial](#)
Quality: 21,841 global accepts · Rating: 800 · first AC: 2025-09-21 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation
[_themezzala's solution](#)
- 10.**
2147A
[Shortest Increasing Path](#) · [Tutorial](#)

Quality: 18,639 global accepts · Rating: 800 · first AC: 2025-09-20 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy
[_themezzala's solution](#)

11.

2134A

[Painting With Two Colors](#) · [Tutorial](#)

Quality: 26,566 global accepts · Rating: 800 · first AC: 2025-08-26 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, math
[_themezzala's solution](#)

12.

2127A

[Mix Mex Max](#) · [Tutorial](#)

Quality: 19,652 global accepts · Rating: 800 · first AC: 2025-08-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math
[_themezzala's solution](#)

13.

2130A

[Submission is All You Need](#) · [Tutorial](#)

Quality: 28,531 global accepts · Rating: 800 · first AC: 2025-07-31 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math
[_themezzala's solution](#)

14.

2122A

[Greedy Grid](#) · [Tutorial](#)

Quality: 19,212 global accepts · Rating: 800 · first AC: 2025-07-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy
[_themezzala's solution](#)

15.

1925A

[We Got Everything Covered!](#) · [Tutorial](#)

Quality: 31,150 global accepts · Rating: 800 · first AC: 2024-01-27 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, strings
[_themezzala's solution](#)

16.

1920A

[Satisfying Constraints](#) · [Tutorial](#)

Quality: 29,560 global accepts · Rating: 800 · first AC: 2024-01-13 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math
[_themezzala's solution](#)

17.

1919B

[Plus-Minus Split](#) · [Tutorial](#)

Quality: 31,652 global accepts · Rating: 800 · first AC: 2024-01-06 · C++20 (GCC 11-64) (first AC) · Tags: greedy
[_themezzala's solution](#)

18.

1919A

[Wallet Exchange](#) · [Tutorial](#)

Quality: 36,195 global accepts · Rating: 800 · first AC: 2024-01-06 · C++17 (GCC 7-32) (first AC) · Tags: games, math
[_themezzala's solution](#)

19.

1916A

[2023](#) · [Tutorial](#)

Quality: 28,315 global accepts · Rating: 800 · first AC: 2023-12-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, math, number theory
[_themezzala's solution](#)

20.

1917A

[Least Product](#) · [Tutorial](#)

Quality: 27,246 global accepts · Rating: 800 · first AC: 2023-12-24 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math
[_themezzala's solution](#)

21.

1913A

[Rating Increase](#) · [Tutorial](#)

Quality: 27,263 global accepts · Rating: 800 · first AC: 2023-12-18 · C++17 (GCC 7-32) (first AC) · Tags: implementation
[_themezzala's solution](#)

22.

1902A

[Binary Imbalance](#) · [Tutorial](#)

Quality: 23,256 global accepts · Rating: 800 · first AC: 2023-12-03 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms
[_themezzala's solution](#)

23.

1903A

[Halloumi Boxes](#) · [Tutorial](#)

Quality: 79,703 global accepts · Rating: 800 · first AC: 2023-11-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, sortings
[_themezzala's solution](#)

24.

1900A

[Cover in Water](#) · [Tutorial](#)

Quality: 64,152 global accepts · Rating: 800 · first AC: 2023-11-26 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, strings
[_themezzala's solution](#)

25.

1896A

[Jagged Swaps](#) · [Tutorial](#)

Quality: 57,389 global accepts · Rating: 800 · first AC: 2023-11-25 · C++17 (GCC 7-32) (first AC) · Tags: sortings
[_themezzala's solution](#)

26.

1882A

[Increasing Sequence](#) · [Tutorial](#)

Quality: 27,338 global accepts · Rating: 800 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[_themezzala's solution](#)

27.

1870A

[MEXanized Array](#) · [Tutorial](#)

Quality: 20,232 global accepts · Rating: 800 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math
[_themezzala's solution](#)

28.

1859A

[United We Stand](#) · [Tutorial](#)

Quality: 54,444 global accepts · Rating: 800 · first AC: 2023-08-12 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory
[_themezzala's solution](#)

29.

1782A

[Parallel Projection](#) · [Tutorial](#)

Rating: 800 · first AC: 2023-01-15 · C++17 (GCC 7-32) (first AC) · Tags: geometry, greedy, math
[_themezzala's solution](#)

30.

1783A

[Make it Beautiful](#) · [Tutorial](#)

Quality: 48,759 global accepts · Rating: 800 · first AC: 2023-01-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, sortings
[_themezzala's solution](#)

31.

1714C

[Minimum Varied Number](#) · [Tutorial](#)

Quality: 33,426 global accepts · Rating: 800 · first AC: 2022-08-01 · C++17 (GCC 7-32) (first AC) · Tags: greedy

[_themezzala's solution](#)

32.

1714B

[Remove Prefix](#) · [Tutorial](#)

Quality: 33,783 global accepts · Rating: 800 · first AC: 2022-08-01 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation

[_themezzala's solution](#)

33.

1692C

[Where's the Bishop?](#) · [Tutorial](#)

Quality: 38,919 global accepts · Rating: 800 · first AC: 2022-06-14 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[_themezzala's solution](#)

34.

1692B

[All Distinct](#) · [Tutorial](#)

Quality: 39,440 global accepts · Rating: 800 · first AC: 2022-06-14 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings

[_themezzala's solution](#)

35.

1692A

[Marathon](#) · [Tutorial](#)

Quality: 85,767 global accepts · Rating: 800 · first AC: 2022-06-14 · C++17 (GCC 7-32) (first AC) · Tags: implementation

[_themezzala's solution](#)

36.

1690B

[Array Decrements](#) · [Tutorial](#)

Quality: 26,934 global accepts · Rating: 800 · first AC: 2022-06-07 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[_themezzala's solution](#)

37.

1690A

[Print a Pedestal \(Codeforces logo?\)](#) · [Tutorial](#)

Quality: 35,635 global accepts · Rating: 800 · first AC: 2022-06-07 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[_themezzala's solution](#)

38.

1690C

[Restoring the Duration of Tasks](#) · [Tutorial](#)

Quality: 28,098 global accepts · Rating: 800 · first AC: 2022-06-07 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, implementation

[_themezzala's solution](#)

39.

2178B

[Impost or Sus](#) · [Tutorial](#)

Quality: 21,589 global accepts · Rating: 900 · first AC: 2025-12-27 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, implementation, strings

[_themezzala's solution](#)

40.

1904A

[Forked!](#) · [Tutorial](#)

Quality: 40,402 global accepts · Rating: 900 · first AC: 2023-12-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation

[_themezzala's solution](#)

41.

1900B

[Laura and Operations](#) · [Tutorial](#)

Quality: 20,475 global accepts · Rating: 900 · first AC: 2023-11-26 · C++17 (GCC 7-32) (first AC) · Tags: dp, math

[_themezzala's solution](#)

42.

1896B

[AB Flipping](#) · [Tutorial](#)

Quality: 18,424 global accepts · Rating: 900 · first AC: 2023-11-25 · C++17 (GCC 7-32) (first AC) · Tags: greedy, strings, two pointers

[_themezzala's solution](#)

43.

1714A

[Everyone Loves to Sleep](#) · [Tutorial](#)

Quality: 32,902 global accepts · Rating: 900 · first AC: 2022-08-01 · C++17 (GCC 7-32) (first AC) · Tags: implementation, math

[_themezzala's solution](#)

44.

2164B

[Even Modulo Pair](#) · [Tutorial](#)

Quality: 18,268 global accepts · Rating: 1000 · first AC: 2025-11-06 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory

[_themezzala's solution](#)

45.

2147B

[Multiple Construction](#) · [Tutorial](#)

Quality: 16,977 global accepts · Rating: 1000 · first AC: 2025-09-20 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[_themezzala's solution](#)

46.

1916B

[Two Divisors](#) · [Tutorial](#)

Quality: 31,915 global accepts · Rating: 1000 · first AC: 2023-12-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory

[_themezzala's solution](#)

47.

1913B

[Swap and Delete](#) · [Tutorial](#)

Quality: 51,278 global accepts · Rating: 1000 · first AC: 2023-12-18 · C++17 (GCC 7-32) (first AC) · Tags: strings

[_themezzala's solution](#)

48.

1859B

[Olya and Game with Arrays](#) · [Tutorial](#)

Quality: 43,921 global accepts · Rating: 1000 · first AC: 2023-08-12 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, math, sortings

[_themezzala's solution](#)

49.

1782B

[Going to the Cinema](#) · [Tutorial](#)

Rating: 1000 · first AC: 2023-01-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, sortings

[_themezzala's solution](#)

50.

2211B

[Mickey Mouse Constructive](#) · [Tutorial](#)

Quality: 11,650 global accepts · Rating: 1100 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dp, greedy, math

[_themezzala's solution](#)

51.

2183B

[Yet Another MEX Problem](#) · [Tutorial](#)

Quality: 16,180 global accepts · Rating: 1100 · first AC: 2026-01-07 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, greedy

[_themezzala's solution](#)

52.

2146B

[Merging the Sets](#) · [Tutorial](#)

Quality: 15,925 global accepts · Rating: 1100 · first AC: 2025-09-21 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation

[_themezzala's solution](#)

53.

2138A

[Cake Assignment](#) · [Tutorial](#)

Quality: 17,003 global accepts · Rating: 1100 · first AC: 2025-09-08 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, greedy

[_themezzala's solution](#)

54.

2130B

[Pathless](#) · [Tutorial](#)

Quality: 21,400 global accepts · Rating: 1100 · first AC: 2025-07-31 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms

[_themezzala's solution](#)

55.

2122B

[Pile Shuffling](#) · [Tutorial](#)

Quality: 15,225 global accepts · Rating: 1100 · first AC: 2025-07-19 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math

[_themezzala's solution](#)

56.

1920B

[Summation Game](#) · [Tutorial](#)

Quality: 23,124 global accepts · Rating: 1100 · first AC: 2024-01-13 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, math, sortings

[_themezzala's solution](#)

57.

1917B

[Erase First or Second Letter](#) · [Tutorial](#)

Quality: 36,367 global accepts · Rating: 1100 · first AC: 2023-12-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, combinatorics, data structures, dp, strings

[_themezzala's solution](#)

58.

1904B

[Collecting Game](#) · [Tutorial](#)

Quality: 27,929 global accepts · Rating: 1100 · first AC: 2023-12-09 · C++17 (GCC 7-32) (first AC) · Tags: binary search, dp, greedy, sortings, two pointers

[_themezzala's solution](#)

59.

1902B

[Getting Points](#) · [Tutorial](#)

Quality: 16,450 global accepts · Rating: 1100 · first AC: 2023-12-03 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, greedy

[_themezzala's solution](#)

60.

1783B

[Matrix of Differences](#) · [Tutorial](#)

Quality: 19,322 global accepts · Rating: 1100 · first AC: 2023-01-08 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math

[_themezzala's solution](#)

61.

1692D

[The Clock](#) · [Tutorial](#)

Quality: 21,662 global accepts · Rating: 1100 · first AC: 2022-06-14 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation

[_themezzala's solution](#)

62.

2190A

[Sorting Game](#) · [Tutorial](#)

Quality: 17,140 global accepts · Rating: 1200 · first AC: 2026-01-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, games, greedy

[_themezzala's solution](#)

63.

2178C

[First or Second](#) · [Tutorial](#)

Quality: 15,705 global accepts · Rating: 1200 · first AC: 2025-12-27 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy, implementation
[_themezzala's solution](#)

64.

2135A

[Against the Difference](#) · [Tutorial](#)

Quality: 18,353 global accepts · Rating: 1200 · first AC: 2025-08-28 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp
[_themezzala's solution](#)

65.

2134C

[Even Larger](#) · [Tutorial](#)

Quality: 18,689 global accepts · Rating: 1200 · first AC: 2025-08-26 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation
[_themezzala's solution](#)

66.

2134B

[Add 0 or K](#) · [Tutorial](#)

Quality: 20,880 global accepts · Rating: 1200 · first AC: 2025-08-26 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory
[_themezzala's solution](#)

67.

1925B

[A Balanced Problemset?](#) · [Tutorial](#)

Quality: 23,130 global accepts · Rating: 1200 · first AC: 2024-01-27 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, math, number theory
[_themezzala's solution](#)

68.

1916C

[Training Before the Olympiad](#) · [Tutorial](#)

Quality: 19,884 global accepts · Rating: 1200 · first AC: 2023-12-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, games, greedy, implementation, math
[_themezzala's solution](#)

69.

1903B

[StORage room](#) · [Tutorial](#)

Quality: 14,837 global accepts · Rating: 1200 · first AC: 2023-11-30 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, constructive algorithms, greedy
[_themezzala's solution](#)

70.

1870B

[Friendly Arrays](#) · [Tutorial](#)

Quality: 16,109 global accepts · Rating: 1200 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy, math
[_themezzala's solution](#)

71.

1859C

[Another Permutation Problem](#) · [Tutorial](#)

Quality: 18,658 global accepts · Rating: 1200 · first AC: 2023-08-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, math
[_themezzala's solution](#)

72.

1692E

[Binary Deque](#) · [Tutorial](#)

Quality: 33,296 global accepts · Rating: 1200 · first AC: 2022-06-14 · C++17 (GCC 7-32) (first AC) · Tags: binary search, implementation, two pointers
[_themezzala's solution](#)

73.

2211C1

[Equal Multisets \(Easy Version\)](#) · [Tutorial](#)

Quality: 9,124 global accepts · Rating: 1300 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, greedy, two pointers

[_themezzala's solution](#)

74.

2201A1

[Lost Civilization \(Easy Version\)](#) · [Tutorial](#)

Quality: 11,064 global accepts · Rating: 1300 · first AC: 2026-02-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures

[_themezzala's solution](#)

75.

2187A

[Restricted Sorting](#) · [Tutorial](#)

Quality: 15,876 global accepts · Rating: 1300 · first AC: 2026-01-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, sortings

[_themezzala's solution](#)

76.

2165A

[Cyclic Merging](#) · [Tutorial](#)

Quality: 14,130 global accepts · Rating: 1300 · first AC: 2025-11-16 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[_themezzala's solution](#)

77.

2152B

[Catching the Krug](#) · [Tutorial](#)

Quality: 12,858 global accepts · Rating: 1300 · first AC: 2025-10-03 · C++17 (GCC 7-32) (first AC) · Tags: games

[_themezzala's solution](#)

78.

2146C

[Wrong Binary Search](#) · [Tutorial](#)

Quality: 13,312 global accepts · Rating: 1300 · first AC: 2025-09-21 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms

[_themezzala's solution](#)

79.

2127B

[Hamiid, Haaamid... Hamid?](#) · [Tutorial](#)

Quality: 13,497 global accepts · Rating: 1300 · first AC: 2025-08-07 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy

[_themezzala's solution](#)

80.

2130C

[Double Perspective](#) · [Tutorial](#)

Rating: 1300 · first AC: 2025-07-31 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dsu, greedy

[_themezzala's solution](#)

81.

1913C

[Game with Multiset](#) · [Tutorial](#)

Quality: 17,492 global accepts · Rating: 1300 · first AC: 2023-12-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, brute force, greedy

[_themezzala's solution](#)

82.

1902C

[Insert and Equalize](#) · [Tutorial](#)

Quality: 16,979 global accepts · Rating: 1300 · first AC: 2023-12-03 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy, math, number theory

[_themezzala's solution](#)

83.

1900C

[Anji's Binary Tree](#) · [Tutorial](#)

Quality: 15,044 global accepts · Rating: 1300 · first AC: 2023-11-26 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, trees

[_themezzala's solution](#)

84.

1882B

[Sets and Union](#) · [Tutorial](#)

Quality: 17,417 global accepts · Rating: 1300 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, constructive algorithms, greedy

[_themezzala's solution](#)

85.

1870C

[Colorful Table](#) · [Tutorial](#)

Quality: 13,114 global accepts · Rating: 1300 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp, implementation, math, two pointers

[_themezzala's solution](#)

86.

1692F

[3SUM](#) · [Tutorial](#)

Quality: 27,153 global accepts · Rating: 1300 · first AC: 2022-06-14 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math

[_themezzala's solution](#)

87.

2190B1

[Sub-RBS \(Easy Version\)](#) · [Tutorial](#)

Quality: 10,684 global accepts · Rating: 1400 · first AC: 2026-01-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, constructive algorithms, dp, greedy, strings, two pointers

[_themezzala's solution](#)

88.

2164C

[Dungeon](#) · [Tutorial](#)

Quality: 10,720 global accepts · Rating: 1400 · first AC: 2025-11-06 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, data structures, greedy, sortings

[_themezzala's solution](#)

89.

2152C

[Triple Removal](#) · [Tutorial](#)

Quality: 12,232 global accepts · Rating: 1400 · first AC: 2025-10-03 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, math

[_themezzala's solution](#)

90.

2127C

[Trip Shopping](#) · [Tutorial](#)

Quality: 12,397 global accepts · Rating: 1400 · first AC: 2025-08-07 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, sortings

[_themezzala's solution](#)

91.

1919C

[Grouping Increases](#) · [Tutorial](#)

Quality: 28,592 global accepts · Rating: 1400 · first AC: 2024-01-06 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, greedy

[_themezzala's solution](#)

92.

1904C

[Array Game](#) · [Tutorial](#)

Quality: 23,557 global accepts · Rating: 1400 · first AC: 2023-12-09 · C++17 (GCC 7-32) (first AC) · Tags: binary search, brute force, data structures, sortings, two pointers

[_themezzala's solution](#)

93.

1903C

[Theofanis' Nightmare](#) · [Tutorial](#)

Quality: 14,481 global accepts · Rating: 1400 · first AC: 2023-11-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy

[_themezzala's solution](#)

94.

1896C

[Matching Arrays](#) · [Tutorial](#)

Quality: 11,601 global accepts · Rating: 1400 · first AC: 2023-11-25 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, greedy, sortings

[_themezzala's solution](#)

95.

1714E

[Add Modulo 10](#) · [Tutorial](#)

Quality: 23,532 global accepts · Rating: 1400 · first AC: 2022-08-01 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory

[_themezzala's solution](#)

96.

1692G

[2^Sort](#) · [Tutorial](#)

Quality: 26,413 global accepts · Rating: 1400 · first AC: 2022-06-14 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, sortings, two pointers

[_themezzala's solution](#)

97.

2183D1

[Tree Coloring \(Easy Version\)](#) · [Tutorial](#)

Quality: 8,857 global accepts · Rating: 1500 · first AC: 2026-01-07 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, trees

[_themezzala's solution](#)

98.

2183C

[War Strategy](#) · [Tutorial](#)

Quality: 10,673 global accepts · Rating: 1500 · first AC: 2026-01-07 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, greedy, math, two pointers

[_themezzala's solution](#)

99.

2146D1

[Max Sum OR \(Easy Version\)](#) · [Tutorial](#)

Quality: 10,464 global accepts · Rating: 1500 · first AC: 2025-09-21 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, divide and conquer, greedy, trees

[_themezzala's solution](#)

100.

2147C

[Rabbits](#) · [Tutorial](#)

Quality: 9,752 global accepts · Rating: 1500 · first AC: 2025-09-20 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dp, greedy, implementation

[_themezzala's solution](#)

101.

1925C

[Did We Get Everything Covered?](#) · [Tutorial](#)

Rating: 1500 · first AC: 2024-01-27 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dp, greedy, implementation, strings

[_themezzala's solution](#)

102.

1882C

[Card Game](#) · [Tutorial](#)

Quality: 14,463 global accepts · Rating: 1500 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy

[_themezzala's solution](#)

103.

2207C

[Where's My Water?](#) · [Tutorial](#)

Quality: 5,455 global accepts · Rating: 1600 · first AC: 2026-03-08 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, divide and

conquer, dp, math

[_themezzala's solution](#)

104.

2207B

[One Night At Freddy's](#) · [Tutorial](#)

Quality: 5,819 global accepts · Rating: 1600 · first AC: 2026-03-08 · C++23 (GCC 14-64, msys2) (first AC) · Tags: games, greedy, sortings

[_themezzala's solution](#)

105.

2130D

[Stay or Mirror](#) · [Tutorial](#)

Rating: 1600 · first AC: 2025-07-31 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy

[_themezzala's solution](#)

106.

1920C

[Partitioning the Array](#) · [Tutorial](#)

Quality: 19,925 global accepts · Rating: 1600 · first AC: 2024-01-13 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, number theory

[_themezzala's solution](#)

107.

1917C

[Watering an Array](#) · [Tutorial](#)

Quality: 12,390 global accepts · Rating: 1600 · first AC: 2023-12-24 · C++17 (GCC 7-32) (first AC) · Tags: brute force, greedy, implementation, math

[_themezzala's solution](#)

108.

1904D1

[Set To Max \(Easy Version\)](#) · [Tutorial](#)

Quality: 8,625 global accepts · Rating: 1600 · first AC: 2023-12-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy

[_themezzala's solution](#)

109.

1782C

[Equal Frequencies](#) · [Tutorial](#)

Rating: 1600 · first AC: 2023-01-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, sortings, strings

[_themezzala's solution](#)

110.

1714D

[Color with Occurrences](#) · [Tutorial](#)

Quality: 10,325 global accepts · Rating: 1600 · first AC: 2022-08-01 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dp, greedy, strings

[_themezzala's solution](#)

111.

2215A

[Interval Mod](#) · [Tutorial](#)

Quality: 2,516 global accepts · Rating: 1700 · first AC: 2026-04-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dp, greedy, math

[_themezzala's solution](#)

112.

2201B

[Recollect Numbers](#) · [Tutorial](#)

Quality: 4,961 global accepts · Rating: 1700 · first AC: 2026-02-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms

[_themezzala's solution](#)

113.

2201A2

[Lost Civilization \(Hard Version\)](#) · [Tutorial](#)

Quality: 5,091 global accepts · Rating: 1700 · first AC: 2026-02-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: data structures, dp

[_themezzala's solution](#)

114.

2178D

[Xmas or Hysteria](#) · [Tutorial](#)

Quality: 6,699 global accepts · Rating: 1700 · first AC: 2025-12-27 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy, implementation, math

[_themezzala's solution](#)

115.

2159A

[MAD Interactive Problem](#) · [Tutorial](#)

Quality: 8,137 global accepts · Rating: 1700 · first AC: 2025-10-12 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, implementation, interactive

[_themezzala's solution](#)

116.

2152D

[Division Versus Addition](#) · [Tutorial](#)

Quality: 6,760 global accepts · Rating: 1700 · first AC: 2025-10-03 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy, math

[_themezzala's solution](#)

117.

2147D

[Game on Array](#) · [Tutorial](#)

Quality: 7,491 global accepts · Rating: 1700 · first AC: 2025-09-20 · C++17 (GCC 7-32) (first AC) · Tags: games, greedy

[_themezzala's solution](#)

118.

2135B

[For the Champion](#) · [Tutorial](#)

Quality: 7,348 global accepts · Rating: 1700 · first AC: 2025-08-28 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, interactive, math

[_themezzala's solution](#)

119.

2122C

[Manhattan Pairs](#) · [Tutorial](#)

Quality: 8,403 global accepts · Rating: 1700 · first AC: 2025-07-19 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, geometry, greedy, math, sortings

[_themezzala's solution](#)

120.

1903D1

[Maximum And Queries \(easy version\)](#) · [Tutorial](#)

Quality: 7,154 global accepts · Rating: 1700 · first AC: 2023-11-30 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, brute force, greedy

[_themezzala's solution](#)

121.

1896D

[Ones and Twos](#) · [Tutorial](#)

Quality: 7,007 global accepts · Rating: 1700 · first AC: 2023-11-25 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, divide and conquer, math, two pointers

[_themezzala's solution](#)

122.

1783C

[Yet Another Tournament](#) · [Tutorial](#)

Quality: 10,883 global accepts · Rating: 1700 · first AC: 2023-01-08 · C++17 (GCC 7-32) (first AC) · Tags: binary search, greedy, sortings

[_themezzala's solution](#)

123.

2211C2

[Equal Multisets \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,682 global accepts · Rating: 1800 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: constructive algorithms, dsu,

greedy

[_themezzala's solution](#)

124.

2187B

[Shortest Statement Ever](#) · [Tutorial](#)

Quality: 5,289 global accepts · Rating: 1800 · first AC: 2026-01-29 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy

[_themezzala's solution](#)

125.

2164D

[Copy String](#) · [Tutorial](#)

Quality: 4,980 global accepts · Rating: 1800 · first AC: 2025-11-06 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, strings, two pointers

[_themezzala's solution](#)

126.

2138C1

[Maple and Tree Beauty \(Easy Version\)](#) · [Tutorial](#)

Quality: 5,427 global accepts · Rating: 1800 · first AC: 2025-09-08 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dfs and similar, dp, graphs, trees

[_themezzala's solution](#)

127.

2127D

[Root was Built by Love, Broken by Destiny](#) · [Tutorial](#)

Quality: 6,199 global accepts · Rating: 1800 · first AC: 2025-08-07 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dfs and similar, graphs, trees

[_themezzala's solution](#)

128.

1870D

[Prefix Purchase](#) · [Tutorial](#)

Quality: 8,031 global accepts · Rating: 1800 · first AC: 2023-09-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, implementation, sortings

[_themezzala's solution](#)

129.

1859D

[Andrey and Escape from Capygrad](#) · [Tutorial](#)

Quality: 7,997 global accepts · Rating: 1800 · first AC: 2023-08-12 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp, dsu, greedy, sortings

[_themezzala's solution](#)

130.

1782D

[Many Perfect Squares](#) · [Tutorial](#)

Rating: 1800 · first AC: 2023-01-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, math, number theory

[_themezzala's solution](#)

131.

2211D

[AND-array](#) · [Tutorial](#)

Quality: 2,902 global accepts · Rating: 1900 · first AC: 2026-03-28 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, combinatorics, math

[_themezzala's solution](#)

132.

2190B2

[Sub-RBS \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,182 global accepts · Rating: 1900 · first AC: 2026-01-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, games, implementation, strings

[_themezzala's solution](#)

133.

2180C

[XOR-factorization](#) · [Tutorial](#)

Quality: 6,467 global accepts · Rating: 1900 · first AC: 2025-12-19 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy, number theory

[_themezzala's solution](#)

134.

2180D

[Insolvable Disks](#) · [Tutorial](#)

Quality: 4,256 global accepts · Rating: 1900 · first AC: 2025-12-19 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, greedy, math

[_themezzala's solution](#)

135.

2165B

[Marble Council](#) · [Tutorial](#)

Quality: 4,549 global accepts · Rating: 1900 · first AC: 2025-11-16 · C++17 (GCC 7-32) (first AC) · Tags: dp, math, sortings

[_themezzala's solution](#)

136.

2138B

[Antiamuny Wants to Learn Swap](#) · [Tutorial](#)

Quality: 5,333 global accepts · Rating: 1900 · first AC: 2025-09-08 · C++17 (GCC 7-32) (first AC) · Tags: data structures, greedy, two pointers

[_themezzala's solution](#)

137.

2130E1

[Interactive RBS \(Easy Version\)](#) · [Tutorial](#)

Rating: 1900 · first AC: 2025-07-31 · C++17 (GCC 7-32) (first AC) · Tags: binary search, constructive algorithms, interactive, strings

[_themezzala's solution](#)

138.

1882D

[Tree XOR](#) · [Tutorial](#)

Quality: 7,097 global accepts · Rating: 1900 · first AC: 2023-09-25 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, dfs and similar, dp, greedy, trees

[_themezzala's solution](#)

139.

2215B

[RReeppettiitiiioonn](#) · [Tutorial](#)

Quality: 1,014 global accepts · Rating: 2000 · first AC: 2026-04-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, brute force, implementation, math, number theory

[_themezzala's solution](#)

140.

2201C

[Rigged Bracket Sequence](#) · [Tutorial](#)

Quality: 1,995 global accepts · Rating: 2000 · first AC: 2026-02-23 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, dp, greedy

[_themezzala's solution](#)

141.

2165C

[Binary Wine](#) · [Tutorial](#)

Quality: 3,531 global accepts · Rating: 2000 · first AC: 2025-11-16 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, greedy, math

[_themezzala's solution](#)

142.

2146D2

[Max Sum OR \(Hard Version\)](#) · [Tutorial](#)

Quality: 4,035 global accepts · Rating: 2000 · first AC: 2025-09-21 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, divide and conquer, greedy

[_themezzala's solution](#)

143.

2138C2

[Maple and Tree Beauty \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,370 global accepts · Rating: 2000 · first AC: 2025-09-08 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dfs and similar, dp, fft, trees

[_themezzala's solution](#)

144.

2135C

[By the Assignment](#) · [Tutorial](#)

Quality: 3,899 global accepts · Rating: 2000 · first AC: 2025-08-28 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, combinatorics, dfs and similar, dsu, graphs, math

[_themezzala's solution](#)

145.

2130E2

[Interactive RBS \(Medium Version\)](#) · [Tutorial](#)

Rating: 2000 · first AC: 2025-07-31 · C++17 (GCC 7-32) (first AC) · Tags: binary search, bitmasks, constructive algorithms, interactive, strings

[_themezzala's solution](#)

146.

1900D

[Small GCD](#) · [Tutorial](#)

Quality: 5,357 global accepts · Rating: 2000 · first AC: 2023-11-28 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dp, math, number theory

[_themezzala's solution](#)

147.

2183E

[LCM is Legendary Counting Master](#) · [Tutorial](#)

Quality: 2,855 global accepts · Rating: 2100 · first AC: 2026-01-07 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dp, math, number theory

[_themezzala's solution](#)

148.

2183D2

[Tree Coloring \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,499 global accepts · Rating: 2100 · first AC: 2026-01-07 · C++23 (GCC 14-64, msys2) (first AC) · Tags: combinatorics, constructive algorithms, data structures, dfs and similar, greedy, implementation, trees

[_themezzala's solution](#)

149.

2159B

[Rectangles](#) · [Tutorial](#)

Quality: 2,321 global accepts · Rating: 2100 · first AC: 2025-10-12 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, dp, dsu, greedy, implementation, two pointers

[_themezzala's solution](#)

150.

2152E

[Monotone Subsequence](#) · [Tutorial](#)

Quality: 2,779 global accepts · Rating: 2100 · first AC: 2025-10-03 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs, greedy, interactive, math

[_themezzala's solution](#)

151.

2135D1

[From the Unknown \(Easy Version\)](#) · [Tutorial](#)

Quality: 2,442 global accepts · Rating: 2100 · first AC: 2025-08-28 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, interactive, math

[_themezzala's solution](#)

152.

1913D

[Array Collapse](#) · [Tutorial](#)

Quality: 4,146 global accepts · Rating: 2100 · first AC: 2023-12-18 · C++17 (GCC 7-32) (first AC) · Tags: data structures, divide and conquer, dp, trees

[_themezzala's solution](#)

153.

2215C

[Oriented Journey](#) · [Tutorial](#)

Quality: 631 global accepts · Rating: 2200 · first AC: 2026-04-12 · C++23 (GCC 14-64, msys2) (first AC) · Tags: bitmasks, brute force, communication, constructive algorithms, graphs, interactive, trees

[_themezzala's solution](#)

154.

2190C

[Comparable Permutations](#) · [Tutorial](#)

Quality: 1,293 global accepts · Rating: 2300 · first AC: 2026-01-17 · C++23 (GCC 14-64, msys2) (first AC) · Tags: greedy, implementation, interactive, sortings, two pointers

[_themezzala's solution](#)

155.

2180E

[No Effect XOR](#) · [Tutorial](#)

Quality: 1,739 global accepts · Rating: 2300 · first AC: 2025-12-19 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, divide and conquer, dp, greedy, math

[_themezzala's solution](#)

156.

2159C

[Twin Polynomials](#) · [Tutorial](#)

Quality: 1,700 global accepts · Rating: 2300 · first AC: 2025-10-12 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, graph matchings, math

[_themezzala's solution](#)

157.

2134E

[Power Boxes](#) · [Tutorial](#)

Quality: 2,403 global accepts · Rating: 2300 · first AC: 2025-08-26 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dp, implementation, interactive

[_themezzala's solution](#)

158.

2134D

[Sliding Tree](#) · [Tutorial](#)

Quality: 3,646 global accepts · Rating: 2300 · first AC: 2025-08-26 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, dfs and similar, greedy, implementation, trees

[_themezzala's solution](#)

159.

2130E3

[Interactive RBS \(Hard Version\)](#) · [Tutorial](#)

Rating: 2300 · first AC: 2025-07-31 · C++17 (GCC 7-32) (first AC) · Tags: interactive

[_themezzala's solution](#)

160.

1917D

[Yet Another Inversions Problem](#) · [Tutorial](#)

Quality: 2,071 global accepts · Rating: 2300 · first AC: 2023-12-25 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, data structures, dp, implementation, math, number theory

[_themezzala's solution](#)

161.

2219C

[Coloring a Red Black Tree](#) · [Tutorial](#)

Quality: 1,217 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: dfs and similar, dp, greedy, math, probabilities, trees

[_themezzala's solution](#)

162.

2219B1

[Unique Values \(Easy version\)](#) · [Tutorial](#)

Quality: 3,610 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, constructive algorithms, divide and conquer, interactive, math

[_themezzala's solution](#)

163.

2219B2

[Unique Values \(Hard version\)](#) · [Tutorial](#)

Quality: 3,215 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, bitmasks, constructive algorithms, interactive

[_themezzala's solution](#)

164.

2219A

[Grid L](#) · [Tutorial](#)

Quality: 9,009 global accepts · Rating: — · first AC: 2026-04-13 · C++23 (GCC 14-64, msys2) (first AC) · Tags: brute force, constructive algorithms, math, number theory

[_themezzala's solution](#)