

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — aaa3222222

Links: [problem](#) (problemset), [Tutorial](#), [submission](#) (first AC).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 85

1.

1779A

[Hall of Fame](#) · [Tutorial](#)

Quality: 24,060 global accepts · Rating: 800 · first AC: 2023-01-03 · C++14 (GCC 6-32) (first AC) · Tags: [constructive algorithms](#), [greedy](#), [strings](#)
[aaa3222222's solution](#)

2.

1774A

[Add Plus Minus Sign](#) · [Tutorial](#)

Quality: 23,532 global accepts · Rating: 800 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: [constructive algorithms](#), [math](#)
[aaa3222222's solution](#)

3.

1720B

[Interesting Sum](#) · [Tutorial](#)

Quality: 22,415 global accepts · Rating: 800 · first AC: 2022-08-18 · C++14 (GCC 6-32) (first AC) · Tags: [brute force](#), [data structures](#), [greedy](#), [math](#), [sortings](#)
[aaa3222222's solution](#)

4.

1716B

[Permutation Chain](#) · [Tutorial](#)

Quality: 21,953 global accepts · Rating: 800 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: [constructive algorithms](#), [math](#)
[aaa3222222's solution](#)

5.

1716A

[2-3 Moves](#) · [Tutorial](#)

Quality: 35,848 global accepts · Rating: 800 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: [greedy](#), [math](#)
[aaa3222222's solution](#)

6.

1680B

[Robots](#) · [Tutorial](#)

Quality: 19,086 global accepts · Rating: 800 · first AC: 2022-05-13 · C++14 (GCC 6-32) (first AC) · Tags: [implementation](#)
[aaa3222222's solution](#)

7.

1680A

[Minimums and Maximums](#) · [Tutorial](#)

Quality: 22,353 global accepts · Rating: 800 · first AC: 2022-05-13 · C++14 (GCC 6-32) (first AC) · Tags: [brute force](#), [math](#)
[aaa3222222's solution](#)

8.

1638A

[Reverse](#) · [Tutorial](#)

Quality: 22,146 global accepts · Rating: 800 · first AC: 2022-02-14 · C++14 (GCC 6-32) (first AC) · Tags: [constructive algorithms](#), [greedy](#), [math](#)
[aaa3222222's solution](#)

9.

1608A

[Find Array](#) · [Tutorial](#)

Quality: 20,266 global accepts · Rating: 800 · first AC: 2021-12-11 · C++17 (GCC 7-32) (first AC) · Tags: [constructive algorithms](#), [math](#)
[aaa3222222's solution](#)

10.

1612A

[Distance](#) · [Tutorial](#)

Quality: 18,211 global accepts · Rating: 800 · first AC: 2021-11-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms
[aaa3222222's solution](#)

11.

1586A

[Windblume Ode](#) · [Tutorial](#)

Rating: 800 · first AC: 2021-10-17 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, greedy, math, number theory
[aaa3222222's solution](#)

12.

1598A

[Computer Game](#) · [Tutorial](#)

Quality: 25,646 global accepts · Rating: 800 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dfs and similar, dp, implementation
[aaa3222222's solution](#)

13.

1573A

[Countdown](#) · [Tutorial](#)

Quality: 21,956 global accepts · Rating: 800 · first AC: 2021-09-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy
[aaa3222222's solution](#)

14.

1557A

[Ezzat and Two Subsequences](#) · [Tutorial](#)

Quality: 29,147 global accepts · Rating: 800 · first AC: 2021-08-09 · C++17 (GCC 7-32) (first AC) · Tags: brute force, math, sortings
[aaa3222222's solution](#)

15.

1549B

[Gregor and the Pawn Game](#) · [Tutorial](#)

Quality: 26,831 global accepts · Rating: 800 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: dfs and similar, dp, flows, graph matchings, graphs, greedy, implementation
[aaa3222222's solution](#)

16.

1549A

[Gregor and Cryptography](#) · [Tutorial](#)

Quality: 35,568 global accepts · Rating: 800 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
[aaa3222222's solution](#)

17.

1542A

[Odd Set](#) · [Tutorial](#)

Quality: 51,639 global accepts · Rating: 800 · first AC: 2021-07-03 · C++17 (GCC 7-32) (first AC) · Tags: math
[aaa3222222's solution](#)

18.

1779B

[MKnez's ConstructiveForces Task](#) · [Tutorial](#)

Quality: 25,067 global accepts · Rating: 900 · first AC: 2023-01-03 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, math
[aaa3222222's solution](#)

19.

1720A

[Burenka Plays with Fractions](#) · [Tutorial](#)

Quality: 24,367 global accepts · Rating: 900 · first AC: 2022-08-18 · C++14 (GCC 6-32) (first AC) · Tags: math, number theory
[aaa3222222's solution](#)

20.

1679A

[AvtoBus](#) · [Tutorial](#)

Quality: 40,182 global accepts · Rating: 900 · first AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, math, number

theory

[aaa3222222's solution](#)

21.

1612B

[Special Permutation](#) · [Tutorial](#)

Quality: 18,432 global accepts · Rating: 900 · first AC: 2021-11-22 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy
[aaa3222222's solution](#)

22.

1559B

[Mocha and Red and Blue](#) · [Tutorial](#)

Quality: 24,138 global accepts · Rating: 900 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: dp, greedy
[aaa3222222's solution](#)

23.

1559A

[Mocha and Math](#) · [Tutorial](#)

Quality: 45,602 global accepts · Rating: 900 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, constructive algorithms, math
[aaa3222222's solution](#)

24.

1555A

[PizzaForces](#) · [Tutorial](#)

Quality: 30,347 global accepts · Rating: 900 · first AC: 2021-07-30 · C++17 (GCC 9-64) (first AC) · Tags: brute force, math
[aaa3222222's solution](#)

25.

1770B

[Koxia and Permutation](#) · [Tutorial](#)

Quality: 20,851 global accepts · Rating: 1000 · first AC: 2022-12-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms
[aaa3222222's solution](#)

26.

1770A

[Koxia and Whiteboards](#) · [Tutorial](#)

Quality: 25,247 global accepts · Rating: 1000 · first AC: 2022-12-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy
[aaa3222222's solution](#)

27.

1598B

[Groups](#) · [Tutorial](#)

Quality: 16,939 global accepts · Rating: 1000 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, implementation
[aaa3222222's solution](#)

28.

1638B

[Odd Swap Sort](#) · [Tutorial](#)

Quality: 22,547 global accepts · Rating: 1100 · first AC: 2022-02-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, math, sortings
[aaa3222222's solution](#)

29.

1557B

[Moamen and k-subarrays](#) · [Tutorial](#)

Quality: 24,612 global accepts · Rating: 1100 · first AC: 2021-08-09 · C++17 (GCC 7-32) (first AC) · Tags: greedy, sortings
[aaa3222222's solution](#)

30.

1720C

[Corners](#) · [Tutorial](#)

Quality: 18,230 global accepts · Rating: 1200 · first AC: 2022-08-18 · C++14 (GCC 6-32) (first AC) · Tags: greedy, implementation
[aaa3222222's solution](#)

31.

1679B

[Stone Age Problem](#) · [Tutorial](#)

Quality: 27,442 global accepts · Rating: 1200 · first AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation

[aaa3222222's solution](#)

32.

1608B

[Build the Permutation](#) · [Tutorial](#)

Quality: 12,487 global accepts · Rating: 1200 · first AC: 2021-12-11 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, greedy
[aaa3222222's solution](#)

33.

1598C

[Delete Two Elements](#) · [Tutorial](#)

Quality: 23,655 global accepts · Rating: 1200 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, implementation, math, two pointers
[aaa3222222's solution](#)

34.

1559C

[Mocha and Hiking](#) · [Tutorial](#)

Quality: 22,817 global accepts · Rating: 1200 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, graphs
[aaa3222222's solution](#)

35.

1868A

[Fill in the Matrix](#) · [Tutorial](#)

Quality: 13,614 global accepts · Rating: 1300 · first AC: 2023-11-15 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, implementation
[aaa3222222's solution](#)

36.

1774C

[Ice and Fire](#) · [Tutorial](#)

Quality: 13,276 global accepts · Rating: 1300 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, greedy
[aaa3222222's solution](#)

37.

1638C

[Inversion Graph](#) · [Tutorial](#)

Quality: 15,943 global accepts · Rating: 1300 · first AC: 2022-02-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dsu, graphs, math
[aaa3222222's solution](#)

38.

1612C

[Chat Ban](#) · [Tutorial](#)

Quality: 25,817 global accepts · Rating: 1300 · first AC: 2021-11-22 · C++17 (GCC 7-32) (first AC) · Tags: binary search, math
[aaa3222222's solution](#)

39.

1555C

[Coin Rows](#) · [Tutorial](#)

Quality: 24,087 global accepts · Rating: 1300 · first AC: 2021-07-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dp, implementation
[aaa3222222's solution](#)

40.

1555B

[Two Tables](#) · [Tutorial](#)

Quality: 17,250 global accepts · Rating: 1300 · first AC: 2021-07-30 · C++17 (GCC 9-64) (first AC) · Tags: brute force
[aaa3222222's solution](#)

41.

1735C

[Phase Shift](#) · [Tutorial](#)

Quality: 10,934 global accepts · Rating: 1400 · first AC: 2022-10-09 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dsu, graphs, greedy, implementation, strings
[aaa3222222's solution](#)

42.

1679C

[Rooks Defenders](#) · [Tutorial](#)

Quality: 11,732 global accepts · Rating: 1400 · first AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: data structures, implementation
[aaa3222222's solution](#)

43.

1573B

[Swaps](#) · [Tutorial](#)

Quality: 15,574 global accepts · Rating: 1400 · first AC: 2021-09-18 · C++17 (GCC 7-32) (first AC) · Tags: greedy, math, sortings
[aaa3222222's solution](#)

44.

1559D1

[Mocha and Diana \(Easy Version\)](#) · [Tutorial](#)

Quality: 16,032 global accepts · Rating: 1400 · first AC: 2021-08-15 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dsu, graphs, greedy, trees
[aaa3222222's solution](#)

45.

1549C

[Web of Lies](#) · [Tutorial](#)

Rating: 1400 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: graphs, greedy
[aaa3222222's solution](#)

46.

1774B

[Coloring](#) · [Tutorial](#)

Quality: 13,992 global accepts · Rating: 1500 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, greedy, math
[aaa3222222's solution](#)

47.

1542B

[Plus and Multiply](#) · [Tutorial](#)

Quality: 26,544 global accepts · Rating: 1500 · first AC: 2021-07-03 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory
[aaa3222222's solution](#)

48.

1779C

[Least Prefix Sum](#) · [Tutorial](#)

Quality: 14,395 global accepts · Rating: 1600 · first AC: 2023-01-03 · C++14 (GCC 6-32) (first AC) · Tags: data structures, greedy
[aaa3222222's solution](#)

49.

1774D

[Same Count One](#) · [Tutorial](#)

Quality: 9,226 global accepts · Rating: 1600 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, greedy, implementation, two pointers
[aaa3222222's solution](#)

50.

1680C

[Binary String](#) · [Tutorial](#)

Quality: 11,132 global accepts · Rating: 1600 · first AC: 2022-05-13 · C++14 (GCC 6-32) (first AC) · Tags: binary search, greedy, strings, two pointers
[aaa3222222's solution](#)

51.

1612D

[X-Magic Pair](#) · [Tutorial](#)

Quality: 10,264 global accepts · Rating: 1600 · first AC: 2021-11-22 · C++17 (GCC 7-32) (first AC) · Tags: math, number theory
[aaa3222222's solution](#)

52.

1555D

[Say No to Palindromes](#) · [Tutorial](#)

Quality: 15,472 global accepts · Rating: 1600 · first AC: 2021-07-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dp, strings

[aaa3222222's solution](#)

53.

1542C

[Strange Function](#) · [Tutorial](#)

Quality: 16,183 global accepts · Rating: 1600 · first AC: 2021-07-03 · C++17 (GCC 9-64) (first AC) · Tags: math, number theory

[aaa3222222's solution](#)

54.

1864D

[Matrix Cascade](#) · [Tutorial](#)

Quality: 7,640 global accepts · Rating: 1700 · first AC: 2023-12-08 · C++14 (GCC 6-32) (first AC) · Tags: brute force, constructive algorithms, data structures, dp, greedy, math

[aaa3222222's solution](#)

55.

1868B1

[Candy Party \(Easy Version\)](#) · [Tutorial](#)

Quality: 8,327 global accepts · Rating: 1700 · first AC: 2023-11-23 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, graphs, greedy, implementation, math

[aaa3222222's solution](#)

56.

1779D

[Boris and His Amazing Haircut](#) · [Tutorial](#)

Quality: 9,053 global accepts · Rating: 1700 · first AC: 2023-01-03 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dp, dsu, greedy, sortings

[aaa3222222's solution](#)

57.

1770C

[Koxia and Number Theory](#) · [Tutorial](#)

Quality: 9,667 global accepts · Rating: 1700 · first AC: 2022-12-30 · C++14 (GCC 6-32) (first AC) · Tags: brute force, chinese remainder theorem, math, number theory

[aaa3222222's solution](#)

58.

1735D

[Meta-set](#) · [Tutorial](#)

Quality: 6,774 global accepts · Rating: 1700 · first AC: 2022-10-09 · C++14 (GCC 6-32) (first AC) · Tags: brute force, combinatorics, data structures, hashing, math

[aaa3222222's solution](#)

59.

1608C

[Game Master](#) · [Tutorial](#)

Quality: 7,370 global accepts · Rating: 1700 · first AC: 2021-12-11 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dfs and similar, dp, graphs, greedy, two pointers

[aaa3222222's solution](#)

60.

1586C

[Omkar and Determination](#) · [Tutorial](#)

Rating: 1700 · first AC: 2021-10-17 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, dp, greedy, implementation, two pointers

[aaa3222222's solution](#)

61.

1598D

[Training Session](#) · [Tutorial](#)

Quality: 10,485 global accepts · Rating: 1700 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, data structures, geometry, implementation, math

[aaa3222222's solution](#)

62.

1557C

[Moamen and XOR](#) · [Tutorial](#)

Quality: 10,501 global accepts · Rating: 1700 · first AC: 2021-08-09 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, combinatorics, dp, math, matrices

[aaa3222222's solution](#)

63.

1720D1

[Xor-Subsequence \(easy version\)](#) · [Tutorial](#)

Quality: 6,711 global accepts · Rating: 1800 · first AC: 2022-08-18 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, brute force, dp, strings, trees, two pointers

[aaa3222222's solution](#)

64.

1573C

[Book](#) · [Tutorial](#)

Rating: 1800 · first AC: 2021-09-18 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, graphs, implementation

[aaa3222222's solution](#)

65.

1549D

[Integers Have Friends](#) · [Tutorial](#)

Rating: 1800 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, math, two pointers

[aaa3222222's solution](#)

66.

1774E

[Two Chess Pieces](#) · [Tutorial](#)

Quality: 3,959 global accepts · Rating: 1900 · first AC: 2022-12-17 · C++14 (GCC 6-32) (first AC) · Tags: dfs and similar, dp, greedy, trees

[aaa3222222's solution](#)

67.

1679D

[Toss a Coin to Your Graph...](#) · [Tutorial](#)

Quality: 5,815 global accepts · Rating: 1900 · first AC: 2022-05-14 · last AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: binary search, dfs and similar, dp, graphs

[aaa3222222's solution](#)

68.

1770D

[Koxia and Game](#) · [Tutorial](#)

Quality: 4,395 global accepts · Rating: 2000 · first AC: 2022-12-30 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, data structures, dfs and similar, dsu, flows, games, graph matchings, graphs, implementation

[aaa3222222's solution](#)

69.

1716C

[Robot in a Hallway](#) · [Tutorial](#)

Quality: 4,594 global accepts · Rating: 2000 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: data structures, dp, greedy, implementation, ternary search

[aaa3222222's solution](#)

70.

1716D

[Chip Move](#) · [Tutorial](#)

Quality: 6,137 global accepts · Rating: 2000 · first AC: 2022-08-04 · C++14 (GCC 6-32) (first AC) · Tags: brute force, dp, math

[aaa3222222's solution](#)

71.

1612E

[Messages](#) · [Tutorial](#)

Quality: 2,819 global accepts · Rating: 2000 · first AC: 2021-11-22 · C++17 (GCC 7-32) (first AC) · Tags: brute force, dp, greedy, probabilities, sortings

[aaa3222222's solution](#)

72.

1868B2

[Candy Party \(Hard Version\)](#) · [Tutorial](#)

Quality: 2,753 global accepts · Rating: 2100 · first AC: 2023-11-23 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, constructive algorithms, dp, greedy, implementation, math

[aaa3222222's solution](#)

73.

1598E

[Staircases](#) · [Tutorial](#)

Quality: 2,496 global accepts · Rating: 2100 · first AC: 2021-10-10 · C++17 (GCC 7-32) (first AC) · Tags: brute force, combinatorics, data structures, dfs and similar, dp, implementation, math

[aaa3222222's solution](#)

74.

1555E

[Boring Segments](#) · [Tutorial](#)

Quality: 4,533 global accepts · Rating: 2100 · first AC: 2021-07-30 · C++17 (GCC 7-32) (first AC) · Tags: data structures, sortings, trees, two pointers

[aaa3222222's solution](#)

75.

1559E

[Mocha and Stars](#) · [Tutorial](#)

Quality: 2,715 global accepts · Rating: 2200 · first AC: 2021-08-16 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, fft, math, number theory

[aaa3222222's solution](#)

76.

1557D

[Ezzat and Grid](#) · [Tutorial](#)

Quality: 3,003 global accepts · Rating: 2200 · first AC: 2021-08-09 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dp, greedy

[aaa3222222's solution](#)

77.

1868C

[Travel Plan](#) · [Tutorial](#)

Quality: 1,375 global accepts · Rating: 2400 · first AC: 2023-12-05 · C++14 (GCC 6-32) (first AC) · Tags: combinatorics, dp, implementation, math, trees

[aaa3222222's solution](#)

78.

1779E

[Anya's Simultaneous Exhibition](#) · [Tutorial](#)

Quality: 2,034 global accepts · Rating: 2400 · first AC: 2023-01-03 · C++14 (GCC 6-32) (first AC) · Tags: constructive algorithms, graphs, greedy, interactive, sortings

[aaa3222222's solution](#)

79.

1720D2

[Xor-Subsequence \(hard version\)](#) · [Tutorial](#)

Quality: 2,198 global accepts · Rating: 2400 · first AC: 2022-08-18 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, data structures, dp, strings, trees

[aaa3222222's solution](#)

80.

1679E

[Typical Party in Dorm](#) · [Tutorial](#)

Quality: 1,419 global accepts · Rating: 2400 · first AC: 2022-05-14 · C++14 (GCC 6-32) (first AC) · Tags: bitmasks, combinatorics, dp, strings

[aaa3222222's solution](#)

81.

1680D

[Dog Walking](#) · [Tutorial](#)

Quality: 1,352 global accepts · Rating: 2400 · first AC: 2022-05-13 · C++14 (GCC 6-32) (first AC) · Tags: brute force, greedy, math
[aaa3222222's solution](#)

82.

1638E

[Colorful Operations](#) · [Tutorial](#)

Quality: 2,368 global accepts · Rating: 2400 · first AC: 2022-02-14 · C++14 (GCC 6-32) (first AC) · Tags: brute force, data structures, implementation

[aaa3222222's solution](#)

83.

1559D2

[Mocha and Diana \(Hard Version\)](#) · [Tutorial](#)

Quality: 3,068 global accepts · Rating: 2500 · first AC: 2021-08-16 · last AC: 2021-08-16 · C++17 (GCC 7-32) (first AC) · Tags: brute force, constructive algorithms, dfs and similar, dsu, graphs, greedy, trees, two pointers

[aaa3222222's solution](#)

84.

1549E

[The Three Little Pigs](#) · [Tutorial](#)

Rating: 2500 · first AC: 2021-08-02 · last AC: 2021-08-02 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, fft, math

[aaa3222222's solution](#)

85.

1555F

[Good Graph](#) · [Tutorial](#)

Quality: 1,055 global accepts · Rating: 2700 · first AC: 2021-08-02 · C++17 (GCC 7-32) (first AC) · Tags: data structures, dsu, graphs, trees

[aaa3222222's solution](#)