

[CF Elite Tracker](https://cfelitetracker.vercel.app)

<https://cfelitetracker.vercel.app>

Unique solved — isaf

Links: [problem \(problemset\)](#), [Tutorial](#), [submission \(first AC\)](#).

Sort: [Problem rating](#) · [easier first](#)

Filters: none

Count: 89

1.

1552A

[Subsequence Permutation](#) · [Tutorial](#)

Quality: 25,340 global accepts · Rating: 800 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: [sortings](#), [strings](#)
[isaf's solution](#)

2.

1523A

[Game of Life](#) · [Tutorial](#)

Quality: 14,056 global accepts · Rating: 800 · first AC: 2021-05-30 · C++17 (GCC 7-32) (first AC) · Tags: [implementation](#)
[isaf's solution](#)

3.

1466B

[Last minute enhancements](#) · [Tutorial](#)

Quality: 23,595 global accepts · Rating: 800 · first AC: 2020-12-30 · GNU C++11 (first AC) · Tags: [dp](#), [greedy](#)
[isaf's solution](#)

4.

1466A

[Bovine Dilemma](#) · [Tutorial](#)

Quality: 23,208 global accepts · Rating: 800 · first AC: 2020-12-30 · GNU C++11 (first AC) · Tags: [brute force](#), [geometry](#), [math](#)
[isaf's solution](#)

5.

1097A

[Gennady and a Card Game](#) · [Tutorial](#)

Quality: 43,803 global accepts · Rating: 800 · first AC: 2019-01-04 · GNU C++11 (first AC) · Tags: [brute force](#), [implementation](#)
[isaf's solution](#)

6.

1091A

[New Year and the Christmas Ornament](#) · [Tutorial](#)

Quality: 18,565 global accepts · Rating: 800 · first AC: 2018-12-30 · GNU C++11 (first AC) · Tags: [brute force](#), [implementation](#), [math](#)
[isaf's solution](#)

7.

760A

[Petr and a calendar](#) · [Tutorial](#)

Quality: 8,644 global accepts · Rating: 800 · first AC: 2017-01-22 · GNU C++11 (first AC) · Tags: [implementation](#), [math](#)
[isaf's solution](#)

8.

669A

[Little Artem and Presents](#) · [Tutorial](#)

Quality: 11,681 global accepts · Rating: 800 · first AC: 2016-04-24 · last AC: 2017-01-21 · GNU C++11 (first AC) · Tags: [math](#)
[isaf's solution](#)

9.

748A

[Santa Claus and a Place in a Class](#) · [Tutorial](#)

Quality: 9,346 global accepts · Rating: 800 · first AC: 2016-12-25 · GNU C++11 (first AC) · Tags: [implementation](#), [math](#)
[isaf's solution](#)

10.

664A

[Complicated GCD](#) · [Tutorial](#)

Quality: 21,668 global accepts · Rating: 800 · first AC: 2016-04-17 · GNU C++11 (first AC) · Tags: math, number theory

[isaf's solution](#)

11.

647A

[AñFCteC#8 A\\$0D 8](#)

Rating: 800 · first AC: 2016-03-24 · GNU C++11 (first AC) · Tags: —

[isaf's solution](#)

12.

646A

[B\\$0C,1D 0D\\$0](#)

Rating: 800 · first AC: 2016-03-21 · GNU C++11 (first AC) · Tags: —

[isaf's solution](#)

13.

1110A

[Parity · Tutorial](#)

Quality: 16,026 global accepts · Rating: 900 · first AC: 2019-02-07 · GNU C++11 (first AC) · Tags: math

[isaf's solution](#)

14.

776A

[A Serial Killer · Tutorial](#)

Quality: 12,886 global accepts · Rating: 900 · first AC: 2017-02-23 · GNU C++11 (first AC) · Tags: brute force, implementation, strings

[isaf's solution](#)

15.

768A

[Oath of the Night's Watch · Tutorial](#)

Quality: 30,842 global accepts · Rating: 900 · first AC: 2017-02-20 · GNU C++11 (first AC) · Tags: constructive algorithms, sortings

[isaf's solution](#)

16.

766B

[Mahmoud and a Triangle · Tutorial](#)

Quality: 38,355 global accepts · Rating: 1000 · first AC: 2017-02-07 · GNU C++11 (first AC) · Tags: constructive algorithms, geometry, greedy, math, number theory, sortings

[isaf's solution](#)

17.

766A

[Mahmoud and Longest Uncommon Subsequence · Tutorial](#)

Quality: 34,546 global accepts · Rating: 1000 · first AC: 2017-02-07 · GNU C++11 (first AC) · Tags: constructive algorithms, strings

[isaf's solution](#)

18.

761A

[Dasha and Stairs · Tutorial](#)

Quality: 15,136 global accepts · Rating: 1000 · first AC: 2017-01-31 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, implementation, math

[isaf's solution](#)

19.

669B

[Little Artem and Grasshopper · Tutorial](#)

Rating: 1000 · first AC: 2016-04-24 · GNU C++11 (first AC) · Tags: —

[isaf's solution](#)

20.

649A

[A·N080ÄKCR GC,,AC´0 Aô>C´8C#0D ?C](#)

Quality: 1,617 global accepts · Rating: 1000 · first AC: 2016-03-26 · GNU C++11 (first AC) · Tags: constructive algorithms, implementation

[isaf's solution](#)

21.

1523B

[Lord of the Values](#) · [Tutorial](#)

Quality: 12,509 global accepts · Rating: 1100 · first AC: 2021-05-30 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms
[isaf's solution](#)

22.

1097B

[Petr and a Combination Lock](#) · [Tutorial](#)

Quality: 35,945 global accepts · Rating: 1200 · first AC: 2019-01-04 · GNU C++11 (first AC) · Tags: bitmasks, brute force, dp
[isaf's solution](#)

23.

1091B

[New Year and the Treasure Geolocation](#) · [Tutorial](#)

Quality: 11,012 global accepts · Rating: 1200 · first AC: 2018-12-30 · GNU C++11 (first AC) · Tags: brute force, constructive algorithms, greedy, implementation
[isaf's solution](#)

24.

1028B

[Unnatural Conditions](#) · [Tutorial](#)

Quality: 10,241 global accepts · Rating: 1200 · first AC: 2018-08-27 · GNU C++11 (first AC) · Tags: constructive algorithms, math
[isaf's solution](#)

25.

776B

[Sherlock and his girlfriend](#) · [Tutorial](#)

Quality: 25,726 global accepts · Rating: 1200 · first AC: 2017-02-23 · GNU C++11 (first AC) · Tags: constructive algorithms, number theory
[isaf's solution](#)

26.

639A

[Bear and Displayed Friends](#) · [Tutorial](#)

Quality: 6,415 global accepts · Rating: 1200 · first AC: 2016-04-10 · GNU C++11 (first AC) · Tags: implementation
[isaf's solution](#)

27.

647B

[A-ZE7GD=Cä5 CÔ5C >](#)

Rating: 1200 · first AC: 2016-03-24 · GNU C++11 (first AC) · Tags: —
[isaf's solution](#)

28.

1466C

[Canine poetry](#) · [Tutorial](#)

Quality: 18,728 global accepts · Rating: 1300 · first AC: 2020-12-30 · GNU C++11 (first AC) · Tags: dp, greedy, strings
[isaf's solution](#)

29.

761B

[Dasha and friends](#) · [Tutorial](#)

Quality: 7,056 global accepts · Rating: 1300 · first AC: 2017-01-31 · GNU C++11 (first AC) · Tags: brute force, implementation, math
[isaf's solution](#)

30.

1548A

[Web of Lies](#) · [Tutorial](#)

Quality: 17,732 global accepts · Rating: 1400 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: brute force, graphs, greedy
[isaf's solution](#)

31.

1110B

[Tape](#) · [Tutorial](#)

Quality: 16,581 global accepts · Rating: 1400 · first AC: 2019-02-07 · GNU C++11 (first AC) · Tags: greedy, sortings
[isaf's solution](#)

32.

1097C

[Yuhao and a Parenthesis](#) · [Tutorial](#)

Quality: 8,785 global accepts · Rating: 1400 · first AC: 2019-01-04 · GNU C++11 (first AC) · Tags: greedy, implementation
[isaf's solution](#)

33.

1091C

[New Year and the Sphere Transmission](#) · [Tutorial](#)

Quality: 10,558 global accepts · Rating: 1400 · first AC: 2018-12-30 · GNU C++11 (first AC) · Tags: math, number theory
[isaf's solution](#)

34.

748C

[Santa Claus and Robot](#) · [Tutorial](#)

Quality: 4,855 global accepts · Rating: 1400 · first AC: 2016-12-25 · GNU C++11 (first AC) · Tags: constructive algorithms, math
[isaf's solution](#)

35.

1552B

[Running for Gold](#) · [Tutorial](#)

Quality: 16,931 global accepts · Rating: 1500 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, graphs, greedy, sortings
[isaf's solution](#)

36.

1466D

[13th Labour of Heracles](#) · [Tutorial](#)

Quality: 14,631 global accepts · Rating: 1500 · first AC: 2020-12-30 · GNU C++11 (first AC) · Tags: data structures, greedy, sortings, trees
[isaf's solution](#)

37.

1242A

[Tile Painting](#) · [Tutorial](#)

Quality: 13,267 global accepts · Rating: 1500 · first AC: 2019-11-06 · C++17 (GCC 7-32) (first AC) · Tags: constructive algorithms, math, number theory
[isaf's solution](#)

38.

1110C

[Meaningless Operations](#) · [Tutorial](#)

Quality: 10,014 global accepts · Rating: 1500 · first AC: 2019-02-07 · GNU C++11 (first AC) · Tags: constructive algorithms, math, number theory
[isaf's solution](#)

39.

761C

[Dasha and Password](#) · [Tutorial](#)

Quality: 6,037 global accepts · Rating: 1500 · first AC: 2017-01-31 · GNU C++11 (first AC) · Tags: brute force, dp, implementation
[isaf's solution](#)

40.

748B

[Santa Claus and Keyboard Check](#) · [Tutorial](#)

Quality: 5,557 global accepts · Rating: 1500 · first AC: 2016-12-25 · GNU C++11 (first AC) · Tags: implementation, strings
[isaf's solution](#)

41.

1523C

[Compression and Expansion](#) · [Tutorial](#)

Quality: 9,181 global accepts · Rating: 1600 · first AC: 2021-05-30 · C++17 (GCC 7-32) (first AC) · Tags: brute force, data structures, greedy, implementation, trees
[isaf's solution](#)

42.

1028C

[Rectangles](#) · [Tutorial](#)

Quality: 5,052 global accepts · Rating: 1600 · first AC: 2018-08-27 · GNU C++11 (first AC) · Tags: geometry, implementation, sortings
[isaf's solution](#)

43.

768B

[Code For 1](#) · [Tutorial](#)

Quality: 6,972 global accepts · Rating: 1600 · first AC: 2017-02-20 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, divide and conquer
[isaf's solution](#)

44.

760D

[Travel Card](#) · [Tutorial](#)

Rating: 1600 · first AC: 2017-01-22 · GNU C++11 (first AC) · Tags: binary search, dp, two pointers
[isaf's solution](#)

45.

639B

[Bear and Forgotten Tree 3](#) · [Tutorial](#)

Quality: 6,996 global accepts · Rating: 1600 · first AC: 2016-04-10 · GNU C++11 (first AC) · Tags: constructive algorithms, graphs, trees
[isaf's solution](#)

46.

1091D

[New Year and the Permutation Concatenation](#) · [Tutorial](#)

Quality: 7,474 global accepts · Rating: 1700 · first AC: 2018-12-30 · GNU C++11 (first AC) · Tags: combinatorics, dp, math
[isaf's solution](#)

47.

761D

[Dasha and Very Difficult Problem](#) · [Tutorial](#)

Quality: 4,212 global accepts · Rating: 1700 · first AC: 2017-01-31 · GNU C++11 (first AC) · Tags: binary search, brute force, constructive algorithms, greedy, sortings
[isaf's solution](#)

48.

760C

[Pavel and barbecue](#) · [Tutorial](#)

Rating: 1700 · first AC: 2017-01-22 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs
[isaf's solution](#)

49.

656B

[Scrambled](#) · [Tutorial](#)

Quality: 1,768 global accepts · Rating: 1700 · first AC: 2016-04-17 · GNU C++11 (first AC) · Tags: *special, implementation
[isaf's solution](#)

50.

1548B

[Integers Have Friends](#) · [Tutorial](#)

Quality: 11,348 global accepts · Rating: 1800 · first AC: 2021-08-01 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, divide and conquer, math, number theory, two pointers
[isaf's solution](#)

51.

1552C

[Maximize the Intersections](#) · [Tutorial](#)

Quality: 6,286 global accepts · Rating: 1800 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, constructive algorithms, geometry, greedy, sortings
[isaf's solution](#)

52.

1552D

[Array Differentiation](#) · [Tutorial](#)

Quality: 7,888 global accepts · Rating: 1800 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, constructive algorithms, dfs and similar, dp, graphs, math

[isaf's solution](#)

53.

1466E

[Apollo versus Pan](#) · [Tutorial](#)

Quality: 8,363 global accepts · Rating: 1800 · first AC: 2020-12-30 · GNU C++11 (first AC) · Tags: bitmasks, brute force, math

[isaf's solution](#)

54.

776C

[Molly's Chemicals](#) · [Tutorial](#)

Quality: 6,246 global accepts · Rating: 1800 · first AC: 2017-02-23 · GNU C++11 (first AC) · Tags: binary search, brute force, data structures, implementation, math

[isaf's solution](#)

55.

768C

[Jon Snow and his Favourite Number](#) · [Tutorial](#)

Quality: 3,974 global accepts · Rating: 1800 · first AC: 2017-02-20 · GNU C++11 (first AC) · Tags: brute force, dp, implementation, sortings

[isaf's solution](#)

56.

664B

[Rebus](#) · [Tutorial](#)

Rating: 1800 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: greedy

[isaf's solution](#)

57.

663A

[Rebus](#) · [Tutorial](#)

Quality: 3,783 global accepts · Rating: 1800 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: constructive algorithms, expression parsing, greedy, math

[isaf's solution](#)

58.

1242B

[0-1 MST](#) · [Tutorial](#)

Quality: 9,245 global accepts · Rating: 1900 · first AC: 2019-11-06 · GNU C++11 (first AC) · Tags: dfs and similar, dsu, graphs, sortings

[isaf's solution](#)

59.

656A

[Da Vinci Powers](#) · [Tutorial](#)

Quality: 3,815 global accepts · Rating: 1900 · first AC: 2016-04-17 · GNU C++11 (first AC) · Tags: *special

[isaf's solution](#)

60.

766D

[Mahmoud and a Dictionary](#) · [Tutorial](#)

Quality: 3,928 global accepts · Rating: 2000 · first AC: 2017-02-07 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, dp, dsu, graphs

[isaf's solution](#)

61.

761E

[Dasha and Puzzle](#) · [Tutorial](#)

Quality: 2,373 global accepts · Rating: 2000 · first AC: 2017-01-31 · GNU C++11 (first AC) · Tags: constructive algorithms, dfs and similar, graphs, greedy, trees

[isaf's solution](#)

62.

656E

[Out of Controls](#) · [Tutorial](#)

Quality: 767 global accepts · Rating: 2000 · first AC: 2016-04-17 · GNU C++11 (first AC) · Tags: *special
[isaf's solution](#)

63.

656C

[Without Text](#) · [Tutorial](#)

Quality: 732 global accepts · Rating: 2000 · first AC: 2016-04-17 · GNU C++11 (first AC) · Tags: *special
[isaf's solution](#)

64.

664C

[International Olympiad](#) · [Tutorial](#)

Rating: 2000 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: greedy
[isaf's solution](#)

65.

663B

[International Olympiad](#) · [Tutorial](#)

Rating: 2000 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: brute force, constructive algorithms, greedy, strings
[isaf's solution](#)

66.

1028D

[Order book](#) · [Tutorial](#)

Quality: 1,822 global accepts · Rating: 2100 · first AC: 2018-08-27 · GNU C++11 (first AC) · Tags: combinatorics, data structures, greedy
[isaf's solution](#)

67.

776E

[The Holmes Children](#) · [Tutorial](#)

Quality: 2,444 global accepts · Rating: 2100 · first AC: 2017-02-23 · GNU C++11 (first AC) · Tags: math, number theory
[isaf's solution](#)

68.

768E

[Game of Stones](#) · [Tutorial](#)

Quality: 3,507 global accepts · Rating: 2100 · first AC: 2017-02-20 · GNU C++11 (first AC) · Tags: bitmasks, dp, games
[isaf's solution](#)

69.

766E

[Mahmoud and a xor trip](#) · [Tutorial](#)

Quality: 3,473 global accepts · Rating: 2100 · first AC: 2017-02-07 · GNU C++11 (first AC) · Tags: bitmasks, constructive algorithms, data structures, dfs and similar, dp, math, trees
[isaf's solution](#)

70.

748D

[Santa Claus and a Palindrome](#) · [Tutorial](#)

Quality: 2,053 global accepts · Rating: 2100 · first AC: 2016-12-25 · GNU C++11 (first AC) · Tags: constructive algorithms, data structures, greedy
[isaf's solution](#)

71.

656D

[Rosetta Problem](#) · [Tutorial](#)

Quality: 996 global accepts · Rating: 2100 · first AC: 2016-04-17 · GNU C++11 (first AC) · Tags: *special
[isaf's solution](#)

72.

1552F

[Telepanting](#) · [Tutorial](#)

Quality: 3,334 global accepts · Rating: 2200 · first AC: 2021-07-25 · C++17 (GCC 7-32) (first AC) · Tags: binary search, data structures, dp,

sortings

[isaf's solution](#)

73.

1110D

[Jongmah](#) · [Tutorial](#)

Quality: 3,997 global accepts · Rating: 2200 · first AC: 2019-02-07 · GNU C++11 (first AC) · Tags: dp

[isaf's solution](#)

74.

1110E

[Magic Stones](#) · [Tutorial](#)

Quality: 4,719 global accepts · Rating: 2200 · first AC: 2019-02-07 · GNU C++11 (first AC) · Tags: constructive algorithms, math, sortings

[isaf's solution](#)

75.

664D

[Graph Coloring](#) · [Tutorial](#)

Rating: 2200 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: 2-sat, dfs and similar, dsu, graphs

[isaf's solution](#)

76.

663C

[Graph Coloring](#) · [Tutorial](#)

Rating: 2200 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: dfs and similar, graphs

[isaf's solution](#)

77.

639C

[Bear and Polynomials](#) · [Tutorial](#)

Quality: 1,254 global accepts · Rating: 2200 · first AC: 2016-04-10 · GNU C++11 (first AC) · Tags: hashing, implementation, math

[isaf's solution](#)

78.

2084E

[Blossom](#) · [Tutorial](#)

Quality: 1,792 global accepts · Rating: 2400 · first AC: 2025-04-18 · C++23 (GCC 14-64, msys2) (first AC) · Tags: binary search, combinatorics, dp, implementation, math, two pointers

[isaf's solution](#)

79.

1523D

[Love-Hate](#) · [Tutorial](#)

Quality: 2,477 global accepts · Rating: 2400 · first AC: 2021-05-30 · C++17 (GCC 7-32) (first AC) · Tags: bitmasks, brute force, dp, probabilities

[isaf's solution](#)

80.

1242C

[Sum Balance](#) · [Tutorial](#)

Quality: 1,948 global accepts · Rating: 2400 · first AC: 2019-11-06 · GNU C++11 (first AC) · Tags: bitmasks, dfs and similar, dp, graphs

[isaf's solution](#)

81.

1028E

[Restore Array](#) · [Tutorial](#)

Quality: 1,202 global accepts · Rating: 2400 · first AC: 2018-08-27 · GNU C++11 (first AC) · Tags: constructive algorithms

[isaf's solution](#)

82.

639D

[Bear and Contribution](#) · [Tutorial](#)

Quality: 1,066 global accepts · Rating: 2400 · first AC: 2016-04-10 · GNU C++11 (first AC) · Tags: data structures, greedy, sortings, two pointers

[isaf's solution](#)

83.

1523E

[Crypto Lights](#) · [Tutorial](#)

Quality: 1,938 global accepts · Rating: 2600 · first AC: 2021-05-30 · C++17 (GCC 7-32) (first AC) · Tags: combinatorics, dp, math, probabilities

[isaf's solution](#)

84.

663E

[Binary Table](#) · [Tutorial](#)

Rating: 2600 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: bitmasks, divide and conquer, dp

[isaf's solution](#)

85.

639E

[Bear and Paradox](#) · [Tutorial](#)

Quality: 617 global accepts · Rating: 2800 · first AC: 2016-04-10 · GNU C++11 (first AC) · Tags: binary search, greedy, math, sortings

[isaf's solution](#)

86.

1028F

[Make Symmetrical](#) · [Tutorial](#)

Quality: 580 global accepts · Rating: 2900 · first AC: 2018-08-27 · GNU C++11 (first AC) · Tags: brute force

[isaf's solution](#)

87.

664E

[To Hack or not to Hack](#) · [Tutorial](#)

Rating: 3100 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: —

[isaf's solution](#)

88.

663D

[To Hack or not to Hack](#) · [Tutorial](#)

Rating: 3100 · first AC: 2016-04-17 · Java 7 (first AC) · Tags: brute force, dp, greedy

[isaf's solution](#)

89.

639F

[Bear and Chemistry](#) · [Tutorial](#)

Quality: 450 global accepts · Rating: 3300 · first AC: 2016-04-17 · GNU C++11 (first AC) · Tags: data structures, dfs and similar, graphs, trees

[isaf's solution](#)